Geriatric Length of Stay by Diagnosis and Operation, United States, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients in Diagnosis Groups 17
  Diagnosis Groups 1-398 18
  Summary of All Patients in Operation Groups. 218
  Operation Groups 501-764 219
Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	Beds U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals,

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** and ***ICD-9-CM List B: Hospital Procedure Groups*** are based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activites, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses or procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 67 year old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  gangrenous *(see also* Cholecystitis, acute) 575.0
  paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  suppurative *(see also* cholecystitis, acute) 575.0
  typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with cholecystitis (chronic) 574.4
    acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with cholecystitis (chronic) 574.1
    acute 574.0
Cholemia *(see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

124

Step 2. Find the table for group 215 in the length of stay book.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. ***Operated***										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39
2. MULTIPLE DX										
A. ***Not Operated***										
65-69 YRS	1629	6.5	24	2	2	5	8	12	15	23
70-74	1688	7.0	24	2	3	6	9	13	16	22
75-79	1639	7.8	32	2	3	6	10	15	18	30
80-84	1253	8.2	35	2	3	7	10	15	18	32
85+	1294	9.1	46	3	3	8	11	16	21	34
B. ***Operated***										
65-69 YRS	6320	13.1	58	6	7	11	16	22	26	44
70-74	5233	14.5	70	6	7	12	17	24	30	50
75-79	3672	16.0	86	7	8	14	19	26	32	55
80-84	2020	18.2	104	8	9	16	22	30	38	59
85+	1293	19.9	137	8	9	17	24	34	42	71
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	1465	5.3	16	1	2	5	7	9	11	17
B. ***Operated***	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. ***Not Operated***	7503	7.6	32	2	3	6	10	14	17	28
B. ***Operated***	18538	15.1	82	6	7	13	18	25	32	52
1. SINGLE DX	8859	9.5	26	3	5	8	11	16	19	28
2. MULTIPLE DX	26041	12.9	79	3	5	11	16	23	29	48
A. NOT OPERATED	8968	7.3	30	2	3	6	9	13	17	28
B. OPERATED	25932	13.7	70	6	7	11	17	23	29	47
TOTAL 65-69 YRS	11701	10.8	47	3	5	9	13	18	23	36
70-74	9438	11.8	58	3	5	10	15	20	26	41
75-79	6749	12.9	75	3	5	11	16	23	28	45
80-84	3971	13.7	91	3	5	11	17	25	31	52
85+	3041	14.0	112	3	4	12	18	26	34	57
GRAND TOTAL	**34900**	**12.1**	**68**	**3**	**5**	**10**	**15**	**21**	**27**	**44**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51972	6.8	46	1	2	5	8	14	18	35
70-74	45674	7.0	47	1	2	5	9	14	19	35
75-79	36059	7.3	50	1	2	5	9	15	19	37
80-84	25297	7.6	55	1	2	6	10	15	20	37
85+	21179	7.8	53	1	2	6	10	15	20	39
B. *Operated*										
65-69 YRS	92940	6.4	42	1	2	4	8	14	18	31
70-74	79207	6.6	44	1	2	4	9	15	19	32
75-79	59261	6.8	54	1	2	4	9	16	21	35
80-84	35049	7.2	64	1	2	4	10	17	22	38
85+	22895	8.2	79	1	2	4	11	19	25	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	277774	8.7	62	2	2	7	11	17	23	41
70-74	291835	9.2	67	2	3	7	11	18	24	44
75-79	267992	9.7	74	2	3	7	12	19	25	47
80-84	209753	10.3	83	2	3	8	13	20	27	52
85+	191740	10.8	92	2	3	8	14	21	29	59
B. *Operated*										
65-69 YRS	209992	11.6	129	2	2	8	15	24	33	64
70-74	193529	12.5	142	2	2	9	16	26	36	68
75-79	155428	13.5	160	2	2	10	18	29	39	74
80-84	101673	14.5	175	2	3	11	19	31	42	80
85+	76443	15.8	186	2	3	13	21	33	45	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180181	7.2	49	1	2	5	9	14	19	36
B. *Operated*	289352	6.8	51	1	2	4	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	1239094	9.6	75	2	3	7	12	19	25	48
B. *Operated*	737065	13.0	153	2	2	10	17	28	38	72
1. SINGLE DX	469533	6.9	50	1	2	5	9	15	20	35
2. MULTIPLE DX	1976159	10.9	107	2	3	8	14	22	30	59
A. NOT OPERATED	1419275	9.3	72	2	3	7	12	18	25	46
B. OPERATED	1026417	11.3	132	2	2	8	15	25	34	64
TOTAL 65-69 YRS	632678	9.1	83	2	2	7	12	19	26	49
70-74	610245	9.7	91	2	2	7	12	20	27	52
75-79	518740	10.4	101	2	2	8	13	21	29	56
80-84	371772	11.0	110	2	2	8	14	23	31	60
85+	312257	11.7	118	2	3	9	15	24	33	67
GRAND TOTAL	**2445692**	**10.1**	**98**	**2**	**2**	**7**	**13**	**21**	**29**	**55**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	231	4.7	11	1	2	4	6	10	12	16
70-74	213	4.2	9	1	1	3	5	8	10	15
75-79	170	4.4	12	1	1	3	6	8	11	17
80-84	123	4.9	10	1	2	4	7	10	11	14
85+	122	4.4	11	1	1	4	6	8	11	17
B. *Operated*										
65-69 YRS	15	8.3	34	1	1	7	11	16	21	23
70-74	9	9.8	40	4	4	7	16	19	20	20
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	2	9.5	25	6	6	9	13	13	13	13
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	939	5.7	21	1	2	5	7	10	13	21
70-74	1012	6.4	29	2	2	5	8	12	16	26
75-79	940	6.8	42	2	2	5	8	12	18	29
80-84	704	7.1	37	2	2	5	8	13	17	31
85+	656	7.7	48	2	3	6	9	14	18	36
B. *Operated*										
65-69 YRS	73	12.0	127	3	4	9	13	22	32	65
70-74	83	14.2	87	5	6	11	18	26	33	51
75-79	75	15.0	162	3	6	12	18	26	34	84
80-84	49	14.7	86	4	6	13	18	24	32	49
85+	42	14.2	213	3	4	11	17	25	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	859	4.5	11	1	1	4	6	9	11	17
B. *Operated*	29	8.8	31	1	4	7	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*	4251	6.6	35	2	2	5	8	12	16	29
B. *Operated*	322	14.0	129	4	4	11	17	25	33	76
1. SINGLE DX	888	4.6	12	1	1	4	6	9	12	17
2. MULTIPLE DX	4573	7.2	45	2	2	5	9	13	18	33
A. NOT OPERATED	5110	6.3	31	2	2	5	8	12	15	26
B. OPERATED	351	13.5	123	3	4	11	17	24	32	68
TOTAL 65-69 YRS	1258	5.9	28	1	2	5	7	11	13	23
70-74	1317	6.6	34	2	2	5	8	13	17	29
75-79	1187	7.0	50	2	2	5	8	13	19	32
80-84	878	7.2	40	2	2	5	9	13	18	32
85+	821	7.5	54	2	2	6	9	14	18	36
GRAND TOTAL	**5461**	**6.7**	**40**	**2**	**2**	**5**	**8**	**13**	**17**	**31**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	11.4	73	<1	1	11	15	20	27	42
70-74	26	14.8	141	3	3	12	17	34	44	45
75-79	17	10.7	37	1	2	10	16	19	20	20
80-84	16	11.9	52	3	5	10	16	21	27	30
85+	13	13.7	91	1	1	13	21	26	30	31
B. *Operated*										
65-69 YRS	26	12.9	61	2	4	12	20	23	26	27
70-74	20	16.0	118	5	7	12	21	27	41	51
75-79	24	13.0	153	2	2	8	19	30	42	46
80-84	13	13.9	55	2	4	13	19	24	25	25
85+	5	11.8	47	5	5	9	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	137	15.2	102	3	4	13	20	30	37	44
70-74	133	16.8	160	3	5	15	22	32	39	64
75-79	111	15.5	119	4	5	13	21	32	39	73
80-84	70	17.1	251	4	5	11	21	36	49	86
85+	50	18.7	170	4	5	16	25	46	55	99+
B. *Operated*										
65-69 YRS	135	19.0	226	3	4	15	26	38	51	90
70-74	111	22.6	317	4	5	19	29	51	59	95
75-79	92	19.6	185	6	7	16	25	33	45	78
80-84	57	24.4	228	7	9	21	29	42	55	77
85+	31	24.4	328	5	9	22	32	60	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	12.4	82	1	2	11	17	22	32	44
B. *Operated*	88	13.7	95	2	4	11	21	25	29	49
2. MULTIPLE DX										
A. *Not Operated*	501	16.3	149	3	5	13	21	32	42	77
B. *Operated*	426	21.2	251	4	6	17	28	41	54	97
1. SINGLE DX	204	13.0	88	2	3	11	18	24	31	45
2. MULTIPLE DX	927	18.5	201	4	5	15	24	37	47	93
A. NOT OPERATED	617	15.6	138	3	4	13	21	31	40	64
B. OPERATED	514	19.9	232	4	5	16	26	38	53	96
TOTAL 65-69 YRS	342	16.0	150	3	4	13	21	31	39	67
70-74	290	18.8	223	3	5	15	24	36	51	89
75-79	244	16.5	148	4	5	14	22	32	43	58
80-84	156	19.0	223	4	6	15	24	37	52	77
85+	99	19.4	214	3	5	17	26	46	69	99+
GRAND TOTAL	**1131**	**17.5**	**185**	**3**	**5**	**14**	**23**	**34**	**45**	**91**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	13.0	19	7	7	14	16	17	17	17
70-74	6	14.0	185	1	1	11	14	37	40	40
75-79	3	7.0	61	2	2	3	13	16	16	16
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	12	14.3	124	2	2	12	20	31	37	38
70-74	9	11.3	140	1	2	7	15	31	37	37
75-79	12	8.6	32	1	2	9	13	16	17	17
80-84	3	19.3	89	12	12	16	26	30	30	30
85+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	11.5	108	3	3	7	16	21	36	47
70-74	32	14.8	125	3	4	12	17	32	44	46
75-79	16	11.7	77	2	2	8	19	24	28	30
80-84	8	15.6	138	6	7	11	18	36	42	42
85+	7	17.9	151	5	5	15	29	35	36	36
B. *Operated*										
65-69 YRS	24	19.6	136	4	5	17	31	36	37	38
70-74	21	36.1	771	6	8	24	52	87	92	93
75-79	29	20.6	337	6	7	15	27	44	48	92
80-84	12	27.0	209	3	7	27	38	44	47	48
85+	9	40.2	632	10	14	36	50	80	94	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	11.7	95	1	2	11	15	19	35	40
B. *Operated*	38	11.7	94	1	2	10	15	27	34	38
2. MULTIPLE DX										
A. *Not Operated*	83	13.7	113	3	4	11	17	29	40	47
B. *Operated*	95	26.5	438	4	8	21	36	48	77	94
1. SINGLE DX	52	11.7	92	1	2	10	15	26	36	40
2. MULTIPLE DX	178	20.5	325	3	4	15	29	43	49	93
A. NOT OPERATED	97	13.4	110	2	3	11	17	28	40	47
B. OPERATED	133	22.2	383	2	4	15	32	45	60	93
TOTAL 65-69 YRS	60	15.4	125	2	3	12	21	34	37	46
70-74	68	20.9	425	3	3	13	24	46	63	93
75-79	60	15.2	218	2	3	10	18	32	44	87
80-84	23	22.0	186	5	8	19	36	42	45	48
85+	19	26.5	529	4	5	21	36	55	79	94
GRAND TOTAL	**230**	**18.5**	**286**	**2**	**3**	**13**	**24**	**40**	**47**	**92**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.6	3	4	4	6	7	8	8	8
70-74	5	4.0	4	1	1	5	5	6	6	6
75-79	4	2.8	5	1	1	2	4	6	6	6
80-84										
85+	3	4.0	3	3	3	3	5	6	6	6
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	8.0	52	2	2	6	9	18	29	30
70-74	25	6.1	10	2	3	5	7	11	12	14
75-79	14	8.1	35	3	3	6	11	17	22	23
80-84	8	7.9	12	3	4	7	11	12	13	13
85+	11	11.8	63	4	5	11	14	24	30	31
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	9.0	2	8	8	9	10	10	10	10
75-79	2	13.0	2	12	12	13	14	14	14	14
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.2	4	1	1	4	6	6	7	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	87	7.9	36	2	3	6	11	15	20	31
B. *Operated*	5	9.8	12	5	5	10	12	14	14	14
1. SINGLE DX	17	4.2	4	1	1	4	6	6	7	8
2. MULTIPLE DX	92	8.0	35	2	3	6	11	14	20	31
A. NOT OPERATED	104	7.3	33	2	3	6	9	13	19	30
B. OPERATED	5	9.8	12	5	5	10	12	14	14	14
TOTAL 65-69 YRS	35	7.5	44	2	3	6	8	16	26	30
70-74	32	5.9	10	2	3	5	7	11	12	14
75-79	20	7.5	33	1	2	5	11	15	19	23
80-84	8	7.9	12	3	4	7	11	12	13	13
85+	14	10.1	60	3	3	8	12	21	29	31
GRAND TOTAL	**109**	**7.4**	**32**	**2**	**3**	**6**	**10**	**13**	**19**	**30**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	9.7	23	4	4	9	12	15	18	28
70-74	63	10.5	40	3	4	9	13	20	24	33
75-79	55	10.3	32	3	4	10	13	17	20	29
80-84	68	10.3	33	2	4	10	13	17	19	31
85+	74	12.3	93	3	3	9	15	25	35	48
B. *Operated*										
65-69 YRS	9	19.3	126	6	7	17	28	35	37	37
70-74	6	17.3	156	5	5	17	35	88	99+	99+
75-79	3	19.3	329	6	6	12	33	40	40	40
80-84	2	10.0	72	4	4	10	16	16	16	16
85+	5	22.0	179	10	10	19	26	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	755	13.3	99	4	5	11	15	25	32	60
70-74	974	13.8	91	4	6	12	16	25	32	55
75-79	1069	14.5	100	4	6	12	17	26	33	52
80-84	993	15.6	125	5	6	13	19	28	35	68
85+	1131	15.4	113	5	7	13	19	27	38	71
B. *Operated*										
65-69 YRS	273	23.9	292	6	8	20	31	51	70	99+
70-74	272	24.4	290	6	9	19	32	49	62	86
75-79	289	25.5	317	8	10	21	31	52	73	99+
80-84	242	25.0	258	8	10	20	33	47	59	99+
85+	185	24.0	245	7	11	20	29	44	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	10.7	47	3	4	9	13	19	25	36
B. *Operated*	25	18.6	144	5	6	17	27	40	56	99+
2. MULTIPLE DX										
A. *Not Operated*	4922	14.6	107	5	6	12	17	27	34	62
B. *Operated*	1261	24.6	283	7	9	20	31	49	67	99+
1. SINGLE DX	333	11.3	59	3	4	10	14	20	28	41
2. MULTIPLE DX	6183	16.7	159	5	6	13	20	32	42	81
A. NOT OPERATED	5230	14.4	104	4	6	12	17	26	34	60
B. OPERATED	1286	24.5	281	7	9	20	31	49	67	99+
TOTAL 65-69 YRS	1085	15.9	166	4	6	12	19	31	45	83
70-74	1315	15.9	149	5	6	13	19	31	42	77
75-79	1416	16.6	163	5	6	13	20	31	42	82
80-84	1305	17.1	160	5	6	14	20	32	41	77
85+	1395	16.4	139	5	6	13	20	30	40	82
GRAND TOTAL	**6516**	**16.4**	**155**	**5**	**6**	**13**	**20**	**31**	**42**	**80**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	9.1	53	3	4	7	11	16	27	36
70-74	26	7.7	25	1	2	7	9	16	19	21
75-79	24	8.2	51	2	2	5	10	19	24	30
80-84	5	9.0	53	3	3	7	13	21	21	21
85+	12	7.2	20	<1	1	6	11	14	15	15
B. *Operated*										
65-69 YRS	10	25.1	353	3	4	22	45	50	54	54
70-74	7	8.7	34	2	2	10	13	16	17	17
75-79	1	7.0		7	7	7	7	7	7	7
80-84	5	14.0	30	6	6	14	17	21	21	21
85+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	140	9.8	50	3	4	8	12	19	21	39
70-74	143	10.8	83	3	4	8	14	20	27	54
75-79	160	11.2	61	4	4	9	13	21	28	41
80-84	99	12.4	71	4	4	9	17	25	30	39
85+	99	10.3	40	4	5	9	12	16	21	40
B. *Operated*										
65-69 YRS	43	21.2	275	3	5	18	29	43	51	76
70-74	44	21.1	350	5	6	15	26	41	71	89
75-79	36	28.4	402	6	11	21	41	59	74	83
80-84	27	22.1	240	5	6	18	30	51	69	99+
85+	26	19.8	140	4	7	18	27	43	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	8.3	41	2	2	7	10	17	21	34
B. *Operated*	24	16.7	209	2	3	13	19	45	48	54
2. MULTIPLE DX										
A. *Not Operated*	641	10.9	62	3	4	9	13	20	27	42
B. *Operated*	176	22.6	297	4	6	19	30	45	65	97
1. SINGLE DX	128	9.9	82	2	2	7	12	19	30	48
2. MULTIPLE DX	817	13.4	136	4	4	10	16	27	37	71
A. NOT OPERATED	745	10.5	60	3	4	8	13	20	26	38
B. OPERATED	200	21.9	289	4	5	17	29	45	62	94
TOTAL 65-69 YRS	230	12.5	131	3	4	8	15	26	39	56
70-74	220	12.4	146	3	4	8	15	23	31	74
75-79	221	13.7	157	3	4	10	16	28	40	66
80-84	136	14.3	115	4	4	11	19	28	36	70
85+	138	11.8	71	4	4	10	15	23	32	52
GRAND TOTAL	**945**	**12.9**	**130**	**3**	**4**	**9**	**16**	**26**	**36**	**66**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	5.5	14	2	2	5	7	11	12	12
70-74	3	3.3		3	3	3	4	4	4	4
75-79										
80-84										
85+	4	9.0	115	2	2	4	15	25	25	25
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	13.8	202	3	4	10	12	26	54	62
70-74	15	14.3	62	3	7	13	17	28	31	32
75-79	11	12.4	73	3	3	10	17	25	29	29
80-84	5	12.0	32	6	6	15	16	18	18	18
85+	4	21.3	162	9	9	18	29	39	39	39
B. *Operated*										
65-69 YRS	3	13.3	100	2	2	17	20	21	21	21
70-74	2	39.0	72	33	33	39	45	45	45	45
75-79	2	55.0	1250	30	30	55	80	80	80	80
80-84										
85+	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.1	40	2	2	4	6	15	23	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	59	14.0	123	3	4	11	17	26	36	61
B. *Operated*	8	30.3	575	2	7	30	54	92	99+	99+
1. SINGLE DX	13	6.1	40	2	2	4	6	15	23	25
2. MULTIPLE DX	67	16.0	197	3	4	12	20	33	51	96
A. NOT OPERATED	72	12.6	116	2	3	10	16	24	32	59
B. OPERATED	8	30.3	575	2	7	30	54	92	99+	99+
TOTAL 65-69 YRS	33	12.2	164	2	2	9	12	22	46	62
70-74	20	15.2	132	2	3	13	19	32	39	45
75-79	13	18.9	421	3	3	15	24	40	72	80
80-84	5	12.0	32	6	6	15	18	92	99+	99+
85+	9	15.0	142	2	3	14	21	33	39	39
GRAND TOTAL	**80**	**14.4**	**184**	**2**	**3**	**11**	**18**	**31**	**47**	**94**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	147	6.6	21	2	3	5	8	13	16	22
70-74	178	6.9	40	2	2	6	8	13	16	33
75-79	157	7.4	44	1	2	5	9	14	21	34
80-84	128	8.7	58	2	3	7	10	15	24	41
85+	83	8.1	35	1	2	7	10	17	19	28
B. *Operated*										
65-69 YRS	16	6.4	21	<1	1	6	9	12	16	18
70-74	10	6.4	46	1	1	4	6	19	20	20
75-79	15	9.0	45	<1	2	8	13	16	23	26
80-84	10	9.8	66	2	2	7	12	24	25	25
85+	5	7.6	50	3	3	4	10	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	539	8.5	49	2	3	7	10	16	22	37
70-74	679	9.9	76	3	3	7	12	20	28	47
75-79	705	10.2	72	2	3	8	12	20	27	45
80-84	612	11.4	85	3	4	9	14	23	32	57
85+	537	11.9	107	3	4	9	15	22	29	77
B. *Operated*										
65-69 YRS	76	16.3	239	2	3	11	20	38	48	78
70-74	64	17.0	176	4	5	13	23	41	58	99+
75-79	90	17.6	173	4	5	14	24	38	49	86
80-84	46	21.5	181	6	6	20	29	43	48	99+
85+	50	20.2	200	3	6	16	27	39	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	7.4	40	2	2	6	9	14	19	31
B. *Operated*	56	7.8	41	1	2	6	11	18	22	26
2. MULTIPLE DX										
A. *Not Operated*	3072	10.4	79	3	3	8	13	20	28	48
B. *Operated*	326	18.1	195	3	5	14	24	40	49	99+
1. SINGLE DX	749	7.4	40	1	2	6	9	14	20	30
2. MULTIPLE DX	3398	11.1	95	3	3	8	13	22	31	55
A. NOT OPERATED	3765	9.8	73	2	3	7	12	19	27	45
B. OPERATED	382	16.6	186	2	4	13	23	37	46	94
TOTAL 65-69 YRS	778	8.9	68	2	3	7	10	16	24	44
70-74	931	9.8	81	2	3	7	12	20	29	52
75-79	967	10.4	82	2	3	8	13	21	28	49
80-84	796	11.5	93	3	4	9	14	24	32	57
85+	675	12.1	111	3	4	9	15	22	31	71
GRAND TOTAL	**4147**	**10.5**	**87**	**2**	**3**	**8**	**13**	**21**	**29**	**51**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	9.9	44	3	4	8	11	17	26	34
70-74	37	11.8	85	2	4	11	14	23	32	46
75-79	18	7.1	14	2	3	7	9	12	14	16
80-84	8	12.0	17	8	8	11	15	18	19	19
85+	6	8.3	27	3	3	8	13	14	14	14
B. *Operated*										
65-69 YRS	6	10.0	56	1	1	11	13	20	21	21
70-74	7	12.3	20	4	5	14	15	16	16	16
75-79	6	10.5	8	8	8	9	13	15	15	15
80-84	1	12.0		12	12	12	12	12	12	12
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	104	11.0	74	3	4	9	12	20	26	49
70-74	91	11.0	54	3	4	9	14	20	22	44
75-79	80	13.2	188	3	4	9	15	33	52	93
80-84	44	13.6	75	3	4	13	20	26	29	41
85+	39	13.3	109	3	4	11	17	37	42	99+
B. *Operated*										
65-69 YRS	29	12.0	51	3	4	11	16	19	22	37
70-74	24	17.6	212	3	7	14	18	33	51	71
75-79	17	15.8	101	4	5	13	18	35	36	36
80-84	14	23.9	140	9	11	23	26	42	50	52
85+	5	25.8	230	10	10	20	37	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	10.1	51	3	4	9	13	17	25	38
B. *Operated*	21	10.9	24	2	3	12	14	16	18	21
2. MULTIPLE DX										
A. *Not Operated*	358	12.1	99	3	4	10	15	22	33	68
B. *Operated*	89	16.9	142	4	6	14	20	34	41	64
1. SINGLE DX	136	10.3	47	2	4	9	13	17	23	36
2. MULTIPLE DX	447	13.0	111	3	4	10	16	24	34	68
A. NOT OPERATED	473	11.6	88	3	4	9	14	21	32	64
B. OPERATED	110	15.7	124	4	5	13	18	31	37	60
TOTAL 65-69 YRS	185	10.8	62	3	4	9	13	19	24	36
70-74	159	12.2	87	3	4	11	15	21	30	46
75-79	121	12.5	146	3	4	9	14	25	36	85
80-84	67	15.6	97	4	5	13	22	26	34	50
85+	51	13.8	123	3	4	11	17	36	44	99
GRAND TOTAL	**583**	**12.4**	**97**	**3**	**4**	**10**	**15**	**22**	**33**	**63**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	6.0	8	3	3	5	9	9	9	9
70-74	2	17.5	181	8	8	17	27	27	27	27
75-79	1	15.0		15	15	15	15	15	15	15
80-84	3	15.3	72	9	9	12	22	25	25	25
85+										
B. *Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79	2	16.5	5	15	15	16	18	18	18	18
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11	11.5	64	3	4	9	14	26	27	27
B. *Operated*	5	11.8	25	5	5	11	16	18	18	18
1. SINGLE DX	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX	16	11.6	49	3	4	10	15	24	26	27
A. NOT OPERATED	12	11.3	58	3	4	9	13	26	27	27
B. OPERATED	5	11.8	25	5	5	11	16	18	18	18
TOTAL 65-69 YRS	6	6.5	8	3	3	7	9	9	9	9
70-74	3	13.3	142	5	5	8	22	27	27	27
75-79	3	16.0	3	15	15	15	17	18	18	18
80-84	4	14.3	53	9	9	11	18	25	25	25
85+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**17**	**11.4**	**46**	**3**	**4**	**9**	**15**	**24**	**26**	**27**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	25	3.3	12	1	1	2	3	5	9	19
70-74	11	3.5	13	<1	<1	2	6	9	12	12
75-79	5	2.6	4	1	1	2	3	6	6	6
80-84	3	4.3	6	2	2	4	6	7	7	7
85+	5	3.2	7	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	2	3.0	8	<1	<1	2	5	5	5	5
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	28	4.2	6	<1	1	3	6	8	9	9
70-74	16	8.8	143	<1	1	4	10	28	40	44
75-79	12	5.4	28	<1	1	4	6	13	19	20
80-84	8	7.6	29	2	2	6	10	16	18	18
85+	3	9.0	28	5	5	7	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	49	3.3	10	<1	<1	2	4	7	8	19
2. MULTIPLE DX										
A. *Not Operated*	7	3.4	11	<1	<1	3	5	9	10	10
B. *Operated*	67	6.1	48	<1	1	4	7	13	18	42
1. SINGLE DX	50	3.3	10	<1	<1	2	4	7	7	19
2. MULTIPLE DX	74	5.9	45	<1	1	4	7	12	17	41
A. NOT OPERATED	8	3.4	9	<1	<1	3	4	8	10	10
B. OPERATED	116	5.0	34	<1	1	3	6	9	15	35
TOTAL 65-69 YRS	55	3.8	9	<1	1	3	5	7	9	19
70-74	29	6.4	89	<1	<1	2	7	13	31	44
75-79	19	4.3	20	<1	1	3	5	9	15	20
80-84	12	6.3	25	1	2	5	8	14	17	18
85+	9	5.9	21	<1	<1	5	8	13	15	15
GRAND TOTAL	**124**	**4.9**	**32**	**<1**	**1**	**3**	**6**	**9**	**14**	**34**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	4.0	12	<1	1	3	4	8	10	20
70-74	94	4.8	18	1	2	4	6	8	11	26
75-79	85	5.2	39	1	2	4	6	8	10	42
80-84	50	4.7	23	<1	1	3	5	11	16	25
85+	58	4.9	13	<1	1	4	6	10	13	16
B. *Operated*										
65-69 YRS	7	15.7	179	4	4	8	26	35	37	37
70-74										
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	597	5.5	13	2	2	5	7	10	13	18
70-74	584	6.3	26	2	2	5	8	12	13	20
75-79	564	6.4	29	2	2	5	8	12	14	23
80-84	424	6.9	38	2	2	5	8	12	19	33
85+	347	7.0	30	2	2	6	9	13	16	32
B. *Operated*										
65-69 YRS	62	14.5	141	4	5	10	17	31	37	65
70-74	41	12.9	109	4	5	11	16	27	44	99+
75-79	35	17.0	226	3	5	11	21	51	53	60
80-84	16	13.1	64	5	5	12	17	26	27	27
85+	11	13.8	60	6	7	12	15	26	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	4.7	20	1	1	4	5	9	11	26
B. *Operated*	9	13.2	159	3	3	6	25	33	37	37
2. MULTIPLE DX										
A. *Not Operated*	2516	6.3	26	2	2	5	8	12	14	25
B. *Operated*	165	14.4	138	4	5	11	17	29	40	67
1. SINGLE DX	413	4.9	25	1	1	4	6	9	11	29
2. MULTIPLE DX	2681	6.8	37	2	2	5	8	13	16	32
A. NOT OPERATED	2920	6.1	26	2	2	5	7	11	14	25
B. OPERATED	174	14.4	138	4	5	11	18	29	38	66
TOTAL 65-69 YRS	783	6.1	31	2	2	4	7	11	16	30
70-74	719	6.4	32	2	2	5	8	12	15	27
75-79	686	6.8	45	2	2	5	8	12	16	42
80-84	490	6.9	39	2	2	5	8	13	20	31
85+	416	6.9	30	2	2	5	9	13	16	32
GRAND TOTAL	**3094**	**6.6**	**36**	**2**	**2**	**5**	**8**	**12**	**16**	**32**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	4.9	8	2	2	4	7	9	11	11
70-74	7	8.3	54	3	3	5	9	21	24	24
75-79	1	6.0		6	6	6	6	6	6	6
80-84	2	10.0	8	8	8	10	12	12	12	12
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	10.9	238	1	2	6	11	18	52	66
70-74	9	10.6	49	4	4	9	17	21	22	22
75-79	9	11.3	75	3	3	8	17	25	29	29
80-84	6	11.0	18	6	6	11	15	16	16	16
85+	2	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	3	11.3	56	4	4	11	17	19	19	19
70-74	3	12.0	19	7	7	14	15	15	15	15
75-79	3	22.7	82	16	16	19	29	33	33	33
80-84	1	16.0		16	16	16	15	16	16	16
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.4	23	2	2	5	8	11	16	24
B. *Operated*	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	42	10.9	114	2	3	8	14	19	25	66
B. *Operated*	10	15.4	62	4	5	15	19	26	33	33
1. SINGLE DX	25	6.3	21	2	2	5	8	11	15	24
2. MULTIPLE DX	52	11.8	105	3	4	9	16	20	28	65
A. NOT OPERATED	65	9.3	85	2	3	7	11	19	22	60
B. OPERATED	12	13.6	69	4	4	14	17	23	32	33
TOTAL 65-69 YRS	33	8.4	127	2	2	6	9	15	19	66
70-74	19	9.9	44	3	3	9	15	21	23	24
75-79	14	12.9	92	3	4	8	19	29	32	33
80-84	9	11.3	16	6	6	12	15	16	16	16
85+	2	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**77**	**10.0**	**84**	**2**	**3**	**7**	**13**	**19**	**23**	**57**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	2.7	6	1	1	2	4	7	7	7
70-74	6	4.5	9	1	1	5	7	8	8	8
75-79	12	3.8	20	<1	1	2	4	10	16	17
80-84	5	7.6	119	1	1	3	10	27	27	27
85+	3	3.3	4	<1	<1	4	5	5	5	5
B. *Operated*										
65-69 YRS	4	5.3	15	1	1	5	8	9	9	9
70-74	7	3.3	3	<1	<1	3	4	6	6	6
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	3	4.7	8	3	3	3	7	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	8.8	47	1	3	8	12	15	18	36
70-74	41	10.1	47	2	2	10	14	20	24	25
75-79	30	9.1	71	1	1	7	12	20	26	39
80-84	20	8.2	27	2	3	7	11	16	19	21
85+	8	11.1	65	5	5	9	12	25	30	30
B. *Operated*										
65-69 YRS	13	12.7	194	1	2	8	18	29	47	51
70-74	14	18.4	132	3	4	18	24	35	41	43
75-79	9	9.4	99	<1	<1	7	14	26	27	27
80-84	9	16.9	131	9	9	14	17	35	46	46
85+	3	17.3	137	4	4	22	25	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.1	25	<1	1	3	5	7	14	27
B. *Operated*	16	3.9	6	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	129	9.3	50	2	2	8	13	18	25	37
B. *Operated*	48	14.8	143	1	2	13	22	27	43	51
1. SINGLE DX	52	4.1	19	<1	1	3	5	8	9	27
2. MULTIPLE DX	177	10.8	80	2	2	9	14	23	26	45
A. NOT OPERATED	165	8.2	49	1	1	7	12	17	23	35
B. OPERATED	64	12.1	130	1	2	8	18	26	37	50
TOTAL 65-69 YRS	57	8.4	79	1	1	7	11	17	24	50
70-74	68	10.6	76	2	2	8	15	23	25	41
75-79	53	7.7	65	<1	1	6	10	19	26	39
80-84	37	9.9	74	2	3	9	14	19	25	46
85+	14	10.8	80	1	3	8	12	26	29	30
GRAND TOTAL	**229**	**9.3**	**74**	**1**	**2**	**7**	**13**	**22**	**26**	**44**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.8	7	2	3	5	7	9	12	12
70-74	26	4.2	12	1	2	3	4	11	12	12
75-79	8	10.5	41	3	4	8	16	19	20	20
80-84	6	7.8	20	4	4	6	11	15	15	15
85+	2	13.0	50	8	8	13	18	18	18	18
B. *Operated*										
65-69 YRS	40	7.7	35	1	2	7	10	17	19	23
70-74	23	8.6	101	1	2	5	12	17	29	47
75-79	15	9.9	70	<1	<1	9	11	27	28	29
80-84	7	14.0	280	2	2	7	17	43	49	49
85+	4	9.3	192	2	2	3	16	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	12.4	244	1	3	8	14	24	36	86
70-74	88	13.0	153	3	4	9	14	24	45	60
75-79	72	11.2	171	2	3	8	12	19	27	87
80-84	58	11.3	64	2	3	9	14	22	29	42
85+	37	11.7	103	2	3	9	15	17	37	50
B. *Operated*										
65-69 YRS	61	16.0	487	1	2	8	17	61	95	99+
70-74	40	20.9	517	3	5	12	26	71	87	99+
75-79	43	15.5	171	3	3	11	20	33	43	66
80-84	24	18.8	477	1	2	9	32	59	92	99+
85+	18	13.4	414	1	1	6	14	35	67	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	6.2	22	2	2	4	8	13	17	20
B. *Operated*	89	8.9	81	1	2	7	11	17	27	48
2. MULTIPLE DX										
A. *Not Operated*	321	12.0	153	2	3	9	14	22	31	66
B. *Operated*	186	17.1	409	2	3	9	21	44	85	99+
1. SINGLE DX	143	7.9	60	1	2	6	10	17	20	47
2. MULTIPLE DX	507	13.9	252	2	3	9	16	29	50	96
A. NOT OPERATED	375	11.2	138	2	3	8	13	21	29	61
B. OPERATED	275	14.4	317	2	2	9	17	38	66	99+
TOTAL 65-69 YRS	179	12.1	274	2	2	8	14	23	59	99
70-74	177	12.9	233	2	2	9	14	31	48	91
75-79	138	12.4	155	2	3	9	15	25	31	69
80-84	95	13.2	186	2	3	9	16	30	44	95
85+	61	12.1	191	2	2	8	15	22	42	81
GRAND TOTAL	**650**	**12.5**	**216**	**2**	**2**	**8**	**15**	**25**	**44**	**95**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	27.0		27	27	27	27	27	27	27
80-84	3	5.0	9	2	2	5	7	8	8	8
85+										
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	4	8.0	47	3	3	5	12	18	18	18
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	8.8	35	3	3	7	12	18	20	20
70-74	7	7.4	20	4	4	6	8	15	17	17
75-79	3	7.0	3	6	6	6	8	9	9	9
80-84	2	10.5	13	8	8	10	13	13	13	13
85+	1	25.0		25	25	25	25	25	25	25
B. *Operated*										
65-69 YRS	5	19.0	485	4	4	11	23	58	58	58
70-74	3	10.7	137	2	2	6	19	24	24	24
75-79	2	11.5	13	9	9	11	14	14	14	14
80-84	1	15.0		15	15	15	15	15	15	15
85+	6	12.3	59	3	3	10	17	24	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.7	86	<1	<1	3	7	23	27	27
B. *Operated*	5	7.0	41	3	3	4	10	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	22	9.0	34	3	4	7	10	18	22	25
B. *Operated*	17	14.1	169	2	3	11	15	25	46	58
1. SINGLE DX	12	6.8	62	<1	1	4	7	21	26	27
2. MULTIPLE DX	39	11.2	96	3	4	9	14	22	25	58
A. NOT OPERATED	29	8.4	45	1	2	6	10	19	25	27
B. OPERATED	22	12.5	146	2	3	10	15	24	38	58
TOTAL 65-69 YRS	17	10.5	178	<1	1	7	11	19	45	58
70-74	15	7.9	42	2	3	6	8	18	22	24
75-79	6	11.8	64	6	6	9	14	26	27	27
80-84	6	8.5	24	2	2	8	13	15	15	15
85+	7	14.1	72	3	4	11	23	25	25	25
GRAND TOTAL	**51**	**10.2**	**90**	**2**	**3**	**8**	**13**	**22**	**25**	**58**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	8.2	9	3	3	8	10	12	12	12
70-74	2	5.0	8	3	3	5	7	7	7	7
75-79										
80-84	6	4.8	1	4	4	5	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	14	4.4	23	1	2	3	4	10	17	19
70-74	11	9.2	120	2	2	7	11	24	39	40
75-79	5	4.8	18	2	2	3	7	12	12	12
80-84										
85+	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	9.9	74	4	4	7	11	18	24	54
70-74	47	10.0	47	2	4	9	13	19	25	33
75-79	36	10.2	47	4	4	9	12	19	25	35
80-84	29	11.2	42	2	3	10	15	22	23	23
85+	24	10.5	46	2	4	8	15	20	26	27
B. *Operated*										
65-69 YRS	50	16.4	145	3	4	14	23	33	43	54
70-74	32	13.5	98	2	3	13	19	25	38	40
75-79	16	13.1	60	3	4	10	20	24	25	25
80-84	6	26.5	305	2	6	23	49	90	99+	99+
85+	8	13.4	53	3	4	15	19	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.3	7	3	3	6	8	10	12	12
B. *Operated*	32	6.3	57	2	2	3	8	13	18	40
2. MULTIPLE DX										
A. *Not Operated*	197	10.2	54	3	4	8	13	20	24	36
B. *Operated*	112	15.4	126	3	3	14	21	31	42	71
1. SINGLE DX	46	6.3	42	2	2	4	8	12	14	40
2. MULTIPLE DX	309	12.1	86	3	4	9	17	23	31	52
A. NOT OPERATED	211	10.0	52	3	4	8	13	19	23	35
B. OPERATED	144	13.4	125	2	2	9	20	26	40	56
TOTAL 65-69 YRS	131	11.7	108	2	3	8	15	24	35	54
70-74	92	11.0	74	2	3	9	15	21	29	40
75-79	57	10.5	52	2	4	9	13	21	25	34
80-84	41	12.5	107	2	3	10	18	23	46	99+
85+	34	11.0	47	2	3	9	16	20	25	27
GRAND TOTAL	**355**	**11.4**	**84**	**2**	**3**	**9**	**15**	**23**	**29**	**51**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	3	5.3	14	1	1	7	8	8	8	8
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	5.5	25	2	2	5	9	9	9	9
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	12.0	128	4	4	12	20	20	20	20
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	12.4	541	2	2	6	10	23	77	92
70-74	7	9.3	14	6	6	8	13	15	15	15
75-79	5	11.8	171	4	4	7	15	35	35	35
80-84	11	15.8	222	3	3	10	28	39	45	46
85+	3	5.7	4	4	4	5	7	8	8	8
B. *Operated*										
65-69 YRS	3	11.0	61	2	2	15	58	99+	99+	99+
70-74	4	6.3	28	2	2	4	9	14	14	14
75-79	4	18.8	383	3	3	12	31	47	47	47
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	13.5	41	9	9	13	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.0	10	1	1	5	7	8	8	8
B. *Operated*	5	7.4	58	2	2	4	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	40	12.2	266	2	3	8	11	33	41	92
B. *Operated*	14	12.0	133	2	2	9	16	47	87	99+
1. SINGLE DX	9	6.3	34	1	1	4	8	16	20	20
2. MULTIPLE DX	54	12.1	228	2	3	8	15	35	47	99+
A. NOT OPERATED	44	11.5	246	2	3	7	10	32	38	92
B. OPERATED	19	10.8	114	2	2	9	16	33	73	99+
TOTAL 65-69 YRS	20	11.1	385	2	2	7	12	46	96	99+
70-74	15	7.2	19	1	2	7	9	14	15	15
75-79	11	14.4	208	3	3	8	19	40	46	47
80-84	12	15.2	207	3	3	9	24	38	45	46
85+	5	8.8	31	4	4	8	11	18	18	18
GRAND TOTAL	**63**	**11.3**	**204**	**2**	**2**	**8**	**14**	**32**	**46**	**99**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	94	5.0	14	1	1	4	6	9	12	20
70-74	74	6.6	76	1	2	4	7	12	18	58
75-79	38	7.8	48	1	1	6	11	16	20	35
80-84	16	8.9	260	1	1	4	8	13	51	68
85+	21	10.3	205	<1	1	4	11	29	48	58
B. *Operated*										
65-69 YRS	406	7.0	74	1	1	4	8	17	24	38
70-74	323	7.1	91	1	2	4	8	17	24	55
75-79	239	7.4	91	1	2	4	9	15	22	61
80-84	134	6.2	39	1	2	4	8	13	21	33
85+	93	6.2	55	1	1	4	7	12	15	47
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	242	8.8	97	1	1	6	11	18	26	59
70-74	214	9.6	118	1	1	6	11	21	32	54
75-79	127	10.8	115	1	2	6	13	25	35	53
80-84	73	8.6	60	2	3	7	9	16	26	45
85+	70	11.8	105	2	2	9	16	29	31	47
B. *Operated*										
65-69 YRS	683	13.3	169	2	2	10	17	31	44	69
70-74	536	13.8	237	2	2	9	18	35	52	99+
75-79	398	12.9	215	2	2	9	15	31	45	90
80-84	192	13.3	233	2	2	8	16	31	54	99+
85+	150	15.1	263	2	3	9	19	35	52	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	6.6	72	1	1	5	7	13	18	59
B. *Operated*	1195	6.9	76	1	2	4	8	16	23	45
2. MULTIPLE DX										
A. *Not Operated*	726	9.6	104	1	2	6	12	21	30	53
B. *Operated*	1959	13.5	210	2	2	9	17	32	46	89
1. SINGLE DX	1438	6.9	76	1	2	4	8	15	22	46
2. MULTIPLE DX	2685	12.4	184	2	2	8	16	29	43	84
A. NOT OPERATED	969	8.9	97	1	2	6	11	19	28	53
B. OPERATED	3154	11.0	170	2	2	6	14	26	38	80
TOTAL 65-69 YRS	1425	10.2	129	1	2	6	13	24	33	59
70-74	1147	10.6	172	1	2	6	13	25	38	83
75-79	802	10.7	160	2	2	6	13	23	36	76
80-84	415	10.0	150	2	2	6	12	24	34	87
85+	334	11.6	181	1	2	7	14	29	37	66
GRAND TOTAL	**4123**	**10.5**	**153**	**1**	**2**	**6**	**13**	**24**	**36**	**71**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	8.5	125	<1	1	4	10	19	36	56
70-74	37	9.5	97	1	2	7	12	18	33	46
75-79	27	7.3	38	1	2	6	9	11	18	32
80-84	20	10.6	171	<1	1	6	14	18	39	61
85+	6	8.7	29	3	3	8	13	16	16	16
B. *Operated*										
65-69 YRS	108	13.7	230	1	2	10	19	33	47	97
70-74	89	11.6	109	2	2	8	18	29	33	44
75-79	66	12.5	150	2	2	10	15	28	39	61
80-84	30	12.6	113	2	3	9	20	26	37	42
85+	15	16.1	300	<1	2	11	21	34	59	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	161	10.0	92	2	2	7	12	25	29	43
70-74	132	9.5	115	2	3	7	11	18	27	56
75-79	97	11.9	134	2	3	7	15	30	37	52
80-84	52	12.5	232	2	3	8	14	27	43	85
85+	40	11.6	112	2	4	8	13	27	39	46
B. *Operated*										
65-69 YRS	297	20.1	254	3	5	16	26	45	57	90
70-74	240	20.8	344	2	4	17	28	47	73	99+
75-79	158	18.5	232	3	4	14	26	37	53	79
80-84	103	20.7	307	3	5	15	28	50	56	81
85+	66	18.5	318	3	4	11	27	44	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	8.8	102	1	2	6	11	17	30	57
B. *Operated*	308	12.9	168	2	2	9	18	30	39	65
2. MULTIPLE DX										
A. *Not Operated*	482	10.6	123	2	3	7	12	25	33	53
B. *Operated*	864	20.0	286	3	4	15	27	44	59	99
1. SINGLE DX	446	11.6	151	1	2	8	16	26	37	62
2. MULTIPLE DX	1346	16.6	247	2	3	11	23	38	52	86
A. NOT OPERATED	620	10.2	119	2	2	7	12	23	33	55
B. OPERATED	1172	18.1	264	2	3	13	25	40	55	95
TOTAL 65-69 YRS	614	15.4	219	2	2	11	22	36	48	80
70-74	498	15.3	251	2	3	10	21	35	48	96
75-79	348	14.6	187	2	3	10	21	32	46	66
80-84	205	16.5	263	2	3	11	21	39	53	81
85+	127	15.6	245	3	3	10	20	39	45	78
GRAND TOTAL	**1792**	**15.4**	**228**	**2**	**3**	**10**	**21**	**35**	**48**	**84**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	45	8.5	94	1	2	5	8	25	30	48
70-74	58	6.6	49	1	1	4	10	13	16	43
75-79	37	10.1	89	2	3	7	13	22	33	44
80-84	27	9.3	41	3	3	8	11	17	21	34
85+	28	9.6	54	2	2	8	13	21	25	31
B. *Operated*										
65-69 YRS	140	17.0	77	4	7	15	22	28	31	48
70-74	130	16.7	128	2	4	15	22	30	38	55
75-79	117	17.5	112	4	6	15	22	32	35	60
80-84	80	17.1	145	2	3	14	24	31	39	63
85+	47	19.3	219	4	5	17	22	35	43	86
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	240	9.7	83	1	2	7	13	20	28	42
70-74	207	9.4	87	2	2	7	12	18	27	44
75-79	213	10.4	124	2	2	7	14	23	34	64
80-84	167	10.4	128	2	2	7	13	19	30	71
85+	171	11.9	157	2	3	8	14	26	38	86
B. *Operated*										
65-69 YRS	584	20.4	187	5	8	18	26	36	46	87
70-74	578	20.6	185	5	8	17	25	38	49	78
75-79	516	20.9	170	4	7	18	27	39	47	77
80-84	374	23.6	247	7	9	20	29	42	60	90
85+	267	23.1	229	6	7	20	29	43	55	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	8.5	67	1	2	6	11	17	25	45
B. *Operated*	514	17.3	121	3	5	15	22	30	36	57
2. MULTIPLE DX										
A. *Not Operated*	998	10.3	113	2	2	7	13	20	31	61
B. *Operated*	2319	21.4	198	5	8	18	27	39	49	83
1. SINGLE DX	709	14.9	121	2	3	13	20	29	34	55
2. MULTIPLE DX	3317	18.1	199	3	4	15	24	35	45	79
A. NOT OPERATED	1193	10.0	106	2	2	7	13	20	30	60
B. OPERATED	2833	20.6	187	5	7	18	26	37	47	81
TOTAL 65-69 YRS	1009	16.9	165	2	4	14	22	32	39	73
70-74	973	16.9	175	2	4	14	22	33	44	68
75-79	883	17.5	169	3	4	15	24	34	43	71
80-84	648	18.8	230	3	4	15	25	37	45	83
85+	513	18.3	224	3	4	15	24	37	49	85
GRAND TOTAL	**4026**	**17.5**	**187**	**3**	**4**	**15**	**23**	**34**	**44**	**75**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.8	20	2	2	8	11	13	13	13
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+										
B. *Operated*										
65-69 YRS	16	18.8	89	7	8	18	21	30	41	45
70-74	13	19.7	110	9	10	17	24	39	40	40
75-79	7	22.4	94	8	10	22	31	35	35	35
80-84	2	24.5	5	23	23	24	26	26	26	26
85+	2	13.5	25	10	10	13	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	8.0	45	4	4	6	8	14	22	36
70-74	17	7.5	48	3	3	4	10	13	25	31
75-79	15	13.5	307	2	2	8	14	30	60	70
80-84	4	21.3	431	7	7	13	33	52	52	52
85+	12	16.7	475	1	2	9	16	51	74	78
B. *Operated*										
65-69 YRS	92	22.8	314	8	9	16	28	48	55	91
70-74	90	25.2	356	7	10	20	30	49	71	94
75-79	60	22.8	192	10	10	18	26	44	55	68
80-84	49	24.5	253	5	9	21	34	46	55	78
85+	19	26.3	206	9	13	25	29	45	61	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	8.2	13	2	3	8	10	13	13	13
B. *Operated*	40	19.8	88	8	9	18	23	34	39	45
2. MULTIPLE DX										
A. *Not Operated*	76	11.0	189	2	3	7	11	22	38	76
B. *Operated*	310	24.0	285	8	9	19	29	47	56	89
1. SINGLE DX	46	18.2	93	7	8	17	22	34	39	45
2. MULTIPLE DX	386	21.4	292	4	5	17	27	43	55	85
A. NOT OPERATED	82	10.8	176	2	3	7	11	21	37	75
B. OPERATED	350	23.5	264	8	9	19	28	44	55	86
TOTAL 65-69 YRS	140	19.0	262	4	5	13	22	39	52	87
70-74	121	22.0	321	4	6	18	28	43	54	93
75-79	83	20.9	212	3	8	17	25	43	54	70
80-84	55	24.2	250	6	9	21	34	48	55	77
85+	33	22.0	306	2	5	17	28	41	67	78
GRAND TOTAL	**432**	**21.1**	**271**	**4**	**6**	**17**	**26**	**42**	**54**	**84**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	110	5.5	25	1	2	4	7	10	17	28
70-74	83	7.2	72	2	2	5	8	14	19	47
75-79	74	9.3	54	1	2	7	11	21	25	33
80-84	42	6.6	46	1	1	5	8	12	20	38
85+	45	7.5	31	2	2	6	9	16	18	27
B. *Operated*										
65-69 YRS	732	13.5	45	3	7	12	16	21	25	38
70-74	727	13.9	46	3	8	13	17	22	26	36
75-79	621	15.6	63	6	9	14	18	24	28	45
80-84	397	16.0	83	2	6	14	20	27	33	47
85+	238	18.5	96	6	9	17	23	30	35	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	686	8.7	68	2	2	6	11	19	25	43
70-74	775	9.8	94	2	3	7	12	21	28	52
75-79	611	9.6	84	2	3	7	11	19	26	54
80-84	461	11.2	110	2	3	8	14	23	34	61
85+	419	9.9	77	2	3	7	12	20	25	46
B. *Operated*										
65-69 YRS	2922	18.2	115	7	9	16	22	30	38	63
70-74	3241	19.2	138	7	9	16	23	33	41	73
75-79	2946	20.7	154	8	10	18	25	35	45	83
80-84	2146	22.5	166	9	11	19	27	39	48	81
85+	1506	23.9	183	9	11	21	29	42	54	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	7.1	47	1	2	5	8	14	21	38
B. *Operated*	2715	14.9	62	3	8	13	18	24	28	44
2. MULTIPLE DX										
A. *Not Operated*	2952	9.7	86	2	3	7	12	20	27	53
B. *Operated*	12761	20.4	150	8	10	17	25	35	45	76
1. SINGLE DX	3069	14.0	66	2	4	13	17	23	28	44
2. MULTIPLE DX	15713	18.4	156	4	6	16	23	33	43	72
A. NOT OPERATED	3306	9.4	83	2	2	7	11	20	27	51
B. OPERATED	15476	19.4	139	7	9	17	23	33	43	72
TOTAL 65-69 YRS	4450	15.6	109	3	5	14	19	28	35	57
70-74	4826	16.7	131	3	5	14	21	29	38	63
75-79	4252	18.1	146	4	6	16	22	32	42	75
80-84	3046	19.7	166	4	6	17	25	36	45	75
85+	2208	20.3	184	4	6	18	26	37	48	79
GRAND TOTAL	**18782**	**17.7**	**144**	**3**	**5**	**15**	**22**	**32**	**41**	**69**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	86	7.6	61	1	1	5	10	19	23	40
70-74	89	8.1	69	1	2	5	10	18	26	44
75-79	57	7.4	47	1	2	5	10	17	20	37
80-84	52	10.9	257	1	2	6	10	25	40	85
85+	47	7.4	46	1	2	5	10	16	19	36
B. *Operated*										
65-69 YRS	602	14.7	82	2	3	14	18	24	30	46
70-74	545	15.1	69	3	4	15	19	24	30	43
75-79	391	15.8	114	2	3	15	21	27	32	59
80-84	304	14.5	114	2	3	13	19	26	33	58
85+	197	14.2	144	2	3	11	19	28	37	60
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	387	10.0	112	2	2	6	12	21	30	55
70-74	381	10.5	118	2	2	7	13	23	29	56
75-79	358	10.4	117	2	2	7	13	21	29	62
80-84	272	11.4	111	1	3	8	15	28	36	52
85+	223	11.5	145	2	3	7	14	23	38	62
B. *Operated*										
65-69 YRS	1501	19.2	145	4	7	17	24	32	40	71
70-74	1582	20.1	157	4	7	17	25	36	44	72
75-79	1336	21.2	179	4	7	19	27	38	48	80
80-84	927	21.8	209	4	7	19	28	40	52	85
85+	618	20.4	184	3	6	18	26	39	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	8.2	89	1	2	5	10	18	24	47
B. *Operated*	2039	14.9	95	2	3	14	19	26	31	50
2. MULTIPLE DX										
A. *Not Operated*	1621	10.7	119	2	2	7	13	23	32	57
B. *Operated*	5964	20.4	171	4	7	18	26	36	46	76
1. SINGLE DX	2370	14.0	100	2	3	13	18	25	31	49
2. MULTIPLE DX	7585	18.3	176	3	4	16	24	35	44	73
A. NOT OPERATED	1952	10.2	115	1	2	7	13	22	31	57
B. OPERATED	8003	19.0	157	3	6	17	24	34	43	71
TOTAL 65-69 YRS	2576	16.4	136	2	4	15	21	29	36	65
70-74	2597	17.2	145	3	4	15	22	31	40	61
75-79	2142	18.1	174	3	4	16	24	34	42	74
80-84	1555	18.2	195	3	4	16	24	36	45	76
85+	1085	16.9	181	2	3	14	23	35	44	70
GRAND TOTAL	**9955**	**17.3**	**161**	**3**	**4**	**15**	**23**	**32**	**41**	**69**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	57	8.9	62	2	3	6	12	19	28	37
70-74	44	6.7	45	1	2	5	8	14	20	38
75-79	41	7.4	24	2	3	6	9	13	14	29
80-84	19	7.3	43	<1	<1	7	12	14	20	25
85+	10	7.4	22	2	3	5	11	15	16	16
B. *Operated*										
65-69 YRS	82	15.7	162	2	2	13	22	32	43	61
70-74	91	13.5	146	2	2	11	18	29	42	58
75-79	66	16.9	107	2	4	16	23	30	33	50
80-84	50	15.9	92	3	4	15	22	30	34	41
85+	20	15.2	98	2	3	13	24	32	63	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	10.1	96	1	2	7	13	21	30	48
70-74	189	10.1	98	2	3	8	13	22	29	52
75-79	133	10.2	71	1	2	8	14	19	26	46
80-84	113	12.3	129	3	3	9	14	26	33	60
85+	92	10.9	59	2	3	10	14	21	29	36
B. *Operated*										
65-69 YRS	374	20.6	203	4	6	18	27	36	54	78
70-74	417	21.0	189	5	8	18	27	39	47	72
75-79	317	20.2	157	5	8	17	26	37	45	69
80-84	215	21.7	151	8	10	18	28	41	47	69
85+	149	24.2	223	8	10	20	30	47	57	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	7.7	44	1	2	6	10	15	22	36
B. *Operated*	309	15.3	130	2	3	13	22	30	37	56
2. MULTIPLE DX										
A. *Not Operated*	716	10.6	93	2	2	8	14	21	29	48
B. *Operated*	1472	21.2	184	5	8	18	27	39	50	76
1. SINGLE DX	480	12.6	113	2	2	10	18	27	33	50
2. MULTIPLE DX	2188	17.7	179	3	4	15	23	35	45	69
A. NOT OPERATED	887	10.0	84	2	2	7	13	20	28	47
B. OPERATED	1781	20.1	180	4	6	17	26	38	48	74
TOTAL 65-69 YRS	702	16.3	183	2	3	13	22	32	45	72
70-74	741	16.5	180	2	3	13	22	34	43	67
75-79	557	16.5	144	3	4	14	21	31	40	62
80-84	397	17.6	154	3	4	15	23	34	43	63
85+	271	18.4	193	3	5	15	24	38	52	82
GRAND TOTAL	**2668**	**16.8**	**171**	**2**	**4**	**14**	**22**	**33**	**43**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	7.3	32	1	2	5	9	16	19	29
70-74	61	10.6	149	1	2	5	13	30	39	53
75-79	47	8.6	47	1	1	6	12	19	22	26
80-84	23	10.3	165	2	2	7	10	25	43	58
85+	19	11.4	186	1	3	8	12	23	45	62
B. *Operated*										
65-69 YRS	108	19.2	213	3	5	16	23	36	47	88
70-74	80	17.9	81	4	8	17	23	32	35	39
75-79	89	19.0	141	3	5	16	24	33	38	58
80-84	40	17.7	76	4	5	17	22	29	33	42
85+	20	14.8	52	4	6	14	20	25	28	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	370	10.4	99	2	3	7	13	23	31	48
70-74	337	9.8	75	2	2	7	12	20	26	43
75-79	277	10.7	96	1	2	8	13	22	30	47
80-84	146	10.3	58	2	3	9	14	19	23	35
85+	134	13.3	125	3	3	10	18	27	34	58
B. *Operated*										
65-69 YRS	600	22.9	203	6	9	20	29	39	52	79
70-74	623	20.8	147	6	8	18	26	37	46	64
75-79	455	22.6	193	6	8	20	29	41	52	75
80-84	280	22.6	156	6	10	20	28	38	45	76
85+	157	25.2	244	7	11	21	32	46	56	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	9.2	97	1	2	6	11	19	29	56
B. *Operated*	337	18.4	137	4	6	17	23	32	39	57
2. MULTIPLE DX										
A. *Not Operated*	1264	10.6	91	2	3	8	13	22	30	47
B. *Operated*	2115	22.3	182	6	9	19	28	39	49	74
1. SINGLE DX	549	14.8	141	2	3	13	20	29	36	56
2. MULTIPLE DX	3379	17.9	180	3	4	15	24	35	44	69
A. NOT OPERATED	1476	10.4	92	2	3	7	13	21	30	48
B. OPERATED	2452	21.8	178	6	8	19	28	38	48	74
TOTAL 65-69 YRS	1140	17.6	198	3	4	14	24	35	45	74
70-74	1101	16.6	146	2	4	14	23	33	40	56
75-79	868	17.6	181	2	4	15	24	34	44	69
80-84	489	18.0	153	3	4	16	24	34	40	62
85+	330	19.0	215	3	5	16	25	39	48	79
GRAND TOTAL	**3928**	**17.5**	**176**	**3**	**4**	**15**	**23**	**34**	**43**	**67**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	654	7.0	59	1	1	4	9	16	21	39
70-74	475	8.0	80	1	1	5	10	17	26	43
75-79	254	8.2	67	1	2	5	10	19	27	39
80-84	119	8.3	58	1	2	6	12	18	24	38
85+	56	10.7	125	2	3	7	13	17	40	57
B. *Operated*										
65-69 YRS	1377	11.6	83	2	3	10	15	22	27	45
70-74	1079	11.8	89	2	2	10	16	23	29	48
75-79	636	11.9	101	1	2	10	17	23	29	55
80-84	285	10.5	84	1	2	8	14	22	27	44
85+	95	13.4	128	2	3	10	16	27	36	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3238	9.8	88	1	2	7	13	21	29	47
70-74	2665	10.1	87	2	2	7	13	21	28	44
75-79	1686	10.9	92	2	3	8	14	22	30	48
80-84	846	11.5	101	2	3	9	15	23	30	48
85+	428	12.6	101	2	4	10	16	25	31	55
B. *Operated*										
65-69 YRS	4534	16.0	150	3	4	13	20	31	39	65
70-74	3756	16.2	149	3	4	13	21	32	40	68
75-79	2263	16.3	151	3	4	13	21	31	41	64
80-84	982	17.0	172	3	4	14	22	33	42	69
85+	341	17.9	196	3	5	14	23	35	47	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1558	7.7	70	1	1	5	10	17	24	41
B. *Operated*	3472	11.7	89	2	2	10	16	23	29	47
2. MULTIPLE DX										
A. *Not Operated*	8863	10.4	91	2	2	8	13	22	29	47
B. *Operated*	11876	16.3	153	3	4	13	21	32	40	66
1. SINGLE DX	5030	10.5	87	1	2	8	14	22	28	45
2. MULTIPLE DX	20739	13.7	135	2	3	11	18	28	37	60
A. NOT OPERATED	10421	10.0	88	1	2	7	13	21	29	46
B. OPERATED	15348	15.2	142	2	4	12	20	30	38	63
TOTAL 65-69 YRS	9803	12.7	124	2	2	10	17	26	34	56
70-74	7975	13.1	126	2	3	10	17	27	35	58
75-79	4839	13.4	127	2	3	11	18	27	36	57
80-84	2232	13.6	137	2	3	10	18	28	36	61
85+	920	14.5	147	3	4	11	18	28	39	63
GRAND TOTAL	**25769**	**13.1**	**127**	**2**	**3**	**10**	**17**	**27**	**35**	**58**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	6.6	67	1	1	3	9	16	20	46
70-74	32	5.7	47	1	1	3	7	13	26	28
75-79	16	11.6	360	1	1	4	6	51	57	59
80-84	10	11.5	88	2	2	8	17	27	29	29
85+	4	10.0	55	2	2	9	15	20	20	20
B. *Operated*										
65-69 YRS	400	8.1	89	1	1	3	12	21	27	44
70-74	317	6.8	66	1	1	3	11	16	21	38
75-79	161	6.7	76	1	1	2	9	18	27	42
80-84	93	7.6	121	1	1	3	10	19	26	65
85+	47	6.1	100	<1	1	2	4	17	37	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	167	8.2	136	1	1	5	9	16	39	76
70-74	116	12.6	230	2	2	7	16	31	50	77
75-79	65	7.1	50	1	1	5	9	16	24	90
80-84	34	10.4	50	2	3	9	14	18	22	35
85+	24	16.7	339	3	4	10	19	57	75	99+
B. *Operated*										
65-69 YRS	489	14.8	195	2	2	12	20	32	43	82
70-74	406	15.1	219	1	2	12	21	35	45	99
75-79	244	15.9	311	1	2	11	20	36	55	84
80-84	114	17.5	266	2	2	13	25	45	57	68
85+	72	14.2	172	2	2	11	21	33	39	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	7.6	103	1	1	4	9	18	29	55
B. *Operated*	1018	7.3	83	1	1	3	11	19	26	43
2. MULTIPLE DX										
A. *Not Operated*	406	10.0	160	1	2	6	12	22	39	78
B. *Operated*	1325	15.3	228	1	2	12	21	34	48	90
1. SINGLE DX	1136	7.3	85	1	1	3	11	19	26	44
2. MULTIPLE DX	1731	14.1	217	1	2	10	19	32	47	87
A. NOT OPERATED	524	9.4	148	1	1	5	11	22	36	77
B. OPERATED	2343	11.8	181	1	2	7	17	28	39	72
TOTAL 65-69 YRS	1112	11.0	152	1	2	7	16	26	38	67
70-74	871	11.4	174	1	2	7	16	27	39	75
75-79	486	11.6	219	1	1	5	15	28	45	77
80-84	251	12.6	196	1	2	8	17	29	45	65
85+	147	11.9	187	1	2	6	18	33	40	99+
GRAND TOTAL	**2867**	**11.4**	**176**	**1**	**2**	**7**	**16**	**27**	**39**	**72**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	7.0	97	<1	<1	4	8	13	38	42
70-74	34	9.9	58	1	2	8	14	25	28	99+
75-79	11	9.5	66	1	2	6	14	23	26	26
80-84	8	5.0	7	2	2	5	7	9	9	9
85+	7	8.9	21	3	3	9	12	15	16	16
B. *Operated*										
65-69 YRS	121	8.5	39	1	2	7	13	18	22	25
70-74	95	11.7	137	1	2	9	15	29	37	54
75-79	84	8.3	47	1	2	7	12	18	23	30
80-84	49	11.4	102	2	2	8	17	22	29	47
85+	43	7.0	49	1	2	4	9	16	23	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	9.8	98	2	2	6	12	23	27	53
70-74	89	8.6	108	1	2	5	9	19	28	57
75-79	68	12.1	219	<1	1	7	16	27	46	98
80-84	45	11.0	138	2	2	7	16	34	63	99+
85+	26	10.6	122	1	1	8	15	24	60	99+
B. *Operated*										
65-69 YRS	169	15.4	216	2	3	12	18	34	53	77
70-74	172	16.6	185	2	3	14	22	38	54	99+
75-79	130	15.2	232	2	2	11	19	31	48	93
80-84	98	17.6	198	1	2	15	25	39	47	82
85+	74	15.4	160	2	3	13	20	31	40	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	8.4	65	<1	1	6	11	21	26	77
B. *Operated*	392	9.4	75	1	2	7	13	21	26	45
2. MULTIPLE DX										
A. *Not Operated*	318	10.2	134	1	2	6	14	24	38	99+
B. *Operated*	643	16.0	201	2	3	12	21	37	49	99+
1. SINGLE DX	481	9.2	74	1	2	7	13	21	26	45
2. MULTIPLE DX	961	14.1	186	2	2	10	19	31	47	99+
A. NOT OPERATED	407	9.8	119	1	2	6	12	23	36	99+
B. OPERATED	1035	13.5	164	2	2	10	18	29	41	75
TOTAL 65-69 YRS	409	11.6	140	1	2	8	15	24	35	69
70-74	390	13.0	155	1	2	9	17	30	43	99+
75-79	293	12.3	177	1	2	9	16	26	39	90
80-84	200	14.1	165	2	2	10	21	32	45	99+
85+	150	11.9	127	2	2	9	16	27	39	68
GRAND TOTAL	**1442**	**12.5**	**154**	**1**	**2**	**9**	**17**	**28**	**40**	**80**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	3.9	6	1	1	3	6	7	9	10
70-74	5	9.2	68	1	1	6	18	18	18	18
75-79	13	4.9	3	2	3	5	6	7	7	7
80-84	7	7.3	78	1	1	5	6	23	27	27
85+	4	6.3	20	1	1	6	9	12	12	12
B. *Operated*										
65-69 YRS	194	6.9	47	1	2	5	9	14	21	40
70-74	130	7.3	29	2	2	6	10	15	17	24
75-79	107	7.4	53	1	2	5	10	14	19	40
80-84	67	5.3	26	<1	1	3	7	11	14	28
85+	53	7.2	66	<1	1	3	10	18	25	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	10.1	153	1	2	5	10	27	44	58
70-74	57	8.5	75	1	2	5	11	20	27	46
75-79	47	8.4	57	1	2	7	9	17	23	41
80-84	27	12.0	104	2	3	8	13	27	30	45
85+	13	12.8	164	1	2	10	15	26	46	51
B. *Operated*										
65-69 YRS	202	10.7	112	2	2	8	14	23	29	59
70-74	135	12.1	127	2	2	9	15	26	35	58
75-79	145	11.5	116	2	2	9	16	22	29	60
80-84	85	11.7	145	1	3	8	15	25	36	67
85+	52	12.6	108	1	3	9	19	31	35	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	5.4	23	1	1	5	6	9	18	27
B. *Operated*	551	6.9	44	1	2	5	9	14	19	35
2. MULTIPLE DX										
A. *Not Operated*	227	9.7	108	1	2	7	11	22	32	51
B. *Operated*	619	11.5	120	2	2	8	15	25	31	62
1. SINGLE DX	600	6.8	42	1	2	5	9	14	18	33
2. MULTIPLE DX	846	11.0	118	1	2	8	14	25	31	56
A. NOT OPERATED	276	9.0	96	1	2	6	10	20	28	51
B. OPERATED	1170	9.3	89	1	2	7	12	21	27	46
TOTAL 65-69 YRS	499	8.9	93	1	2	6	11	20	26	48
70-74	327	9.5	82	2	2	7	13	20	26	47
75-79	312	9.3	85	2	2	7	12	19	27	53
80-84	186	9.2	102	1	2	6	11	22	29	45
85+	122	10.0	98	1	1	7	14	26	34	64
GRAND TOTAL	**1446**	**9.3**	**90**	**1**	**2**	**6**	**12**	**20**	**28**	**48**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.8	9	1	1	5	8	8	8	8
70-74	12	4.7	13	<1	1	3	8	10	11	11
75-79	16	9.6	134	<1	1	5	12	30	39	42
80-84	11	4.1	20	1	1	3	4	10	16	17
85+	10	7.6	139	1	1	3	9	25	40	40
B. *Operated*										
65-69 YRS	541	3.2	13	<1	<1	2	3	6	10	19
70-74	652	3.4	24	<1	1	2	3	7	10	20
75-79	508	3.5	19	<1	1	2	4	7	11	18
80-84	426	3.7	16	<1	1	2	4	9	13	21
85+	386	4.8	40	<1	1	3	5	11	15	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	9.3	199	1	1	4	9	28	45	63
70-74	22	10.1	371	<1	1	5	9	15	48	94
75-79	52	10.5	215	1	1	6	11	25	36	87
80-84	40	10.4	131	1	2	6	11	31	34	54
85+	71	10.1	102	1	1	8	13	28	32	50
B. *Operated*										
65-69 YRS	616	5.4	48	<1	1	3	6	13	19	40
70-74	644	6.6	67	1	1	3	8	15	22	40
75-79	663	7.1	74	1	1	4	10	16	24	51
80-84	532	7.6	83	1	2	4	10	17	24	47
85+	599	8.1	86	1	2	5	10	19	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	6.5	73	1	1	4	8	13	28	42
B. *Operated*	2513	3.7	22	<1	1	2	4	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	216	10.1	172	1	1	6	11	25	34	71
B. *Operated*	3054	6.9	72	1	1	4	9	16	23	45
1. SINGLE DX	2568	3.7	23	<1	1	2	4	8	12	22
2. MULTIPLE DX	3270	7.2	79	1	1	4	9	17	24	46
A. NOT OPERATED	271	9.4	154	1	1	5	10	24	33	61
B. OPERATED	5567	5.5	52	<1	1	3	6	13	18	37
TOTAL 65-69 YRS	1194	4.5	37	<1	1	2	5	10	16	35
70-74	1330	5.1	53	<1	1	3	5	11	17	37
75-79	1239	5.8	62	<1	1	3	7	14	20	42
80-84	1009	6.1	60	1	1	3	7	14	20	37
85+	1066	7.0	74	1	1	4	9	17	24	44
GRAND TOTAL	**5838**	**5.6**	**57**	**<1**	**1**	**3**	**6**	**13**	**19**	**38**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	6.2	51	1	1	4	8	14	24	40
70-74	89	6.3	51	1	1	4	8	12	18	37
75-79	54	6.4	32	1	1	5	7	13	20	27
80-84	31	9.3	182	1	2	4	9	32	60	99+
85+	23	12.4	142	<1	2	9	14	29	39	52
B. *Operated*										
65-69 YRS	1768	7.7	15	2	3	7	9	12	15	19
70-74	1451	8.2	19	2	3	8	10	13	15	23
75-79	1074	8.3	20	2	3	8	10	13	16	23
80-84	614	8.0	20	2	3	7	10	13	16	23
85+	427	8.1	31	2	3	7	10	13	17	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	770	10.2	105	1	2	7	13	23	32	68
70-74	727	12.0	144	2	2	8	16	27	36	69
75-79	540	12.3	129	2	3	9	16	27	35	54
80-84	336	11.2	111	2	3	8	14	23	30	64
85+	235	13.6	151	2	3	10	18	27	47	99+
B. *Operated*										
65-69 YRS	2726	11.3	76	4	5	9	13	20	26	49
70-74	2424	11.7	79	3	5	9	13	20	28	51
75-79	1870	12.1	81	4	5	10	14	22	29	52
80-84	1267	12.5	87	3	5	10	15	22	31	55
85+	907	11.9	97	2	4	10	15	22	29	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	7.1	71	1	1	4	8	16	25	51
B. *Operated*	5334	8.0	19	2	3	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	2608	11.6	127	2	2	8	15	26	35	67
B. *Operated*	9194	11.8	82	3	5	10	14	21	28	52
1. SINGLE DX	5618	8.0	22	2	3	7	10	13	16	24
2. MULTIPLE DX	11802	11.7	92	3	4	9	14	22	30	56
A. NOT OPERATED	2892	11.1	123	1	2	8	14	25	34	64
B. OPERATED	14528	10.4	62	3	4	9	12	18	24	46
TOTAL 65-69 YRS	5351	9.9	63	2	3	8	11	17	23	46
70-74	4691	10.5	73	2	4	9	12	19	26	50
75-79	3538	10.9	72	3	4	9	13	20	27	48
80-84	2248	11.0	77	2	4	9	13	20	28	54
85+	1592	11.1	91	2	3	9	13	21	28	67
GRAND TOTAL	**17420**	**10.5**	**72**	**2**	**4**	**9**	**12**	**19**	**26**	**49**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	110	4.6	19	2	2	4	5	7	10	28
70-74	65	5.4	37	2	2	4	5	11	18	35
75-79	60	4.7	17	2	2	4	5	8	12	27
80-84	28	4.7	19	1	1	4	4	9	11	24
85+	25	5.2	14	2	2	4	6	11	13	18
B. *Operated*										
65-69 YRS	147	7.3	100	2	2	4	8	15	24	51
70-74	99	6.4	44	1	2	4	9	12	15	44
75-79	77	6.9	143	1	2	4	7	11	20	81
80-84	38	7.1	32	2	2	5	9	13	20	28
85+	25	10.2	162	2	2	6	12	22	34	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	136	7.6	101	1	1	4	7	19	31	56
70-74	101	7.8	92	1	1	4	9	17	23	58
75-79	76	9.1	137	2	2	6	10	17	28	76
80-84	51	8.7	107	2	3	5	9	16	19	61
85+	45	8.8	132	1	2	5	8	17	40	58
B. *Operated*										
65-69 YRS	265	12.6	167	2	2	8	16	26	37	67
70-74	193	12.1	156	2	3	8	15	25	44	59
75-79	140	11.7	141	2	3	8	14	22	33	61
80-84	84	14.7	220	2	3	10	18	29	46	84
85+	41	9.5	49	2	2	8	12	21	25	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	4.9	22	2	2	4	5	8	13	29
B. *Operated*	386	7.2	92	2	2	4	8	14	20	52
2. MULTIPLE DX										
A. *Not Operated*	409	8.2	109	1	2	4	9	18	28	59
B. *Operated*	723	12.4	159	2	2	9	15	25	37	63
1. SINGLE DX	674	6.2	63	2	2	4	6	12	17	42
2. MULTIPLE DX	1132	10.9	145	2	2	7	14	22	34	61
A. NOT OPERATED	697	6.8	76	1	2	4	7	14	21	51
B. OPERATED	1109	10.6	141	2	2	7	13	22	32	60
TOTAL 65-69 YRS	658	9.1	123	1	2	5	10	20	31	61
70-74	458	9.0	108	2	2	5	11	18	29	57
75-79	353	8.9	125	2	2	5	11	17	29	58
80-84	201	10.3	142	2	3	7	12	21	29	59
85+	136	8.6	92	2	2	5	10	18	24	59
GRAND TOTAL	**1806**	**9.1**	**119**	**2**	**2**	**5**	**11**	**19**	**29**	**58**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	135	3.5	4	1	1	3	4	5	6	12
70-74	97	4.6	33	1	1	3	4	7	15	34
75-79	52	5.4	59	1	1	3	5	11	16	51
80-84	28	6.1	88	1	2	4	5	10	15	52
85+	21	7.4	53	2	2	5	9	18	26	31
B. *Operated*										
65-69 YRS	624	6.6	24	1	2	7	9	11	14	23
70-74	466	6.8	28	1	2	7	9	12	16	22
75-79	289	7.1	28	1	2	7	10	14	16	27
80-84	159	8.9	55	2	2	8	11	16	20	40
85+	71	8.0	30	2	2	8	11	14	16	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	223	7.9	106	1	1	5	9	19	30	52
70-74	207	7.9	74	1	1	5	10	18	28	39
75-79	132	8.6	116	1	2	5	10	20	36	99+
80-84	83	11.0	119	1	2	7	16	28	36	45
85+	66	10.6	92	2	3	8	13	29	36	90
B. *Operated*										
65-69 YRS	1171	10.0	89	2	2	8	12	18	24	55
70-74	1001	10.5	86	2	2	8	12	20	26	55
75-79	650	11.5	107	2	2	9	14	22	31	57
80-84	372	11.8	69	2	3	10	16	21	27	40
85+	222	14.5	153	2	3	11	19	30	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	4.6	32	1	1	3	4	7	11	33
B. *Operated*	1609	7.0	30	1	2	7	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	711	8.6	99	1	1	5	10	22	31	58
B. *Operated*	3416	10.9	94	2	2	9	13	21	27	56
1. SINGLE DX	1942	6.6	31	1	2	6	9	12	16	27
2. MULTIPLE DX	4127	10.5	96	2	2	8	13	21	28	56
A. NOT OPERATED	1044	7.3	81	1	1	4	8	17	28	49
B. OPERATED	5025	9.7	77	2	2	8	12	18	24	51
TOTAL 65-69 YRS	2153	8.4	70	1	2	7	10	15	21	48
70-74	1771	8.9	70	1	2	7	11	17	24	46
75-79	1123	9.7	90	2	2	8	12	19	26	57
80-84	642	10.7	75	2	2	9	14	21	28	42
85+	380	12.2	121	2	3	9	15	27	36	65
GRAND TOTAL	**6069**	**9.3**	**79**	**1**	**2**	**8**	**11**	**18**	**25**	**51**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	241	2.6	11	1	1	2	3	4	6	22
70-74	181	3.5	26	1	1	2	3	8	13	27
75-79	81	4.4	27	1	1	2	6	10	12	28
80-84	35	4.0	21	1	1	2	4	9	16	22
85+	13	10.1	138	2	2	6	13	22	41	46
B. *Operated*										
65-69 YRS	121	11.8	35	4	7	10	14	20	24	30
70-74	87	14.4	90	3	6	12	18	27	33	52
75-79	35	14.0	86	4	5	11	17	27	38	41
80-84	28	14.7	87	2	3	12	19	27	34	44
85+	14	16.9	71	7	7	18	20	28	35	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	590	5.3	47	1	1	3	6	13	18	37
70-74	421	6.7	58	1	1	4	9	17	22	39
75-79	314	9.0	101	1	2	6	11	21	31	50
80-84	124	10.7	129	2	2	7	14	23	29	60
85+	52	13.2	162	1	2	9	18	36	50	99
B. *Operated*										
65-69 YRS	537	17.4	131	5	7	14	21	33	44	60
70-74	486	18.5	166	7	8	15	23	34	44	74
75-79	310	21.0	143	7	9	18	26	36	46	64
80-84	172	21.2	179	8	9	17	26	41	52	65
85+	97	23.4	208	9	10	18	32	45	53	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	551	3.4	23	1	1	2	3	7	11	27
B. *Operated*	285	13.4	66	4	6	11	16	24	29	41
2. MULTIPLE DX										
A. *Not Operated*	1501	7.2	76	1	1	4	9	17	24	46
B. *Operated*	1602	19.2	157	7	8	16	24	36	46	69
1. SINGLE DX	836	6.8	60	1	1	3	10	17	22	38
2. MULTIPLE DX	3103	13.4	154	1	2	10	18	29	39	59
A. NOT OPERATED	2052	6.2	65	1	1	3	7	15	22	44
B. OPERATED	1887	18.3	147	6	8	15	23	34	44	65
TOTAL 65-69 YRS	1489	9.7	108	1	1	7	14	23	30	49
70-74	1175	11.7	139	1	1	9	16	25	34	58
75-79	740	13.8	151	1	2	11	19	31	38	56
80-84	359	15.4	175	2	2	12	21	31	47	60
85+	176	18.9	203	2	4	15	24	41	50	93
GRAND TOTAL	**3939**	**12.0**	**141**	**1**	**2**	**9**	**17**	**27**	**36**	**57**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	4.4	12	1	2	4	5	8	13	15
70-74	29	3.0	4	1	1	3	5	6	6	7
75-79	11	5.1	15	2	2	4	7	12	13	13
80-84	16	9.1	207	1	2	4	11	17	47	60
85+	6	8.7	57	1	1	6	16	20	20	20
B. *Operated*										
65-69 YRS	65	9.7	113	1	2	6	13	20	27	62
70-74	65	8.9	99	2	2	5	12	19	31	54
75-79	38	6.8	42	1	2	4	8	15	24	28
80-84	48	7.1	33	2	2	5	9	16	18	28
85+	37	8.2	34	2	2	6	13	16	20	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	8.0	37	1	2	6	11	18	20	22
70-74	40	11.0	117	1	1	8	15	24	29	57
75-79	23	12.5	236	2	3	5	14	40	50	52
80-84	20	14.9	123	2	4	13	19	33	40	42
85+	29	10.7	64	2	2	9	16	21	26	32
B. *Operated*										
65-69 YRS	109	16.9	194	2	3	14	24	33	46	96
70-74	122	13.9	141	2	3	10	19	29	35	93
75-79	104	17.3	211	3	4	11	25	38	53	83
80-84	97	16.5	166	2	3	13	22	35	38	61
85+	65	15.8	198	3	3	12	22	34	37	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.3	57	1	1	4	5	12	16	50
B. *Operated*	253	8.4	72	2	2	5	11	17	26	34
2. MULTIPLE DX										
A. *Not Operated*	149	10.9	107	1	2	8	15	22	32	52
B. *Operated*	497	16.0	180	2	3	12	23	34	41	90
1. SINGLE DX	329	7.7	70	1	2	5	10	16	23	39
2. MULTIPLE DX	646	14.8	168	2	3	11	20	32	39	75
A. NOT OPERATED	225	9.0	97	1	1	5	13	19	28	53
B. OPERATED	750	13.4	157	2	2	10	18	30	37	70
TOTAL 65-69 YRS	225	12.6	151	2	2	9	17	28	33	73
70-74	256	10.9	123	1	2	7	15	26	31	57
75-79	176	13.6	186	2	3	9	19	34	47	68
80-84	181	13.1	145	2	2	10	18	30	37	56
85+	137	12.4	129	2	3	10	16	26	33	50
GRAND TOTAL	**975**	**12.4**	**146**	**2**	**2**	**9**	**17**	**29**	**36**	**61**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	172	5.7	44	1	2	3	7	12	18	28
70-74	182	5.9	40	1	1	4	7	13	22	33
75-79	135	8.3	88	1	2	5	10	17	26	30
80-84	95	7.7	67	1	2	6	8	13	23	49
85+	53	8.3	61	1	2	6	10	18	23	45
B. *Operated*										
65-69 YRS	1714	7.4	36	2	2	6	9	14	18	30
70-74	1757	7.3	28	2	2	6	9	13	17	26
75-79	1448	7.5	31	2	2	6	9	13	16	31
80-84	841	8.2	31	2	3	7	10	15	18	28
85+	445	9.7	45	2	3	8	12	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	794	8.8	71	1	2	6	11	19	25	41
70-74	1054	9.7	92	2	2	7	12	20	26	50
75-79	1262	10.3	98	2	2	7	13	22	31	47
80-84	817	10.9	95	2	3	8	14	22	30	50
85+	657	11.1	102	2	3	8	14	23	30	57
B. *Operated*										
65-69 YRS	3068	10.5	81	2	3	8	13	20	27	49
70-74	3812	10.6	68	2	3	8	13	21	27	44
75-79	3593	11.5	77	3	4	9	14	21	28	49
80-84	2457	12.7	95	3	4	10	16	25	32	54
85+	1641	13.5	100	4	5	11	17	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	6.8	58	1	1	5	8	14	22	35
B. *Operated*	6205	7.6	33	2	2	6	10	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	4584	10.1	93	2	2	7	13	21	28	48
B. *Operated*	14571	11.5	82	2	4	9	14	22	29	49
1. SINGLE DX	6842	7.6	35	2	2	6	9	14	18	30
2. MULTIPLE DX	19155	11.2	85	2	3	9	14	22	29	49
A. NOT OPERATED	5221	9.7	89	1	2	7	12	21	28	48
B. OPERATED	20776	10.3	71	2	3	8	13	20	26	45
TOTAL 65-69 YRS	5748	9.2	67	2	2	7	11	18	24	48
70-74	6805	9.5	63	2	2	7	12	19	24	44
75-79	6438	10.3	74	2	3	8	13	20	26	47
80-84	4210	11.3	85	2	3	9	14	22	29	49
85+	2796	12.2	94	3	4	10	15	23	30	58
GRAND TOTAL	**25997**	**10.2**	**75**	**2**	**3**	**8**	**13**	**20**	**26**	**45**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	9.0	133	1	1	4	16	26	26	26
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	35	9.1	205	2	2	5	10	13	26	85
70-74	40	6.7	45	1	2	5	8	14	16	38
75-79	26	8.9	51	2	2	7	14	18	23	30
80-84	12	7.7	51	2	2	4	10	20	23	24
85+	10	11.6	77	2	3	8	19	25	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	8.8	32	3	3	11	12	16	16	16
70-74	4	5.5	20	2	2	4	8	12	12	12
75-79	5	3.6	2	2	2	3	4	6	6	6
80-84	4	5.5	8	2	2	5	7	9	9	9
85+	8	16.0	133	2	3	16	25	30	32	32
B. *Operated*										
65-69 YRS	45	9.0	54	2	3	7	10	16	26	38
70-74	26	12.6	135	2	2	9	14	36	38	40
75-79	22	11.1	76	2	3	8	12	25	31	34
80-84	20	11.7	90	2	3	8	15	28	32	35
85+	10	19.6	170	7	9	18	24	72	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.0	81	1	1	3	5	22	26	26
B. *Operated*	123	8.4	94	2	2	5	11	18	23	51
2. MULTIPLE DX										
A. *Not Operated*	26	9.0	72	2	2	5	11	24	28	32
B. *Operated*	123	11.4	95	2	3	9	14	27	36	65
1. SINGLE DX	130	8.2	93	1	2	5	10	18	24	47
2. MULTIPLE DX	149	11.0	91	2	3	8	13	26	34	53
A. NOT OPERATED	33	8.4	73	1	2	4	11	24	27	32
B. OPERATED	246	9.9	96	2	2	7	13	22	29	54
TOTAL 65-69 YRS	89	9.1	112	2	3	6	10	16	26	67
70-74	71	8.7	84	1	2	5	12	19	36	40
75-79	54	9.2	60	2	2	7	12	20	28	34
80-84	37	9.5	70	2	3	6	13	23	29	35
85+	28	15.7	129	2	4	14	23	30	55	99+
GRAND TOTAL	**279**	**9.7**	**94**	**2**	**2**	**7**	**12**	**23**	**29**	**49**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	4.0	28	1	1	2	4	9	16	28
70-74	74	4.9	29	<1	1	3	6	10	21	82
75-79	62	7.0	53	1	2	4	10	18	24	31
80-84	40	8.0	69	1	2	6	10	15	24	46
85+	39	8.7	159	1	1	7	9	16	19	80
B. *Operated*										
65-69 YRS	1754	5.5	34	1	2	4	6	12	17	27
70-74	1732	5.4	29	1	2	4	6	12	16	26
75-79	1553	5.6	29	1	2	4	6	11	16	27
80-84	1028	5.9	28	2	2	4	7	11	15	27
85+	695	6.4	28	1	2	5	8	13	17	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	8.6	97	1	2	5	11	20	27	53
70-74	238	7.9	56	1	2	5	10	18	23	40
75-79	259	9.0	88	1	2	6	11	19	30	50
80-84	212	10.5	98	2	2	8	15	23	30	59
85+	179	11.4	116	2	3	8	15	26	32	57
B. *Operated*										
65-69 YRS	2225	9.4	94	2	2	6	12	21	29	50
70-74	2503	9.7	98	2	2	6	12	22	29	51
75-79	2364	9.9	106	2	2	7	12	22	29	55
80-84	1669	10.2	100	2	2	7	12	22	29	52
85+	1396	11.3	111	2	3	8	14	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	6.1	61	1	1	4	7	14	23	42
B. *Operated*	6762	5.7	30	1	2	4	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	1122	9.3	91	1	2	6	12	20	29	50
B. *Operated*	10157	10.0	101	2	2	7	13	22	29	53
1. SINGLE DX	7039	5.7	31	1	2	4	7	12	17	27
2. MULTIPLE DX	11279	9.9	100	2	2	7	12	22	29	53
A. NOT OPERATED	1399	8.7	86	1	2	6	11	20	27	49
B. OPERATED	16919	8.2	77	2	2	5	10	18	25	46
TOTAL 65-69 YRS	4275	7.6	72	1	2	5	9	17	24	45
70-74	4547	7.9	73	1	2	5	10	18	24	45
75-79	4238	8.2	80	2	2	5	10	18	25	46
80-84	2949	8.7	79	2	2	6	10	18	26	48
85+	2309	9.8	92	2	2	7	12	20	28	54
GRAND TOTAL	**18318**	**8.3**	**78**	**2**	**2**	**5**	**10**	**18**	**25**	**46**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	6.4	111	1	1	3	5	15	29	63
70-74	28	6.0	23	1	1	5	8	12	16	21
75-79	16	13.1	314	1	2	7	15	28	60	73
80-84	14	6.9	34	1	1	5	11	16	19	20
85+	7	13.3	76	4	4	14	22	24	24	24
B. *Operated*										
65-69 YRS	247	12.4	61	2	3	11	16	22	26	47
70-74	199	11.7	57	2	2	11	15	21	25	39
75-79	138	12.7	74	2	3	11	17	21	27	45
80-84	80	13.7	57	2	4	14	17	22	27	39
85+	40	14.8	108	2	3	12	20	27	32	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	227	9.0	71	1	2	6	12	20	29	41
70-74	216	10.3	68	2	3	8	14	23	27	38
75-79	143	10.8	74	2	3	8	14	22	27	42
80-84	100	12.7	170	1	2	9	14	31	40	65
85+	75	13.2	150	2	2	8	17	29	39	62
B. *Operated*										
65-69 YRS	597	16.7	128	4	5	14	21	28	38	58
70-74	542	16.6	108	3	6	15	21	29	35	60
75-79	429	18.4	123	3	6	17	23	33	42	57
80-84	236	19.5	139	4	7	17	24	35	41	60
85+	143	17.8	155	3	4	16	23	35	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	7.7	110	1	1	5	8	19	24	67
B. *Operated*	704	12.5	65	2	3	12	16	22	26	43
2. MULTIPLE DX										
A. *Not Operated*	761	10.6	93	2	2	8	14	23	30	44
B. *Operated*	1947	17.5	126	3	6	16	22	31	40	60
1. SINGLE DX	817	11.9	74	2	2	11	16	22	26	44
2. MULTIPLE DX	2708	15.5	126	2	4	14	20	29	37	56
A. NOT OPERATED	874	10.2	96	1	2	7	14	23	30	51
B. OPERATED	2651	16.2	114	3	5	14	20	29	36	55
TOTAL 65-69 YRS	1119	13.8	113	2	3	12	18	26	33	53
70-74	985	13.9	96	2	3	12	19	25	32	47
75-79	726	15.7	119	3	4	14	20	29	37	56
80-84	430	16.4	139	2	4	14	21	32	39	55
85+	265	16.0	148	2	3	14	21	30	42	65
GRAND TOTAL	**3525**	**14.7**	**116**	**2**	**3**	**13**	**19**	**28**	**35**	**55**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	20.0	200	10	10	20	30	30	30	30
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	14.0		14	14	14	14	14	14	14
85+										
B. *Operated*										
65-69 YRS	23	6.0	55	1	2	4	5	12	28	31
70-74	29	6.4	50	2	2	4	7	13	19	37
75-79	17	5.0	7	2	3	4	6	10	10	10
80-84	10	3.4	2	1	1	3	4	5	6	6
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	7.0	1	6	6	7	8	8	8	8
70-74	8	4.6	8	2	2	3	8	8	8	8
75-79	5	3.8	18	1	1	2	6	11	11	11
80-84	3	12.7	30	7	7	13	17	18	18	18
85+	5	6.2	18	2	2	5	8	13	13	13
B. *Operated*										
65-69 YRS	24	5.6	19	1	2	4	7	13	15	16
70-74	25	9.2	179	1	2	5	8	18	51	52
75-79	11	9.9	80	1	2	7	13	25	30	30
80-84	12	10.0	75	<1	1	7	15	25	26	26
85+	9	8.9	143	2	2	3	10	29	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	14.2	86	6	6	11	18	30	30	30
B. *Operated*	81	5.5	36	1	2	4	5	10	15	35
2. MULTIPLE DX										
A. *Not Operated*	24	6.1	19	1	2	5	8	13	15	18
B. *Operated*	81	8.3	97	1	2	5	10	17	28	52
1. SINGLE DX	86	6.0	42	2	2	4	6	11	20	35
2. MULTIPLE DX	105	7.8	80	1	2	5	9	16	24	51
A. NOT OPERATED	29	7.5	38	1	2	7	10	14	19	30
B. OPERATED	162	6.9	68	1	2	4	8	14	25	50
TOTAL 65-69 YRS	52	6.4	44	1	2	4	7	13	25	31
70-74	63	7.3	96	1	2	4	8	14	25	52
75-79	34	6.6	36	1	2	4	10	12	20	30
80-84	26	7.9	50	1	1	5	13	18	24	26
85+	16	7.1	88	1	2	4	8	14	31	39
GRAND TOTAL	**191**	**7.0**	**63**	**1**	**2**	**4**	**8**	**14**	**24**	**46**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	82	11.4	165	1	2	7	12	30	41	62
70-74	55	15.6	400	2	3	7	17	44	68	84
75-79	34	13.7	173	3	3	10	18	26	33	71
80-84	16	8.8	27	3	3	7	12	17	19	20
85+	4	19.3	674	3	3	8	33	58	58	58
B. *Operated*										
65-69 YRS	123	17.4	154	5	7	14	20	31	44	64
70-74	76	21.5	194	4	7	18	29	41	49	63
75-79	50	24.2	344	4	7	19	29	49	65	79
80-84	13	15.6	100	3	5	14	22	30	35	36
85+	10	18.7	225	1	3	16	32	40	46	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	161	13.1	155	2	3	9	16	32	40	46
70-74	133	16.0	196	3	4	11	22	42	50	99+
75-79	72	17.0	306	2	3	11	20	41	60	99
80-84	40	13.8	160	3	3	11	17	26	41	65
85+	24	18.3	169	3	5	15	23	41	47	52
B. *Operated*										
65-69 YRS	162	27.3	331	8	9	23	43	59	79	99+
70-74	122	31.0	387	8	10	26	40	64	79	99+
75-79	74	27.7	387	4	7	23	42	63	77	99+
80-84	30	24.6	390	5	6	20	26	54	65	92
85+	4	17.8	26	12	12	18	22	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	12.9	232	2	3	7	14	30	44	78
B. *Operated*	272	19.8	205	4	6	16	24	39	49	70
2. MULTIPLE DX										
A. *Not Operated*	430	15.0	196	3	3	10	19	35	45	89
B. *Operated*	392	28.2	362	7	9	24	40	62	78	99+
1. SINGLE DX	463	16.9	227	2	4	13	21	37	48	72
2. MULTIPLE DX	822	21.3	318	3	5	16	29	50	65	99+
A. NOT OPERATED	621	14.4	207	2	3	9	18	33	45	83
B. OPERATED	664	24.8	315	5	8	20	32	53	66	99+
TOTAL 65-69 YRS	528	18.2	250	2	4	13	25	44	57	99+
70-74	386	21.8	326	4	5	17	29	49	64	96
75-79	230	21.5	346	3	4	17	28	51	68	99+
80-84	99	16.5	228	3	4	12	21	30	52	79
85+	42	18.5	195	2	4	15	23	42	48	58
GRAND TOTAL	**1285**	**19.7**	**290**	**3**	**4**	**15**	**26**	**46**	**61**	**98**

43: Malignant neoplasm of other parts of nervous system (192)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	8.5	85	2	2	8	15	15	15	15
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	9.5	5	8	8	9	11	11	11	11
80-84	1	8.0		8	8	8	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	8	23.9	421	4	5	17	35	57	65	65
70-74	6	14.7	234	2	3	10	13	42	45	45
75-79	3	27.0	723	10	10	13	47	58	58	58
80-84	3	31.7	1132	7	7	18	57	70	70	70
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	14.8	303	2	3	10	16	37	62	66
70-74	9	14.7	247	3	3	11	15	40	54	54
75-79	9	16.9	384	2	3	8	26	50	61	61
80-84	5	17.0	55	8	8	21	22	24	24	24
85+	4	16.3	158	9	9	11	23	35	35	35
B. *Operated*										
65-69 YRS	17	24.4	147	6	11	20	34	47	79	99+
70-74	12	40.6	561	10	13	40	56	74	84	86
75-79	7	38.0	1006	4	5	31	81	96	99+	99+
80-84	6	38.8	573	14	15	35	43	79	83	83
85+	2	26.0	98	19	19	26	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	8.5	19	2	2	8	11	15	15	15
B. *Operated*	20	22.8	449	3	5	13	35	61	67	70
2. MULTIPLE DX										
A. *Not Operated*	39	15.7	240	2	3	10	21	35	58	66
B. *Operated*	44	33.0	464	8	10	30	43	82	89	99+
1. SINGLE DX	26	19.5	382	2	4	11	19	57	66	70
2. MULTIPLE DX	83	24.9	430	3	4	20	35	66	34	99+
A. NOT OPERATED	45	14.7	216	2	3	10	18	34	56	66
B. OPERATED	64	29.8	475	4	8	26	43	70	86	99+
TOTAL 65-69 YRS	39	20.5	256	3	4	17	31	47	65	99+
70-74	28	25.5	524	3	4	14	42	63	71	86
75-79	21	24.7	641	3	4	12	34	80	92	99+
80-84	15	28.1	507	7	8	22	35	70	80	83
85+	6	19.5	140	9	9	15	33	35	35	35
GRAND TOTAL	**109**	**23.6**	**420**	**3**	**4**	**17**	**34**	**63**	**77**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	4.1	14	<1	<1	3	5	8	13	16
70-74	13	7.5	39	2	3	5	9	18	20	20
75-79	8	4.5	9	2	2	3	7	9	9	9
80-84	6	4.7	2	3	3	4	5	7	7	7
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	41	9.6	134	2	3	6	10	18	26	72
70-74	47	7.7	20	3	3	7	9	16	18	20
75-79	35	8.5	39	3	4	6	10	22	23	26
80-84	12	7.8	18	3	4	6	10	14	17	17
85+	6	7.8	13	4	4	8	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	53	8.6	129	2	2	6	10	15	21	79
70-74	43	9.6	85	1	2	7	13	23	31	41
75-79	48	10.9	96	3	3	8	14	23	26	53
80-84	33	10.8	126	2	3	5	15	26	40	44
85+	11	7.6	71	1	1	4	10	23	26	26
B. *Operated*										
65-69 YRS	108	14.0	262	4	4	9	15	30	39	92
70-74	83	11.9	97	3	4	9	15	22	31	56
75-79	58	12.6	200	2	3	8	15	27	31	91
80-84	38	14.0	110	3	4	11	16	33	37	43
85+	21	13.2	149	4	4	11	15	25	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.3	20	1	2	4	6	9	17	20
B. *Operated*	141	8.5	57	3	4	6	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	188	9.7	106	2	2	7	13	22	26	50
B. *Operated*	308	13.1	178	3	4	9	15	27	35	84
1. SINGLE DX	186	7.7	50	2	3	6	9	16	20	29
2. MULTIPLE DX	496	11.8	153	2	3	8	14	24	33	73
A. NOT OPERATED	233	8.9	92	2	2	5	11	21	24	46
B. OPERATED	449	11.7	144	3	4	8	14	23	32	72
TOTAL 65-69 YRS	219	11.1	195	2	3	7	13	21	32	84
70-74	186	10.0	73	2	3	7	13	20	28	42
75-79	149	10.6	121	2	3	7	13	23	27	53
80-84	89	11.3	102	3	3	7	15	24	35	44
85+	39	10.6	107	1	3	8	12	23	27	58
GRAND TOTAL	**682**	**10.7**	**128**	**2**	**3**	**7**	**13**	**22**	**30**	**62**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	301	8.2	89	1	1	5	10	19	27	43
70-74	270	8.8	62	1	2	6	12	19	24	39
75-79	212	10.3	124	1	1	7	14	22	30	60
80-84	137	11.2	120	2	3	8	14	27	32	60
85+	75	9.6	98	2	2	7	12	22	31	52
B. *Operated*										
65-69 YRS	456	10.2	95	1	2	8	13	21	29	48
70-74	370	9.2	72	1	2	7	13	21	26	37
75-79	278	10.2	116	1	2	7	14	22	33	45
80-84	182	10.3	118	1	2	7	13	22	34	52
85+	124	8.1	95	1	2	5	9	18	26	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4068	10.3	99	2	2	7	13	22	30	49
70-74	3678	11.2	111	2	2	8	15	24	33	52
75-79	2889	11.3	111	2	3	8	14	24	32	57
80-84	1784	12.7	143	2	3	9	16	26	37	64
85+	1092	12.5	121	2	3	9	16	26	35	57
B. *Operated*										
65-69 YRS	3706	15.3	169	2	3	12	20	32	42	71
70-74	3215	15.3	164	2	3	12	21	32	41	67
75-79	2398	16.2	194	2	3	12	21	34	44	79
80-84	1337	15.6	168	2	3	12	21	34	44	67
85+	819	15.5	151	2	3	12	20	32	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	995	9.3	95	1	2	6	12	21	29	47
B. *Operated*	1410	9.7	96	1	2	7	13	21	29	47
2. MULTIPLE DX										
A. *Not Operated*	13511	11.3	113	2	2	8	14	24	33	55
B. *Operated*	11475	15.6	172	2	3	12	21	32	42	71
1. SINGLE DX	2405	9.6	96	1	2	7	13	21	29	47
2. MULTIPLE DX	24986	13.2	145	2	3	10	17	28	37	63
A. NOT OPERATED	14506	11.1	112	2	2	8	14	24	32	55
B. OPERATED	12885	14.9	167	2	3	11	20	32	41	70
TOTAL 65-69 YRS	8531	12.4	135	2	2	9	16	27	36	60
70-74	7533	12.8	135	2	2	9	17	28	36	59
75-79	5777	13.3	153	2	3	10	17	28	38	69
80-84	3440	13.6	153	2	3	10	18	29	40	64
85+	2110	13.3	135	2	3	10	17	28	37	62
GRAND TOTAL	**27391**	**12.9**	**141**	**2**	**3**	**9**	**17**	**28**	**37**	**62**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	4.2	18	<1	1	3	5	8	16	19
70-74	20	6.0	20	2	3	5	6	11	17	21
75-79	13	3.5	14	<1	<1	1	6	10	11	11
80-84	6	9.0	36	1	1	10	14	15	15	15
85+	5	13.2	145	5	5	8	18	34	34	34
B. *Operated*										
65-69 YRS	62	9.2	81	2	2	7	10	22	28	50
70-74	45	10.7	133	2	3	8	13	24	26	71
75-79	24	12.3	82	2	2	10	17	26	31	35
80-84	8	19.1	268	4	4	10	36	42	43	43
85+	9	9.9	89	1	1	5	15	25	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	8.7	99	1	1	5	11	19	32	48
70-74	64	9.5	83	1	1	7	12	25	29	39
75-79	52	11.1	93	<1	1	9	15	22	33	47
80-84	27	8.5	39	1	3	6	11	15	26	26
85+	19	15.1	234	2	3	9	20	42	52	56
B. *Operated*										
65-69 YRS	78	16.4	158	3	4	13	23	35	46	89
70-74	65	16.4	132	3	4	14	24	36	43	93
75-79	40	19.3	369	2	3	14	26	54	75	99+
80-84	26	20.7	185	4	6	18	25	41	50	54
85+	9	22.6	578	3	5	14	27	62	82	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.6	32	<1	1	4	7	13	16	31
B. *Operated*	148	10.7	109	2	2	8	13	26	29	53
2. MULTIPLE DX										
A. *Not Operated*	239	9.9	98	1	1	7	13	23	32	48
B. *Operated*	218	17.7	207	3	4	14	24	38	51	99+
1. SINGLE DX	222	9.0	89	1	2	6	11	20	28	46
2. MULTIPLE DX	457	13.6	165	1	2	10	19	31	41	80
A. NOT OPERATED	313	8.9	86	1	1	6	11	20	28	47
B. OPERATED	366	14.9	179	2	3	11	20	32	43	89
TOTAL 65-69 YRS	247	10.7	119	1	2	8	13	26	33	53
70-74	194	11.8	116	2	3	9	16	26	34	64
75-79	129	13.1	188	<1	1	9	17	30	41	93
80-84	67	14.5	151	2	4	11	19	35	41	53
85+	42	15.4	265	2	3	10	20	33	51	82
GRAND TOTAL	**679**	**12.1**	**145**	**1**	**2**	**9**	**16**	**28**	**38**	**63**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	53	7.0	46	<1	1	5	11	14	21	34
70-74	52	7.8	47	1	1	6	11	14	20	35
75-79	58	8.7	157	1	1	5	10	15	35	74
80-84	30	7.1	31	<1	1	6	11	16	18	19
85+	24	4.5	12	1	1	4	6	11	11	12
B. *Operated*										
65-69 YRS	33	6.5	23	2	2	5	9	15	16	21
70-74	40	9.3	69	2	3	7	11	16	29	44
75-79	23	8.2	31	1	1	7	12	16	20	21
80-84	24	8.7	37	3	3	7	12	14	19	30
85+	5	11.0	64	1	1	14	16	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	9.0	77	1	2	6	12	19	23	52
70-74	239	11.0	123	1	2	7	15	24	34	68
75-79	313	9.7	101	1	2	7	12	19	25	46
80-84	264	8.6	56	1	2	7	11	18	23	43
85+	165	11.0	108	2	3	8	13	25	35	52
B. *Operated*										
65-69 YRS	171	14.2	193	2	3	10	16	32	47	67
70-74	188	14.5	186	2	3	10	18	31	48	82
75-79	193	15.1	203	3	3	11	20	34	41	88
80-84	107	16.3	150	3	5	15	21	30	39	88
85+	74	13.2	105	4	5	11	15	25	30	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	7.4	70	1	1	5	10	14	20	42
B. *Operated*	125	8.3	44	2	2	7	11	15	21	34
2. MULTIPLE DX										
A. *Not Operated*	1205	9.8	93	1	2	7	12	20	28	53
B. *Operated*	733	14.7	178	3	4	11	18	31	43	74
1. SINGLE DX	342	7.7	61	1	1	6	11	15	20	39
2. MULTIPLE DX	1938	11.6	131	2	3	8	14	24	34	65
A. NOT OPERATED	1422	9.4	90	1	2	7	12	19	28	50
B. OPERATED	858	13.8	164	2	3	10	17	29	39	68
TOTAL 65-69 YRS	481	10.5	119	1	2	7	13	20	32	60
70-74	519	11.8	138	2	2	9	15	26	38	66
75-79	587	11.3	144	1	2	8	14	23	35	71
80-84	425	10.4	88	1	2	8	14	21	30	58
85+	268	11.0	102	1	3	8	13	24	32	52
GRAND TOTAL	**2280**	**11.1**	**122**	**1**	**2**	**8**	**14**	**23**	**33**	**62**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	8.5	156	1	1	3	9	25	39	62
70-74	87	5.7	66	<1	1	3	6	17	25	42
75-79	102	5.6	73	1	1	3	6	12	21	50
80-84	73	4.5	27	1	1	2	6	10	16	27
85+	44	6.0	37	1	1	5	8	10	18	33
B. *Operated*										
65-69 YRS	76	15.8	281	2	3	8	28	41	51	95
70-74	69	13.0	148	2	2	8	17	31	42	54
75-79	59	14.6	152	3	4	10	23	32	40	59
80-84	21	10.4	131	1	2	7	8	31	37	42
85+	25	9.6	74	2	2	8	9	20	30	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	250	7.3	98	1	1	4	9	16	21	60
70-74	318	7.1	78	1	1	4	9	16	26	48
75-79	324	7.9	58	1	1	5	10	18	23	38
80-84	265	7.7	71	1	1	5	10	19	26	53
85+	153	7.6	72	1	1	5	10	18	23	43
B. *Operated*										
65-69 YRS	229	22.7	403	3	4	15	34	53	63	84
70-74	209	19.8	326	3	4	12	30	49	64	88
75-79	201	18.9	327	2	3	11	28	45	55	77
80-84	119	15.5	175	3	4	11	22	36	43	58
85+	87	15.2	194	3	3	10	18	28	37	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	6.1	79	1	1	3	7	15	25	45
B. *Operated*	250	13.6	182	2	3	8	20	33	42	65
2. MULTIPLE DX										
A. *Not Operated*	1310	7.5	74	1	1	5	10	18	24	46
B. *Operated*	845	19.3	318	3	4	12	28	46	59	81
1. SINGLE DX	648	9.0	132	1	1	5	10	26	34	58
2. MULTIPLE DX	2155	12.1	203	1	1	7	15	31	44	69
A. NOT OPERATED	1708	7.2	76	1	1	4	9	17	24	46
B. OPERATED	1095	18.0	292	2	3	11	27	43	55	80
TOTAL 65-69 YRS	647	13.9	283	1	1	7	19	38	52	78
70-74	683	11.4	193	1	1	6	14	30	45	65
75-79	686	11.4	174	1	2	7	14	28	40	65
80-84	478	9.3	107	1	1	6	12	24	33	53
85+	309	9.7	113	1	1	6	12	21	30	51
GRAND TOTAL	**2803**	**11.4**	**188**	**1**	**1**	**6**	**14**	**30**	**42**	**67**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	336	6.6	50	1	1	4	8	17	21	33
70-74	302	7.5	86	1	1	5	9	15	26	51
75-79	238	8.4	86	1	1	5	11	20	27	49
80-84	163	9.1	121	1	1	6	11	23	27	51
85+	69	11.0	93	<1	1	8	17	27	31	36
B. *Operated*										
65-69 YRS	539	9.8	82	1	2	7	14	22	27	48
70-74	446	10.3	79	2	2	8	14	22	27	44
75-79	277	10.2	91	2	2	8	13	20	30	54
80-84	155	12.0	134	2	2	9	15	23	40	80
85+	103	13.3	117	1	2	9	19	30	37	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	996	10.2	116	1	2	7	13	24	32	58
70-74	1084	10.0	117	1	2	7	12	22	32	55
75-79	887	10.5	113	1	2	8	14	23	35	54
80-84	616	11.2	118	1	2	8	15	24	33	54
85+	349	11.1	95	1	2	9	15	24	30	49
B. *Operated*										
65-69 YRS	1053	17.0	216	3	4	13	22	36	48	70
70-74	1022	16.1	166	2	4	13	21	35	43	78
75-79	907	17.8	229	3	4	13	24	40	50	85
80-84	563	19.7	265	3	4	15	26	41	52	92
85+	337	19.7	260	3	6	16	24	41	55	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	7.9	82	1	1	5	10	19	26	44
B. *Operated*	1520	10.5	91	2	2	8	14	22	29	49
2. MULTIPLE DX										
A. *Not Operated*	3932	10.5	114	1	2	7	13	23	32	55
B. *Operated*	3882	17.6	218	3	4	14	23	38	48	87
1. SINGLE DX	2628	9.4	89	1	2	6	13	21	27	47
2. MULTIPLE DX	7814	14.0	178	2	2	10	18	31	42	73
A. NOT OPERATED	5040	9.9	108	1	2	7	13	22	31	53
B. OPERATED	5402	15.6	192	2	3	12	21	33	44	78
TOTAL 65-69 YRS	2924	12.2	152	1	2	8	16	27	37	60
70-74	2854	12.0	135	1	2	9	16	26	36	60
75-79	2309	13.1	167	1	2	9	17	30	41	73
80-84	1497	14.3	193	1	2	10	19	31	43	83
85+	858	14.7	178	2	3	12	19	29	42	86
GRAND TOTAL	**10442**	**12.8**	**160**	**1**	**2**	**9**	**17**	**28**	**39**	**66**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	261	3.6	3	1	2	3	4	6	7	9
70-74	168	4.1	5	1	2	4	5	7	8	15
75-79	93	4.3	7	2	2	4	5	7	9	16
80-84	39	4.5	6	2	2	4	6	7	9	13
85+	19	4.9	11	1	2	4	5	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	4	6.5	16	1	1	7	9	10	10	10
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	174	4.6	8	2	2	4	6	8	11	15
70-74	135	6.1	23	2	2	5	7	14	17	24
75-79	81	6.7	67	2	2	5	7	11	19	52
80-84	37	8.2	37	2	2	6	12	17	22	26
85+	24	8.1	67	2	3	6	9	13	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0		2	2	2	2	2	2	2
B. *Operated*	580	3.9	5	1	2	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	8	5.3	10	1	1	5	7	10	10	10
B. *Operated*	451	5.9	30	2	2	5	7	11	15	25
1. SINGLE DX	583	3.9	5	1	2	3	5	6	8	14
2. MULTIPLE DX	459	5.9	29	2	2	5	7	11	15	25
A. NOT OPERATED	11	4.4	9	1	1	4	6	9	10	10
B. OPERATED	1031	4.8	17	2	2	4	6	8	12	20
TOTAL 65-69 YRS	438	4.0	5	1	2	3	5	7	8	13
70-74	305	5.0	14	1	2	4	6	8	14	20
75-79	174	5.4	36	2	2	4	6	9	13	41
80-84	81	6.2	23	2	2	5	7	13	16	25
85+	44	6.7	43	1	3	5	7	12	14	43
GRAND TOTAL	**1042**	**4.8**	**17**	**1**	**2**	**4**	**6**	**8**	**11**	**20**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	2.1	4	<1	<1	2	2	4	5	13
70-74	91	2.5	3	1	1	2	3	5	6	10
75-79	62	2.7	6	1	1	2	3	5	7	15
80-84	33	3.9	42	1	1	2	3	7	16	35
85+	25	3.8	28	1	1	2	4	6	12	28
B. *Operated*										
65-69 YRS	843	3.5	14	<1	1	2	3	9	12	19
70-74	780	4.1	22	1	1	2	4	10	13	22
75-79	506	3.7	21	1	1	2	3	9	12	22
80-84	246	4.5	27	1	1	2	5	11	16	26
85+	111	5.1	35	1	1	3	5	12	18	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	210	4.6	19	1	1	3	6	9	13	19
70-74	239	4.5	16	1	1	3	6	9	12	20
75-79	206	5.7	30	1	1	4	7	11	14	35
80-84	151	7.1	35	1	2	5	10	14	18	29
85+	98	8.5	59	1	2	6	10	18	22	42
B. *Operated*										
65-69 YRS	1473	7.2	57	1	1	4	10	17	22	34
70-74	1404	7.9	76	1	2	5	10	17	22	43
75-79	1114	8.3	75	1	2	6	11	18	23	44
80-84	670	8.9	75	1	2	6	12	19	25	47
85+	357	11.2	120	2	2	9	14	22	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	2.7	10	<1	1	2	3	5	7	17
B. *Operated*	2486	3.9	20	1	1	2	4	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	904	5.6	29	1	1	4	7	12	16	28
B. *Operated*	5018	8.2	74	1	2	5	11	18	23	44
1. SINGLE DX	2798	3.8	19	1	1	2	4	9	13	22
2. MULTIPLE DX	5922	7.8	68	1	1	5	10	17	22	42
A. NOT OPERATED	1216	4.9	26	1	1	3	6	11	14	27
B. OPERATED	7504	6.8	60	1	1	4	9	16	21	38
TOTAL 65-69 YRS	2627	5.6	42	1	1	3	8	13	18	29
70-74	2514	6.2	55	1	1	3	8	14	20	32
75-79	1888	6.6	58	1	1	3	9	15	20	39
80-84	1100	7.5	61	1	2	5	10	17	22	44
85+	591	9.3	97	1	2	6	12	20	26	47
GRAND TOTAL	**8720**	**6.5**	**56**	**1**	**1**	**4**	**9**	**15**	**20**	**35**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	5.5	25	2	2	5	9	9	9	9
80-84	2	4.0		4	4	4	4	4	4	4
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	91	5.2	32	1	1	2	7	14	18	25
70-74	72	4.6	22	1	1	3	5	12	13	27
75-79	29	4.4	38	1	2	2	4	7	19	32
80-84	18	7.4	50	1	1	4	15	17	21	23
85+	8	4.6	61	1	1	2	2	18	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	5.0	13	2	2	4	7	10	10	10
70-74	7	3.7	2	2	2	4	5	6	6	6
75-79	6	10.3	13	7	7	9	11	16	17	17
80-84	6	7.0	14	3	3	6	7	13	14	14
85+	5	14.4	113	7	7	10	18	33	33	33
B. *Operated*										
65-69 YRS	80	8.5	72	1	1	6	11	21	26	37
70-74	86	11.1	97	2	2	7	17	24	27	51
75-79	48	9.8	76	2	2	7	15	22	25	41
80-84	16	12.6	120	1	2	9	22	30	31	32
85+	10	10.5	102	1	1	6	16	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.0	14	1	1	4	9	10	10	10
B. *Operated*	218	5.1	32	1	1	2	6	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	28	7.9	39	2	2	7	10	14	19	33
B. *Operated*	240	10.0	86	1	2	7	16	24	28	40
1. SINGLE DX	224	5.0	32	1	1	2	6	13	17	27
2. MULTIPLE DX	268	9.8	81	2	2	7	14	23	27	39
A. NOT OPERATED	34	7.4	35	2	2	6	10	13	16	33
B. OPERATED	458	7.7	67	1	2	4	10	20	25	36
TOTAL 65-69 YRS	175	6.7	52	1	1	3	10	17	23	35
70-74	166	7.9	71	1	2	5	11	20	26	38
75-79	85	7.9	63	2	2	4	10	19	23	38
80-84	42	9.2	74	1	2	5	15	24	28	32
85+	24	9.3	92	1	2	5	13	25	30	33
GRAND TOTAL	**492**	**7.7**	**64**	**1**	**2**	**4**	**10**	**19**	**25**	**35**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	1.9	1	<1	<1	1	3	4	4	4
70-74	10	3.7	11	1	1	3	4	9	11	11
75-79	8	2.6	4	<1	<1	2	3	6	7	7
80-84	2	2.5	5	<1	<1	2	4	4	4	4
85+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	586	3.0	8	<1	1	2	3	5	8	16
70-74	404	3.5	10	<1	1	2	4	7	10	18
75-79	201	3.7	12	<1	1	3	4	9	12	18
80-84	77	3.7	9	1	1	3	4	7	8	16
85+	32	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	4.3	10	<1	1	3	7	9	10	11
70-74	28	6.2	21	1	1	5	9	14	16	18
75-79	8	5.9	8	3	3	5	8	10	11	11
80-84	10	8.4	30	1	2	8	13	16	19	19
85+	12	6.2	23	1	2	5	7	14	17	18
B. *Operated*										
65-69 YRS	552	5.6	52	1	2	3	7	12	16	29
70-74	389	5.5	37	1	2	4	6	10	16	28
75-79	257	7.5	60	1	2	4	10	19	27	44
80-84	104	7.0	51	1	2	4	10	17	21	33
85+	50	7.9	54	<1	2	5	11	20	24	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.7	5	<1	<1	2	3	5	8	11
B. *Operated*	1300	3.3	9	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	81	5.9	19	1	1	5	8	12	15	19
B. *Operated*	1352	6.1	50	1	2	4	7	13	19	33
1. SINGLE DX	1332	3.3	9	<1	1	2	4	6	9	17
2. MULTIPLE DX	1433	6.1	48	1	2	4	8	13	19	33
A. NOT OPERATED	113	5.0	17	<1	1	4	7	11	13	19
B. OPERATED	2652	4.8	32	1	1	3	5	10	14	29
TOTAL 65-69 YRS	1171	4.3	30	<1	1	3	5	9	13	26
70-74	831	4.6	24	1	1	3	5	9	13	23
75-79	474	5.8	41	1	1	3	7	13	20	38
80-84	193	5.7	35	1	2	3	7	13	18	32
85+	96	6.0	37	1	1	4	8	12	21	29
GRAND TOTAL	**2765**	**4.8**	**31**	**1**	**1**	**3**	**5**	**10**	**14**	**28**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	9.4	57	3	3	5	15	21	21	21
70-74	8	4.4	30	<1	<1	2	5	14	17	17
75-79	5	6.2	37	1	1	3	11	15	15	15
80-84	3	6.0	13	2	2	7	8	9	9	9
85+	2	8.5	61	3	3	8	14	14	14	14
B. *Operated*										
65-69 YRS	171	3.5	12	<1	1	2	4	8	11	20
70-74	124	3.4	12	<1	<1	2	4	7	9	22
75-79	88	3.5	15	<1	<1	2	4	7	8	25
80-84	45	4.3	12	<1	<1	3	6	9	13	14
85+	32	4.3	13	<1	<1	3	5	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	10.9	186	<1	1	6	16	24	45	59
70-74	24	7.1	24	2	2	6	10	13	16	22
75-79	16	7.3	31	2	2	6	10	11	21	25
80-84	12	8.1	76	2	2	5	11	19	31	33
85+	10	7.5	37	2	2	5	12	17	20	20
B. *Operated*										
65-69 YRS	174	5.8	50	<1	1	3	7	14	20	40
70-74	154	7.5	79	1	1	4	10	18	26	63
75-79	110	8.0	81	1	2	4	10	19	24	46
80-84	54	10.9	240	<1	1	5	13	28	45	78
85+	35	14.3	416	1	2	6	20	45	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.4	34	<1	1	4	10	15	18	21
B. *Operated*	460	3.6	13	<1	<1	2	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	82	8.3	73	2	2	6	10	17	23	51
B. *Operated*	527	7.9	112	<1	1	4	9	19	27	66
1. SINGLE DX	483	3.7	14	<1	<1	2	4	8	11	21
2. MULTIPLE DX	609	7.9	107	1	1	4	9	19	26	64
A. NOT OPERATED	105	7.9	65	1	2	5	10	17	21	45
B. OPERATED	987	5.9	70	<1	1	3	6	14	21	46
TOTAL 65-69 YRS	370	5.1	43	<1	1	3	6	12	17	33
70-74	310	5.7	50	<1	1	3	7	15	21	36
75-79	219	6.1	54	<1	1	3	8	15	21	42
80-84	114	7.9	135	<1	1	4	9	17	29	70
85+	79	9.2	214	<1	2	4	10	21	39	98
GRAND TOTAL	**1092**	**6.1**	**70**	**<1**	**1**	**3**	**7**	**15**	**21**	**46**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	151	2.4	1	<1	1	2	3	3	5	7
70-74	130	2.8	2	1	2	2	3	4	6	9
75-79	67	2.5	2	1	2	2	3	4	4	9
80-84	37	3.2	3	1	2	3	4	5	7	10
85+	22	3.2	2	1	2	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	4.7	4	3	3	4	6	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+	2	13.0		13	13	13	13	13	13	13
B. *Operated*										
65-69 YRS	179	4.5	23	1	2	3	5	10	13	30
70-74	139	3.6	5	2	2	3	4	6	9	11
75-79	100	5.0	20	2	2	3	5	11	15	23
80-84	39	4.3	7	2	2	3	5	7	11	12
85+	20	9.7	118	2	2	6	11	27	36	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0		3	3	3	3	3	3	3
B. *Operated*	407	2.7	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	7	6.0	27	<1	<1	4	11	13	13	13
B. *Operated*	477	4.6	21	2	2	3	5	9	13	27
1. SINGLE DX	411	2.7	2	1	2	2	3	4	5	8
2. MULTIPLE DX	484	4.6	21	2	2	3	5	9	13	27
A. NOT OPERATED	11	4.9	19	<1	1	3	6	13	13	13
B. OPERATED	884	3.7	13	1	2	3	4	7	10	21
TOTAL 65-69 YRS	335	3.5	14	1	2	2	3	7	10	23
70-74	271	3.2	4	1	2	3	4	5	8	10
75-79	168	4.0	14	1	2	3	4	9	12	20
80-84	76	3.8	5	2	2	3	4	7	9	12
85+	45	6.5	64	2	2	3	7	14	25	41
GRAND TOTAL	**895**	**3.7**	**13**	**1**	**2**	**3**	**4**	**7**	**10**	**21**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	5	3.4	3	2	2	3	4	6	6	6
75-79	2	8.5	25	5	5	8	12	12	12	12
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	57	6.9	17	1	2	7	9	11	14	23
70-74	33	7.8	11	3	3	8	10	12	13	14
75-79	14	6.7	12	2	3	6	8	11	14	15
80-84	3	5.3	44	1	1	2	10	13	13	13
85+	8	10.4	24	5	6	9	12	18	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	7.3	20	1	3	6	10	15	17	18
70-74	16	8.8	88	1	2	5	12	26	30	32
75-79	26	10.1	110	2	2	7	10	24	31	52
80-84	16	7.5	31	3	3	6	9	10	21	26
85+	13	9.3	68	1	2	6	17	22	25	26
B. *Operated*										
65-69 YRS	372	9.0	30	2	3	8	11	15	20	35
70-74	218	11.2	81	3	5	9	12	19	28	39
75-79	133	10.8	35	3	5	9	14	19	23	34
80-84	64	13.0	126	4	6	10	14	25	31	71
85+	31	11.5	52	2	4	10	15	24	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.5	8	2	2	4	5	8	11	12
B. *Operated*	115	7.4	16	2	2	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	93	8.7	64	2	2	6	10	18	26	43
B. *Operated*	818	10.3	54	2	4	9	12	18	23	35
1. SINGLE DX	127	7.1	16	2	2	7	9	12	13	22
2. MULTIPLE DX	911	10.1	55	2	3	8	12	18	24	35
A. NOT OPERATED	105	8.2	59	2	2	6	9	18	25	41
B. OPERATED	933	9.9	50	2	3	8	12	17	22	35
TOTAL 65-69 YRS	453	8.7	29	2	3	8	10	15	19	34
70-74	272	10.5	73	2	4	9	12	18	27	36
75-79	175	10.4	45	2	4	9	13	18	24	34
80-84	84	11.6	110	2	4	9	14	22	28	65
85+	54	10.5	50	2	3	8	15	22	26	29
GRAND TOTAL	**1038**	**9.8**	**51**	**2**	**3**	**8**	**11**	**17**	**22**	**35**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	9	4.8	11	<1	<1	5	7	10	11	11
70-74	8	4.6	20	2	2	2	6	12	14	14
75-79	2	5.5	41	1	1	5	10	10	10	10
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+										
B. *Operated*										
65-69 YRS	21	7.4	24	1	1	8	9	14	18	21
70-74	14	7.9	40	<1	2	8	9	16	23	25
75-79	11	9.7	57	1	2	11	13	22	23	23
80-84	5	5.6	23	2	2	3	9	13	13	13
85+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	8.0		8	8	8	8	8	8	8
B. *Operated*	20	4.7	15	<1	1	3	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	3	4.0	13	1	1	3	7	8	8	8
B. *Operated*	52	7.9	34	1	2	8	10	15	21	25
1. SINGLE DX	21	4.8	15	<1	1	3	8	10	12	14
2. MULTIPLE DX	55	7.7	33	1	2	8	10	15	21	25
A. NOT OPERATED	4	5.0	13	1	1	5	8	8	8	8
B. OPERATED	72	7.0	31	1	1	7	9	14	20	25
TOTAL 65-69 YRS	31	6.4	22	<1	1	7	8	11	16	21
70-74	23	6.5	33	1	2	4	9	14	18	25
75-79	14	9.0	49	1	1	9	12	21	23	23
80-84	6	5.0	21	2	2	3	8	12	13	13
85+	2	8.5	1	8	8	8	9	9	9	9
GRAND TOTAL	**76**	**6.9**	**30**	**1**	**1**	**7**	**9**	**14**	**19**	**24**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	81	9.6	20	5	6	8	12	15	17	27
70-74	61	8.5	8	5	6	8	10	12	14	19
75-79	42	9.7	13	5	6	9	11	15	18	20
80-84	21	11.9	44	5	7	11	13	19	28	35
85+	9	12.2	31	6	7	9	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	11.3	66	2	2	15	16	17	17	17
70-74	4	11.5	78	3	3	11	19	21	21	21
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	15.0		15	15	15	15	15	15	15
85+										
B. *Operated*										
65-69 YRS	267	10.5	27	6	6	9	12	16	21	31
70-74	204	11.7	43	6	6	10	14	19	22	32
75-79	130	14.7	125	6	7	12	17	23	32	80
80-84	75	14.8	39	7	8	14	19	26	29	82
85+	36	16.5	73	6	7	15	19	27	33	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.0	12	1	1	7	7	7	7	7
B. *Operated*	214	9.6	18	5	6	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	9	11.0	54	2	2	15	17	19	21	21
B. *Operated*	712	12.4	57	6	6	10	14	21	25	39
1. SINGLE DX	217	9.6	19	5	6	8	11	15	18	25
2. MULTIPLE DX	721	12.3	56	6	6	10	15	21	25	39
A. NOT OPERATED	12	9.5	49	1	2	7	16	18	21	21
B. OPERATED	926	11.7	49	6	6	10	14	19	23	35
TOTAL 65-69 YRS	352	10.3	25	6	6	9	12	16	20	30
70-74	269	10.9	37	6	6	9	13	18	21	30
75-79	173	13.4	102	6	7	10	15	22	28	71
80-84	98	14.1	41	7	7	13	17	24	28	68
85+	46	15.3	70	6	6	15	18	24	30	47
GRAND TOTAL	**938**	**11.7**	**49**	**6**	**6**	**10**	**14**	**19**	**23**	**35**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	3.1	5	<1	1	2	4	6	9	9
70-74	6	4.3	13	1	1	3	5	10	11	11
75-79	4	4.5	32	<1	<1	2	8	13	13	13
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	14	7.3	61	1	2	5	8	17	28	31
70-74	10	3.1	9	1	1	2	4	8	11	11
75-79	13	6.1	36	2	2	3	7	16	21	22
80-84	7	6.9	29	2	2	4	13	14	14	14
85+	3	10.0	49	3	3	10	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	23	3.5	10	<1	1	2	4	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	47	6.2	38	1	2	4	8	15	18	31
1. SINGLE DX	23	3.5	10	<1	1	2	4	9	12	13
2. MULTIPLE DX	47	6.2	38	1	2	4	8	15	18	31
A. NOT OPERATED										
B. OPERATED	70	5.3	30	1	1	3	7	13	16	29
TOTAL 65-69 YRS	25	5.4	40	1	2	3	6	9	20	31
70-74	16	3.6	11	1	1	2	5	10	11	11
75-79	17	5.7	34	1	2	3	7	15	20	22
80-84	9	5.7	28	1	1	3	10	14	14	14
85+	3	10.0	49	3	3	10	15	17	17	17
GRAND TOTAL	**70**	**5.3**	**30**	**1**	**1**	**3**	**7**	**13**	**16**	**29**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	12	3.4	5	<1	1	3	4	8	8	8
70-74	10	3.0	8	1	1	2	3	7	11	11
75-79	5	5.6	18	2	2	3	9	12	12	12
80-84	5	3.2	1	2	2	3	4	4	4	4
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	18	5.3	12	1	2	4	6	11	12	12
70-74	19	6.3	18	2	2	5	9	13	16	16
75-79	20	4.1	9	1	1	3	5	9	11	12
80-84	8	11.5	83	2	2	11	18	24	26	26
85+	5	13.0	162	2	2	9	20	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	33	3.7	8	1	1	3	4	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	3	7.0	12	3	3	9	9	9	9	9
B. *Operated*	70	6.5	36	2	2	4	9	14	16	32
1. SINGLE DX	33	3.7	8	1	1	3	4	8	11	12
2. MULTIPLE DX	73	6.5	35	2	2	5	9	13	16	32
A. NOT OPERATED	3	7.0	12	3	3	9	9	9	9	9
B. OPERATED	103	5.6	28	1	2	3	8	12	15	30
TOTAL 65-69 YRS	30	4.5	10	1	2	4	6	10	12	12
70-74	30	5.3	17	1	2	3	9	10	15	16
75-79	26	4.6	11	1	2	3	6	10	12	12
80-84	14	7.9	63	2	2	4	13	21	25	26
85+	6	12.0	135	2	2	8	15	32	34	34
GRAND TOTAL	**106**	**5.6**	**28**	**1**	**2**	**4**	**8**	**12**	**15**	**30**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	1.0		1	1	1	1	1	1	1
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	83	3.6	14	1	1	3	4	6	9	25
70-74	57	3.4	10	1	1	2	4	5	10	20
75-79	39	3.0	11	<1	1	2	3	5	7	21
80-84	23	3.4	14	1	1	2	4	6	11	19
85+	15	2.5	1	2	2	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	1	9.0		9	9	9	9	9	9	9
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	4	8.0	55	3	3	5	12	19	19	19
85+	3	7.7	30	2	2	8	12	13	13	13
B. *Operated*										
65-69 YRS	92	5.6	33	1	1	4	7	12	19	29
70-74	67	6.9	69	1	2	4	8	15	28	40
75-79	73	6.6	56	1	1	4	9	18	23	36
80-84	35	7.0	38	2	2	5	8	14	21	30
85+	19	10.8	84	1	2	7	16	26	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	6	1	1	2	4	6	6	6
B. *Operated*	217	3.3	11	1	1	2	4	5	9	21
2. MULTIPLE DX										
A. *Not Operated*	12	6.3	27	2	2	4	8	15	18	19
B. *Operated*	286	6.7	52	1	2	4	8	17	23	36
1. SINGLE DX	221	3.3	11	1	1	2	4	5	9	21
2. MULTIPLE DX	298	6.7	51	1	2	4	8	17	22	36
A. NOT OPERATED	16	5.4	24	1	1	4	7	13	17	19
B. OPERATED	503	5.2	37	1	1	3	5	11	19	32
TOTAL 65-69 YRS	177	4.6	25	1	1	3	5	10	15	29
70-74	126	5.3	44	1	1	3	5	11	20	40
75-79	116	5.3	42	1	1	3	5	13	20	33
80-84	63	5.7	32	1	2	4	7	13	19	29
85+	37	7.2	60	2	2	3	10	17	26	32
GRAND TOTAL	**519**	**5.2**	**37**	**1**	**1**	**3**	**5**	**12**	**19**	**31**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	8	2.1	1	<1	<1	2	3	3	3	3
70-74	6	2.7	7	1	1	2	2	7	8	8
75-79	3	2.0		2	2	2	2	2	2	2
80-84	3	4.0	7	2	2	3	6	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	5	4.0	12	2	2	2	5	10	10	10
70-74	2	4.5	13	2	2	4	7	7	7	7
75-79										
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	20	2.6	3	<1	1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	5	4.6	5	1	1	6	6	6	6	6
B. *Operated*	10	3.9	8	1	1	3	5	8	10	10
1. SINGLE DX	20	2.6	3	<1	1	2	3	5	7	8
2. MULTIPLE DX	15	4.1	7	1	1	4	6	7	9	10
A. NOT OPERATED	5	4.6	5	1	1	6	6	6	6	6
B. OPERATED	30	3.0	5	1	1	2	3	7	8	10
TOTAL 65-69 YRS	14	3.1	6	<1	1	2	3	6	9	10
70-74	9	3.4	8	1	1	2	6	8	8	8
75-79	4	1.8		1	1	2	2	2	2	2
80-84	6	3.8	5	1	1	3	6	7	7	7
85+	2	4.5	1	4	4	4	5	5	5	5
GRAND TOTAL	**35**	**3.2**	**5**	**1**	**1**	**2**	**4**	**7**	**8**	**10**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	4.4	16	<1	1	3	5	11	14	16
70-74	18	6.0	92	<1	<1	3	6	9	30	43
75-79	17	5.0	9	1	1	5	6	9	11	12
80-84	4	12.3	93	3	3	12	20	22	22	22
85+	3	3.7	8	2	2	2	6	7	7	7
B. Operated										
65-69 YRS	111	17.9	167	4	6	15	22	36	41	79
70-74	77	16.8	189	2	3	14	19	29	54	68
75-79	50	17.9	137	2	3	16	26	32	39	52
80-84	15	24.3	263	5	12	19	28	50	63	68
85+	5	11.8	32	5	5	11	17	18	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	46	13.7	256	2	4	8	19	23	35	94
70-74	64	10.5	127	3	4	7	12	18	25	69
75-79	76	14.3	202	2	3	10	18	28	49	71
80-84	63	13.6	134	3	3	11	20	38	67	99+
85+	42	11.2	166	2	3	8	12	27	46	99+
B. Operated										
65-69 YRS	204	27.2	351	5	9	23	35	55	70	96
70-74	126	24.3	281	5	8	20	34	47	63	83
75-79	95	28.0	385	7	9	24	43	70	90	99+
80-84	36	38.9	536	10	12	36	56	74	80	80
85+	13	22.4	151	5	8	18	33	39	41	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	5.5	41	<1	1	3	6	11	17	40
B. Operated	258	17.8	172	3	5	15	22	32	41	69
2. MULTIPLE DX										
A. Not Operated	291	12.7	174	2	3	9	16	27	48	99+
B. Operated	474	27.4	358	5	9	23	37	58	74	99+
1. SINGLE DX	321	15.4	170	2	3	13	20	30	40	68
2. MULTIPLE DX	765	21.8	338	3	5	16	30	52	69	99+
A. NOT OPERATED	354	11.5	158	2	2	8	14	24	41	99
B. OPERATED	732	24.0	313	4	8	19	32	52	68	99+
TOTAL 65-69 YRS	382	21.6	311	3	5	17	27	46	60	93
70-74	285	18.0	248	2	4	13	23	39	56	74
75-79	238	19.9	299	3	3	15	27	50	69	99+
80-84	118	22.6	395	3	4	16	31	61	76	99+
85+	63	13.2	166	2	3	10	16	31	40	97
GRAND TOTAL	**1086**	**19.9**	**297**	**2**	**4**	**15**	**26**	**45**	**63**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. Operated										
65-69 YRS	176	4.9	8	2	3	4	6	7	8	17
70-74	97	5.1	6	2	3	4	6	8	10	15
75-79	46	5.2	9	3	3	4	5	7	11	19
80-84	28	6.7	31	3	3	5	7	11	20	29
85+	5	3.0	2	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	15.1	152	4	4	15	20	35	39	39
70-74	6	7.5	20	<1	<1	7	12	13	13	13
75-79	3	4.3	2	3	3	4	5	6	6	6
80-84	1	21.0		21	21	21	21	21	21	21
85+										
B. Operated										
65-69 YRS	162	6.9	42	3	3	5	7	11	19	31
70-74	116	8.5	52	4	4	6	9	17	23	42
75-79	65	8.5	49	3	3	6	9	16	26	39
80-84	20	8.8	49	2	3	7	11	19	26	30
85+	11	9.4	35	3	3	7	13	17	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.5	4	4	4	5	7	8	8	8
B. Operated	352	5.1	10	3	3	4	6	8	10	19
2. MULTIPLE DX										
A. Not Operated	17	10.9	90	1	3	6	15	21	33	39
B. Operated	374	7.8	47	3	3	6	9	14	22	40
1. SINGLE DX	356	5.1	10	3	3	4	6	8	10	19
2. MULTIPLE DX	391	8.0	49	3	3	6	9	15	22	40
A. NOT OPERATED	21	9.9	78	2	3	6	13	21	29	39
B. OPERATED	726	6.5	31	3	3	5	7	11	16	30
TOTAL 65-69 YRS	347	6.0	29	3	3	5	6	9	15	31
70-74	220	7.0	33	3	3	5	8	12	18	39
75-79	114	7.1	34	3	3	5	8	14	18	33
80-84	50	7.7	41	3	3	5	9	17	22	30
85+	16	7.4	33	1	3	5	12	14	20	22
GRAND TOTAL	**747**	**6.6**	**32**	**3**	**3**	**5**	**7**	**12**	**17**	**31**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS. (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	6.0	28	2	2	4	10	14	15	15
70-74	5	4.0	9	1	1	3	6	8	8	8
75-79	3	5.0	16	1	1	5	8	9	9	9
80-84	1	36.0		36	36	36	36	36	36	36
85+										
B. *Operated*										
65-69 YRS	60	9.6	32	3	4	8	13	18	20	26
70-74	38	11.3	118	3	4	8	10	22	42	50
75-79	12	9.8	43	2	3	8	12	20	24	25
80-84	8	14.5	213	3	3	9	22	39	41	41
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	9.3	64	1	2	6	14	23	26	28
70-74	16	9.3	40	3	3	8	11	20	24	25
75-79	16	9.3	84	1	2	6	11	23	32	35
80-84	5	6.6	8	3	3	6	8	11	11	11
85+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
65-69 YRS	122	12.7	127	4	4	8	17	29	35	56
70-74	121	15.0	160	3	4	10	19	33	44	59
75-79	52	15.9	175	4	5	12	25	29	51	99
80-84	17	18.5	313	4	5	11	24	45	63	70
85+	7	10.3	45	3	3	7	15	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.1	76	1	1	4	8	15	30	36
B. *Operated*	118	10.5	72	3	4	8	12	19	26	45
2. MULTIPLE DX										
A. *Not Operated*	58	9.1	56	1	3	6	13	22	25	34
B. *Operated*	319	14.3	156	4	4	10	19	30	44	68
1. SINGLE DX	134	10.1	73	2	3	8	11	19	26	43
2. MULTIPLE DX	377	13.5	144	3	4	9	18	28	42	66
A. NOT OPERATED	74	8.7	60	1	2	6	12	21	25	36
B. OPERATED	437	13.3	136	4	4	9	18	27	41	65
TOTAL 65-69 YRS	209	11.2	93	3	4	8	16	22	30	50
70-74	180	13.4	142	3	4	9	18	27	42	54
75-79	83	13.3	142	2	4	9	19	28	39	89
80-84	31	16.1	250	3	4	11	22	38	49	70
85+	8	11.0	43	3	4	11	16	19	21	21
GRAND TOTAL	**511**	**12.6**	**128**	**3**	**4**	**9**	**17**	**27**	**38**	**59**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	4.0		4	4	4	4	4	4	4
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	56	5.7	21	1	2	6	8	9	13	28
70-74	43	5.1	19	<1	1	5	7	8	9	27
75-79	23	6.7	32	1	2	4	10	16	19	22
80-84	8	3.8	9	<1	1	3	5	9	10	10
85+	6	4.5	9	2	2	4	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74										
75-79	3	11.0	76	5	5	7	17	21	21	21
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	90	7.5	19	2	2	7	9	12	14	26
70-74	68	7.5	27	2	2	7	9	14	20	25
75-79	29	8.3	45	2	3	7	10	12	27	32
80-84	21	9.8	155	2	2	6	10	25	43	53
85+	5	11.0	16	6	6	12	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*	136	5.5	21	1	1	4	8	10	13	27
2. MULTIPLE DX										
A. *Not Operated*	6	7.0	52	1	1	5	7	20	21	21
B. *Operated*	213	7.9	38	2	2	7	10	13	19	33
1. SINGLE DX	139	5.5	21	1	1	4	8	10	13	27
2. MULTIPLE DX	219	7.9	39	2	2	7	10	13	19	33
A. NOT OPERATED	9	5.8	36	1	1	4	6	15	21	21
B. OPERATED	349	7.0	33	1	2	6	9	12	16	32
TOTAL 65-69 YRS	148	6.8	21	1	2	7	9	12	14	29
70-74	113	6.5	25	1	2	6	8	11	19	26
75-79	56	7.7	40	2	2	6	10	16	22	32
80-84	30	8.1	117	2	2	4	10	15	35	53
85+	11	7.5	22	2	2	6	11	14	16	16
GRAND TOTAL	**358**	**7.0**	**33**	**1**	**2**	**6**	**9**	**12**	**17**	**32**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	9.5	54	4	4	7	14	20	20	20
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	5	3.6	4	2	2	3	5	7	7	7
80-84	3	11.3	17	8	8	10	14	16	16	16
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	210	5.0	22	1	2	3	7	10	14	25
70-74	173	5.0	28	1	1	3	6	10	15	23
75-79	111	5.0	31	1	1	3	6	11	15	29
80-84	81	5.6	39	1	1	3	7	11	17	35
85+	45	5.1	29	1	2	3	6	13	18	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	7.6	25	4	4	6	10	15	20	20
70-74	8	8.6	51	3	3	7	9	20	25	25
75-79	9	13.0	126	<1	1	10	19	31	34	34
80-84	8	15.6	112	2	4	15	18	32	38	38
85+	7	16.9	388	4	4	11	17	52	60	60
B. *Operated*										
65-69 YRS	290	8.5	66	2	2	7	11	18	23	30
70-74	271	9.4	90	2	2	7	12	19	25	56
75-79	241	11.0	133	1	2	7	16	23	32	58
80-84	138	10.1	95	2	2	8	13	20	26	56
85+	83	11.0	79	1	2	9	15	22	31	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.7	28	2	2	5	9	16	19	20
B. *Operated*	620	5.1	28	1	1	3	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	42	12.0	128	2	3	9	16	26	36	60
B. *Operated*	1023	9.7	94	2	2	7	13	20	26	54
1. SINGLE DX	635	5.1	28	1	1	3	7	11	15	25
2. MULTIPLE DX	1065	9.8	95	2	2	7	13	21	27	55
A. NOT OPERATED	57	10.6	107	2	3	8	14	20	32	58
B. OPERATED	1643	8.0	74	1	2	5	10	18	23	40
TOTAL 65-69 YRS	514	7.1	50	1	2	5	9	15	21	29
70-74	454	7.7	70	1	2	5	10	16	22	46
75-79	366	9.1	108	1	2	5	12	21	29	54
80-84	230	8.7	81	1	2	7	11	19	23	53
85+	136	9.3	86	1	2	6	13	21	29	41
GRAND TOTAL	**1700**	**8.1**	**75**	**1**	**2**	**5**	**10**	**18**	**23**	**41**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	138	5.2	27	1	1	4	6	11	16	28
70-74	116	5.5	23	1	1	4	6	11	15	25
75-79	98	6.0	35	1	1	5	8	11	15	34
80-84	67	7.2	70	1	1	3	9	18	25	39
85+	57	5.9	25	1	2	4	8	14	16	25
B. *Operated*										
65-69 YRS	528	5.3	31	1	1	3	7	12	16	25
70-74	463	5.9	33	1	1	4	8	13	18	28
75-79	359	5.6	37	1	1	3	7	13	16	32
80-84	203	5.7	29	1	2	3	7	14	16	25
85+	114	6.8	36	2	2	5	9	15	19	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	367	7.6	72	1	1	5	9	16	25	41
70-74	418	8.8	114	1	1	5	10	20	28	61
75-79	436	8.3	75	1	2	6	11	19	24	36
80-84	353	9.5	77	1	2	7	11	20	26	47
85+	294	11.3	129	2	2	8	15	25	30	64
B. *Operated*										
65-69 YRS	831	10.3	126	1	2	7	13	21	29	62
70-74	872	9.8	90	2	2	7	13	19	27	54
75-79	686	11.9	131	2	2	8	15	27	34	55
80-84	450	13.0	154	2	3	9	17	27	39	64
85+	304	13.9	140	2	3	11	19	27	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	5.8	34	1	1	4	7	12	17	32
B. *Operated*	1667	5.7	33	1	1	3	7	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	1868	9.0	93	1	2	6	11	19	27	52
B. *Operated*	3143	11.3	124	2	2	8	15	24	32	58
1. SINGLE DX	2143	5.7	33	1	1	4	7	13	17	29
2. MULTIPLE DX	5011	10.4	114	1	2	7	14	22	30	57
A. NOT OPERATED	2344	8.3	83	1	1	6	10	19	25	46
B. OPERATED	4810	9.3	100	1	2	6	12	20	28	52
TOTAL 65-69 YRS	1864	8.0	86	1	1	5	10	17	24	50
70-74	1869	8.4	80	1	2	6	11	18	24	50
75-79	1579	9.1	95	1	2	6	12	20	29	50
80-84	1073	10.1	107	1	2	7	13	22	30	55
85+	769	11.2	119	2	2	8	15	24	30	59
GRAND TOTAL	**7154**	**9.0**	**94**	**1**	**2**	**6**	**12**	**19**	**27**	**51**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	5.2	20	<1	1	4	6	10	17	18
70-74	19	4.8	27	<1	<1	3	7	10	17	22
75-79	8	2.9	4	1	1	3	4	5	6	6
80-84	4	7.0	13	4	4	6	9	12	12	12
85+	2	6.0	50	1	1	6	11	11	11	11
B. *Operated*										
65-69 YRS	205	4.8	4	3	3	4	5	7	8	13
70-74	152	5.1	11	2	3	4	6	8	10	15
75-79	77	5.1	7	3	3	4	6	8	9	18
80-84	27	5.3	21	2	3	4	5	6	14	26
85+	6	6.5	10	3	3	6	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	5.4	12	1	2	4	7	10	13	17
70-74	65	7.2	92	1	2	5	8	12	19	65
75-79	41	6.7	18	2	2	6	9	12	14	22
80-84	35	9.3	52	3	3	7	11	22	24	29
85+	29	8.3	25	3	3	7	10	16	17	24
B. *Operated*										
65-69 YRS	254	7.7	35	3	3	6	9	14	20	34
70-74	167	9.4	64	3	4	6	12	16	24	49
75-79	109	8.6	40	3	3	6	12	16	20	34
80-84	47	10.4	96	3	4	8	11	22	30	54
85+	27	12.1	59	4	5	10	15	22	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.8	20	<1	1	4	6	11	13	22
B. *Operated*	467	5.0	8	3	3	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	233	7.1	44	2	2	5	8	14	17	28
B. *Operated*	604	8.7	51	3	4	6	10	16	23	40
1. SINGLE DX	513	5.0	9	2	3	4	6	8	10	16
2. MULTIPLE DX	837	8.3	49	3	3	6	10	16	22	37
A. NOT OPERATED	279	6.7	41	1	2	5	8	12	17	28
B. OPERATED	1071	7.1	35	3	3	5	8	14	17	34
TOTAL 65-69 YRS	535	6.2	22	3	3	5	7	11	16	26
70-74	403	7.2	50	2	3	5	8	14	17	40
75-79	235	6.9	27	2	3	5	8	14	16	24
80-84	113	8.7	65	3	3	6	10	20	25	46
85+	64	9.7	42	3	3	8	12	17	23	33
GRAND TOTAL	**1350**	**7.0**	**37**	**2**	**3**	**5**	**8**	**14**	**17**	**32**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	69	6.3	26	<1	1	5	8	11	14	29
70-74	58	7.9	30	2	3	7	11	15	20	25
75-79	42	7.7	17	3	3	6	10	13	15	20
80-84	27	10.7	93	2	3	8	14	20	26	51
85+	14	8.1	31	2	2	7	13	16	18	19
B. *Operated*										
65-69 YRS	79	5.3	7	3	3	5	6	8	9	19
70-74	47	5.5	11	2	3	5	6	10	14	19
75-79	31	7.7	47	3	3	5	10	14	21	36
80-84	14	6.1	13	2	3	5	7	10	15	17
85+	3	7.0	7	4	4	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	479	8.8	40	3	3	7	11	16	20	34
70-74	527	10.9	73	3	3	9	14	20	25	43
75-79	460	11.5	80	3	4	9	14	21	27	63
80-84	310	12.5	127	2	3	9	16	25	32	64
85+	202	12.4	88	3	5	10	15	23	31	59
B. *Operated*										
65-69 YRS	174	10.8	140	3	4	7	12	22	33	74
70-74	140	13.4	132	2	4	11	17	28	42	99+
75-79	87	14.8	146	4	4	12	20	30	46	99+
80-84	39	26.7	511	4	5	21	34	70	86	99+
85+	32	18.3	181	4	5	16	23	44	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	7.7	36	1	2	6	10	14	19	27
B. *Operated*	174	5.9	16	3	3	5	7	9	14	21
2. MULTIPLE DX										
A. *Not Operated*	1978	10.9	78	3	3	9	14	20	27	49
B. *Operated*	472	14.1	189	3	4	10	18	31	48	99+
1. SINGLE DX	384	6.9	28	2	3	5	8	13	17	25
2. MULTIPLE DX	2450	11.5	101	3	4	9	14	22	29	66
A. NOT OPERATED	2188	10.6	75	3	3	8	13	20	26	48
B. OPERATED	646	11.9	155	3	4	7	15	26	40	89
TOTAL 65-69 YRS	801	8.7	59	3	3	7	10	17	23	35
70-74	772	10.8	80	3	3	9	14	20	26	57
75-79	620	11.5	87	3	4	9	14	21	29	72
80-84	390	13.5	178	2	3	9	17	28	40	79
85+	251	12.8	101	3	4	10	16	24	34	70
GRAND TOTAL	**2834**	**10.9**	**94**	**3**	**3**	**8**	**14**	**21**	**28**	**60**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	551	6.9	21	1	2	6	9	12	15	23
70-74	440	7.4	27	1	3	6	9	13	16	23
75-79	264	7.5	28	2	3	6	9	13	16	27
80-84	207	7.2	30	<1	<1	6	9	13	17	30
85+	92	7.9	84	<1	1	6	9	14	20	61
B. *Operated*										
65-69 YRS	19	11.7	62	2	3	11	15	21	30	35
70-74	9	12.7	159	2	3	8	16	33	44	44
75-79	7	9.3	17	5	5	7	12	15	16	16
80-84	7	9.3	15	4	4	10	11	15	16	16
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3862	8.9	39	3	3	7	11	16	20	34
70-74	3527	9.2	51	3	3	8	11	16	21	40
75-79	2861	9.7	52	3	3	8	12	17	22	36
80-84	1740	10.1	69	3	3	8	12	18	24	47
85+	1187	10.8	81	3	4	8	13	20	26	53
B. *Operated*										
65-69 YRS	605	15.4	167	2	4	13	20	31	39	86
70-74	528	17.4	242	3	5	13	21	38	60	99+
75-79	369	18.8	240	4	6	14	23	40	53	90
80-84	191	18.4	256	4	5	14	22	40	63	99+
85+	119	20.2	313	3	5	16	25	42	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1554	7.2	29	<1	2	6	9	13	16	26
B. *Operated*	43	11.1	63	2	4	10	14	17	27	44
2. MULTIPLE DX										
A. *Not Operated*	13177	9.5	53	3	3	8	12	17	22	39
B. *Operated*	1812	17.3	224	3	5	13	21	36	53	96
1. SINGLE DX	1597	7.3	30	1	2	6	9	13	16	26
2. MULTIPLE DX	14989	10.4	80	3	3	8	13	19	26	53
A. NOT OPERATED	14731	9.2	51	3	3	8	11	16	21	37
B. OPERATED	1855	17.2	222	3	5	13	21	35	52	96
TOTAL 65-69 YRS	5037	9.5	58	2	3	8	12	17	23	39
70-74	4504	10.0	79	3	3	8	12	18	25	57
75-79	3501	10.4	78	3	3	8	13	19	26	49
80-84	2145	10.5	89	2	3	8	13	19	26	58
85+	1399	11.4	108	3	3	9	14	21	28	67
GRAND TOTAL	**16586**	**10.1**	**76**	**3**	**3**	**8**	**12**	**19**	**25**	**51**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	107	8.3	45	2	3	7	10	15	19	39
70-74	83	7.1	20	1	2	6	10	12	14	24
75-79	63	9.2	79	1	3	7	12	16	19	61
80-84	34	8.6	20	2	3	8	10	16	16	20
85+	19	11.5	103	2	4	9	13	21	36	46
B. *Operated*										
65-69 YRS										
70-74	2	11.5	25	8	8	11	15	15	15	15
75-79	2	32.0	648	14	14	32	50	50	50	50
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	516	11.2	80	3	4	9	14	20	28	55
70-74	537	11.9	69	3	4	10	15	22	28	45
75-79	468	12.3	76	3	4	10	15	22	29	48
80-84	365	14.0	142	4	5	11	17	27	36	84
85+	206	13.5	72	3	5	11	16	25	31	48
B. *Operated*										
65-69 YRS	95	25.3	322	8	10	19	34	68	90	99+
70-74	79	22.5	148	6	9	20	30	38	55	99+
75-79	54	24.6	286	6	9	19	33	56	61	99
80-84	37	21.2	109	6	9	19	27	38	42	46
85+	33	27.6	468	11	11	22	31	71	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	8.4	46	1	3	7	11	15	18	38
B. *Operated*	4	21.8	364	8	8	14	32	50	50	50
2. MULTIPLE DX										
A. *Not Operated*	2092	12.3	87	3	4	10	15	23	30	54
B. *Operated*	298	24.2	259	7	10	20	31	55	72	99+
1. SINGLE DX	310	8.6	52	1	3	7	11	15	19	47
2. MULTIPLE DX	2390	13.8	124	3	4	11	17	27	36	73
A. NOT OPERATED	2398	11.8	84	3	4	10	15	22	29	51
B. OPERATED	302	24.1	259	7	10	20	31	54	72	99+
TOTAL 65-69 YRS	718	12.6	132	3	4	9	15	25	37	79
70-74	701	12.5	87	3	4	10	16	25	31	55
75-79	587	13.1	111	3	4	11	16	25	35	59
80-84	436	14.2	136	3	5	11	18	27	37	82
85+	258	15.1	146	3	5	12	19	29	39	94
GRAND TOTAL	**2700**	**13.2**	**118**	**3**	**4**	**10**	**16**	**26**	**35**	**71**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	791	7.4	17	2	3	7	9	12	15	21
70-74	666	7.6	20	3	3	7	10	12	15	24
75-79	420	8.2	31	3	4	7	10	13	17	33
80-84	230	8.8	42	2	3	7	11	16	19	32
85+	129	8.7	26	3	4	8	10	16	19	49
B. *Operated*										
65-69 YRS	72	10.9	218	2	2	4	14	27	44	77
70-74	58	8.6	92	2	2	4	12	20	25	46
75-79	41	11.6	283	1	2	4	15	37	47	82
80-84	16	10.8	79	2	2	6	22	22	24	24
85+	7	9.7	302	2	2	3	5	40	49	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6198	9.6	51	3	4	8	12	17	22	38
70-74	5674	10.1	55	3	4	8	12	18	23	38
75-79	4177	10.6	71	3	4	8	13	19	25	47
80-84	2565	11.3	87	3	4	9	14	20	27	61
85+	1476	11.9	106	3	4	9	14	22	30	82
B. *Operated*										
65-69 YRS	2311	19.9	299	2	4	15	27	47	63	99+
70-74	2085	20.4	292	3	5	15	28	46	62	99+
75-79	1431	22.2	349	3	4	17	31	52	73	99+
80-84	794	23.5	330	3	5	19	32	53	65	99+
85+	471	22.9	337	3	6	17	32	54	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2236	7.8	24	3	3	7	10	13	16	24
B. *Operated*	194	10.3	183	2	2	4	14	23	40	71
2. MULTIPLE DX										
A. *Not Operated*	20090	10.3	65	3	4	8	13	19	24	45
B. *Operated*	7092	21.1	315	3	4	16	29	49	66	99+
1. SINGLE DX	2430	8.0	37	2	3	7	10	14	18	35
2. MULTIPLE DX	27182	13.1	153	3	4	9	16	27	39	81
A. NOT OPERATED	22326	10.1	62	3	4	8	12	18	23	43
B. OPERATED	7286	20.8	314	3	4	16	29	48	65	99+
TOTAL 65-69 YRS	9372	12.0	131	3	4	9	14	24	35	74
70-74	8483	12.4	132	3	4	9	15	25	36	73
75-79	6069	13.2	161	3	4	9	16	27	40	84
80-84	3605	13.8	165	3	4	10	16	28	43	83
85+	2083	14.2	176	3	4	10	17	30	46	99+
GRAND TOTAL	**29612**	**12.7**	**145**	**3**	**4**	**9**	**15**	**26**	**37**	**79**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
65-69 YRS	3	10.3	4	8	8	11	12	12	12	12
70-74										
75-79	1	20.0		20	20	20	20	20	20	20
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	4	4.3	5	2	2	4	6	7	7	7
B. *Operated*	4	12.8	26	8	8	11	16	20	20	20
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	8	8.5	34	2	2	7	11	18	20	20
A. NOT OPERATED	4	4.3	5	2	2	4	6	7	7	7
B. OPERATED	5	10.6	43	2	2	11	14	20	20	20
TOTAL 65-69 YRS	5	7.2	21	2	2	8	11	12	12	12
70-74										
75-79	1	20.0		20	20	20	20	20	20	20
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**9**	**7.8**	**34**	**2**	**2**	**7**	**11**	**17**	**20**	**20**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	5.2	18	1	1	4	7	10	13	23
70-74	116	5.7	27	1	1	4	7	12	19	25
75-79	95	5.5	33	<1	1	4	6	12	13	33
80-84	65	5.3	18	1	1	4	6	12	15	19
85+	37	8.3	138	1	2	5	8	15	43	53
B. *Operated*										
65-69 YRS	32	10.8	99	2	3	9	13	17	27	56
70-74	35	9.1	54	2	3	7	11	21	26	34
75-79	7	6.9	14	1	2	9	10	11	11	11
80-84	8	25.5	317	3	6	22	33	55	60	60
85+	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1049	7.7	48	1	2	6	10	15	19	39
70-74	1244	7.5	46	1	2	6	9	15	20	30
75-79	1107	8.1	56	2	2	6	10	15	20	40
80-84	756	9.3	81	2	3	7	12	17	23	49
85+	610	10.1	84	2	3	8	12	20	28	54
B. *Operated*										
65-69 YRS	163	13.3	142	3	4	9	18	30	40	53
70-74	159	16.1	203	3	4	12	20	39	53	99+
75-79	128	17.5	205	4	5	14	22	38	52	91
80-84	70	18.4	249	4	5	14	26	36	48	98
85+	38	22.0	344	4	8	15	28	47	66	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	5.7	34	1	1	4	7	12	15	28
B. *Operated*	84	11.0	111	2	3	8	13	23	30	59
2. MULTIPLE DX										
A. *Not Operated*	4766	8.3	60	2	2	6	10	16	21	39
B. *Operated*	558	16.3	205	3	4	12	22	36	49	92
1. SINGLE DX	505	6.6	51	1	1	5	8	13	19	42
2. MULTIPLE DX	5324	9.1	81	2	2	7	11	18	25	50
A. NOT OPERATED	5187	8.1	58	2	2	6	10	16	21	39
B. OPERATED	642	15.6	196	3	4	11	20	33	48	91
TOTAL 65-69 YRS	1352	8.2	62	1	2	6	10	16	22	47
70-74	1554	8.3	68	1	2	6	10	16	24	47
75-79	1337	8.8	77	1	2	6	11	18	24	47
80-84	899	9.8	100	2	3	7	12	19	27	58
85+	687	10.6	108	2	3	8	13	22	30	62
GRAND TOTAL	**5829**	**8.9**	**79**	**2**	**2**	**6**	**11**	**18**	**25**	**50**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	12.4	171	4	4	7	14	35	43	43
70-74	20	7.3	87	<1	<1	4	8	21	30	38
75-79	25	8.5	78	<1	<1	6	10	20	33	35
80-84	14	6.4	17	<1	2	5	9	11	15	16
85+	26	7.7	134	<1	<1	3	9	23	31	52
B. *Operated*										
65-69 YRS	3	12.7	80	7	7	8	19	23	23	23
70-74	3	4.7	2	3	3	5	6	6	6	6
75-79	2	7.5	25	4	4	7	11	11	11	11
80-84	1	32.0		32	32	32	32	32	32	32
85+	2	44.0	3042	5	5	44	83	83	83	83
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	197	14.1	120	4	5	10	18	28	39	54
70-74	301	13.2	140	3	4	9	16	26	43	58
75-79	316	13.2	105	3	4	10	17	27	32	55
80-84	321	13.9	107	4	5	11	18	28	35	61
85+	393	13.5	122	3	4	10	17	27	35	70
B. *Operated*										
65-69 YRS	59	23.2	298	5	6	19	32	47	63	99
70-74	65	23.0	292	4	5	18	33	54	62	96
75-79	88	20.8	206	6	7	17	27	39	52	72
80-84	79	22.0	178	5	8	18	30	40	49	65
85+	66	17.4	171	4	5	15	24	34	43	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	8.0	92	<1	<1	5	9	20	31	48
B. *Operated*	11	17.0	561	3	4	7	20	52	80	83
2. MULTIPLE DX										
A. *Not Operated*	1528	13.5	118	3	4	10	17	27	37	58
B. *Operated*	357	21.3	226	5	6	17	29	43	52	86
1. SINGLE DX	104	9.0	145	<1	<1	5	10	21	33	66
2. MULTIPLE DX	1885	15.0	148	3	4	11	19	31	41	68
A. NOT OPERATED	1621	13.2	118	3	4	10	17	27	36	58
B. OPERATED	368	21.1	235	4	6	17	29	43	53	86
TOTAL 65-69 YRS	267	16.0	173	4	5	11	22	37	44	64
70-74	389	14.5	177	2	4	9	18	35	48	68
75-79	431	14.5	135	3	4	12	18	29	37	64
80-84	415	15.3	131	4	5	12	20	31	38	61
85+	487	13.8	142	3	4	11	18	29	36	82
GRAND TOTAL	**1989**	**14.7**	**149**	**3**	**4**	**11**	**19**	**31**	**40**	**68**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	3	8.0	61	3	3	4	14	17	17	17
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	3	4.3	9	1	1	5	6	7	7	7
70-74	1	12.0		12	12	12	12	12	12	12
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	8.5	40	2	2	7	10	19	23	25
70-74	38	8.6	17	4	4	7	11	15	16	21
75-79	28	9.1	46	2	3	7	13	17	27	28
80-84	9	10.9	119	2	2	7	14	29	37	37
85+	5	6.2	12	2	2	8	9	10	10	10
B. *Operated*										
65-69 YRS	23	13.1	143	4	5	10	14	23	44	58
70-74	5	10.0	64	2	2	11	16	20	20	20
75-79	10	20.8	304	3	3	16	32	47	57	57
80-84	2	14.5	25	11	11	14	18	18	18	18
85+	3	7.0	9	4	4	7	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.5	32	2	2	3	4	16	17	17
B. *Operated*	4	6.3	21	1	1	6	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	131	8.7	38	2	3	7	11	16	22	30
B. *Operated*	43	14.2	164	3	4	10	17	33	45	58
1. SINGLE DX	10	5.8	25	1	1	4	7	14	17	17
2. MULTIPLE DX	174	10.1	74	2	3	8	12	19	26	52
A. NOT OPERATED	137	8.6	38	2	3	7	11	17	22	29
B. OPERATED	47	13.5	156	2	3	10	16	31	41	58
TOTAL 65-69 YRS	79	9.5	73	2	3	7	12	19	24	52
70-74	47	8.7	22	3	4	7	11	16	17	21
75-79	38	12.2	135	3	3	8	15	28	36	57
80-84	12	10.8	98	2	2	8	15	24	35	37
85+	8	6.5	10	2	2	7	9	10	10	10
GRAND TOTAL	**184**	**9.8**	**72**	**2**	**3**	**7**	**12**	**18**	**25**	**51**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	8.5	168	1	2	5	8	15	34	72
70-74	45	4.9	13	1	1	4	7	10	13	15
75-79	27	7.1	44	2	2	4	9	18	23	27
80-84	24	8.6	197	<1	<1	4	8	47	67	99+
85+	19	6.1	17	1	2	6	7	12	16	18
B. *Operated*										
65-69 YRS	48	6.6	74	<1	1	3	7	16	25	46
70-74	27	9.6	92	1	2	6	14	21	25	44
75-79	24	7.6	94	1	2	3	9	19	29	42
80-84	12	10.7	89	1	2	7	17	25	30	31
85+	4	4.8	10	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	318	8.8	50	2	2	7	11	18	25	40
70-74	313	9.2	73	2	3	7	11	17	24	40
75-79	274	9.7	64	2	3	7	13	21	25	43
80-84	178	10.7	99	2	3	7	15	20	31	46
85+	157	9.2	57	2	3	7	11	19	26	35
B. *Operated*										
65-69 YRS	199	11.9	120	2	3	9	15	24	33	55
70-74	188	15.0	200	2	3	11	18	35	46	61
75-79	132	13.8	182	1	2	10	17	32	47	78
80-84	62	13.5	140	2	3	10	17	30	38	58
85+	50	17.5	148	5	6	15	22	34	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	6.9	87	<1	1	4	8	14	21	71
B. *Operated*	115	7.9	82	1	2	4	11	21	25	45
2. MULTIPLE DX										
A. *Not Operated*	1240	9.4	67	2	3	7	12	19	25	41
B. *Operated*	631	13.8	162	2	3	10	17	31	42	61
1. SINGLE DX	269	7.3	85	1	1	4	8	17	22	54
2. MULTIPLE DX	1871	10.9	103	2	3	8	14	22	31	54
A. NOT OPERATED	1394	9.2	70	2	2	7	11	18	25	46
B. OPERATED	746	12.9	154	2	2	9	17	29	41	59
TOTAL 65-69 YRS	604	9.6	85	2	2	7	12	20	27	48
70-74	573	10.8	120	2	2	8	13	21	33	55
75-79	457	10.7	102	2	2	8	13	23	30	55
80-84	276	11.2	117	1	2	8	15	23	35	58
85+	230	10.7	86	2	3	8	13	23	30	54
GRAND TOTAL	**2140**	**10.5**	**102**	**2**	**2**	**8**	**13**	**22**	**30**	**54**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	5.9	28	<1	1	5	7	10	14	35
70-74	57	5.2	13	1	2	4	8	10	13	15
75-79	46	6.6	24	1	2	5	8	13	17	21
80-84	23	4.9	11	1	2	4	7	10	12	15
85+	27	5.9	16	1	1	5	8	13	14	14
B. *Operated*										
65-69 YRS	22	5.4	29	<1	1	3	6	15	18	19
70-74	21	4.1	10	1	1	3	5	10	12	12
75-79	13	6.8	49	<1	1	4	11	18	23	24
80-84	7	10.7	47	2	2	10	16	20	21	21
85+	3	29.7	2060	<1	<1	6	63	82	82	82
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	345	7.6	40	2	3	6	9	14	17	32
70-74	356	7.8	39	2	3	6	10	14	17	35
75-79	309	8.0	33	2	3	7	10	15	19	29
80-84	236	8.8	48	2	3	7	11	17	24	37
85+	160	8.6	26	3	4	7	11	16	20	92
B. *Operated*										
65-69 YRS	74	13.0	113	2	3	11	17	27	38	44
70-74	75	12.1	126	2	2	9	16	33	40	88
75-79	42	18.5	283	3	5	12	24	43	57	79
80-84	37	16.1	118	3	4	15	24	33	37	41
85+	23	17.0	156	4	5	16	23	38	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	5.7	20	1	2	5	8	12	14	21
B. *Operated*	66	6.9	118	<1	1	4	9	16	19	73
2. MULTIPLE DX										
A. *Not Operated*	1406	8.1	38	2	3	7	10	15	20	34
B. *Operated*	251	14.5	154	2	3	11	19	33	41	64
1. SINGLE DX	275	6.0	43	1	1	4	8	12	15	23
2. MULTIPLE DX	1657	9.0	61	2	3	7	11	17	24	44
A. NOT OPERATED	1615	7.8	36	2	3	6	10	14	19	32
B. OPERATED	317	12.9	155	2	2	10	17	29	40	69
TOTAL 65-69 YRS	497	8.1	53	2	2	6	10	16	22	40
70-74	509	8.0	52	2	2	6	10	15	19	43
75-79	410	8.9	68	2	3	7	11	16	24	43
80-84	303	9.4	61	2	3	7	12	20	26	40
85+	213	9.5	72	2	3	7	11	19	23	88
GRAND TOTAL	**1932**	**8.6**	**59**	**2**	**3**	**7**	**11**	**16**	**23**	**42**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	5.1	11	1	2	5	7	9	11	19
70-74	152	5.3	17	1	2	4	7	9	12	20
75-79	153	6.4	24	1	2	5	7	12	17	29
80-84	151	7.8	54	2	2	6	10	15	20	32
85+	208	7.1	28	2	2	6	9	14	18	32
B. *Operated*										
65-69 YRS	6	13.5	41	5	5	14	18	22	22	22
70-74	2	10.5	61	5	5	10	16	16	16	16
75-79	5	7.6	16	2	2	8	13	91	99+	99+
80-84	3	23.0	19	18	18	25	26	26	26	26
85+	4	11.0	12	8	8	11	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2392	8.4	61	2	2	6	10	16	22	37
70-74	3094	8.8	57	2	3	7	11	17	22	41
75-79	3540	9.9	69	2	3	8	12	19	24	41
80-84	3483	10.6	79	3	3	8	13	20	26	50
85+	4581	11.3	84	3	4	9	14	21	29	52
B. *Operated*										
65-69 YRS	249	15.4	170	2	3	11	21	34	43	99+
70-74	300	17.1	202	4	5	14	22	36	66	99+
75-79	309	19.6	227	5	6	15	25	42	55	99+
80-84	289	20.7	208	6	7	17	26	41	54	86
85+	302	22.1	259	6	8	18	29	47	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	765	6.5	29	1	2	5	8	12	17	29
B. *Operated*	20	12.7	46	4	5	13	18	25	59	99+
2. MULTIPLE DX										
A. *Not Operated*	17090	10.0	73	2	3	8	12	19	25	46
B. *Operated*	1449	19.1	220	4	6	15	25	40	55	99+
1. SINGLE DX	785	6.6	30	2	2	5	8	13	17	30
2. MULTIPLE DX	18539	10.7	90	2	3	8	13	21	28	55
A. NOT OPERATED	17855	9.9	72	2	3	8	12	19	25	45
B. OPERATED	1469	19.0	218	4	6	15	25	40	55	99+
TOTAL 65-69 YRS	2748	9.0	73	2	2	7	11	18	25	45
70-74	3548	9.3	74	2	3	7	11	19	25	53
75-79	4007	10.5	87	2	3	8	13	20	27	53
80-84	3926	11.2	95	3	3	8	14	22	29	57
85+	5095	11.8	99	3	4	9	15	23	31	59
GRAND TOTAL	**19324**	**10.5**	**89**	**2**	**3**	**8**	**13**	**21**	**28**	**55**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	4.9	11	1	1	5	6	9	10	17
70-74	106	5.4	13	<1	1	5	7	10	12	18
75-79	121	5.0	20	1	1	4	6	10	12	27
80-84	114	5.6	23	1	1	5	7	10	15	25
85+	115	5.2	16	1	1	4	7	11	14	18
B. *Operated*										
65-69 YRS	34	7.1	11	1	3	7	9	11	13	14
70-74	30	9.5	49	1	3	8	13	14	22	37
75-79	26	6.9	15	2	2	7	9	12	14	19
80-84	25	7.9	31	3	4	7	8	12	22	30
85+	21	7.8	14	2	3	7	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	778	7.4	26	2	3	6	9	13	18	25
70-74	1096	7.4	28	2	2	6	9	13	17	28
75-79	1227	7.9	37	2	3	6	10	14	18	37
80-84	1140	8.4	62	2	2	7	10	15	19	47
85+	1402	8.7	67	2	2	7	11	16	22	43
B. *Operated*										
65-69 YRS	433	10.9	57	3	4	9	13	19	25	45
70-74	487	12.7	101	4	5	10	15	22	28	54
75-79	491	12.1	79	4	5	10	15	21	29	58
80-84	383	13.1	104	4	5	10	15	25	34	57
85+	310	13.0	84	4	5	10	15	25	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	5.2	17	1	1	4	7	10	13	20
B. *Operated*	136	7.9	25	2	3	7	10	14	14	31
2. MULTIPLE DX										
A. *Not Operated*	5643	8.0	46	2	3	7	10	15	19	35
B. *Operated*	2104	12.3	85	4	5	10	15	22	29	56
1. SINGLE DX	682	5.8	19	1	1	5	8	11	14	23
2. MULTIPLE DX	7747	9.2	61	2	3	7	11	17	22	43
A. NOT OPERATED	6189	7.8	44	2	2	6	10	14	18	34
B. OPERATED	2240	12.0	83	4	4	10	14	22	29	55
TOTAL 65-69 YRS	1335	8.3	38	2	3	7	10	15	19	31
70-74	1719	8.8	54	2	3	7	11	16	21	38
75-79	1865	8.8	51	2	3	7	11	16	21	42
80-84	1662	9.3	73	2	3	7	11	17	23	54
85+	1848	9.2	69	2	2	7	11	17	24	44
GRAND TOTAL	**8429**	**8.9**	**58**	**2**	**3**	**7**	**11**	**16**	**22**	**42**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	3	6.3	2	5	5	6	7	8	8	8
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84										
85+	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	7.1	23	1	3	5	9	14	18	19
70-74	5	5.4	24	2	2	3	7	14	14	14
75-79	8	9.5	41	2	3	8	14	19	20	20
80-84	2	8.5	5	7	7	8	10	10	10	10
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	5	12.2	90	4	4	14	23	92	99+	99+
70-74										
75-79										
80-84										
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.8	8	1	1	6	7	9	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	31	7.4	26	2	2	5	10	15	19	20
B. *Operated*	6	12.7	73	4	4	15	23	85	99+	99+
1. SINGLE DX	9	5.8	8	1	1	6	7	9	10	10
2. MULTIPLE DX	37	8.2	36	2	3	6	13	20	23	99+
A. NOT OPERATED	40	7.0	22	1	2	6	10	14	17	20
B. OPERATED	6	12.7	73	4	4	15	23	85	99+	99+
TOTAL 65-69 YRS	21	8.3	39	2	3	6	12	22	54	99+
70-74	8	5.8	15	2	2	5	7	12	14	14
75-79	10	9.2	33	2	3	8	13	18	20	20
80-84	2	8.5	5	7	7	8	10	10	10	10
85+	5	5.6	33	1	1	3	9	15	15	15
GRAND TOTAL	**46**	**7.8**	**31**	**2**	**2**	**6**	**10**	**18**	**22**	**99+**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	303	4.2	23	<1	1	3	5	10	13	27
70-74	295	3.5	17	<1	<1	2	4	8	10	20
75-79	367	3.8	14	<1	1	3	5	9	11	18
80-84	449	4.2	29	<1	1	2	5	9	13	21
85+	417	4.4	18	1	1	3	6	9	11	22
B. *Operated*										
65-69 YRS	84	8.9	38	2	3	8	12	17	19	36
70-74	109	9.0	36	2	3	8	12	15	20	34
75-79	83	8.4	33	2	2	8	11	17	20	27
80-84	77	8.1	41	1	2	6	10	15	23	32
85+	60	9.7	40	2	3	9	13	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1543	6.6	53	1	1	5	8	14	18	35
70-74	1967	7.0	48	1	1	5	9	14	19	34
75-79	2128	7.2	50	1	1	5	9	15	20	35
80-84	2146	7.3	50	1	1	5	10	15	20	40
85+	2425	7.8	52	1	2	6	10	16	21	38
B. *Operated*										
65-69 YRS	687	14.4	136	3	4	11	18	28	38	69
70-74	837	13.1	128	3	4	10	16	26	37	68
75-79	906	13.6	121	3	4	11	17	26	35	60
80-84	704	13.5	111	3	4	11	18	26	32	59
85+	660	14.8	112	3	5	12	19	28	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1831	4.0	20	<1	1	3	5	9	12	21
B. *Operated*	413	8.8	37	2	3	8	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	10209	7.3	51	1	1	5	9	15	20	36
B. *Operated*	3794	13.6	122	3	4	11	17	27	36	63
1. SINGLE DX	2244	4.9	27	<1	1	3	7	11	14	26
2. MULTIPLE DX	14003	9.0	79	1	2	7	12	19	26	48
A. NOT OPERATED	12040	6.8	48	1	1	5	9	14	19	34
B. OPERATED	4207	13.3	116	3	4	11	17	26	35	62
TOTAL 65-69 YRS	2617	8.5	84	1	1	6	11	18	25	50
70-74	3208	8.3	75	1	1	6	11	17	24	46
75-79	3484	8.6	74	1	1	6	11	18	24	42
80-84	3376	8.2	68	1	1	6	11	18	23	45
85+	3562	8.8	68	1	2	7	11	19	25	44
GRAND TOTAL	**16247**	**8.5**	**74**	**1**	**1**	**6**	**11**	**18**	**24**	**45**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74	4	9.3	19	5	5	8	12	15	15	15
75-79	4	9.8	18	4	4	10	12	14	14	14
80-84	2	13.5	265	2	2	13	25	25	25	25
85+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+	1	16.0		16	16	16	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	13	10.0	48	1	2	10	14	20	24	25
B. *Operated*	3	9.7	30	6	6	7	14	16	16	16
1. SINGLE DX										
2. MULTIPLE DX	16	9.9	42	1	2	9	14	19	23	25
A. NOT OPERATED	13	10.0	48	1	2	10	14	20	24	25
B. OPERATED	3	9.7	30	6	6	7	14	16	16	16
TOTAL 65-69 YRS	3	4.7	10	1	1	6	7	7	7	7
70-74	4	9.3	19	5	5	8	12	15	15	15
75-79	5	9.2	15	4	4	10	12	14	14	14
80-84	2	13.5	265	2	2	13	25	25	25	25
85+	2	17.5	5	16	16	17	19	19	19	19
GRAND TOTAL	**16**	**9.9**	**42**	**1**	**2**	**9**	**14**	**19**	**23**	**25**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	88	4.1	13	<1	1	3	6	9	13	17
70-74	83	3.8	12	<1	<1	3	6	8	12	14
75-79	67	5.6	124	<1	<1	3	6	9	14	77
80-84	42	4.5	20	<1	1	3	6	11	14	22
85+	36	7.4	122	1	1	3	9	18	30	58
B. *Operated*										
65-69 YRS	81	9.8	76	2	3	8	12	16	19	59
70-74	63	10.7	132	3	3	8	12	17	21	76
75-79	41	9.0	42	2	3	7	12	18	24	26
80-84	37	10.9	56	3	4	9	16	22	25	31
85+	15	9.2	79	1	2	7	11	29	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	620	7.9	51	1	2	6	10	16	20	39
70-74	574	8.7	91	1	1	7	11	17	23	48
75-79	623	8.0	54	1	2	6	10	17	23	36
80-84	365	8.0	60	1	2	6	10	17	21	40
85+	252	8.3	54	1	2	7	10	18	22	32
B. *Operated*										
65-69 YRS	424	14.2	171	3	4	10	17	28	37	74
70-74	403	13.8	136	2	3	11	17	29	41	73
75-79	377	13.6	130	3	4	11	17	26	37	71
80-84	249	15.1	153	3	4	11	20	29	38	66
85+	150	15.5	125	3	5	13	19	30	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	4.8	50	<1	1	3	6	9	14	32
B. *Operated*	237	10.0	81	2	3	8	13	18	23	54
2. MULTIPLE DX										
A. *Not Operated*	2434	8.2	63	1	2	6	10	17	22	39
B. *Operated*	1603	14.2	146	3	4	11	18	28	39	69
1. SINGLE DX	553	7.0	70	1	1	5	9	14	19	43
2. MULTIPLE DX	4037	10.6	104	1	2	8	14	22	29	57
A. NOT OPERATED	2750	7.8	62	1	1	6	10	16	22	38
B. OPERATED	1840	13.7	139	3	4	10	17	27	38	68
TOTAL 65-69 YRS	1213	10.0	103	1	2	7	13	19	28	56
70-74	1123	10.3	113	1	2	8	13	22	30	60
75-79	1108	9.8	91	1	2	7	13	20	27	47
80-84	693	10.5	103	1	2	8	14	22	29	58
85+	453	10.6	95	1	2	8	14	22	30	58
GRAND TOTAL	**4590**	**10.1**	**102**	**1**	**2**	**7**	**13**	**21**	**29**	**56**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0		3	3	3	3	3	3	3
70-74	3	4.0	13	<1	<1	3	7	8	8	8
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	3	9.7	72	1	1	10	16	18	18	18
70-74	6	9.7	18	5	5	10	12	16	16	16
75-79	2	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	5.5	8	2	2	5	7	10	10	10
70-74	6	5.3	2	4	4	5	6	8	8	8
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	2	5.5	5	4	4	5	7	7	7	7
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	1	20.0		20	20	20	20	20	20	20
70-74	5	6.2	7	3	3	7	8	9	9	9
75-79	3	7.7	25	3	3	7	11	13	13	13
80-84	4	8.3	7	6	6	7	10	12	12	12
85+	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.9	4	<1	1	3	3	5	8	8
B. *Operated*	11	8.5	31	1	2	9	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	17	5.2	4	2	3	5	6	8	9	10
B. *Operated*	14	8.6	22	3	3	8	12	15	19	20
1. SINGLE DX	22	5.7	24	<1	1	3	9	13	17	18
2. MULTIPLE DX	31	6.7	15	2	3	6	8	12	14	20
A. NOT OPERATED	28	4.3	5	1	2	4	6	8	8	10
B. OPERATED	25	8.6	25	2	3	8	12	16	18	20
TOTAL 65-69 YRS	13	7.0	36	1	2	4	10	18	20	20
70-74	20	6.7	13	1	3	6	9	11	14	16
75-79	9	4.4	13	2	2	3	5	11	13	13
80-84	8	6.0	11	1	2	6	8	11	12	12
85+	3	7.3	37	2	2	6	12	14	14	14
GRAND TOTAL	**53**	**6.3**	**19**	**1**	**2**	**5**	**8**	**12**	**16**	**20**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	4	4.5	6	2	2	4	6	8	8	8
75-79	4	6.3	25	1	1	5	9	13	13	13
80-84										
85+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	23	3.7	7	<1	1	3	5	7	10	11
70-74	28	3.8	12	1	1	2	4	11	11	13
75-79	12	3.3	4	<1	1	3	4	6	8	8
80-84	6	4.0	12	2	2	3	4	10	11	11
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	6.3	14	2	3	5	7	12	15	15
70-74	3	6.0	4	4	4	6	7	8	8	8
75-79	8	11.4	102	1	1	8	21	25	26	26
80-84	4	9.5	36	3	3	9	14	17	17	17
85+	2	9.5	5	8	8	9	11	11	11	11
B. *Operated*										
65-69 YRS	33	9.2	133	1	2	5	9	25	38	53
70-74	29	11.6	142	1	2	8	15	26	37	53
75-79	22	6.8	28	1	2	5	9	15	18	22
80-84	10	9.7	56	2	2	8	15	20	24	24
85+	3	14.7	212	3	3	10	26	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.0	10	1	2	4	6	10	13	13
B. *Operated*	70	3.6	9	<1	1	3	4	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	29	8.3	40	2	2	7	11	19	23	26
B. *Operated*	97	9.6	105	1	2	6	12	23	30	53
1. SINGLE DX	81	3.8	9	<1	1	3	4	9	11	13
2. MULTIPLE DX	126	9.3	90	2	2	6	11	22	28	53
A. NOT OPERATED	40	7.4	34	1	2	6	8	16	21	26
B. OPERATED	167	7.1	73	1	1	4	9	16	24	51
TOTAL 65-69 YRS	69	6.8	73	1	2	4	7	12	24	51
70-74	64	7.5	84	1	1	4	10	16	25	51
75-79	46	6.6	38	1	1	4	8	16	22	26
80-84	20	8.0	42	2	2	4	12	17	21	24
85+	8	9.0	91	1	2	6	10	25	31	31
GRAND TOTAL	**207**	**7.2**	**65**	**1**	**2**	**4**	**8**	**16**	**24**	**45**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	13.0	124	2	2	12	18	22	37	52
70-74	24	14.4	93	1	2	16	20	25	32	38
75-79	29	14.7	193	1	2	11	19	30	38	67
80-84	7	13.4	134	2	2	11	19	32	35	35
85+	10	12.2	154	2	2	6	19	32	40	40
B. *Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	97	14.5	161	3	4	13	17	33	51	99+
70-74	103	12.7	128	2	3	9	15	26	37	60
75-79	99	11.8	123	3	3	9	15	26	41	84
80-84	74	17.5	267	2	4	12	24	39	48	88
85+	65	10.4	73	3	3	7	14	25	29	35
B. *Operated*										
65-69 YRS	6	23.2	228	10	10	18	34	47	48	48
70-74	10	11.9	45	4	5	9	17	22	24	24
75-79	10	13.9	94	4	4	11	18	30	33	33
80-84	6	32.8	930	8	9	28	78	98	99+	99+
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	13.8	136	2	2	12	19	28	36	60
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	438	13.4	153	2	3	9	16	29	43	78
B. *Operated*	33	18.5	283	4	6	13	24	39	82	99+
1. SINGLE DX	97	13.7	135	2	2	12	19	28	36	60
2. MULTIPLE DX	471	13.7	163	3	3	10	17	29	44	93
A. NOT OPERATED	534	13.4	150	2	3	10	17	29	42	70
B. OPERATED	34	18.1	280	4	5	13	23	38	80	99+
TOTAL 65-69 YRS	129	14.6	158	2	3	13	17	33	49	99+
70-74	138	12.9	115	2	3	10	16	25	33	58
75-79	138	12.5	135	2	3	9	15	28	40	72
80-84	87	18.3	307	2	3	12	25	41	51	98
85+	76	10.7	81	3	3	7	15	25	29	39
GRAND TOTAL	**568**	**13.7**	**158**	**2**	**3**	**10**	**17**	**29**	**42**	**88**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	313	11.1	92	1	2	9	14	24	32	49
70-74	523	12.0	155	2	2	8	15	27	36	66
75-79	613	11.6	131	1	2	8	15	25	35	67
80-84	514	11.5	153	2	3	8	14	25	33	77
85+	477	10.1	107	1	2	7	13	22	34	75
B. *Operated*										
65-69 YRS	18	13.8	123	1	2	12	20	31	39	41
70-74	17	9.5	23	3	3	9	12	15	19	21
75-79	17	20.4	198	4	4	21	27	34	52	60
80-84	10	18.2	206	4	4	15	23	42	48	48
85+	9	10.1	105	1	1	5	15	26	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1067	13.9	161	2	3	10	18	30	44	99+
70-74	2101	13.5	164	3	4	10	17	29	43	99+
75-79	2967	13.3	159	3	4	10	16	29	44	99+
80-84	2955	13.1	161	2	4	9	16	27	43	99+
85+	3001	12.8	174	2	3	9	15	28	47	99+
B. *Operated*										
65-69 YRS	149	19.9	294	3	4	16	27	43	72	99+
70-74	222	20.4	288	4	5	17	27	50	59	99+
75-79	305	23.1	294	6	8	18	30	52	69	99+
80-84	246	21.5	331	4	7	17	30	64	99+	99+
85+	228	21.8	334	4	6	17	29	65	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2440	11.3	131	2	2	8	14	24	35	68
B. *Operated*	71	14.5	138	2	3	12	20	30	36	57
2. MULTIPLE DX										
A. *Not Operated*	12091	13.2	164	3	3	9	16	28	43	99+
B. *Operated*	1150	21.6	309	4	6	17	29	54	87	99+
1. SINGLE DX	2511	11.4	132	2	2	8	14	25	35	68
2. MULTIPLE DX	13241	13.9	182	3	4	10	17	31	48	99+
A. NOT OPERATED	14531	12.9	159	2	3	9	16	28	42	99+
B. OPERATED	1221	21.2	302	4	6	17	28	53	85	99+
TOTAL 65-69 YRS	1547	13.9	164	2	3	11	18	31	41	99+
70-74	2863	13.8	175	2	3	10	18	30	44	99+
75-79	3902	13.8	173	2	3	10	17	31	46	99+
80-84	3725	13.4	176	2	3	10	16	29	46	99+
85+	3715	13.0	181	2	3	9	16	28	49	99+
GRAND TOTAL	**15752**	**13.5**	**175**	**2**	**3**	**10**	**17**	**30**	**46**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	9.9	33	3	5	9	13	20	21	21
70-74	22	11.3	40	2	3	10	16	20	22	23
75-79	27	13.1	87	3	3	13	17	28	50	99+
80-84	21	16.4	385	2	2	9	18	38	66	86
85+	25	15.9	310	2	4	8	19	41	60	73
B. *Operated*										
65-69 YRS	1	22.0		22	22	22	22	22	22	22
70-74	2	8.5	1	8	8	8	9	9	9	9
75-79	1	19.0		19	19	19	19	19	19	19
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	13.8	179	3	4	9	16	31	36	81
70-74	115	15.7	197	3	4	12	20	36	55	99+
75-79	179	15.1	180	3	4	11	18	33	43	86
80-84	174	12.3	95	3	5	10	16	25	41	99+
85+	164	13.5	223	3	3	9	18	34	77	99+
B. *Operated*										
65-69 YRS	7	22.3	272	8	9	17	23	51	58	58
70-74	8	16.3	140	5	5	17	29	74	99+	99+
75-79	13	13.2	128	2	3	13	26	99+	99+	99+
80-84	11	18.6	131	5	6	21	35	99+	99+	99+
85+	13	27.4	798	4	6	21	88	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	13.5	176	2	3	9	18	26	44	91
B. *Operated*	6	15.5	49	8	8	15	22	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	699	14.0	172	3	4	10	17	32	48	99+
B. *Operated*	52	19.6	323	3	5	17	34	99+	99+	99+
1. SINGLE DX	117	13.6	169	2	3	10	18	25	43	90
2. MULTIPLE DX	751	14.4	184	3	4	10	18	34	58	99+
A. NOT OPERATED	810	13.9	173	3	4	10	17	31	47	99+
B. OPERATED	58	19.2	295	3	5	17	27	99+	99+	99+
TOTAL 65-69 YRS	91	13.8	164	3	5	10	17	26	36	75
70-74	147	15.0	170	3	4	11	19	34	51	99+
75-79	220	14.7	165	3	4	11	19	33	46	99+
80-84	207	13.0	127	3	4	10	16	27	56	99+
85+	203	14.7	277	3	3	9	19	42	90	99+
GRAND TOTAL	**868**	**14.3**	**182**	**3**	**4**	**10**	**18**	**33**	**55**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	9.4	122	2	3	5	10	23	28	69
70-74	43	7.5	77	2	2	5	7	16	28	48
75-79	19	8.7	29	4	5	7	10	17	21	24
80-84	2	7.0	50	2	2	7	12	12	12	12
85+	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	482	9.7	94	2	3	7	12	20	28	53
70-74	274	11.1	116	2	3	8	14	23	29	61
75-79	143	11.7	87	2	3	9	15	23	28	49
80-84	42	9.8	62	2	3	7	12	26	31	99+
85+	10	9.6	47	2	3	7	14	21	22	22
B. *Operated*										
65-69 YRS	43	20.1	188	6	7	16	28	47	51	99+
70-74	27	20.6	161	7	8	18	26	37	48	59
75-79	12	18.2	121	3	4	16	23	32	43	45
80-84	4	9.3	18	3	3	11	12	12	12	12
85+	1	8.0		8	8	54	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	8.6	91	2	2	5	9	17	26	52
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	951	10.4	98	2	3	7	13	22	28	57
B. *Operated*	87	19.4	164	5	7	15	26	45	49	99+
1. SINGLE DX	137	8.6	91	2	2	5	9	17	26	52
2. MULTIPLE DX	1038	11.2	109	2	3	8	14	24	33	59
A. NOT OPERATED	1087	10.2	97	2	3	7	13	22	28	57
B. OPERATED	88	19.2	165	5	6	15	25	45	49	99+
TOTAL 65-69 YRS	595	10.5	111	2	3	7	13	22	34	57
70-74	344	11.4	123	2	3	8	14	25	32	59
75-79	174	11.8	86	2	3	10	16	24	28	47
80-84	48	9.6	56	2	3	7	12	23	29	99+
85+	14	8.6	37	2	3	8	13	22	80	99+
GRAND TOTAL	**1175**	**10.9**	**108**	**2**	**3**	**7**	**14**	**23**	**32**	**59**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	13.0	73	1	2	13	21	23	23	23
70-74	6	7.0	16	3	3	6	9	13	14	14
75-79	4	3.0		3	3	3	3	3	3	3
80-84	3	5.0	27	2	2	2	9	11	11	11
85+	3	5.7	16	2	2	5	9	10	10	10
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	15.0		15	15	15	15	15	15	15
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	11.7	124	2	3	8	13	25	35	54
70-74	88	9.0	50	1	2	7	12	16	28	35
75-79	84	10.6	102	2	3	8	13	20	32	57
80-84	47	8.8	98	2	3	7	9	15	20	68
85+	39	11.3	130	3	4	7	13	33	39	50
B. *Operated*										
65-69 YRS	11	12.5	116	3	4	8	15	30	39	40
70-74	2	23.5	145	15	15	23	32	32	32	32
75-79	7	20.6	162	5	6	16	28	40	43	43
80-84	2	5.0		5	5	5	76	99+	99+	99+
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.9	45	1	2	5	11	21	22	23
B. *Operated*	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	342	10.3	97	2	3	7	12	20	31	54
B. *Operated*	22	15.4	138	4	5	14	24	41	63	99+
1. SINGLE DX	25	8.2	45	1	2	5	12	21	22	23
2. MULTIPLE DX	364	10.6	101	2	3	7	12	23	33	54
A. NOT OPERATED	366	10.1	94	2	3	7	12	21	30	53
B. OPERATED	23	15.4	132	4	5	14	24	40	60	99+
TOTAL 65-69 YRS	103	11.9	117	2	3	8	14	24	35	54
70-74	96	9.1	53	1	2	7	12	16	29	35
75-79	96	11.1	109	2	3	8	14	24	34	56
80-84	52	8.4	91	2	2	7	10	15	20	99
85+	42	10.9	124	3	4	6	12	31	38	50
GRAND TOTAL	**389**	**10.4**	**97**	**2**	**3**	**7**	**12**	**22**	**32**	**54**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	103	19.7	247	2	5	16	26	35	59	73
70-74	56	16.1	202	2	2	14	20	30	39	73
75-79	31	15.9	141	2	3	14	18	33	47	50
80-84	8	16.6	221	4	5	13	21	41	49	49
85+	6	24.8	554	1	2	20	23	65	70	70
B. *Operated*										
65-69 YRS										
70-74	1	10.0		10	10	10	10	10	10	10
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	145	19.6	227	4	5	16	28	47	64	99+
70-74	88	20.6	190	5	6	18	28	36	52	69
75-79	50	16.7	130	4	5	13	25	34	39	44
80-84	23	20.4	282	4	4	16	25	52	58	65
85+	11	13.4	120	1	3	10	16	33	37	37
B. *Operated*										
65-69 YRS	13	31.5	230	10	13	31	39	53	61	63
70-74	7	26.9	113	11	13	23	36	39	40	40
75-79	4	34.0	538	12	12	30	52	63	63	63
80-84	2	23.0	288	11	11	35	84	99+	99+	99+
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	18.1	225	2	3	15	22	35	51	72
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	317	19.3	202	4	5	16	27	39	53	99+
B. *Operated*	26	30.0	224	10	11	31	39	60	69	99+
1. SINGLE DX	205	18.1	224	2	3	15	21	35	51	72
2. MULTIPLE DX	343	20.1	211	4	5	17	28	41	54	99+
A. NOT OPERATED	521	18.8	211	3	5	16	25	38	53	83
B. OPERATED	27	29.2	230	10	11	27	39	59	57	99+
TOTAL 65-69 YRS	261	20.2	240	3	5	16	28	44	62	99+
70-74	152	19.2	195	3	5	16	25	36	49	72
75-79	85	17.2	159	3	5	14	25	38	43	58
80-84	33	19.7	255	4	4	17	25	52	63	99+
85+	17	17.4	280	1	2	14	22	36	58	70
GRAND TOTAL	**548**	**19.3**	**217**	**3**	**5**	**16**	**26**	**39**	**54**	**99**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	13.3	51	5	5	13	19	21	21	21
70-74	1	28.0		28	28	28	28	28	28	28
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	14.0	27	7	7	13	18	20	20	20
70-74	4	10.0	50	2	2	9	15	19	19	19
75-79	6	13.7	241	1	1	5	27	38	39	39
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	16.2	82	5	5	17	23	28	28	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	12.3	104	1	2	9	18	26	35	39
B. *Operated*										
1. SINGLE DX	5	16.2	82	5	5	17	23	28	28	28
2. MULTIPLE DX	16	12.3	104	1	2	9	18	26	35	39
A. NOT OPERATED	21	13.2	97	2	3	11	19	27	33	39
B. OPERATED										
TOTAL 65-69 YRS	9	13.7	33	5	6	13	18	21	21	21
70-74	5	13.6	102	2	2	11	21	28	28	28
75-79	6	13.7	241	1	1	5	27	38	39	39
80-84	1	5.0		5	5	5	5	5	5	5
85+										
GRAND TOTAL	**21**	**13.2**	**97**	**2**	**3**	**11**	**19**	**27**	**33**	**39**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	258	16.4	170	2	3	14	22	34	38	73
70-74	112	18.4	171	2	5	17	24	33	44	86
75-79	56	16.6	221	3	4	12	20	36	44	82
80-84	24	16.3	178	1	1	15	20	39	70	99+
85+	11	10.6	43	2	2	13	17	18	18	18
B. *Operated*										
65-69 YRS	2	21.5	25	18	18	21	25	25	25	25
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	349	18.3	226	3	4	14	26	40	50	93
70-74	222	18.7	220	4	5	14	26	39	48	84
75-79	101	17.6	198	3	5	14	22	39	58	99+
80-84	61	15.9	149	3	4	13	21	34	42	53
85+	20	14.6	98	1	3	14	21	29	34	36
B. *Operated*										
65-69 YRS	27	31.2	327	11	12	35	48	67	99+	99+
70-74	22	28.9	496	3	5	24	37	64	77	94
75-79	7	19.7	56	13	13	18	23	32	34	34
80-84	3	22.7	142	13	13	27	68	99+	99+	99+
85+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	16.8	174	2	3	14	22	34	40	81
B. *Operated*	2	21.5	25	18	18	21	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	753	18.0	211	3	4	14	24	39	50	92
B. *Operated*	60	28.2	352	6	10	24	41	64	96	99+
1. SINGLE DX	463	16.8	173	2	3	15	22	34	40	81
2. MULTIPLE DX	813	18.8	228	3	4	15	25	41	53	99+
A. NOT OPERATED	1214	17.6	197	3	4	14	23	36	48	85
B. OPERATED	62	28.0	342	6	11	24	41	64	95	99+
TOTAL 65-69 YRS	636	18.1	214	3	4	15	25	38	50	94
70-74	356	19.2	226	3	5	16	26	39	49	88
75-79	164	17.3	198	3	5	14	21	36	55	97
80-84	88	16.2	155	3	4	13	22	38	49	99+
85+	32	13.1	78	2	3	14	17	24	32	36
GRAND TOTAL	**1276**	**18.1**	**209**	**3**	**4**	**15**	**24**	**38**	**50**	**94**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	775	22.3	249	4	6	19	29	44	55	75
70-74	630	21.5	217	3	5	19	30	40	49	68
75-79	358	21.9	245	3	6	18	30	46	57	99+
80-84	148	21.0	162	4	7	20	28	37	43	61
85+	60	17.5	183	2	3	14	24	40	47	53
B. *Operated*										
65-69 YRS	2	34.5	145	26	26	34	43	43	43	43
70-74	6	35.0	195	15	16	34	49	52	52	52
75-79	5	34.0	649	4	4	39	48	70	70	70
80-84	1	5.0		5	5	5	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1367	21.8	253	4	5	18	29	43	55	84
70-74	1243	22.3	266	4	5	19	30	45	56	90
75-79	805	22.2	280	4	5	18	30	44	56	91
80-84	416	21.7	271	4	6	17	28	46	56	80
85+	169	18.1	226	4	5	14	24	37	59	97
B. *Operated*										
65-69 YRS	123	29.4	253	9	11	27	42	52	79	99+
70-74	146	32.0	363	6	9	28	44	57	69	95
75-79	83	32.8	405	8	10	31	45	69	92	99+
80-84	46	32.3	394	8	11	31	45	73	85	99+
85+	14	30.9	231	11	13	32	43	46	60	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1971	21.7	230	3	6	19	29	42	53	75
B. *Operated*	14	32.4	348	4	5	34	43	54	66	70
2. MULTIPLE DX										
A. *Not Operated*	4000	21.9	263	4	5	18	30	44	56	87
B. *Operated*	412	31.4	336	8	11	28	44	61	79	99+
1. SINGLE DX	1985	21.8	231	3	6	19	29	42	53	75
2. MULTIPLE DX	4412	22.7	278	4	6	19	31	46	58	92
A. NOT OPERATED	5971	21.8	252	4	5	18	30	43	55	85
B. OPERATED	426	31.4	336	7	10	28	43	61	78	99+
TOTAL 65-69 YRS	2267	22.4	254	4	6	19	30	45	55	84
70-74	2025	22.8	264	4	5	20	31	45	56	85
75-79	1251	22.8	286	4	6	19	31	47	58	98
80-84	611	22.3	261	4	7	18	30	45	56	84
85+	243	18.7	223	3	5	14	26	41	51	86
GRAND TOTAL	**6397**	**22.4**	**264**	**4**	**6**	**19**	**30**	**45**	**56**	**88**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	328	18.6	219	3	4	15	24	35	49	80
70-74	218	19.1	208	3	5	16	25	38	45	77
75-79	83	21.0	238	3	4	17	28	41	56	96
80-84	33	20.3	298	3	4	14	28	52	61	65
85+	8	12.5	116	<1	1	11	18	29	33	33
B. *Operated*										
65-69 YRS	5	29.4	291	5	5	30	37	53	53	53
70-74	1	25.0		25	25	25	25	25	25	25
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	464	21.9	254	4	6	17	30	46	54	76
70-74	339	21.2	188	5	7	19	27	38	47	76
75-79	181	20.4	215	4	6	17	25	40	54	66
80-84	67	21.5	135	7	8	20	30	40	47	99+
85+	26	15.3	132	1	2	14	24	33	35	41
B. *Operated*										
65-69 YRS	57	35.5	503	9	11	32	51	76	80	99
70-74	29	33.7	406	7	10	34	45	65	95	99+
75-79	20	29.7	283	7	11	26	37	54	67	73
80-84	9	35.6	429	15	16	28	51	67	72	72
85+	2	26.5	113	19	19	26	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	19.1	220	3	5	16	25	36	49	81
B. *Operated*	6	28.7	236	5	7	28	32	51	53	53
2. MULTIPLE DX										
A. *Not Operated*	1077	21.2	217	4	6	18	28	41	52	76
B. *Operated*	117	33.9	423	8	11	33	47	69	79	99+
1. SINGLE DX	676	19.1	221	3	5	16	25	36	50	81
2. MULTIPLE DX	1194	22.5	251	4	7	19	30	45	58	80
A. NOT OPERATED	1747	20.4	219	4	6	17	27	39	51	78
B. OPERATED	123	33.6	413	8	11	32	46	68	79	99+
TOTAL 65-69 YRS	854	21.6	273	3	6	17	29	46	55	80
70-74	587	21.1	214	4	6	18	28	40	48	80
75-79	284	21.2	230	4	6	17	28	42	57	80
80-84	109	22.3	219	4	7	19	30	46	59	99+
85+	36	15.3	130	1	2	14	22	33	34	41
GRAND TOTAL	**1870**	**21.3**	**242**	**4**	**6**	**18**	**28**	**42**	**54**	**81**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	190	14.6	165	2	3	11	19	30	37	61
70-74	145	11.9	101	1	2	9	17	26	32	55
75-79	143	13.3	124	2	2	10	19	29	37	49
80-84	102	12.0	179	1	1	8	17	28	37	73
85+	53	9.1	65	2	2	6	13	16	21	48
B. *Operated*										
65-69 YRS	9	8.3	63	1	1	6	14	21	24	24
70-74	4	18.3	279	4	4	17	32	36	36	36
75-79	6	9.7	125	2	2	6	8	30	32	32
80-84										
85+	3	8.7	17	4	4	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	575	13.2	137	2	3	10	18	28	36	59
70-74	625	12.3	140	2	3	9	15	26	36	71
75-79	600	11.4	81	2	3	9	15	22	30	56
80-84	482	11.2	84	2	3	9	15	24	31	45
85+	423	10.3	89	2	3	8	13	20	30	69
B. *Operated*										
65-69 YRS	62	19.6	285	3	4	13	25	44	63	98
70-74	86	20.4	240	4	5	16	29	45	59	89
75-79	62	22.1	323	5	6	19	26	48	70	99
80-84	43	22.9	331	3	5	21	33	51	64	99+
85+	21	17.0	135	3	7	16	19	39	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	12.8	137	1	2	10	18	28	35	57
B. *Operated*	22	10.5	109	1	2	6	13	30	34	36
2. MULTIPLE DX										
A. *Not Operated*	2705	11.8	109	2	3	9	15	25	33	60
B. *Operated*	274	20.7	274	3	5	16	28	47	60	99+
1. SINGLE DX	655	12.7	136	1	2	10	18	28	35	57
2. MULTIPLE DX	2979	12.6	131	2	3	9	16	27	36	72
A. NOT OPERATED	3338	12.0	114	2	3	9	15	25	33	60
B. OPERATED	296	20.0	268	3	4	16	27	45	59	99+
TOTAL 65-69 YRS	836	13.9	156	2	3	10	19	29	37	71
70-74	860	13.1	149	2	3	9	17	29	38	71
75-79	811	12.6	115	2	3	9	17	26	34	64
80-84	627	12.1	124	2	3	9	16	27	33	65
85+	500	10.4	89	2	3	8	13	20	30	77
GRAND TOTAL	**3634**	**12.6**	**132**	**2**	**3**	**9**	**16**	**27**	**36**	**70**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	125	5.3	18	1	1	4	7	11	13	21
70-74	96	6.6	77	<1	1	4	8	14	19	53
75-79	78	6.2	54	1	1	4	6	14	22	40
80-84	36	6.8	63	<1	2	4	7	16	24	41
85+	10	4.6	17	2	2	3	4	10	16	16
B. *Operated*										
65-69 YRS	2	9.0	2	8	8	9	10	10	10	10
70-74	2	7.5	61	2	2	7	13	13	13	13
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	610	6.7	47	1	2	5	8	14	21	36
70-74	493	7.2	45	1	2	5	8	15	21	37
75-79	372	6.3	28	1	2	5	8	13	17	31
80-84	256	7.0	49	2	2	5	8	14	21	42
85+	114	5.9	27	1	1	4	7	13	18	53
B. *Operated*										
65-69 YRS	26	15.3	168	4	4	11	18	43	48	50
70-74	24	14.3	229	3	4	9	18	30	49	71
75-79	10	8.7	24	2	2	9	10	15	19	19
80-84	9	10.8	36	3	5	10	17	61	99+	99+
85+	5	14.0	78	6	6	10	23	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	6.0	47	1	1	4	7	13	18	35
B. *Operated*	5	7.4	20	2	2	8	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	1845	6.8	42	1	2	5	8	14	20	35
B. *Operated*	74	13.4	146	3	4	10	17	24	47	93
1. SINGLE DX	350	6.0	47	1	1	4	7	13	18	35
2. MULTIPLE DX	1919	7.0	47	1	2	5	8	15	21	38
A. NOT OPERATED	2190	6.6	42	1	2	5	8	14	20	35
B. OPERATED	79	13.1	140	3	4	10	17	24	46	91
TOTAL 65-69 YRS	763	6.8	49	1	2	5	8	14	20	38
70-74	615	7.4	58	1	2	5	8	16	21	38
75-79	461	6.3	32	1	2	5	8	13	18	31
80-84	301	7.1	50	1	2	5	8	15	22	43
85+	129	6.1	30	1	1	4	7	14	19	42
GRAND TOTAL	**2269**	**6.9**	**47**	**1**	**2**	**5**	**8**	**14**	**21**	**38**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	310	14.4	153	2	3	11	18	31	36	63
70-74	237	15.5	177	2	3	12	21	33	43	63
75-79	153	15.0	183	2	3	11	20	31	41	67
80-84	63	12.8	142	2	3	9	17	31	41	49
85+	30	11.0	124	2	2	6	17	30	37	40
B. *Operated*										
65-69 YRS										
70-74	2	14.5	25	11	11	14	18	18	18	18
75-79										
80-84	1	22.0		22	22	22	22	22	22	22
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	890	13.0	125	2	3	10	17	27	34	59
70-74	807	12.5	131	3	3	9	16	27	38	54
75-79	605	12.0	107	3	3	9	16	25	30	54
80-84	302	11.7	92	3	4	8	15	26	34	53
85+	132	9.4	64	2	3	8	11	20	30	99+
B. *Operated*										
65-69 YRS	74	21.4	270	4	7	16	29	43	62	78
70-74	70	21.9	261	5	7	16	30	44	61	74
75-79	40	19.5	200	6	7	18	26	51	82	99+
80-84	19	16.4	61	5	7	18	23	27	29	30
85+	8	20.1	328	8	8	12	24	51	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	14.6	164	2	3	11	20	31	40	64
B. *Operated*	3	17.0	31	11	11	18	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	2736	12.3	116	3	3	9	16	26	34	55
B. *Operated*	211	20.7	236	5	7	16	27	43	62	87
1. SINGLE DX	796	14.6	163	2	3	11	20	31	40	64
2. MULTIPLE DX	2947	12.9	129	3	3	9	17	28	36	62
A. NOT OPERATED	3529	12.8	128	2	3	9	17	27	36	57
B. OPERATED	214	20.6	233	5	7	16	27	43	62	86
TOTAL 65-69 YRS	1274	13.8	144	2	3	10	18	29	36	63
70-74	1116	13.7	154	2	3	10	18	30	41	60
75-79	798	13.0	129	3	4	9	17	27	34	69
80-84	385	12.2	99	3	3	9	16	27	34	50
85+	170	10.2	89	2	3	8	12	23	32	91
GRAND TOTAL	**3743**	**13.3**	**137**	**2**	**3**	**10**	**17**	**28**	**37**	**62**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	8.5	84	1	1	6	12	19	30	45
70-74	40	10.5	100	1	1	8	14	21	34	46
75-79	33	10.8	165	1	2	7	13	20	30	71
80-84	23	9.7	125	1	2	6	14	20	36	50
85+	8	8.8	23	4	4	6	13	16	16	16
B. *Operated*										
65-69 YRS	21	3.9	6	1	2	3	5	7	10	11
70-74	13	4.6	9	1	1	4	8	9	9	9
75-79	7	7.1	16	2	2	9	11	11	11	11
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	247	10.6	154	1	2	6	13	27	35	81
70-74	203	11.0	114	2	2	8	14	21	34	57
75-79	157	10.5	128	2	2	7	13	23	33	64
80-84	100	10.2	64	2	2	8	14	22	28	34
85+	54	11.2	89	2	2	9	14	28	32	41
B. *Operated*										
65-69 YRS	58	15.7	229	3	3	11	23	45	67	99+
70-74	27	11.3	82	2	3	9	20	27	41	99+
75-79	19	15.2	128	4	4	14	21	40	74	99+
80-84	7	14.4	50	6	6	16	21	24	24	24
85+	2	6.5	5	5	5	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	9.5	103	1	1	6	13	19	32	50
B. *Operated*	42	4.6	10	1	2	3	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	761	10.7	121	1	2	7	14	23	33	61
B. *Operated*	113	14.3	164	3	3	10	21	34	55	99+
1. SINGLE DX	233	8.6	89	1	1	6	11	18	27	50
2. MULTIPLE DX	874	11.1	128	2	2	7	14	26	34	72
A. NOT OPERATED	952	10.4	117	1	2	7	13	22	33	57
B. OPERATED	155	11.7	140	2	2	8	17	29	47	99+
TOTAL 65-69 YRS	413	10.5	148	1	2	6	13	27	36	81
70-74	283	10.6	105	1	2	8	14	22	34	59
75-79	216	10.8	131	2	2	7	14	23	33	72
80-84	131	10.3	74	2	2	8	14	22	28	39
85+	64	10.7	79	2	3	8	14	22	31	41
GRAND TOTAL	**1107**	**10.6**	**121**	**1**	**2**	**7**	**14**	**23**	**33**	**68**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	487	11.1	102	1	2	6	20	28	29	39
70-74	255	10.4	89	1	2	5	19	26	29	34
75-79	85	10.4	88	1	2	6	19	26	28	38
80-84	26	6.9	37	1	1	5	8	19	21	22
85+	15	12.2	168	1	1	7	21	34	40	42
B. *Operated*										
65-69 YRS	4	20.8	38	13	13	21	25	28	28	28
70-74	3	3.3	5	2	2	2	5	6	6	6
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2212	12.9	105	2	3	9	21	28	30	42
70-74	1259	12.4	109	2	3	8	19	28	31	45
75-79	464	11.0	75	2	3	8	16	24	28	37
80-84	133	10.4	64	2	2	8	14	21	28	33
85+	42	11.6	122	2	3	8	14	31	45	99+
B. *Operated*										
65-69 YRS	150	20.8	154	6	8	18	28	36	43	65
70-74	98	20.7	201	5	7	15	30	43	49	87
75-79	35	18.8	334	4	6	13	23	42	86	99+
80-84	11	19.8	484	<1	1	16	22	59	70	71
85+	3	27.0	67	18	18	29	33	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	868	10.7	96	1	2	6	19	27	29	36
B. *Operated*	8	11.9	108	2	2	9	21	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	4110	12.4	102	2	3	9	20	28	30	42
B. *Operated*	297	20.5	199	5	7	17	28	39	49	85
1. SINGLE DX	876	10.7	96	1	2	6	19	27	29	36
2. MULTIPLE DX	4407	13.0	113	2	3	9	21	28	32	46
A. NOT OPERATED	4978	12.1	101	2	3	8	20	28	30	42
B. OPERATED	305	20.3	199	4	7	17	28	39	49	83
TOTAL 65-69 YRS	2853	13.0	111	2	3	9	21	28	31	43
70-74	1615	12.5	116	2	3	8	20	28	32	47
75-79	585	11.3	95	2	2	8	16	25	28	43
80-84	170	10.5	92	1	2	8	14	21	28	48
85+	60	12.6	138	1	2	8	21	34	42	94
GRAND TOTAL	**5283**	**12.6**	**111**	**2**	**3**	**9**	**20**	**28**	**31**	**44**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	15.7	20	11	11	16	19	20	20	20
70-74	1	11.0		11	11	11	11	11	11	11
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	12.9	58	5	6	9	21	24	26	26
70-74	6	15.7	111	4	5	14	17	33	35	35
75-79	5	16.0	111	5	5	11	25	30	30	30
80-84	1	30.0		30	30	30	30	30	30	30
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	5	21.8	159	9	9	15	33	39	39	39
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	14.5	19	11	11	14	18	20	20	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	22	14.8	87	4	5	11	21	30	32	35
B. *Operated*	5	21.8	159	9	9	15	33	39	39	39
1. SINGLE DX	4	14.5	19	11	11	14	18	20	20	20
2. MULTIPLE DX	27	16.1	102	5	5	12	23	31	36	39
A. NOT OPERATED	26	14.8	75	5	5	11	21	29	31	35
B. OPERATED	5	21.8	159	9	9	15	33	39	39	39
TOTAL 65-69 YRS	17	16.0	88	6	7	15	21	30	36	39
70-74	7	15.0	96	4	5	12	17	31	35	35
75-79	5	16.0	111	5	5	11	25	30	30	30
80-84	1	30.0		30	30	30	30	30	30	30
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**31**	**15.9**	**91**	**5**	**6**	**12**	**21**	**31**	**35**	**39**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	19.6	116	5	6	24	29	32	32	32
70-74	4	16.5	94	8	8	15	24	28	28	28
75-79	3	19.3	170	9	9	15	29	34	34	34
80-84	2	6.0	2	5	5	6	7	7	7	7
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	33	15.9	114	2	4	12	23	30	33	44
70-74	19	14.8	84	2	3	13	24	28	28	28
75-79	11	14.4	84	1	2	14	21	27	27	27
80-84	3	14.0	79	4	4	17	20	21	21	21
85+										
B. *Operated*										
65-69 YRS										
70-74	1	13.0		13	13	13	13	13	13	13
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	17.1	108	5	5	13	26	32	33	34
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	66	15.2	95	2	3	13	22	29	30	42
B. *Operated*	1	13.0		13	13	13	13	13	13	13
1. SINGLE DX	16	17.1	108	5	5	13	26	32	33	34
2. MULTIPLE DX	67	15.2	94	2	3	13	22	29	30	42
A. NOT OPERATED	82	15.6	97	3	4	13	24	29	31	41
B. OPERATED	1	13.0		13	13	13	13	13	13	13
TOTAL 65-69 YRS	40	16.5	114	3	4	12	26	30	32	44
70-74	24	15.0	79	3	4	13	23	28	28	28
75-79	14	15.4	95	1	3	14	22	28	33	34
80-84	5	10.8	59	4	4	7	18	21	21	21
85+										
GRAND TOTAL	**83**	**15.6**	**96**	**3**	**4**	**13**	**24**	**29**	**31**	**41**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	4.7	56	<1	<1	2	3	21	24	25
70-74	21	4.1	18	<1	1	3	5	10	15	18
75-79	12	2.1	1	1	1	2	3	4	4	4
80-84	6	1.3	1	<1	<1	1	1	3	3	3
85+	8	4.5	29	<1	<1	3	5	14	17	17
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	5.2	31	<1	1	4	6	11	19	31
70-74	82	6.2	36	1	1	4	9	14	20	31
75-79	43	5.3	48	<1	1	3	7	11	12	44
80-84	21	8.0	54	1	1	7	11	16	27	31
85+	15	4.2	13	<1	<1	3	6	10	11	11
B. *Operated*										
65-69 YRS	7	12.7	219	1	2	9	29	83	99+	99+
70-74	6	9.7	85	1	1	7	18	22	23	23
75-79	3	8.7	134	1	1	3	17	22	22	22
80-84	3	5.7	1	5	5	5	7	7	7	7
85+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.9	30	<1	<1	2	3	10	20	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	274	5.7	36	<1	1	4	7	11	18	32
B. *Operated*	20	9.7	114	1	1	7	14	32	70	99+
1. SINGLE DX	77	3.9	30	<1	<1	2	3	10	20	25
2. MULTIPLE DX	294	6.0	42	1	1	4	7	12	21	40
A. NOT OPERATED	351	5.3	36	<1	1	3	6	11	19	31
B. OPERATED	20	9.7	114	1	1	7	14	32	70	99+
TOTAL 65-69 YRS	150	5.5	46	<1	1	3	6	12	22	45
70-74	109	6.0	36	1	1	4	8	14	19	28
75-79	58	4.8	43	1	1	3	6	11	13	42
80-84	30	6.5	45	<1	<1	5	8	11	24	31
85+	24	4.3	17	<1	<1	3	5	10	13	17
GRAND TOTAL	**371**	**5.5**	**40**	**<1**	**1**	**3**	**7**	**12**	**21**	**34**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	11.0	87	2	2	9	17	24	24	24
70-74	4	12.3	91	4	4	12	20	21	21	21
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	9.7	93	2	2	6	11	28	33	36
70-74	23	8.3	37	2	3	7	10	20	22	24
75-79	13	6.8	15	2	3	6	10	12	14	14
80-84	16	11.1	78	2	3	8	15	26	28	29
85+	12	8.6	83	1	2	5	9	24	31	32
B. *Operated*										
65-69 YRS	3	11.3	10	9	9	10	14	15	15	15
70-74	2	25.5	181	16	16	25	35	35	35	35
75-79	4	15.5	99	7	7	13	23	28	28	28
80-84	2	18.5	221	8	8	18	29	29	29	29
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.3	69	2	2	8	20	22	24	24
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	93	9.1	64	2	2	6	11	22	28	35
B. *Operated*	11	16.7	97	7	7	15	26	31	35	35
1. SINGLE DX	10	10.3	69	2	2	8	20	22	24	24
2. MULTIPLE DX	104	9.9	72	2	3	7	11	25	29	35
A. NOT OPERATED	103	9.2	64	2	2	6	11	22	28	34
B. OPERATED	11	16.7	97	7	7	15	26	31	35	35
TOTAL 65-69 YRS	36	10.0	83	2	2	7	11	27	32	36
70-74	29	10.1	65	2	3	8	14	21	25	35
75-79	18	8.8	42	2	3	7	11	17	24	28
80-84	19	11.4	88	2	2	8	18	28	29	29
85+	12	8.6	83	1	2	5	9	24	31	32
GRAND TOTAL	**114**	**9.9**	**71**	**2**	**2**	**7**	**11**	**24**	**29**	**35**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	4.9	16	1	2	4	5	9	11	25
70-74	28	4.8	8	1	1	4	7	9	9	11
75-79	24	4.8	6	2	2	4	6	8	10	10
80-84	14	6.7	20	1	2	6	8	13	18	19
85+	9	4.0	11	1	1	3	4	9	12	12
B. *Operated*										
65-69 YRS	3	9.3	4	7	7	10	11	11	11	11
70-74	2	7.0	8	5	5	7	9	9	9	9
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	5.4	17	1	2	5	7	10	12	31
70-74	183	5.5	13	2	2	5	7	9	13	19
75-79	189	6.7	32	2	2	5	8	13	18	29
80-84	107	5.8	16	1	2	5	7	11	14	20
85+	72	7.0	35	2	2	5	8	13	22	29
B. *Operated*										
65-69 YRS	20	11.6	89	2	3	10	13	27	35	37
70-74	21	11.5	67	3	4	8	14	25	30	31
75-79	17	11.1	45	3	3	9	16	20	24	26
80-84	4	31.5	1161	9	9	18	54	81	81	81
85+	2	11.0	32	7	7	11	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	5.0	12	1	2	4	7	9	11	21
B. *Operated*	6	7.3	11	2	2	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	740	6.0	22	1	2	5	7	11	15	27
B. *Operated*	64	12.6	139	3	3	9	15	26	32	75
1. SINGLE DX	124	5.1	12	1	2	4	7	9	11	21
2. MULTIPLE DX	804	6.5	34	2	2	5	8	12	17	30
A. NOT OPERATED	858	5.9	21	1	2	5	7	11	14	26
B. OPERATED	70	12.2	130	3	3	9	14	24	31	72
TOTAL 65-69 YRS	255	5.9	25	1	2	5	8	11	13	37
70-74	234	6.0	20	2	2	5	7	11	14	27
75-79	231	6.8	32	2	2	5	8	14	19	28
80-84	125	6.7	64	1	2	5	8	12	16	40
85+	83	6.8	33	2	2	5	8	13	22	29
GRAND TOTAL	**928**	**6.3**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**29**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	78	11.1	139	1	2	7	16	23	30	68
70-74	56	9.3	72	<1	1	7	12	24	27	34
75-79	47	10.8	131	1	1	8	15	22	32	58
80-84	28	8.6	65	1	1	5	12	22	27	32
85+	16	5.7	22	1	2	3	9	14	15	16
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	247	9.0	84	1	1	6	13	20	24	42
70-74	203	10.6	98	2	2	7	14	23	34	48
75-79	149	9.9	127	2	2	7	12	19	23	64
80-84	101	9.7	59	2	3	8	13	22	27	33
85+	63	8.7	40	2	3	8	12	19	21	27
B. *Operated*										
65-69 YRS	14	19.9	354	3	4	16	29	38	68	76
70-74	12	22.6	234	3	5	18	37	43	45	45
75-79	16	16.8	251	4	5	12	19	38	58	66
80-84	7	26.3	383	5	6	18	45	50	51	51
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	9.9	104	1	1	7	14	23	28	53
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	763	9.7	90	1	2	7	13	20	26	47
B. *Operated*	49	20.4	287	4	5	15	30	44	52	76
1. SINGLE DX	226	9.9	104	1	1	7	14	23	28	53
2. MULTIPLE DX	812	10.3	108	1	2	7	13	22	30	52
A. NOT OPERATED	988	9.7	93	1	2	7	13	21	27	49
B. OPERATED	50	20.2	284	4	5	14	30	44	51	76
TOTAL 65-69 YRS	340	9.9	112	1	1	6	14	22	27	64
70-74	271	10.9	104	1	2	7	14	25	35	47
75-79	212	10.6	139	2	2	7	13	20	28	65
80-84	136	10.3	88	1	2	7	13	25	30	47
85+	79	8.1	38	1	2	7	12	17	20	27
GRAND TOTAL	**1038**	**10.2**	**107**	**1**	**2**	**7**	**14**	**22**	**29**	**52**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	252	12.0	141	1	2	7	17	29	39	53
70-74	186	12.5	143	2	2	9	16	27	41	56
75-79	94	12.8	194	1	3	8	15	32	48	66
80-84	69	9.8	61	3	3	7	14	20	27	37
85+	26	9.4	77	<1	2	6	16	23	28	34
B. *Operated*										
65-69 YRS	5	12.4	148	1	1	13	19	31	31	31
70-74	2	26.5	841	6	6	26	47	47	47	47
75-79	4	10.5	22	7	7	9	14	17	17	17
80-84	2	16.0	162	7	7	16	25	25	25	25
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	746	11.4	114	2	3	8	15	26	34	52
70-74	721	12.0	113	2	3	8	15	27	35	59
75-79	579	11.2	113	2	3	8	14	23	33	53
80-84	364	12.3	148	2	3	8	15	26	40	62
85+	194	12.3	169	2	3	8	14	27	38	61
B. *Operated*										
65-69 YRS	93	16.5	266	2	3	12	21	37	73	99+
70-74	71	22.5	365	3	4	17	33	56	67	94
75-79	72	22.0	342	4	6	18	29	52	69	96
80-84	40	25.4	348	3	5	23	37	47	51	95
85+	9	23.2	332	8	9	22	26	84	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	11.9	138	2	3	8	16	27	39	54
B. *Operated*	14	14.4	157	1	2	11	17	33	44	47
2. MULTIPLE DX										
A. *Not Operated*	2604	11.7	123	2	3	8	15	25	35	57
B. *Operated*	285	20.8	329	3	4	16	29	50	68	99+
1. SINGLE DX	641	12.0	139	2	3	8	16	27	39	53
2. MULTIPLE DX	2889	12.6	150	2	3	8	16	29	39	68
A. NOT OPERATED	3231	11.7	126	2	3	8	15	26	35	56
B. OPERATED	299	20.5	322	3	4	15	28	49	68	99+
TOTAL 65-69 YRS	1096	12.0	135	2	3	8	15	28	36	56
70-74	980	12.9	145	2	3	9	16	29	40	67
75-79	749	12.4	154	2	3	8	15	27	40	70
80-84	475	13.1	166	3	3	8	16	30	41	62
85+	230	12.4	168	2	3	8	15	27	39	74
GRAND TOTAL	**3530**	**12.5**	**148**	**2**	**3**	**8**	**16**	**28**	**39**	**66**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	10.8	111	1	2	7	14	31	32	32
70-74	10	6.8	19	3	3	6	7	14	15	15
75-79	5	14.2	74	5	5	16	20	25	25	25
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	17.0		17	17	17	17	17	17	17
80-84										
85+	1	40.0		40	40	40	40	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	28	9.8	70	2	3	6	14	23	31	32
B. *Operated*	4	18.0	237	6	6	13	28	40	40	40
1. SINGLE DX	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX	32	10.8	92	3	3	7	15	27	32	40
A. NOT OPERATED	30	9.3	69	1	3	6	14	22	31	32
B. OPERATED	4	18.0	237	6	6	13	28	40	40	40
TOTAL 65-69 YRS	13	10.5	104	1	2	6	12	31	32	32
70-74	11	7.0	17	3	3	6	9	14	15	15
75-79	7	13.1	66	4	4	16	18	24	25	25
80-84	2	3.5	13	1	1	3	6	6	6	6
85+	1	40.0		40	40	40	40	40	40	40
GRAND TOTAL	**34**	**10.4**	**90**	**2**	**3**	**6**	**15**	**26**	**32**	**40**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	13.2	59	1	2	13	17	20	28	32
70-74	16	11.5	55	2	3	11	17	20	24	26
75-79	4	11.0	33	4	4	11	15	17	17	17
80-84	8	16.0	137	3	4	15	17	35	42	42
85+	6	13.3	20	6	6	14	16	19	19	19
B. *Operated*										
65-69 YRS	23	25.0	513	1	2	15	49	61	63	65
70-74	6	13.2	102	4	4	10	12	31	33	33
75-79	4	33.5	107	24	24	31	40	48	48	48
80-84	1	15.0		15	15	15	15	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	24.0	370	3	5	18	30	55	60	89
70-74	56	14.8	113	2	3	13	20	33	38	41
75-79	47	19.1	119	4	6	18	25	36	41	44
80-84	29	21.7	226	7	8	18	25	47	59	64
85+	12	23.4	165	6	9	20	34	42	44	44
B. *Operated*										
65-69 YRS	78	26.9	347	4	5	24	39	57	72	99+
70-74	51	34.0	533	3	9	27	49	70	77	86
75-79	14	33.7	473	4	8	38	66	99+	99+	99+
80-84	8	48.1	582	15	17	56	79	99+	99+	99+
85+	5	31.8	170	20	20	27	44	49	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	12.9	61	2	3	14	17	20	26	42
B. *Operated*	34	23.6	402	1	3	15	35	56	62	65
2. MULTIPLE DX										
A. *Not Operated*	213	20.2	226	3	6	16	26	40	53	71
B. *Operated*	156	31.1	442	4	7	28	47	72	83	99+
1. SINGLE DX	84	17.3	224	2	3	14	19	42	54	64
2. MULTIPLE DX	369	24.8	345	4	6	20	34	57	72	99+
A. NOT OPERATED	263	18.8	202	3	4	15	24	37	48	67
B. OPERATED	190	29.7	441	3	5	27	46	69	80	99+
TOTAL 65-69 YRS	186	24.4	360	3	4	19	33	57	65	96
70-74	129	21.9	364	2	4	16	29	49	69	82
75-79	69	22.4	226	4	6	20	32	48	74	99+
80-84	46	25.2	371	6	8	18	34	65	81	99+
85+	23	22.6	161	6	9	19	33	42	46	49
GRAND TOTAL	**453**	**23.4**	**331**	**3**	**5**	**18**	**32**	**55**	**67**	**99+**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	191	10.7	70	3	3	9	14	21	25	36
70-74	221	10.8	78	2	3	9	14	20	24	38
75-79	209	11.3	93	2	3	9	14	21	32	50
80-84	107	11.4	67	4	4	9	15	22	26	45
85+	41	7.3	27	1	2	6	11	16	17	20
B. *Operated*										
65-69 YRS	12	23.7	474	6	9	15	23	62	77	80
70-74	12	15.6	247	2	3	13	22	35	55	58
75-79	9	23.8	582	4	5	16	30	64	80	80
80-84	4	10.3	24	4	4	10	13	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	774	12.5	100	3	4	10	16	25	34	59
70-74	1189	12.8	110	3	4	10	16	26	35	65
75-79	1249	13.2	117	3	4	10	16	27	34	67
80-84	767	13.8	135	3	4	11	17	28	41	99+
85+	352	13.0	118	3	4	10	17	29	37	99+
B. *Operated*										
65-69 YRS	123	20.1	196	5	6	19	31	42	59	99+
70-74	165	20.0	191	5	7	18	27	41	55	99+
75-79	150	23.0	287	6	8	18	29	52	76	99+
80-84	102	20.2	226	4	6	16	28	44	62	99+
85+	33	22.7	320	6	6	19	30	51	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	769	10.8	76	2	3	9	14	21	25	45
B. *Operated*	37	19.6	377	3	4	13	22	52	72	80
2. MULTIPLE DX										
A. *Not Operated*	4331	13.1	115	3	4	10	16	27	36	73
B. *Operated*	573	21.0	231	5	6	18	28	45	64	99+
1. SINGLE DX	806	11.2	93	2	3	9	14	21	27	51
2. MULTIPLE DX	4904	14.0	135	3	4	11	18	29	40	99+
A. NOT OPERATED	5100	12.7	110	3	4	10	16	26	35	68
B. OPERATED	610	20.9	239	5	6	17	28	45	64	99+
TOTAL 65-69 YRS	1100	13.1	117	3	4	10	17	27	36	68
70-74	1587	13.3	120	3	4	10	17	28	37	88
75-79	1617	13.9	141	3	4	11	17	29	37	77
80-84	980	14.2	141	3	4	11	17	29	43	99+
85+	426	13.2	135	3	4	10	17	29	43	99+
GRAND TOTAL	**5710**	**13.6**	**130**	**3**	**4**	**10**	**17**	**28**	**38**	**85**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	10.5	41	2	2	10	15	17	21	29
70-74	12	6.3	19	2	2	5	9	13	15	15
75-79	4	10.8	49	4	4	12	40	99+	99+	99+
80-84	1	7.0		7	7	7	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	5	11.6	163	2	2	6	20	32	32	32
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	30.0		30	30	30	30	30	30	30
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	132	13.4	156	3	4	10	17	30	44	99+
70-74	50	13.2	125	3	4	9	18	32	40	45
75-79	17	18.1	239	6	7	12	20	40	57	65
80-84	10	13.3	23	6	7	14	16	19	22	22
85+	4	14.5	34	10	10	12	18	23	23	23
B. *Operated*										
65-69 YRS	48	14.5	188	2	4	11	20	31	84	99+
70-74	24	17.8	194	3	4	15	24	45	48	49
75-79	5	17.6	104	7	7	13	28	29	29	29
80-84	2	26.0	1058	3	3	49	87	99+	99+	99+
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	9.5	38	2	2	9	14	18	21	97
B. *Operated*	7	14.1	157	2	2	11	26	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	213	13.7	146	3	4	10	17	31	43	99+
B. *Operated*	79	16.0	195	2	4	14	22	46	63	99+
1. SINGLE DX	60	10.1	52	2	2	9	14	20	29	92
2. MULTIPLE DX	292	14.3	160	3	4	11	18	32	47	99+
A. NOT OPERATED	266	12.9	127	2	4	10	16	28	42	99+
B. OPERATED	86	15.9	190	2	3	14	22	41	51	99+
TOTAL 65-69 YRS	221	13.1	144	2	4	10	17	29	43	99+
70-74	87	13.5	138	2	3	10	17	32	43	49
75-79	27	17.3	182	6	7	12	24	39	68	99+
80-84	13	14.8	133	4	6	14	16	54	90	99+
85+	4	14.5	34	10	10	12	18	23	23	23
GRAND TOTAL	**352**	**13.6**	**144**	**2**	**4**	**10**	**17**	**30**	**44**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	133	4.8	12	1	2	4	6	9	12	20
70-74	110	4.3	9	1	1	3	5	8	10	16
75-79	82	4.5	12	1	2	3	6	9	11	20
80-84	50	6.3	33	1	2	4	7	15	20	26
85+	27	4.3	12	1	1	3	6	8	11	16
B. *Operated*										
65-69 YRS	3	7.3	17	4	4	6	10	12	12	12
70-74	5	2.6	3	1	1	2	4	5	5	5
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	686	7.6	58	1	2	5	9	16	22	39
70-74	656	8.2	75	2	2	6	10	16	23	46
75-79	543	8.2	49	2	2	6	10	16	22	40
80-84	309	9.4	94	2	3	7	11	19	25	52
85+	220	9.1	75	2	3	6	11	19	26	46
B. *Operated*										
65-69 YRS	71	16.1	206	3	5	12	22	32	50	77
70-74	70	15.7	176	3	4	12	22	39	58	99+
75-79	42	17.2	193	4	5	13	22	38	54	56
80-84	25	19.1	244	4	6	14	27	48	74	99+
85+	17	20.5	348	6	7	17	23	37	68	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	4.7	14	1	1	4	6	9	12	21
B. *Operated*	9	4.9	14	1	1	4	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	2414	8.3	67	2	2	6	10	16	23	44
B. *Operated*	225	16.9	207	3	5	13	22	37	54	99+
1. SINGLE DX	411	4.7	14	1	1	4	6	9	12	21
2. MULTIPLE DX	2639	9.0	85	2	2	6	11	19	26	54
A. NOT OPERATED	2816	7.8	61	1	2	6	9	15	21	42
B. OPERATED	234	16.4	205	3	4	13	22	36	53	99+
TOTAL 65-69 YRS	893	7.9	69	1	2	5	9	16	23	45
70-74	841	8.3	81	1	2	6	10	17	23	59
75-79	668	8.3	60	2	2	6	10	17	23	46
80-84	384	9.7	103	2	2	7	12	19	27	63
85+	264	9.4	96	2	2	6	11	20	29	48
GRAND TOTAL	**3050**	**8.4**	**77**	**2**	**2**	**6**	**10**	**18**	**24**	**50**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	343	8.4	63	2	2	7	10	17	25	38
70-74	311	9.4	87	2	2	7	11	18	24	49
75-79	285	8.8	69	1	2	7	11	18	24	47
80-84	155	8.7	57	2	3	7	10	17	22	41
85+	113	9.5	75	2	3	7	13	18	29	76
B. *Operated*										
65-69 YRS	216	10.1	103	1	2	7	14	23	29	61
70-74	191	9.7	101	2	2	7	12	19	28	42
75-79	138	10.9	118	2	2	7	15	23	36	49
80-84	59	11.4	118	2	3	8	13	26	36	53
85+	40	10.0	70	1	2	8	14	19	29	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1568	12.6	158	2	3	9	15	27	39	80
70-74	1848	12.7	157	2	3	9	16	29	41	90
75-79	1846	13.0	141	3	3	9	16	27	38	77
80-84	1367	13.3	147	3	4	10	17	28	42	78
85+	1034	13.9	172	3	4	10	17	30	44	89
B. *Operated*										
65-69 YRS	816	17.3	270	2	3	13	23	41	65	99+
70-74	782	18.0	287	2	3	13	24	42	63	99+
75-79	699	19.5	270	3	4	15	26	45	60	99+
80-84	402	17.9	235	3	4	14	24	40	53	99+
85+	246	17.3	200	3	4	14	24	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1207	8.9	71	2	2	7	11	18	24	48
B. *Operated*	644	10.3	105	2	2	7	14	23	31	49
2. MULTIPLE DX										
A. *Not Operated*	7663	13.0	154	3	3	9	16	28	41	81
B. *Operated*	2945	18.1	264	3	4	14	24	42	60	99+
1. SINGLE DX	1851	9.4	83	2	2	7	12	19	27	48
2. MULTIPLE DX	10608	14.4	189	3	3	10	18	33	46	99
A. NOT OPERATED	8870	12.5	145	2	3	9	15	27	38	77
B. OPERATED	3589	16.7	244	2	3	12	23	40	55	99+
TOTAL 65-69 YRS	2943	13.2	182	2	3	9	17	30	44	87
70-74	3132	13.5	187	2	3	9	17	31	44	96
75-79	2968	14.0	174	2	3	10	18	30	44	88
80-84	1983	13.8	163	3	4	10	18	29	43	85
85+	1433	14.1	170	3	4	10	17	30	44	99+
GRAND TOTAL	**12459**	**13.7**	**177**	**2**	**3**	**10**	**17**	**30**	**44**	**91**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	4.3	13	1	1	3	6	8	12	18
70-74	38	5.1	10	1	2	4	7	10	12	13
75-79	11	4.5	5	2	2	4	6	8	8	8
80-84	11	9.5	488	1	1	3	4	33	72	76
85+	7	2.4	1	1	1	2	3	4	4	4
B. *Operated*										
65-69 YRS	12	6.0	28	1	1	5	8	13	19	20
70-74	4	6.5	8	4	4	6	9	9	9	9
75-79	3	6.0	21	2	2	5	9	11	11	11
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	169	5.9	22	2	2	5	8	11	16	24
70-74	104	5.6	16	2	2	4	7	11	14	19
75-79	65	5.7	20	1	2	5	7	10	12	28
80-84	35	7.5	44	1	2	5	9	15	20	35
85+	18	6.7	8	2	3	6	8	11	12	13
B. *Operated*										
65-69 YRS	27	6.7	25	2	2	5	8	13	17	23
70-74	18	6.6	20	2	2	5	9	14	15	16
75-79	16	9.7	76	2	2	8	12	21	31	35
80-84	3	5.7	16	2	2	5	9	10	10	10
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	4.9	49	1	1	4	6	8	12	30
B. *Operated*	19	6.1	21	1	2	5	9	11	16	20
2. MULTIPLE DX										
A. *Not Operated*	391	6.0	21	1	2	5	8	11	14	23
B. *Operated*	64	7.4	36	2	2	6	10	14	18	33
1. SINGLE DX	149	5.0	46	1	1	4	6	9	12	21
2. MULTIPLE DX	455	6.2	24	2	2	5	8	12	15	24
A. NOT OPERATED	521	5.7	28	1	2	4	7	11	14	23
B. OPERATED	83	7.1	33	2	2	6	9	13	18	31
TOTAL 65-69 YRS	271	5.6	21	1	2	4	7	11	15	23
70-74	164	5.7	15	2	2	4	8	11	13	19
75-79	95	6.2	29	1	2	5	8	11	14	33
80-84	49	7.8	134	1	1	4	9	14	22	76
85+	25	5.5	10	1	2	5	7	10	11	13
GRAND TOTAL	**604**	**5.9**	**29**	**1**	**2**	**4**	**8**	**11**	**14**	**23**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	6	1	1	4	7	7	7	7
70-74	8	2.8	4	<1	<1	2	4	6	7	7
75-79	5	3.0	6	<1	<1	2	4	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85+	4	3.8	5	1	1	4	5	6	6	6
B. *Operated*										
65-69 YRS	977	2.4	4	<1	1	2	3	4	5	10
70-74	727	2.4	3	<1	1	2	3	4	5	10
75-79	545	2.6	4	1	1	2	3	4	5	10
80-84	304	2.6	3	1	1	2	3	4	5	10
85+	155	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	4.6	13	1	1	3	6	10	13	15
70-74	50	5.4	18	1	2	4	7	10	15	22
75-79	27	4.6	14	<1	<1	4	6	10	13	16
80-84	20	6.3	32	<1	1	4	7	15	19	22
85+	6	8.0	75	1	1	5	12	22	23	23
B. *Operated*										
65-69 YRS	689	3.7	11	1	1	3	4	8	11	17
70-74	634	4.1	18	1	1	3	4	9	12	22
75-79	461	4.2	16	1	1	3	5	9	13	22
80-84	245	4.9	37	1	2	3	5	10	14	35
85+	124	4.9	23	1	2	3	5	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.4	5	<1	1	3	5	7	7	7
B. *Operated*	2708	2.5	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	132	5.3	20	1	1	4	6	11	15	22
B. *Operated*	2153	4.1	18	1	1	3	5	9	12	21
1. SINGLE DX	2733	2.5	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	2285	4.2	18	1	1	3	5	9	12	21
A. NOT OPERATED	157	5.0	18	1	1	4	6	10	14	22
B. OPERATED	4861	3.2	10	1	1	2	3	6	9	17
TOTAL 65-69 YRS	1702	3.0	7	<1	1	2	3	5	8	15
70-74	1419	3.3	11	1	1	2	3	6	10	16
75-79	1038	3.3	10	1	1	2	4	6	9	17
80-84	570	3.7	20	1	1	2	4	7	11	22
85+	289	3.7	14	1	1	2	4	7	12	21
GRAND TOTAL	**5018**	**3.3**	**11**	**1**	**1**	**2**	**3**	**6**	**9**	**17**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	251	7.3	60	1	2	5	8	15	22	47
70-74	238	6.8	66	1	1	5	8	14	20	31
75-79	164	7.2	39	1	2	5	9	15	21	31
80-84	87	6.6	33	2	2	5	8	13	19	31
85+	58	7.8	34	1	2	6	11	15	21	25
B. *Operated*										
65-69 YRS	607	4.0	16	1	1	3	4	8	11	21
70-74	423	4.5	21	1	1	3	5	10	13	28
75-79	212	5.3	39	1	2	3	6	10	14	33
80-84	102	6.4	52	2	2	4	7	12	20	43
85+	55	4.4	13	1	1	3	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	967	9.2	87	2	3	7	11	17	22	54
70-74	854	9.4	64	2	3	7	12	19	25	48
75-79	705	9.5	83	2	3	7	11	18	25	54
80-84	464	10.4	115	2	3	8	13	20	24	77
85+	274	10.6	123	2	3	8	13	20	28	73
B. *Operated*										
65-69 YRS	639	9.8	119	2	2	6	12	26	36	99+
70-74	528	11.3	157	2	2	7	15	30	45	99+
75-79	352	13.4	185	2	2	9	18	32	42	99+
80-84	151	12.1	176	2	2	8	15	26	37	74
85+	82	14.9	195	2	3	11	21	33	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	798	7.1	53	1	2	5	9	15	20	36
B. *Operated*	1399	4.5	24	1	1	3	5	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	3264	9.6	87	2	3	7	12	18	25	54
B. *Operated*	1752	11.4	154	2	2	8	15	28	41	99+
1. SINGLE DX	2197	5.5	36	1	2	3	7	11	16	30
2. MULTIPLE DX	5016	10.3	111	2	3	7	13	21	30	85
A. NOT OPERATED	4062	9.1	81	2	2	7	11	18	24	50
B. OPERATED	3151	8.4	108	1	2	5	10	20	31	99+
TOTAL 65-69 YRS	2464	7.9	80	2	2	5	10	17	25	66
70-74	2043	8.6	85	1	2	6	11	19	26	72
75-79	1433	9.6	104	2	2	7	12	21	29	59
80-84	804	9.8	113	2	2	7	12	20	26	72
85+	469	10.3	120	2	2	8	13	21	28	73
GRAND TOTAL	**7213**	**8.8**	**93**	**2**	**2**	**6**	**11**	**19**	**26**	**68**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	6.5	1	6	6	6	7	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	4.3	8	1	1	6	6	6	6	6
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	684	4.9	8	2	2	4	6	8	10	16
70-74	489	4.9	7	2	2	4	6	8	10	16
75-79	282	5.1	7	2	3	5	6	8	10	14
80-84	140	5.3	9	2	2	5	6	9	13	17
85+	59	4.9	5	3	3	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	4.8	12	1	1	5	6	11	12	13
70-74	7	2.4	5	<1	<1	1	3	6	7	7
75-79	10	3.9	14	<1	<1	3	4	9	14	14
80-84	7	7.3	87	<1	<1	3	9	24	27	27
85+	3	5.0	37	1	1	2	9	12	12	12
B. *Operated*										
65-69 YRS	659	5.6	12	2	2	5	7	10	11	18
70-74	523	5.4	9	2	2	5	7	9	11	15
75-79	346	5.9	14	2	3	5	7	10	13	20
80-84	176	6.3	19	2	3	5	8	12	15	22
85+	62	6.3	10	2	3	6	8	10	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.3	7	1	1	6	6	7	7	7
B. *Operated*	1654	5.0	7	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	43	4.6	24	<1	<1	3	5	11	13	27
B. *Operated*	1766	5.7	12	2	2	5	7	10	12	18
1. SINGLE DX	1661	5.0	7	2	2	4	6	8	10	16
2. MULTIPLE DX	1809	5.7	12	2	2	5	7	10	12	19
A. NOT OPERATED	50	4.6	21	<1	<1	3	6	10	13	27
B. OPERATED	3420	5.4	10	2	2	5	7	9	11	17
TOTAL 65-69 YRS	1361	5.2	10	2	2	5	6	9	11	17
70-74	1020	5.2	8	2	2	5	6	9	10	16
75-79	641	5.5	11	2	3	5	7	9	11	18
80-84	323	5.9	16	2	2	5	7	11	14	22
85+	125	5.6	8	2	3	5	7	9	12	16
GRAND TOTAL	**3470**	**5.3**	**10**	**2**	**2**	**5**	**7**	**9**	**11**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	2.3	3	1	1	2	2	4	6	11
70-74	27	2.3	2	<1	1	2	3	5	5	6
75-79	26	1.7	1	<1	1	1	2	3	4	4
80-84	12	2.5	2	1	1	2	3	4	5	5
85+	13	2.1	2	1	1	2	3	4	5	5
B. *Operated*										
65-69 YRS	387	2.9	5	1	1	2	3	5	6	10
70-74	372	3.1	4	1	1	3	4	5	7	12
75-79	286	3.7	9	1	2	3	4	7	9	14
80-84	160	3.9	11	1	1	3	5	7	10	20
85+	79	3.6	12	1	1	2	5	7	9	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	3.6	6	1	1	3	5	6	8	13
70-74	43	4.3	21	1	1	2	5	8	13	25
75-79	35	4.3	8	1	1	4	5	7	12	13
80-84	25	3.2	4	<1	1	3	4	5	8	8
85+	23	5.9	89	1	2	3	5	9	26	47
B. *Operated*										
65-69 YRS	273	4.1	11	1	2	3	5	8	10	17
70-74	293	4.6	18	1	2	3	5	9	13	17
75-79	306	5.1	22	1	2	4	6	10	14	26
80-84	200	4.8	17	2	2	3	6	10	13	22
85+	137	5.2	26	1	2	4	6	10	13	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	2.2	2	1	1	2	3	4	5	8
B. *Operated*	1284	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	161	4.2	22	1	1	3	5	7	10	24
B. *Operated*	1209	4.7	18	1	2	3	6	9	13	23
1. SINGLE DX	1398	3.2	7	1	1	2	4	6	7	13
2. MULTIPLE DX	1370	4.7	19	1	2	3	5	9	13	23
A. NOT OPERATED	275	3.4	15	1	1	2	4	6	8	17
B. OPERATED	2493	4.0	13	1	2	3	5	8	10	19
TOTAL 65-69 YRS	731	3.3	7	1	1	3	4	6	8	13
70-74	735	3.7	11	1	1	3	4	7	9	16
75-79	653	4.3	16	1	1	3	5	8	12	22
80-84	397	4.3	14	1	2	3	5	8	12	22
85+	252	4.6	27	1	1	3	5	8	11	30
GRAND TOTAL	**2768**	**3.9**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.6	6	<1	1	2	3	6	8	10
70-74	15	1.9	2	<1	1	1	3	4	5	5
75-79	12	2.7	8	1	1	2	3	6	10	11
80-84	11	2.6	4	<1	<1	2	4	6	7	7
85+	6	5.0	15	1	1	4	9	10	10	10
B. *Operated*										
65-69 YRS	205	3.0	5	1	1	2	3	5	8	13
70-74	206	3.3	9	1	1	3	4	5	9	17
75-79	178	3.3	8	1	1	3	4	6	8	19
80-84	102	3.5	12	1	1	3	4	6	10	21
85+	43	3.8	11	1	1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	4.8	16	1	1	4	6	9	12	21
70-74	29	4.0	10	<1	1	3	5	7	12	14
75-79	45	6.5	43	1	1	5	7	19	21	31
80-84	34	4.9	18	1	1	4	6	13	18	99+
85+	19	7.5	44	1	1	6	10	23	63	99+
B. *Operated*										
65-69 YRS	189	4.6	18	2	2	3	6	9	11	24
70-74	214	4.9	62	1	1	3	5	8	14	42
75-79	204	4.4	15	1	2	3	5	8	12	19
80-84	125	4.4	13	2	2	3	5	9	12	18
85+	95	5.1	27	1	2	4	6	9	12	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.7	6	<1	1	2	4	6	9	11
B. *Operated*	734	3.3	8	1	1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	156	5.5	27	1	1	4	6	13	20	94
B. *Operated*	827	4.7	29	1	2	3	5	9	12	24
1. SINGLE DX	796	3.2	8	1	1	2	4	6	9	16
2. MULTIPLE DX	983	4.8	28	1	2	3	5	9	13	29
A. NOT OPERATED	218	4.7	23	1	1	3	6	11	16	52
B. OPERATED	1561	4.0	19	1	1	3	4	8	11	21
TOTAL 65-69 YRS	441	3.8	12	1	1	3	4	8	10	18
70-74	464	4.0	34	1	1	3	4	7	11	23
75-79	439	4.1	16	1	1	3	5	8	11	21
80-84	272	4.0	13	1	1	3	5	8	12	22
85+	163	5.0	25	1	2	4	6	10	14	40
GRAND TOTAL	**1779**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	2.2	2	<1	1	2	3	4	5	7
70-74	41	2.1	1	<1	1	2	3	3	5	6
75-79	48	2.5	5	<1	1	2	3	5	7	13
80-84	43	2.4	3	<1	1	2	3	4	5	9
85+	24	2.2	[illegible]	<1	<1	1	3	4	6	10
B. *Operated*										
65-69 YRS	12547	2.5	1	1	2	2	3	4	4	6
70-74	15569	2.5	2	1	2	2	3	4	4	7
75-79	15386	2.6	2	1	2	2	3	4	4	7
80-84	10844	2.6	2	1	2	2	3	4	4	8
85+	7104	2.7	2	2	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	270	2.7	17	<1	<1	1	3	5	9	20
70-74	377	2.6	10	<1	<1	1	3	6	8	18
75-79	361	3.1	26	<1	1	2	3	6	9	25
80-84	314	3.6	36	<1	1	2	3	8	11	30
85+	222	3.2	13	<1	1	2	3	8	10	18
B. *Operated*										
65-69 YRS	9613	3.1	7	2	2	3	3	5	7	14
70-74	12311	3.2	8	2	2	3	3	5	7	14
75-79	12791	3.2	7	2	2	3	3	5	7	14
80-84	9891	3.4	11	2	2	3	4	5	8	16
85+	6674	3.7	14	2	2	3	4	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	2.3	3	<1	1	2	3	4	5	10
B. *Operated*	61450	2.6	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	1544	3.0	21	<1	1	2	3	7	9	20
B. *Operated*	51280	3.3	9	2	2	3	3	5	7	15
1. SINGLE DX	61646	2.6	2	1	2	2	3	4	4	7
2. MULTIPLE DX	52824	3.3	9	2	2	3	3	5	7	15
A. NOT OPERATED	1740	2.9	19	<1	1	2	3	6	9	19
B. OPERATED	112730	2.9	5	1	2	2	3	4	5	11
TOTAL 65-69 YRS	22470	2.8	4	1	2	2	3	4	5	10
70-74	28298	2.8	5	1	2	2	3	4	5	11
75-79	28586	2.9	4	1	2	2	3	4	5	11
80-84	21092	3.0	7	1	2	2	3	4	6	13
85+	14024	3.2	8	2	2	3	3	5	7	14
GRAND TOTAL	**114470**	**2.9**	**5**	**1**	**2**	**2**	**3**	**4**	**6**	**12**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	198	2.2	2	<1	<1	2	3	3	4	7
70-74	199	2.1	1	<1	1	2	2	3	4	6
75-79	197	2.0	1	<1	<1	2	3	3	3	5
80-84	132	2.1	1	<1	1	2	2	3	4	6
85+	86	2.3	2	<1	<1	2	3	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	3.5	30	<1	<1	2	3	13	17	17
70-74	4	3.8	24	<1	<1	1	6	11	11	11
75-79	3	4.0	7	1	1	5	6	6	6	6
80-84	4	2.3	2	1	1	2	3	4	4	4
85+	6	2.7	2	1	1	2	4	5	5	5
B. *Operated*										
65-69 YRS	183	3.0	3	1	2	2	3	5	6	12
70-74	179	2.9	4	1	2	2	3	5	6	12
75-79	196	3.1	4	1	2	2	3	5	7	14
80-84	139	3.1	4	<1	1	2	4	6	8	11
85+	92	3.2	4	1	1	3	4	5	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	2	1	1	2	3	4	4	4
B. *Operated*	812	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	25	3.2	13	<1	1	2	4	6	12	17
B. *Operated*	789	3.0	4	1	2	2	3	5	7	12
1. SINGLE DX	817	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX	814	3.0	4	1	2	2	3	5	7	12
A. NOT OPERATED	30	3.0	11	<1	1	2	4	6	11	17
B. OPERATED	1601	2.6	3	<1	1	2	3	4	5	10
TOTAL 65-69 YRS	390	2.6	3	<1	1	2	3	4	5	12
70-74	383	2.5	2	1	1	2	3	4	5	11
75-79	397	2.6	3	<1	1	2	3	4	5	10
80-84	276	2.6	3	<1	1	2	3	4	6	10
85+	185	2.8	3	<1	1	2	3	5	6	10
GRAND TOTAL	**1631**	**2.6**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	5.3	7	2	2	5	6	9	10	12
70-74	8	4.6	5	<1	1	4	6	8	8	8
75-79	9	3.8	3	<1	1	4	5	6	6	6
80-84	8	3.0	3	1	1	3	4	6	7	7
85+	6	5.2	8	3	3	4	7	10	10	10
B. *Operated*										
65-69 YRS	77	2.3	2	1	1	2	2	3	5	10
70-74	55	2.5	5	<1	1	2	2	4	8	13
75-79	39	2.1	1	<1	1	2	2	3	4	6
80-84	17	2.4	2	1	2	2	2	5	6	6
85+	10	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	6.0	18	1	2	5	7	12	13	24
70-74	66	6.4	21	2	2	5	9	11	13	28
75-79	53	5.8	24	1	1	4	8	10	16	28
80-84	15	5.7	22	2	2	5	7	8	18	21
85+	13	5.1	4	2	3	6	7	7	8	8
B. *Operated*										
65-69 YRS	77	3.4	7	2	2	2	4	7	10	14
70-74	65	6.0	67	1	2	3	6	17	19	45
75-79	42	4.9	14	2	2	3	7	10	14	15
80-84	18	7.8	217	1	2	2	3	32	49	54
85+	8	2.9	3	2	2	2	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	4.6	6	1	2	4	6	9	9	12
B. *Operated*	198	2.3	3	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	216	6.0	19	1	2	5	8	11	13	27
B. *Operated*	210	4.8	46	2	2	2	5	10	15	43
1. SINGLE DX	252	2.8	4	1	1	2	3	5	7	10
2. MULTIPLE DX	426	5.4	33	1	2	4	7	10	14	33
A. NOT OPERATED	270	5.7	17	1	2	5	7	10	13	25
B. OPERATED	408	3.6	26	1	1	2	3	7	10	29
TOTAL 65-69 YRS	246	4.0	11	1	2	3	5	9	11	14
70-74	194	5.1	34	1	1	3	7	10	15	35
75-79	143	4.4	15	1	1	3	6	9	12	18
80-84	53	5.0	76	1	2	2	5	8	17	53
85+	37	3.8	5	1	2	3	6	7	8	10
GRAND TOTAL	**678**	**4.4**	**24**	**1**	**2**	**3**	**5**	**9**	**12**	**25**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	4.5	15	<1	1	4	6	10	13	20
70-74	55	5.0	15	<1	1	4	6	9	12	19
75-79	60	5.0	26	<1	<1	4	6	10	16	28
80-84	34	5.9	20	1	2	5	8	15	15	16
85+	35	6.9	37	1	2	5	8	12	22	30
B. *Operated*										
65-69 YRS	662	2.3	2	<1	1	2	3	4	5	8
70-74	736	2.5	4	<1	1	2	3	4	6	10
75-79	649	2.5	3	<1	1	2	3	4	5	8
80-84	445	2.6	4	<1	1	2	3	5	6	9
85+	275	2.9	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	95	5.8	31	1	1	4	7	14	16	29
70-74	115	6.1	25	1	1	5	8	12	17	22
75-79	106	5.9	25	<1	1	4	7	14	16	23
80-84	77	7.1	36	1	2	6	9	13	19	33
85+	91	7.7	53	1	1	6	11	16	21	76
B. *Operated*										
65-69 YRS	803	3.3	9	1	1	2	4	6	8	17
70-74	833	3.4	10	1	1	2	4	6	8	18
75-79	794	3.6	10	1	1	3	4	7	10	17
80-84	540	3.9	25	1	1	3	4	7	10	34
85+	439	4.4	28	1	1	3	5	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	5.3	22	<1	1	4	6	11	15	25
B. *Operated*	2767	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	484	6.5	33	1	1	5	8	14	17	32
B. *Operated*	3409	3.6	14	1	1	3	4	7	9	18
1. SINGLE DX	3001	2.7	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	3893	4.0	18	1	1	3	5	8	12	21
A. NOT OPERATED	718	6.1	30	<1	1	5	8	13	17	30
B. OPERATED	6176	3.1	10	1	1	2	4	6	7	16
TOTAL 65-69 YRS	1610	3.1	8	1	1	2	3	5	7	16
70-74	1739	3.3	9	<1	1	2	4	6	8	18
75-79	1609	3.4	9	1	1	2	4	6	9	17
80-84	1096	3.7	18	1	1	2	4	7	9	22
85+	840	4.3	26	1	1	3	5	9	13	28
GRAND TOTAL	**6894**	**3.4**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	3.9	6	1	1	3	5	7	9	12
70-74	66	5.7	13	1	2	5	7	10	13	17
75-79	63	4.1	6	1	2	4	6	8	9	10
80-84	58	4.5	13	1	1	3	5	9	14	17
85+	29	6.2	37	1	1	4	7	17	20	23
B. *Operated*										
65-69 YRS	764	2.7	3	1	1	2	3	4	6	11
70-74	889	2.7	3	1	1	2	3	4	6	12
75-79	781	2.6	4	1	1	2	3	4	5	11
80-84	502	2.7	3	1	1	2	3	4	6	11
85+	262	2.9	4	1	1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	204	6.7	45	1	2	5	8	12	16	40
70-74	197	6.1	38	1	1	5	7	12	15	36
75-79	162	5.9	24	1	2	5	8	11	15	24
80-84	122	6.0	16	1	1	5	8	13	14	17
85+	87	6.9	28	1	1	6	11	14	18	23
B. *Operated*										
65-69 YRS	830	4.2	16	1	2	3	5	9	12	22
70-74	921	4.2	19	1	2	3	5	8	12	23
75-79	881	4.5	37	1	2	3	5	9	13	34
80-84	522	4.0	15	1	2	3	4	8	11	24
85+	321	4.4	30	1	2	3	4	9	13	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	4.7	12	1	1	4	6	9	11	18
B. *Operated*	3198	2.7	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	772	6.3	32	1	2	5	8	13	15	25
B. *Operated*	3475	4.3	23	1	2	3	5	9	12	25
1. SINGLE DX	3507	2.8	5	1	1	2	3	5	7	12
2. MULTIPLE DX	4247	4.7	26	1	2	3	5	9	13	25
A. NOT OPERATED	1081	5.8	27	1	2	5	7	11	15	23
B. OPERATED	6673	3.5	15	1	2	2	4	7	10	20
TOTAL 65-69 YRS	1891	3.9	15	1	2	3	4	6	11	19
70-74	2073	3.8	15	1	1	3	4	7	11	19
75-79	1887	3.8	23	1	2	2	4	7	10	22
80-84	1204	3.7	11	1	2	3	4	7	10	17
85+	699	4.2	22	1	1	3	4	9	13	22
GRAND TOTAL	**7754**	**3.8**	**17**	**1**	**2**	**3**	**4**	**8**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	3.9	6	2	2	3	5	8	9	10
70-74	17	4.4	13	<1	1	3	6	7	13	16
75-79	6	3.8	9	1	1	3	7	8	8	8
80-84	4	3.3	1	2	2	3	4	4	4	4
85+	7	4.7	4	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	37	3.3	5	1	1	2	4	7	9	10
70-74	19	3.4	3	2	2	2	5	6	7	8
75 79	14	2.8	4	1	1	2	3	5	8	9
80-84	8	5.3	30	2	2	3	6	15	18	18
85+	6	2.0	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	5.6	20	1	1	4	8	11	14	24
70-74	85	6.5	48	1	2	5	8	13	19	40
75-79	59	6.1	16	1	2	5	7	11	14	19
80-84	60	6.3	18	2	2	5	8	12	16	20
85+	39	8.6	57	1	1	6	11	22	25	31
B. *Operated*										
65-69 YRS	77	5.2	28	1	2	3	6	13	15	29
70-74	74	5.7	27	1	2	4	8	12	16	28
75-79	46	5.7	29	2	2	4	6	15	18	24
80-84	37	4.9	44	1	1	3	5	11	31	99+
85+	10	6.5	41	1	2	4	11	53	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	4.1	7	1	2	3	6	7	8	16
B. *Operated*	84	3.3	7	1	2	2	4	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	322	6.4	31	1	2	5	8	12	17	29
B. *Operated*	244	5.5	30	1	2	3	7	13	18	38
1. SINGLE DX	137	3.6	7	1	2	3	4	7	8	16
2. MULTIPLE DX	566	6.0	31	1	2	4	8	13	17	31
A. NOT OPERATED	375	6.1	28	1	2	4	8	11	16	28
B. OPERATED	328	4.9	25	1	2	3	6	11	16	32
TOTAL 65-69 YRS	212	4.9	20	1	2	3	6	10	13	24
70-74	195	5.7	33	1	2	4	7	11	16	30
75-79	125	5.5	20	1	2	4	7	11	15	21
80-84	109	5.6	27	1	2	4	7	11	17	62
85+	62	7.2	47	1	1	5	9	20	25	91
GRAND TOTAL	**703**	**5.5**	**27**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.4	5	<1	<1	3	6	6	6	6
70-74	10	4.8	14	1	2	3	5	11	13	13
75-79	7	4.0	4	1	1	4	6	6	6	6
80-84	1	2.0		2	2	2	2	2	2	2
85+	7	5.0	5	2	2	5	7	8	8	8
B. *Operated*										
65-69 YRS	191	2.1	1	<1	1	2	2	3	4	6
70-74	107	2.2	2	<1	1	2	3	3	4	8
75-79	48	1.9	1	<1	1	2	2	3	4	5
80-84	18	2.1	2	<1	1	2	3	4	6	6
85+	19	1.8	6	<1	<1	1	2	2	8	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	58	6.6	20	2	3	5	8	12	14	26
70-74	66	6.8	45	1	1	5	7	12	21	34
75-79	54	7.4	27	1	2	6	10	14	19	24
80-84	33	6.8	16	1	2	6	9	11	14	19
85+	32	8.3	47	2	3	6	10	16	21	34
B. *Operated*										
65-69 YRS	268	3.3	8	1	1	3	4	6	8	15
70-74	159	3.8	16	1	2	3	4	7	11	24
75-79	80	6.1	94	1	1	3	5	14	19	57
80-84	26	3.3	6	<1	2	3	3	9	10	10
85+	11	5.0	24	<1	<1	3	7	12	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.3	7	1	1	4	6	7	10	13
B. *Operated*	383	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	243	7.1	31	1	2	6	9	13	18	32
B. *Operated*	544	3.9	24	1	2	3	4	8	11	24
1. SINGLE DX	415	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	787	4.9	28	1	2	3	6	10	14	26
A. NOT OPERATED	275	6.7	29	1	2	5	9	13	17	32
B. OPERATED	927	3.2	16	1	1	2	3	5	8	19
TOTAL 65-69 YRS	524	3.2	8	1	1	2	3	6	8	15
70-74	342	3.9	19	1	1	3	4	8	11	25
75-79	189	5.3	52	1	1	3	6	12	18	43
80-84	78	4.5	13	1	1	3	6	10	11	18
85+	69	5.7	35	<1	1	4	8	14	17	32
GRAND TOTAL	**1202**	**4.0**	**21**	**1**	**1**	**3**	**4**	**8**	**12**	**23**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	4.8	17	<1	1	4	6	8	13	21
70-74	11	6.5	13	<1	2	6	9	11	14	14
75-79	7	13.7	305	2	2	4	19	44	50	50
80-84	8	7.6	61	<1	1	4	11	21	24	24
85+	6	9.2	50	3	3	7	14	20	21	21
B. *Operated*										
65-69 YRS	37	2.9	7	<1	1	2	3	5	8	15
70-74	26	4.3	14	<1	1	3	5	11	12	15
75-79	16	6.3	25	1	2	4	10	15	17	17
80-84	9	6.1	90	1	1	2	6	23	28	28
85+	9	4.3	28	1	1	2	4	13	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	8.5	95	2	3	6	10	13	18	64
70-74	49	11.2	154	1	3	7	14	24	44	61
75-79	47	12.0	196	2	3	7	14	23	34	76
80-84	26	13.0	233	3	4	8	11	28	52	70
85+	27	10.3	47	2	3	9	15	19	21	28
B. *Operated*										
65-69 YRS	88	7.1	77	2	2	3	8	15	28	43
70-74	44	14.2	233	1	2	8	25	38	57	99+
75-79	33	10.4	191	1	2	4	10	31	50	52
80-84	21	13.3	231	1	2	8	16	39	51	58
85+	20	14.4	180	1	2	10	19	40	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	7.2	64	<1	2	4	8	14	21	49
B. *Operated*	97	4.3	22	<1	1	2	4	11	16	23
2. MULTIPLE DX										
A. *Not Operated*	204	10.8	143	2	3	7	12	20	32	67
B. *Operated*	206	10.5	161	1	2	5	13	29	42	61
1. SINGLE DX	152	5.3	39	<1	1	3	6	13	17	28
2. MULTIPLE DX	410	10.6	152	2	2	6	12	27	40	65
A. NOT OPERATED	259	10.0	128	1	3	7	11	20	29	65
B. OPERATED	303	8.5	124	1	2	4	9	25	36	56
TOTAL 65-69 YRS	203	6.5	65	1	2	4	8	13	23	43
70-74	130	10.5	153	1	1	6	12	27	42	72
75-79	103	10.7	174	1	2	6	12	23	45	69
80-84	64	11.5	192	1	2	7	14	28	46	68
85+	62	10.6	95	1	2	8	16	20	32	42
GRAND TOTAL	**562**	**9.2**	**127**	**1**	**2**	**5**	**10**	**21**	**34**	**62**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	466	3.9	10	1	1	3	5	7	9	16
70-74	386	4.0	7	1	2	3	5	7	9	14
75-79	273	4.4	11	1	1	4	5	7	10	16
80-84	179	4.3	8	1	1	4	6	8	10	13
85+	95	5.2	13	1	1	4	7	10	13	17
B. *Operated*										
65-69 YRS	92	4.5	9	2	2	3	6	8	11	16
70-74	53	4.5	8	1	2	4	6	9	10	13
75-79	15	4.8	8	2	2	4	6	9	11	12
80-84	5	6.0	10	1	1	6	8	9	9	9
85+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1399	5.3	14	1	2	4	7	10	12	19
70-74	1418	5.3	12	1	2	4	7	10	12	18
75-79	1194	5.9	18	2	2	5	8	11	13	20
80-84	773	6.3	21	2	2	5	8	12	14	25
85+	509	6.9	27	2	2	6	9	13	16	26
B. *Operated*										
65-69 YRS	154	8.7	58	2	3	6	10	17	24	43
70-74	106	8.1	36	2	3	7	10	16	18	35
75-79	83	9.3	35	2	3	8	13	17	21	27
80-84	50	11.7	85	2	4	10	15	17	24	52
85+	24	9.6	32	3	4	8	13	16	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1399	4.2	9	1	1	3	5	8	10	15
B. *Operated*	167	4.6	9	2	2	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	5293	5.7	17	2	2	5	7	11	13	20
B. *Operated*	417	9.1	50	2	3	7	12	17	21	41
1. SINGLE DX	1566	4.2	9	1	1	3	5	8	10	15
2. MULTIPLE DX	5710	6.0	20	2	2	5	8	11	14	22
A. NOT OPERATED	6692	5.4	16	1	2	4	7	10	13	19
B. OPERATED	584	7.8	43	2	2	6	10	15	18	35
TOTAL 65-69 YRS	2111	5.2	18	1	2	4	6	10	13	22
70-74	1963	5.2	13	1	2	4	7	10	12	18
75-79	1565	5.8	18	1	2	5	7	11	14	20
80-84	1007	6.2	24	2	2	5	8	12	14	25
85+	630	6.7	26	2	2	5	9	13	16	26
GRAND TOTAL	**7276**	**5.6**	**18**	**1**	**2**	**4**	**7**	**11**	**13**	**21**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	304	2.5	1	1	1	2	3	4	4	6
70-74	182	2.6	1	1	1	2	3	4	5	8
75-79	71	2.3	1	1	1	2	3	3	3	4
80-84	16	2.3		1	2	2	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	6.3	2	5	5	6	7	8	8	8
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	9.0		9	9	9	9	9	9	9
85+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
65-69 YRS	97	3.0	2	1	2	3	3	4	5	10
70-74	69	2.9	2	2	2	2	3	4	5	11
75-79	32	3.1	5	2	2	3	3	4	5	14
80-84	13	2.9	1	1	2	3	3	4	5	5
85+	5	2.6	1	2	2	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	573	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	10	4.1	8	1	1	4	6	8	9	9
B. *Operated*	216	2.9	2	1	2	3	3	4	5	11
1. SINGLE DX	575	2.5	1	1	1	2	3	3	4	6
2. MULTIPLE DX	226	3.0	3	1	2	3	3	4	5	10
A. NOT OPERATED	12	3.7	8	1	1	3	5	8	9	9
B. OPERATED	789	2.5	2	1	1	2	3	4	5	7
TOTAL 65-69 YRS	404	2.6	1	1	1	2	3	4	5	7
70-74	254	2.6	2	1	1	2	3	4	5	8
75-79	105	2.5	2	1	1	3	3	3	4	9
80-84	30	2.8	2	1	2	3	3	4	5	9
85+	8	2.5	1	1	1	2	3	4	4	4
GRAND TOTAL	**801**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	3.9	8	1	1	3	6	7	8	14
70-74	21	4.3	8	<1	1	4	6	8	10	13
75-79	14	6.5	19	1	1	6	9	12	15	16
80-84	7	3.1	7	<1	<1	2	5	7	8	8
85+	7	5.1	11	2	2	4	6	11	12	12
B. *Operated*										
65-69 YRS	238	2.3	2	1	1	2	3	3	4	9
70-74	129	2.4	2	1	1	2	3	3	5	10
75-79	56	2.2	1	<1	1	2	2	4	4	8
80-84	27	2.5	4	<1	<1	2	2	5	8	10
85+	13	3.4	26	<1	1	2	3	8	18	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	5.9	18	1	2	5	8	10	17	19
70-74	76	6.2	22	2	2	5	8	12	15	27
75-79	61	6.2	29	<1	1	5	8	13	16	30
80-84	43	7.0	25	2	2	6	10	11	17	29
85+	25	7.4	29	2	3	5	9	17	19	24
B. *Operated*										
65-69 YRS	265	3.1	8	1	1	2	3	5	6	18
70-74	148	3.6	43	1	1	2	3	6	9	33
75-79	83	3.4	21	1	1	3	3	5	7	33
80-84	31	5.3	24	1	1	4	7	13	17	19
85+	9	5.3	16	2	2	3	7	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.5	11	<1	1	4	6	8	12	15
B. *Operated*	463	2.4	3	1	1	2	3	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	288	6.3	23	1	2	5	8	12	16	27
B. *Operated*	536	3.5	21	1	1	2	3	5	9	19
1. SINGLE DX	543	2.7	4	1	1	2	3	4	7	12
2. MULTIPLE DX	824	4.5	24	1	1	3	5	9	13	21
A. NOT OPERATED	368	5.9	21	1	2	5	8	11	16	23
B. OPERATED	999	3.0	13	1	1	2	3	4	7	17
TOTAL 65-69 YRS	617	3.2	6	1	1	2	3	6	8	18
70-74	374	3.7	25	1	1	2	4	8	10	17
75-79	214	4.1	20	1	1	3	5	8	12	24
80-84	108	5.1	21	1	1	4	8	10	16	23
85+	54	5.8	26	1	2	4	7	13	18	24
GRAND TOTAL	**1367**	**3.8**	**17**	**1**	**1**	**3**	**4**	**8**	**10**	**19**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	6.3	9	2	2	6	9	10	10	10
70-74	4	9.0	35	3	3	8	13	17	17	17
75-79	3	14.7	14	12	12	13	17	19	19	19
80-84	4	10.8	69	4	4	8	17	22	22	22
85+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	46.5	1013	24	24	46	69	69	69	69
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	65	11.1	130	2	3	8	15	20	31	71
70-74	40	10.8	102	3	3	8	13	18	32	55
75-79	39	10.5	62	2	3	9	15	24	32	99+
80-84	14	8.6	21	3	4	8	12	16	18	18
85+	9	8.6	29	3	4	7	9	18	21	21
B. *Operated*										
65-69 YRS	29	12.8	143	2	2	8	22	34	46	99+
70-74	14	21.9	396	10	11	17	21	36	76	88
75-79	7	24.9	75	12	13	24	31	36	37	37
80-84	5	13.8	23	10	10	13	15	22	22	22
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	8.7	30	2	3	7	12	18	20	22
B. *Operated*	3	31.7	1166	2	2	24	58	69	69	69
2. MULTIPLE DX										
A. *Not Operated*	167	10.5	92	3	3	8	14	20	27	71
B. *Operated*	56	16.7	200	2	2	13	22	33	43	99
1. SINGLE DX	24	11.6	188	2	3	7	13	22	37	69
2. MULTIPLE DX	223	12.1	126	2	3	9	16	24	34	91
A. NOT OPERATED	188	10.3	85	3	3	8	13	20	26	67
B. OPERATED	59	17.5	241	2	2	14	23	34	57	99
TOTAL 65-69 YRS	103	11.1	125	2	2	8	15	23	34	86
70-74	60	14.4	232	3	3	10	16	24	48	86
75-79	49	12.8	85	3	3	11	19	28	37	99+
80-84	23	10.1	31	3	4	10	13	19	22	22
85+	12	8.5	28	3	4	7	11	17	20	21
GRAND TOTAL	**247**	**12.0**	**131**	**2**	**3**	**9**	**16**	**24**	**33**	**88**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	7.0	24	2	3	7	8	12	16	25
70-74	24	6.0	15	2	2	5	7	9	14	20
75-79	28	7.1	21	2	2	6	10	14	15	19
80-84	6	6.3	5	4	4	6	8	10	10	10
85+	3	7.0	9	4	4	7	9	10	10	10
B. *Operated*										
65-69 YRS	118	8.5	69	2	2	4	14	20	23	40
70-74	48	10.7	102	2	2	6	16	26	34	37
75-79	20	12.2	101	2	2	10	18	25	33	39
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	475	9.4	80	2	3	7	11	18	27	43
70-74	510	9.4	59	2	3	7	11	18	23	39
75-79	387	10.7	87	2	3	8	13	20	28	55
80-84	220	10.1	44	3	4	8	14	21	24	31
85+	115	10.8	49	3	5	9	14	20	24	40
B. *Operated*										
65-69 YRS	586	14.6	166	2	2	12	22	31	37	75
70-74	382	14.9	192	2	2	12	20	32	46	66
75-79	163	14.9	180	2	2	13	20	30	38	62
80-84	45	16.3	254	2	2	10	23	42	47	76
85+	22	13.7	99	3	4	10	21	30	35	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	6.7	18	2	3	6	8	12	14	23
B. *Operated*	186	9.4	82	2	2	5	15	20	27	38
2. MULTIPLE DX										
A. *Not Operated*	1707	9.9	69	2	3	8	12	19	25	42
B. *Operated*	1198	14.8	178	2	2	12	21	31	40	72
1. SINGLE DX	272	8.6	63	2	2	5	13	19	24	37
2. MULTIPLE DX	2905	11.9	120	2	2	9	16	25	33	57
A. NOT OPERATED	1793	9.7	67	2	3	8	12	19	24	42
B. OPERATED	1384	14.1	168	2	2	11	20	30	38	67
TOTAL 65-69 YRS	1204	11.8	127	2	2	9	16	26	34	59
70-74	964	11.6	120	2	2	8	15	24	33	57
75-79	598	11.8	113	2	3	9	15	23	32	58
80-84	271	11.0	83	3	3	8	14	22	28	44
85+	140	11.2	57	3	4	9	14	21	26	40
GRAND TOTAL	**3177**	**11.6**	**116**	**2**	**2**	**9**	**15**	**24**	**32**	**56**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	587	5.0	28	<1	1	4	6	9	12	18
70-74	498	4.6	14	<1	<1	4	6	9	11	18
75-79	380	5.5	22	<1	2	5	7	10	14	24
80-84	202	5.3	18	1	2	4	7	10	14	22
85+	113	6.2	79	1	2	4	7	12	19	90
B. *Operated*										
65-69 YRS	54	5.1	21	2	2	4	6	10	16	25
70-74	32	6.6	31	1	2	5	9	13	18	26
75-79	14	8.3	189	1	1	4	7	20	46	54
80-84	6	8.2	50	2	2	6	12	19	20	20
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4239	6.9	32	2	2	6	8	12	16	29
70-74	4033	7.2	34	2	2	6	9	13	18	29
75-79	3166	7.6	45	2	2	6	9	14	18	34
80-84	2096	8.1	52	2	3	6	10	15	20	37
85+	1455	8.7	58	2	3	7	10	17	24	43
B. *Operated*										
65-69 YRS	670	11.0	87	2	3	9	14	22	27	51
70-74	551	12.6	127	2	3	9	16	26	37	75
75-79	386	13.3	114	2	3	11	17	26	31	66
80-84	204	15.0	199	3	4	12	19	30	49	76
85+	109	12.9	105	3	4	10	16	27	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1780	5.1	25	<1	1	4	6	10	13	20
B. *Operated*	107	6.1	47	1	2	4	7	13	17	38
2. MULTIPLE DX										
A. *Not Operated*	14989	7.5	41	2	2	6	9	14	18	33
B. *Operated*	1920	12.5	118	2	3	10	16	25	33	70
1. SINGLE DX	1887	5.2	26	<1	1	4	6	10	13	21
2. MULTIPLE DX	16909	8.0	52	2	3	6	10	15	21	38
A. NOT OPERATED	16769	7.2	40	2	2	6	9	14	18	32
B. OPERATED	2027	12.1	116	2	3	9	15	24	32	68
TOTAL 65-69 YRS	5550	7.2	41	2	2	6	9	14	18	32
70-74	5114	7.6	46	2	2	6	9	14	20	36
75-79	3946	8.0	53	2	2	6	10	15	20	39
80-84	2508	8.5	66	2	3	6	10	16	21	50
85+	1678	8.8	63	2	3	7	11	18	25	50
GRAND TOTAL	**18796**	**7.8**	**50**	**2**	**2**	**6**	**9**	**15**	**20**	**37**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	201	6.4	16	2	2	5	8	12	15	19
70-74	222	6.9	24	2	3	6	9	12	16	28
75-79	181	6.9	17	2	3	6	9	12	14	22
80-84	130	7.6	31	2	2	6	10	14	15	29
85+	98	7.5	32	2	3	6	10	14	18	33
B. *Operated*										
65-69 YRS	22	4.0	9	1	1	3	5	8	11	13
70-74	6	4.5	10	2	2	3	6	10	10	10
75-79	6	13.5	156	2	2	9	21	34	35	35
80-84	1	4.0		4	4	4	4	4	4	4
85+	5	8.2	8	5	5	8	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2694	9.2	54	2	3	7	11	17	23	38
70-74	3071	9.7	65	3	3	8	12	18	23	41
75-79	2965	10.5	78	3	3	8	13	20	28	50
80-84	2344	10.7	80	3	3	8	13	21	28	55
85+	1761	11.2	97	3	4	9	13	21	31	59
B. *Operated*										
65-69 YRS	432	13.1	106	2	3	11	17	26	34	57
70-74	380	15.8	190	2	3	12	20	32	42	87
75-79	347	16.9	163	4	5	14	21	33	42	67
80-84	250	18.1	192	4	6	14	22	41	52	99+
85+	154	17.9	186	4	5	14	21	40	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	7.0	22	2	3	6	9	13	15	23
B. *Operated*	40	6.0	39	1	2	4	8	11	17	35
2. MULTIPLE DX										
A. *Not Operated*	12835	10.2	73	3	3	8	12	19	26	49
B. *Operated*	1563	15.9	164	2	4	13	20	32	43	82
1. SINGLE DX	872	6.9	23	2	2	6	9	13	15	24
2. MULTIPLE DX	14398	10.8	86	3	3	8	13	21	28	54
A. NOT OPERATED	13667	10.0	71	3	3	8	12	19	25	48
B. OPERATED	1603	15.6	163	2	4	13	20	32	42	78
TOTAL 65-69 YRS	3349	9.5	60	2	3	7	12	18	24	41
70-74	3679	10.2	79	3	3	8	12	19	25	49
75-79	3499	10.9	88	3	3	8	13	21	29	53
80-84	2725	11.3	93	3	4	9	14	22	30	62
85+	2018	11.5	105	3	4	9	14	22	32	61
GRAND TOTAL	**15270**	**10.6**	**83**	**3**	**3**	**8**	**13**	**20**	**27**	**53**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	7.5	42	1	2	5	11	15	17	36
70-74	46	7.0	29	1	1	7	9	15	17	25
75-79	36	9.0	52	2	3	6	11	22	27	29
80-84	10	12.6	62	4	4	11	17	25	28	28
85+	12	9.8	30	2	4	8	14	17	20	21
B. *Operated*										
65-69 YRS	45	9.1	124	1	2	5	11	16	30	63
70-74	38	7.7	38	1	1	6	11	17	20	24
75-79	12	6.2	20	1	2	4	9	13	15	15
80-84	5	10.0	38	4	4	10	13	20	20	20
85+	2	10.0	162	<1	<1	9	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	379	10.5	79	2	3	8	13	21	28	50
70-74	368	11.4	90	3	3	9	14	21	28	52
75-79	366	12.5	140	2	3	9	15	26	35	66
80-84	281	12.1	78	3	4	9	15	24	33	41
85+	222	13.9	166	2	4	11	18	26	39	87
B. *Operated*										
65-69 YRS	315	16.1	238	2	3	11	22	35	49	89
70-74	266	14.7	154	2	3	11	20	29	38	69
75-79	177	17.6	179	3	4	15	24	36	45	94
80-84	66	25.5	386	3	5	20	39	51	77	97
85+	47	18.4	132	4	6	16	24	35	42	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	8.3	42	1	2	7	11	16	22	29
B. *Operated*	102	8.3	74	1	2	6	11	17	21	52
2. MULTIPLE DX										
A. *Not Operated*	1616	11.9	108	2	3	9	15	24	32	55
B. *Operated*	871	16.8	212	2	3	13	23	36	46	86
1. SINGLE DX	245	8.3	55	1	2	7	11	16	22	36
2. MULTIPLE DX	2487	13.6	150	2	3	10	17	29	39	73
A. NOT OPERATED	1759	11.6	104	2	3	9	15	23	31	54
B. OPERATED	973	15.9	205	2	3	12	21	35	45	84
TOTAL 65-69 YRS	778	12.5	153	2	3	9	16	28	39	71
70-74	718	12.1	112	2	3	9	16	24	31	60
75-79	591	13.7	151	2	3	10	18	29	40	72
80-84	362	14.5	159	3	4	10	18	32	40	76
85+	283	14.4	157	2	4	12	18	27	39	82
GRAND TOTAL	**2732**	**13.1**	**144**	**2**	**3**	**10**	**17**	**28**	**38**	**69**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2387	12.1	22	5	7	12	14	18	20	26
70-74	1888	12.4	24	6	7	12	15	18	21	28
75-79	1297	12.5	24	6	7	12	15	19	21	28
80-84	739	12.9	37	5	7	12	15	19	23	31
85+	450	12.6	36	4	6	12	15	19	22	33
B. *Operated*										
65-69 YRS	206	13.2	52	2	2	13	16	22	25	36
70-74	152	14.2	52	2	5	13	18	22	26	30
75-79	54	15.9	38	7	9	15	19	26	27	30
80-84	24	18.5	80	7	10	16	22	31	37	43
85+	14	16.3	36	7	8	16	20	22	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10897	13.5	38	6	7	13	16	21	24	35
70-74	10555	14.0	50	6	7	13	16	22	26	39
75-79	8709	14.5	60	6	7	13	17	23	28	45
80-84	5960	15.3	75	6	7	13	18	24	31	51
85+	3941	15.6	80	6	7	14	19	25	32	52
B. *Operated*										
65-69 YRS	2116	17.7	121	3	7	15	22	31	40	64
70-74	1709	20.2	150	7	9	17	25	35	44	75
75-79	1222	21.5	158	8	10	18	26	38	47	88
80-84	735	22.5	167	9	11	19	27	40	52	77
85+	425	22.9	164	10	11	20	28	40	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6761	12.4	25	5	7	12	15	13	21	28
B. *Operated*	450	14.2	53	2	5	14	18	23	27	34
2. MULTIPLE DX										
A. *Not Operated*	40062	14.3	56	6	7	13	17	22	27	42
B. *Operated*	6207	20.1	148	6	9	17	25	35	44	76
1. SINGLE DX	7211	12.5	27	5	7	12	15	19	21	29
2. MULTIPLE DX	46269	15.1	72	6	7	13	18	24	31	49
A. NOT OPERATED	46823	14.1	52	6	7	13	16	22	27	41
B. OPERATED	6657	19.7	144	6	9	17	24	35	44	73
TOTAL 65-69 YRS	15606	13.8	50	5	7	13	16	22	26	41
70-74	14304	14.5	63	6	7	13	17	23	28	44
75-79	11282	15.1	72	6	8	13	18	24	31	50
80-84	7458	15.8	86	6	8	14	19	26	33	55
85+	4830	16.0	88	6	8	14	19	27	34	57
GRAND TOTAL	**53480**	**14.8**	**67**	**6**	**7**	**13**	**17**	**24**	**29**	**48**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	972	4.5	10	1	2	4	6	8	10	17
70-74	843	4.8	11	1	2	4	6	9	11	17
75-79	632	4.9	10	1	2	4	6	9	11	16
80-84	418	5.0	20	1	1	4	6	10	12	20
85+	252	4.7	13	<1	1	4	6	9	11	17
B. *Operated*										
65-69 YRS	157	4.6	19	1	1	3	6	10	13	20
70-74	93	5.2	52	1	2	2	6	11	16	42
75-79	20	6.1	33	1	1	4	7	16	19	20
80-84	6	10.0	30	2	2	11	14	16	16	16
85+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7665	6.1	21	2	2	5	8	11	14	22
70-74	7860	6.3	20	2	2	5	8	12	14	23
75-79	6713	6.7	26	2	2	5	8	12	15	25
80-84	4301	6.9	27	2	2	6	8	13	16	29
85+	2953	7.2	37	2	2	6	9	13	17	32
B. *Operated*										
65-69 YRS	2884	8.7	66	2	2	6	13	19	23	35
70-74	1707	9.9	88	2	2	8	14	21	27	44
75-79	762	11.6	84	2	2	10	16	23	29	51
80-84	307	13.2	85	3	4	11	16	24	32	48
85+	134	15.6	133	4	5	12	20	34	41	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3117	4.7	12	1	2	4	6	9	11	17
B. *Operated*	278	5.0	32	1	1	3	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	29492	6.5	24	2	2	5	8	12	15	24
B. *Operated*	5794	9.8	80	2	2	8	14	20	27	42
1. SINGLE DX	3395	4.8	13	1	2	4	6	9	11	18
2. MULTIPLE DX	35286	7.1	35	2	2	5	9	14	17	30
A. NOT OPERATED	32609	6.3	23	2	2	5	8	12	15	24
B. OPERATED	6072	9.6	78	2	2	8	14	20	26	42
TOTAL 65-69 YRS	11678	6.6	32	2	2	5	8	13	17	27
70-74	10503	6.8	33	2	2	5	8	13	17	29
75-79	8127	7.0	32	2	2	6	9	13	17	29
80-84	5032	7.1	33	2	2	6	9	13	17	31
85+	3341	7.4	42	2	2	6	9	14	18	35
GRAND TOTAL	**38681**	**6.9**	**33**	**2**	**2**	**5**	**9**	**13**	**17**	**29**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	865	5.8	14	2	2	5	7	10	13	21
70-74	727	6.3	20	2	2	5	8	11	13	21
75-79	545	6.3	16	2	3	5	8	11	13	21
80-84	338	6.4	19	2	3	5	9	12	14	23
85+	188	6.5	22	2	2	6	8	11	15	27
B. *Operated*										
65-69 YRS	132	8.7	51	2	2	8	12	17	25	33
70-74	52	9.3	52	2	2	7	14	18	24	32
75-79	26	11.0	67	2	2	9	16	22	29	31
80-84	2	9.5	25	6	6	9	13	13	13	13
85+	2	10.5	181	1	1	10	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6269	7.4	24	2	3	6	9	13	16	26
70-74	6443	7.8	29	2	3	7	10	14	17	27
75-79	5212	8.3	36	3	3	7	10	15	19	29
80-84	3659	8.6	40	3	3	7	11	15	19	32
85+	2264	8.7	46	3	3	7	11	16	21	37
B. *Operated*										
65-69 YRS	1764	12.9	96	2	2	11	17	24	31	50
70-74	1148	14.2	103	2	3	13	18	27	31	53
75-79	616	16.2	133	3	5	14	20	31	41	59
80-84	263	16.4	132	4	6	13	21	31	38	56
85+	113	16.2	101	6	6	14	21	29	39	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2663	6.2	17	2	2	5	8	11	14	21
B. *Operated*	214	9.2	53	2	2	8	12	19	25	33
2. MULTIPLE DX										
A. *Not Operated*	23847	8.0	33	2	3	7	10	14	18	29
B. *Operated*	3904	14.1	108	2	3	12	18	27	33	54
1. SINGLE DX	2877	6.4	20	2	2	5	8	11	14	24
2. MULTIPLE DX	27751	8.9	48	2	3	7	11	16	21	36
A. NOT OPERATED	26510	7.8	31	2	3	7	10	14	17	28
B. OPERATED	4118	13.9	107	2	3	12	18	26	33	54
TOTAL 65-69 YRS	9030	8.4	43	2	3	7	10	16	21	33
70-74	8370	8.6	44	2	3	7	11	16	20	33
75-79	6399	8.9	50	2	3	7	11	16	21	36
80-84	4262	8.9	48	3	3	7	11	16	21	37
85+	2567	8.9	50	2	3	7	11	17	22	41
GRAND TOTAL	**30628**	**8.6**	**46**	**2**	**3**	**7**	**11**	**16**	**21**	**35**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	552	5.4	19	1	2	4	7	10	13	20
70-74	478	6.0	20	2	2	5	7	11	15	24
75-79	359	5.7	15	1	2	5	7	10	14	20
80-84	274	7.3	27	2	2	6	10	14	17	22
85+	218	6.8	32	1	2	5	8	12	16	33
B. *Operated*										
65-69 YRS	2233	7.0	42	2	2	3	11	15	18	28
70-74	1028	7.9	48	2	2	6	12	17	21	28
75-79	321	8.7	63	2	2	7	13	18	25	36
80-84	52	9.9	72	1	2	9	15	20	24	43
85+	21	7.0	69	2	2	3	10	14	25	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7082	7.6	35	2	3	6	9	14	18	30
70-74	7810	8.1	38	2	3	7	10	15	19	34
75-79	7629	8.6	45	2	3	7	11	16	21	35
80-84	5843	9.3	51	2	3	7	12	18	22	37
85+	5260	9.8	70	2	3	8	12	19	24	48
B. *Operated*										
65-69 YRS	6907	10.0	86	2	2	9	14	20	27	46
70-74	4015	11.8	104	2	2	10	16	23	30	53
75-79	1878	13.2	130	2	2	11	17	27	34	66
80-84	793	16.1	149	3	4	13	21	31	43	65
85+	531	17.4	181	3	5	14	23	34	44	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1881	6.0	22	1	2	5	8	12	15	22
B. *Operated*	3655	7.4	46	2	2	4	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	33624	8.6	47	2	3	7	11	16	21	36
B. *Operated*	14124	11.6	108	2	2	10	16	23	31	55
1. SINGLE DX	5536	7.0	38	2	2	5	10	15	18	28
2. MULTIPLE DX	47748	9.5	67	2	2	7	12	18	24	43
A. NOT OPERATED	35505	8.5	46	2	3	7	10	16	20	35
B. OPERATED	17779	10.7	98	2	2	9	15	22	29	51
TOTAL 65-69 YRS	16774	8.5	58	2	2	7	11	17	22	37
70-74	13331	9.1	61	2	2	7	12	18	23	40
75-79	10187	9.4	64	2	3	7	12	18	24	40
80-84	6962	10.0	66	2	3	8	12	19	25	44
85+	6030	10.4	83	2	3	8	13	20	27	53
GRAND TOTAL	**53284**	**9.2**	**64**	**2**	**2**	**7**	**12**	**18**	**24**	**41**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	191	11.4	20	5	7	11	14	17	19	27
70-74	188	11.5	21	5	6	11	14	17	20	25
75-79	135	11.4	25	4	6	11	14	18	20	27
80-84	84	12.2	32	5	6	12	14	19	25	30
85+	37	12.5	37	3	5	11	15	21	25	31
B. *Operated*										
65-69 YRS	32	12.9	10	9	9	13	15	17	18	19
70-74	32	14.8	80	7	8	13	17	22	30	54
75-79	25	13.3	51	6	7	12	16	19	28	39
80-84	9	18.4	101	7	8	18	23	34	37	37
85+	3	16.0	28	12	12	14	20	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1089	13.1	48	5	7	12	15	22	26	37
70-74	1134	13.7	42	6	7	12	17	22	26	37
75-79	991	14.8	72	6	7	13	18	24	31	51
80-84	634	15.7	79	6	8	14	18	27	33	51
85+	462	16.8	108	6	7	14	20	32	39	62
B. *Operated*										
65-69 YRS	311	18.4	111	7	9	16	23	32	41	72
70-74	274	18.9	120	8	9	16	22	34	44	62
75-79	214	23.3	262	7	9	18	28	46	63	85
80-84	143	22.4	172	8	9	19	28	41	48	64
85+	57	25.0	261	10	11	19	33	55	64	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	11.6	24	5	6	11	14	18	21	26
B. *Operated*	101	14.2	51	7	8	13	17	21	27	46
2. MULTIPLE DX										
A. *Not Operated*	4310	14.4	64	6	7	13	17	24	30	46
B. *Operated*	999	20.5	168	7	9	17	25	38	51	80
1. SINGLE DX	736	11.9	28	5	6	11	14	18	21	31
2. MULTIPLE DX	5309	15.6	89	6	7	13	18	26	34	57
A. NOT OPERATED	4945	14.1	60	5	7	12	17	23	29	44
B. OPERATED	1100	20.0	160	7	9	16	24	37	49	79
TOTAL 65-69 YRS	1623	13.9	61	5	7	12	17	23	28	45
70-74	1628	14.3	58	6	7	13	17	23	28	44
75-79	1365	15.8	108	6	7	13	18	26	37	67
80-84	870	16.5	98	6	7	14	20	29	37	52
85+	559	17.4	125	6	7	14	21	33	41	78
GRAND TOTAL	**6045**	**15.1**	**83**	**6**	**7**	**13**	**18**	**25**	**33**	**55**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	26.5	196	11	11	26	31	48	55	55
70-74	5	34.8	47	28	28	32	38	46	46	46
75-79	6	25.7	297	7	7	26	42	44	44	44
80-84	3	25.3	230	9	9	28	36	39	39	39
85+	5	39.6	679	11	11	37	49	82	82	82
B. *Operated*										
65-69 YRS	2	39.0	648	21	21	39	57	57	57	57
70-74										
75-79	2	39.0	2	38	38	39	40	40	40	40
80-84	2	23.0		23	23	23	23	23	23	23
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	111	28.1	220	5	8	29	36	47	54	71
70-74	105	31.1	153	12	15	30	39	48	54	60
75-79	72	27.3	268	5	7	29	35	53	65	94
80-84	37	29.2	139	11	14	28	37	46	57	99+
85+	36	31.1	233	9	11	31	37	48	56	82
B. *Operated*										
65-69 YRS	41	39.2	303	8	20	36	47	65	67	85
70-74	40	35.8	253	8	12	38	46	58	66	99+
75-79	35	42.2	196	19	27	42	51	59	80	99+
80-84	17	40.7	316	12	26	34	57	63	70	74
85+	11	37.4	121	17	24	36	40	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	30.1	272	8	9	30	38	46	59	82
B. *Operated*	6	33.7	198	21	21	31	40	55	57	57
2. MULTIPLE DX										
A. *Not Operated*	361	29.2	203	6	10	30	37	48	55	81
B. *Operated*	144	39.0	250	11	17	39	49	60	67	99+
1. SINGLE DX	33	30.8	254	8	10	30	38	48	57	82
2. MULTIPLE DX	505	32.0	236	7	12	32	41	54	60	85
A. NOT OPERATED	388	29.3	208	7	10	30	37	48	55	82
B. OPERATED	150	38.8	248	11	18	38	48	60	67	99+
TOTAL 65-69 YRS	162	31.0	263	6	9	31	38	54	61	81
70-74	150	32.5	179	9	15	32	42	49	56	68
75-79	115	32.0	287	6	8	32	43	56	67	99+
80-84	59	32.1	214	10	14	30	40	57	62	97
85+	52	33.3	248	10	12	33	38	51	59	82
GRAND TOTAL	**538**	**31.9**	**237**	**7**	**12**	**31**	**41**	**54**	**60**	**85**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	182	3.5	8	1	1	3	4	8	9	14
70-74	128	3.5	8	<1	1	3	4	6	8	18
75-79	86	4.1	10	1	1	3	6	8	9	18
80-84	48	4.7	19	1	1	3	6	8	14	25
85+	32	3.8	6	1	1	3	5	8	8	10
B. *Operated*										
65-69 YRS	6	7.8	55	2	2	5	16	18	18	18
70-74	5	6.8	12	4	4	5	10	11	11	11
75-79	4	14.3	66	8	8	12	20	25	25	25
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	695	5.6	20	1	2	5	7	10	13	25
70-74	667	5.8	21	1	2	5	8	11	14	23
75-79	580	6.7	26	1	2	5	9	13	16	24
80-84	344	7.0	29	2	2	6	9	12	16	28
85+	244	7.0	26	1	2	6	9	14	17	26
B. *Operated*										
65-69 YRS	66	11.5	125	2	4	8	13	20	33	70
70-74	58	12.9	174	3	3	9	14	28	33	83
75-79	51	13.6	145	4	5	10	14	28	39	99+
80-84	30	15.1	79	3	3	13	21	28	32	37
85+	15	17.5	143	4	5	14	24	50	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	3.8	9	1	1	3	5	8	9	16
B. *Operated*	16	9.1	44	2	2	8	13	18	23	25
2. MULTIPLE DX										
A. *Not Operated*	2530	6.2	24	1	2	5	8	12	15	25
B. *Operated*	220	13.3	138	3	4	10	16	27	36	91
1. SINGLE DX	492	3.9	11	1	1	3	5	8	10	18
2. MULTIPLE DX	2750	6.8	36	1	2	5	8	13	17	30
A. NOT OPERATED	3006	5.8	22	1	2	5	8	11	14	24
B. OPERATED	236	13.0	132	3	4	10	16	27	35	89
TOTAL 65-69 YRS	949	5.6	28	1	2	4	7	11	14	25
70-74	858	6.0	34	1	2	4	7	12	15	28
75-79	721	6.9	37	1	2	5	9	14	17	32
80-84	423	7.4	36	1	2	6	9	13	19	30
85+	291	7.2	36	1	2	6	9	14	19	31
GRAND TOTAL	**3242**	**6.4**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	667	3.6	8	1	1	3	5	7	9	15
70-74	562	4.0	14	1	1	3	5	7	9	22
75-79	437	4.3	9	1	1	4	6	8	9	14
80-84	272	5.0	14	1	2	4	7	10	12	19
85+	166	5.6	24	1	1	4	7	12	16	21
B. *Operated*										
65-69 YRS	27	5.9	26	1	1	5	8	12	14	23
70-74	22	7.1	27	2	2	5	10	14	19	20
75-79	21	8.7	39	1	2	6	11	18	22	24
80-84	13	8.2	21	3	4	7	11	15	17	18
85+	8	9.3	29	2	3	11	11	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3939	6.3	32	1	2	5	8	12	15	25
70-74	4313	6.8	30	1	2	5	9	13	17	28
75-79	4092	7.6	44	2	2	6	9	14	19	34
80-84	3126	8.4	52	2	2	7	10	16	21	37
85+	2703	9.4	86	2	3	7	12	18	25	56
B. *Operated*										
65-69 YRS	434	11.9	111	2	2	9	15	24	30	55
70-74	477	13.3	118	3	3	11	17	27	35	68
75-79	466	15.0	136	4	5	12	18	28	39	60
80-84	412	14.6	122	3	5	12	19	27	37	78
85+	333	16.6	149	4	5	13	22	33	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2104	4.2	12	1	1	3	5	8	10	18
B. *Operated*	91	7.5	29	2	2	6	11	15	19	24
2. MULTIPLE DX										
A. *Not Operated*	18173	7.5	47	2	2	6	9	14	19	34
B. *Operated*	2122	14.2	128	3	4	11	18	27	37	69
1. SINGLE DX	2195	4.3	13	1	1	3	6	8	11	19
2. MULTIPLE DX	20295	8.2	59	2	2	6	10	16	21	40
A. NOT OPERATED	20277	7.2	44	1	2	6	9	14	18	33
B. OPERATED	2213	13.9	126	3	4	11	18	27	37	67
TOTAL 65-69 YRS	5067	6.4	39	1	2	5	8	12	17	29
70-74	5374	7.1	41	1	2	5	9	14	19	33
75-79	5016	8.0	55	2	2	6	10	16	21	38
80-84	3823	8.8	61	2	2	7	11	17	23	39
85+	3210	10.0	95	2	3	7	12	20	27	58
GRAND TOTAL	**22490**	**7.9**	**56**	**1**	**2**	**6**	**10**	**15**	**21**	**38**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	622	4.6	14	1	1	4	6	9	11	19
70-74	586	4.9	17	1	1	4	6	9	11	23
75-79	448	5.4	19	1	1	4	7	11	14	19
80-84	324	5.5	17	1	2	4	7	10	12	23
85+	232	6.1	18	2	2	5	8	12	15	22
B. *Operated*										
65-69 YRS	355	7.3	23	2	2	6	10	13	17	24
70-74	465	7.4	23	2	3	6	9	13	16	25
75-79	511	7.7	23	3	3	6	10	14	17	25
80-84	417	8.2	31	3	3	7	10	14	18	24
85+	345	7.9	22	3	3	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5272	7.0	31	2	2	6	9	13	17	28
70-74	5511	7.5	37	2	2	6	9	14	18	31
75-79	5013	7.8	40	2	3	6	10	14	19	32
80-84	3664	8.6	54	2	3	7	10	16	21	39
85+	3040	9.1	58	2	3	7	11	17	23	41
B. *Operated*										
65-69 YRS	2181	10.7	69	2	3	9	13	20	26	41
70-74	2916	11.5	72	3	4	9	14	22	27	45
75-79	3131	12.2	91	3	4	10	15	23	29	56
80-84	2705	12.6	79	4	4	10	16	22	29	50
85+	2315	13.2	97	4	5	11	16	25	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2212	5.1	17	1	1	4	7	10	12	22
B. *Operated*	2093	7.7	25	2	3	7	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	22500	7.8	42	2	2	6	10	15	19	34
B. *Operated*	13248	12.1	82	3	4	10	15	22	29	50
1. SINGLE DX	4305	6.4	22	1	2	5	8	12	15	24
2. MULTIPLE DX	35748	9.4	61	2	3	7	12	18	24	41
A. NOT OPERATED	24712	7.6	41	2	2	6	9	14	19	33
B. OPERATED	15341	11.5	77	3	4	9	14	21	27	48
TOTAL 65-69 YRS	8430	7.8	42	2	2	6	10	15	19	33
70-74	9478	8.6	50	2	3	7	11	16	22	36
75-79	9103	9.2	61	2	3	7	11	18	23	41
80-84	7110	9.9	65	2	3	8	12	19	24	44
85+	5932	10.5	75	2	3	8	13	20	26	46
GRAND TOTAL	**40053**	**9.1**	**58**	**2**	**3**	**7**	**11**	**17**	**23**	**40**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	850	7.5	29	2	2	6	9	14	18	26
70-74	1156	7.6	38	2	3	6	9	14	19	33
75-79	1399	7.7	35	2	3	6	9	15	19	33
80-84	1208	8.0	40	2	3	6	10	15	18	30
85+	1459	8.2	47	2	3	7	10	15	21	38
B. *Operated*										
65-69 YRS	33	11.1	147	1	2	9	13	20	41	60
70-74	42	11.2	61	2	3	9	14	22	26	39
75-79	37	16.9	299	3	4	10	24	33	48	94
80-84	22	22.8	498	3	5	13	31	56	72	94
85+	26	12.8	41	3	4	13	16	19	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13818	9.8	56	3	3	8	12	18	23	40
70-74	18168	10.1	60	3	4	8	12	19	24	42
75-79	19901	10.4	66	3	4	8	13	19	25	45
80-84	18054	10.9	73	3	4	9	14	20	27	46
85+	18986	11.5	91	3	4	9	14	22	29	59
B. *Operated*										
65-69 YRS	1652	17.8	174	4	6	14	23	35	46	74
70-74	1922	18.0	165	4	6	15	23	34	47	71
75-79	1977	19.5	202	5	6	16	25	39	50	89
80-84	1575	19.9	215	5	7	16	25	39	53	99+
85+	1456	20.5	218	6	7	16	26	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6072	7.8	39	2	3	6	10	15	19	33
B. *Operated*	160	14.3	202	2	3	10	17	28	41	90
2. MULTIPLE DX										
A. *Not Operated*	88927	10.6	70	3	4	8	13	20	26	46
B. *Operated*	8582	19.1	194	5	6	15	24	37	49	90
1. SINGLE DX	6232	8.0	44	2	3	6	10	15	20	34
2. MULTIPLE DX	97509	11.3	87	3	4	9	14	22	29	53
A. NOT OPERATED	94999	10.4	69	3	4	8	13	19	25	45
B. OPERATED	8742	19.0	195	5	6	15	24	37	49	90
TOTAL 65-69 YRS	16353	10.5	73	3	3	8	13	20	26	45
70-74	21288	10.7	74	3	4	8	13	20	27	47
75-79	23314	11.1	84	3	4	8	14	21	28	51
80-84	20859	11.4	89	3	4	9	14	22	29	53
85+	21927	11.9	102	3	4	9	15	23	31	64
GRAND TOTAL	**103741**	**11.1**	**85**	**3**	**4**	**9**	**14**	**21**	**28**	**52**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	273	6.2	24	1	2	5	7	13	15	25
70-74	196	6.9	21	2	2	6	9	14	17	23
75-79	162	7.5	41	1	2	6	10	14	19	29
80-84	113	8.8	77	2	3	6	11	18	23	48
85+	76	8.5	39	2	3	6	11	19	22	28
B. *Operated*										
65-69 YRS	373	7.1	51	2	2	3	12	17	21	35
70-74	194	6.9	42	2	2	4	11	15	18	27
75-79	109	8.6	67	2	2	6	14	19	24	38
80-84	19	12.7	81	1	2	14	19	25	26	26
85+	8	5.1	30	2	2	2	8	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2608	9.0	43	2	3	7	11	17	21	34
70-74	2715	9.4	55	2	3	7	12	18	23	37
75-79	2321	10.0	69	3	3	8	12	19	25	40
80-84	1565	10.0	69	2	3	8	12	20	26	46
85+	1329	10.5	78	3	4	8	13	20	26	49
B. *Operated*										
65-69 YRS	1775	11.7	130	2	2	9	16	25	33	60
70-74	1460	13.6	150	2	2	11	19	28	37	66
75-79	863	15.3	169	2	2	13	20	30	42	73
80-84	345	15.5	152	2	3	13	21	30	40	67
85+	164	14.7	102	3	4	12	19	30	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	7.2	36	2	2	6	9	14	19	28
B. *Operated*	703	7.4	52	2	2	3	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	10538	9.7	60	2	3	8	12	18	24	40
B. *Operated*	4607	13.4	146	2	2	11	18	28	36	65
1. SINGLE DX	1523	7.3	43	2	2	5	10	16	20	29
2. MULTIPLE DX	15145	10.8	89	2	3	8	14	22	28	50
A. NOT OPERATED	11358	9.5	59	2	3	7	12	18	24	39
B. OPERATED	5310	12.6	138	2	2	10	17	27	34	62
TOTAL 65-69 YRS	5029	9.6	76	2	2	7	13	20	26	44
70-74	4565	10.5	88	2	2	8	14	21	28	46
75-79	3455	11.2	99	2	3	8	14	23	29	56
80-84	2042	10.9	88	2	3	8	14	22	29	51
85+	1577	10.8	80	3	3	8	14	21	28	52
GRAND TOTAL	**16668**	**10.5**	**86**	**2**	**2**	**8**	**14**	**21**	**28**	**48**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	6.4	41	1	1	5	9	12	20	34
70-74	37	7.8	57	1	2	6	10	15	19	44
75-79	39	6.9	16	2	3	6	9	13	15	18
80-84	27	9.1	98	<1	1	6	13	18	32	46
85+	25	6.3	26	1	2	5	7	15	18	23
B. *Operated*										
65-69 YRS	20	6.4	70	1	1	4	8	11	25	39
70-74	15	5.7	25	1	2	2	10	13	14	15
75-79	12	8.5	50	2	2	7	11	20	25	26
80-84	4	22.3	367	6	5	16	33	50	50	50
85+	3	5.7	10	2	2	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1030	7.8	38	2	3	6	10	14	18	31
70-74	1238	8.3	39	2	3	7	11	15	20	33
75-79	1380	9.1	61	2	3	7	11	18	24	46
80-84	1270	9.5	64	2	3	7	12	18	24	51
85+	1326	10.5	98	2	3	8	13	20	28	80
B. *Operated*										
65-69 YRS	338	9.8	61	2	2	8	14	21	25	38
70-74	263	13.4	132	2	3	10	17	28	40	62
75-79	229	15.1	124	2	4	12	19	29	42	49
80-84	159	16.8	311	3	4	11	18	37	68	98
85+	136	19.8	251	3	4	16	28	39	56	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	7.3	46	1	2	5	9	14	19	42
B. *Operated*	54	7.8	81	1	2	5	10	16	24	50
2. MULTIPLE DX										
A. *Not Operated*	6244	9.1	62	2	3	7	11	17	23	48
B. *Operated*	1125	13.9	159	2	3	10	18	29	40	75
1. SINGLE DX	221	7.4	54	1	2	5	9	15	19	45
2. MULTIPLE DX	7369	9.8	80	2	3	7	12	19	26	56
A. NOT OPERATED	6411	9.1	62	2	3	7	11	17	23	47
B. OPERATED	1179	13.6	157	2	2	10	17	28	39	75
TOTAL 65-69 YRS	1427	8.3	45	2	2	7	10	16	21	34
70-74	1553	9.1	59	2	3	7	12	17	23	43
75-79	1660	9.8	73	2	3	7	12	20	26	48
80-84	1460	10.3	98	2	3	8	12	20	28	67
85+	1490	11.3	118	2	3	8	14	23	32	80
GRAND TOTAL	**7590**	**9.8**	**79**	**2**	**3**	**7**	**12**	**19**	**26**	**54**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	11.4	220	<1	<1	4	18	29	49	52
70-74	7	5.0	41	<1	<1	4	5	16	19	19
75-79	5	9.2	84	<1	<1	5	16	23	23	23
80-84	2	18.5	113	11	11	18	26	26	26	26
85+	5	14.6	94	3	3	13	21	29	29	29
B. *Operated*										
65-69 YRS	26	26.5	410	8	10	18	34	52	76	89
70-74	12	17.4	90	5	5	16	23	31	35	36
75-79	8	26.1	912	7	8	18	46	99+	99+	99+
80-84	4	25.3	308	6	6	25	39	45	45	45
85+	2	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	22.1	476	2	3	16	37	79	99+	99+
70-74	29	21.6	248	2	3	21	31	39	44	70
75-79	33	17.1	137	2	4	15	22	39	45	99+
80-84	19	24.3	546	4	7	16	24	66	85	90
85+	25	22.9	195	5	7	22	32	51	65	99+
B. *Operated*										
65-69 YRS	68	28.7	372	7	8	24	37	59	75	84
70-74	56	30.8	367	6	8	29	47	61	66	98
75-79	24	32.8	428	10	14	28	42	87	94	99+
80-84	8	27.4	575	10	11	23	45	94	99+	99+
85+	4	33.3	147	18	18	36	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	10.6	131	<1	<1	5	18	24	29	52
B. *Operated*	52	23.6	384	5	8	17	30	50	87	99+
2. MULTIPLE DX										
A. *Not Operated*	134	21.2	297	2	4	17	30	46	76	99+
B. *Operated*	160	30.1	377	7	9	25	42	64	77	99+
1. SINGLE DX	83	18.8	327	<1	3	15	24	39	58	99+
2. MULTIPLE DX	294	26.1	359	4	7	22	37	57	77	99+
A. NOT OPERATED	165	19.2	282	1	3	16	27	43	65	99+
B. OPERATED	212	28.5	384	7	9	23	39	62	77	99+
TOTAL 65-69 YRS	134	25.3	405	2	4	19	35	52	76	99+
70-74	104	25.0	331	3	4	21	37	57	65	88
75-79	70	22.9	368	3	6	19	33	46	98	99+
80-84	33	24.8	469	6	7	17	26	80	89	99+
85+	36	22.3	187	4	8	22	31	43	55	99+
GRAND TOTAL	**377**	**24.4**	**360**	**3**	**5**	**20**	**34**	**52**	**76**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	29.0		29	29	29	29	29	29	29
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	20.5	94	15	15	16	26	35	35	35
70-74	1	35.0		35	35	35	35	35	35	35
75-79	6	26.2	295	10	10	21	33	55	57	57
80-84	3	31.0	441	10	10	31	47	52	52	52
85+	1	27.0		27	27	27	27	27	27	27
B. *Operated*										
65-69 YRS	8	39.4	517	15	19	31	74	90	99+	99+
70-74	2	28.5	41	24	24	66	99+	99+	99+	99+
75-79	4	55.0	1201	20	20	55	84	90	90	90
80-84	1	27.0		27	27	27	27	27	27	27
85+	1	43.0		43	43	43	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	15	26.3	208	10	10	25	34	52	56	57
B. *Operated*	16	41.4	572	17	22	33	78	99+	99+	99+
1. SINGLE DX	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX	31	34.1	442	11	15	31	52	91	99+	99+
A. NOT OPERATED	15	26.3	208	10	10	25	34	52	56	57
B. OPERATED	17	40.6	545	17	22	32	77	99+	99+	99+
TOTAL 65-69 YRS	13	32.8	406	15	15	30	35	78	95	99+
70-74	3	30.7	34	24	24	35	99+	99+	99+	99+
75-79	10	37.7	786	10	12	28	57	84	90	90
80-84	4	30.0	298	10	10	29	41	52	52	52
85+	2	35.0	128	27	27	35	43	43	43	43
GRAND TOTAL	**32**	**33.9**	**429**	**11**	**15**	**31**	**50**	**90**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	14.8	248	2	3	10	17	47	66	99+
70-74	47	12.1	137	1	1	8	18	27	43	46
75-79	56	12.2	115	1	2	9	16	26	36	53
80-84	37	15.8	224	1	2	11	20	38	44	70
85+	35	13.8	93	2	3	12	20	27	31	43
B. *Operated*										
65-69 YRS	76	13.9	88	4	6	11	18	25	41	86
70-74	79	13.9	62	6	6	11	18	25	32	39
75-79	59	15.8	117	4	5	13	22	37	40	94
80-84	48	16.6	147	5	6	13	21	34	43	99+
85+	48	15.5	115	5	6	12	18	36	38	53
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	190	18.7	247	3	5	14	24	38	50	77
70-74	222	18.5	249	3	4	14	22	40	49	84
75-79	235	19.3	213	3	5	16	26	41	54	99+
80-84	186	19.9	242	4	6	17	26	45	83	99+
85+	152	19.5	231	3	5	16	25	37	58	99
B. *Operated*										
65-69 YRS	178	25.2	412	5	8	19	33	63	76	99+
70-74	175	26.7	334	6	8	23	36	58	70	99+
75-79	187	25.4	280	7	9	21	35	53	61	99+
80-84	128	25.4	345	8	9	21	33	54	83	99+
85+	87	27.1	266	9	11	24	35	50	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	13.5	157	1	2	10	18	30	43	69
B. *Operated*	310	14.9	100	5	6	12	19	30	39	82
2. MULTIPLE DX										
A. *Not Operated*	985	19.1	235	3	5	15	25	41	53	99+
B. *Operated*	755	25.8	332	7	9	21	35	57	74	99+
1. SINGLE DX	521	14.3	123	2	4	11	19	30	40	70
2. MULTIPLE DX	1740	22.0	288	4	6	18	30	48	64	99+
A. NOT OPERATED	1196	18.1	226	3	4	14	24	39	52	99+
B. OPERATED	1065	22.7	289	6	7	18	30	50	68	99+
TOTAL 65-69 YRS	480	20.0	300	4	5	14	25	47	64	99+
70-74	523	20.0	265	3	5	15	26	44	57	96
75-79	537	20.3	233	4	6	16	28	42	57	99+
80-84	399	20.9	272	5	6	16	28	45	70	99+
85+	322	20.3	228	4	6	17	27	40	54	99+
GRAND TOTAL	**2261**	**20.3**	**260**	**4**	**6**	**16**	**27**	**43**	**59**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	34.0		34	34	34	34	34	34	34
70-74	1	4.0		4	4	4	4	4	4	4
75-79	2	37.5	1105	14	14	37	61	61	61	61
80-84	1	11.0		11	11	11	11	11	11	11
85+										
B. *Operated*										
65-69 YRS										
70-74	1	36.0		36	36	36	36	36	36	36
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	60	26.2	374	6	8	22	32	60	68	95
70-74	77	25.7	251	7	11	22	32	47	61	82
75-79	81	24.3	322	5	8	20	28	54	68	96
80-84	52	28.0	334	6	11	25	36	62	92	99+
85+	54	25.4	373	6	8	20	34	61	94	99+
B. *Operated*										
65-69 YRS	36	35.6	432	11	13	35	48	91	99+	99+
70-74	41	32.5	425	10	11	27	45	71	99	99+
75-79	38	29.3	268	10	12	25	37	47	69	79
80-84	31	30.5	408	7	9	24	52	80	99+	99+
85+	14	34.4	274	10	12	34	50	55	59	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	24.8	534	4	4	14	41	61	61	61
B. *Operated*	2	22.5	365	9	9	22	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	324	25.8	322	6	8	22	32	55	68	99+
B. *Operated*	160	32.2	369	9	11	28	45	69	98	99+
1. SINGLE DX	7	24.1	418	4	5	14	35	56	61	61
2. MULTIPLE DX	484	27.9	346	7	9	24	37	61	79	99+
A. NOT OPERATED	329	25.7	324	6	8	22	32	56	68	99+
B. OPERATED	162	32.1	368	9	11	28	45	69	98	99+
TOTAL 65-69 YRS	97	29.8	408	7	9	27	38	65	91	99+
70-74	120	27.9	319	7	11	24	36	58	69	99+
75-79	122	25.9	314	6	9	22	34	54	68	90
80-84	84	28.7	358	7	10	24	43	65	99+	99+
85+	68	27.3	362	6	9	23	39	57	86	99+
GRAND TOTAL	**491**	**27.8**	**347**	**7**	**9**	**24**	**37**	**61**	**78**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	84	4.8	28	1	1	3	6	9	13	31
70-74	69	5.1	18	1	2	4	7	11	15	20
75-79	45	5.0	26	1	1	3	6	11	14	29
80-84	32	5.3	49	<1	1	3	5	11	22	35
85+	19	5.6	39	<1	<1	4	7	14	21	26
B. *Operated*										
65-69 YRS	1406	6.8	25	2	2	6	9	13	16	26
70-74	1166	7.5	28	2	2	6	9	14	18	28
75-79	774	7.2	31	2	2	6	9	13	17	28
80-84	257	7.7	36	2	2	6	10	15	18	38
85+	75	7.5	19	2	2	7	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	302	7.1	58	1	2	5	8	14	21	32
70-74	320	7.9	91	1	2	5	10	14	19	67
75-79	320	8.4	64	2	2	6	10	17	23	40
80-84	222	10.3	105	2	3	7	11	20	28	54
85+	156	10.5	90	2	3	8	13	21	28	44
B. *Operated*										
65-69 YRS	3164	10.0	69	2	3	8	12	19	25	44
70-74	2757	10.2	72	2	3	8	13	20	26	45
75-79	1787	11.4	90	2	3	9	14	22	28	56
80-84	733	11.8	95	2	3	9	15	24	30	49
85+	203	11.7	64	2	3	10	15	22	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	5.0	28	1	1	3	6	11	15	29
B. *Operated*	3678	7.2	28	2	2	6	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	1320	8.5	81	2	2	6	10	17	22	48
B. *Operated*	8644	10.5	77	2	3	8	13	21	27	47
1. SINGLE DX	3927	7.0	28	2	2	6	9	13	17	27
2. MULTIPLE DX	9964	10.3	78	2	3	8	13	20	27	48
A. NOT OPERATED	1569	8.0	74	1	2	6	10	16	22	47
B. OPERATED	12322	9.5	65	2	2	7	12	19	24	41
TOTAL 65-69 YRS	4956	8.8	58	2	2	7	11	17	23	38
70-74	4312	9.2	63	2	2	7	12	18	23	40
75-79	2926	9.9	74	2	2	8	12	19	26	48
80-84	1244	10.5	86	2	2	8	13	22	28	48
85+	453	10.4	67	2	3	8	13	20	27	39
GRAND TOTAL	**13891**	**9.4**	**66**	**2**	**2**	**7**	**12**	**19**	**24**	**42**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	23.0		23	23	23	23	23	23	23
75-79										
80-84	1	17.0		17	17	17	17	17	17	17
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	15.7	124	3	4	12	24	35	36	37
70-74	21	18.2	350	3	4	14	23	64	84	99+
75-79	32	18.2	222	3	5	11	26	40	53	60
80-84	23	16.8	174	2	3	11	27	34	42	50
85+	14	17.3	286	3	5	12	32	52	88	99+
B. *Operated*										
65-69 YRS	123	21.1	400	3	5	15	29	57	78	99+
70-74	121	16.1	184	3	4	12	22	31	45	74
75-79	64	19.3	192	4	4	15	29	40	61	99+
80-84	38	17.8	111	4	5	15	25	33	38	39
85+	10	16.9	153	5	5	14	20	37	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	15.7	65	7	7	17	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	111	17.3	218	3	4	12	26	38	54	99+
B. *Operated*	356	18.6	254	3	5	14	24	40	58	99
1. SINGLE DX	3	15.7	65	7	7	17	21	23	23	23
2. MULTIPLE DX	467	18.3	245	3	5	13	24	40	58	99+
A. NOT OPERATED	111	17.3	218	3	4	12	26	38	54	99+
B. OPERATED	359	18.6	252	3	5	14	24	40	58	98
TOTAL 65-69 YRS	145	20.2	361	3	5	14	27	50	72	99+
70-74	143	16.4	206	3	4	12	22	34	48	80
75-79	96	18.9	200	4	5	14	29	39	57	99+
80-84	62	17.4	130	3	4	14	25	33	38	49
85+	24	17.1	221	4	5	12	23	51	64	99+
GRAND TOTAL	**470**	**18.3**	**244**	**3**	**5**	**13**	**24**	**40**	**58**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	232	10.8	120	2	3	7	13	24	31	76
70-74	246	11.8	101	2	3	9	15	22	32	54
75-79	260	12.2	87	3	4	9	15	25	33	47
80-84	185	13.7	104	3	4	10	19	29	33	50
85+	145	12.8	72	3	4	11	17	26	30	35
B. *Operated*										
65-69 YRS	81	10.5	83	2	2	8	15	23	28	47
70-74	55	11.0	125	3	4	8	12	20	31	70
75-79	36	7.7	49	1	1	5	13	20	22	26
80-84	15	17.0	467	1	2	9	25	39	73	84
85+	4	18.0	337	1	1	13	29	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1566	14.1	154	3	4	10	17	28	38	68
70-74	1873	14.8	162	3	4	11	19	29	41	83
75-79	2109	15.3	159	4	5	11	19	32	41	75
80-84	1683	16.2	185	4	5	12	20	33	44	90
85+	1477	16.8	191	4	5	13	21	33	47	97
B. *Operated*										
65-69 YRS	441	16.2	217	3	4	12	20	34	54	99+
70-74	442	18.9	222	4	5	15	24	40	56	99+
75-79	310	21.1	289	3	5	16	28	51	65	99+
80-84	211	21.4	246	5	7	18	31	50	78	99+
85+	116	25.6	325	6	8	21	35	57	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1068	12.2	99	3	3	9	16	25	32	51
B. *Operated*	191	10.8	125	2	2	7	14	22	29	64
2. MULTIPLE DX										
A. *Not Operated*	8708	15.4	170	3	5	11	19	31	43	80
B. *Operated*	1520	19.4	252	4	5	15	25	43	61	99+
1. SINGLE DX	1259	11.9	103	2	3	9	15	25	32	52
2. MULTIPLE DX	10228	16.0	184	3	5	12	20	33	45	91
A. NOT OPERATED	9776	15.0	163	3	4	11	19	31	41	77
B. OPERATED	1711	18.5	245	3	5	14	24	41	59	99+
TOTAL 65-69 YRS	2320	14.0	163	3	4	10	18	28	40	79
70-74	2616	15.1	169	3	4	11	19	31	43	85
75-79	2715	15.6	171	3	5	12	20	33	43	79
80-84	2094	16.5	189	4	5	13	21	35	46	96
85+	1742	17.0	196	4	5	13	22	34	49	99+
GRAND TOTAL	**11487**	**15.6**	**177**	**3**	**4**	**12**	**20**	**32**	**44**	**89**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	9.7	31	4	4	9	12	18	19	19
70-74	6	6.5	11	3	3	5	10	11	11	11
75-79	2	11.0	50	6	6	11	16	16	16	16
80-84	1	20.0		20	20	20	20	20	20	20
85+	4	18.5	247	3	3	16	31	38	38	38
B. *Operated*										
65-69 YRS	1	28.0		28	28	28	28	28	28	28
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	639	20.6	278	4	6	16	26	46	62	99+
70-74	835	20.8	252	5	6	16	28	44	55	98
75-79	846	20.7	241	5	6	17	27	43	55	92
80-84	727	21.1	222	5	7	17	27	42	52	86
85+	702	20.3	171	6	7	17	27	40	52	99+
B. *Operated*										
65-69 YRS	120	24.4	291	4	6	23	35	51	70	99+
70-74	135	25.4	310	6	8	21	35	59	74	99+
75-79	113	30.2	344	8	11	29	45	74	99+	99+
80-84	76	30.8	305	9	11	30	44	63	99+	99+
85+	52	25.7	222	5	9	25	41	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	11.2	80	3	3	9	15	22	32	38
B. *Operated*	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	3749	20.7	233	5	6	17	27	43	55	99+
B. *Operated*	496	27.1	308	6	8	25	40	60	99+	99+
1. SINGLE DX	20	12.1	90	3	3	9	17	26	33	38
2. MULTIPLE DX	4245	21.5	246	5	7	17	28	45	59	99+
A. NOT OPERATED	3768	20.7	232	5	6	17	27	43	54	99+
B. OPERATED	497	27.1	307	6	8	25	40	60	99+	99+
TOTAL 65-69 YRS	766	21.1	280	4	6	16	28	47	64	99+
70-74	976	21.4	262	5	6	17	28	46	58	99+
75-79	961	21.8	262	5	7	18	29	46	62	99+
80-84	804	22.0	238	6	7	18	29	45	57	99+
85+	758	20.7	176	5	7	18	28	41	55	99+
GRAND TOTAL	**4265**	**21.4**	**245**	**5**	**7**	**17**	**28**	**45**	**59**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	772	4.8	13	1	2	4	6	9	11	17
70-74	885	4.7	10	1	2	4	6	9	11	16
75-79	923	5.0	21	1	2	4	6	9	12	18
80-84	804	5.3	16	1	2	4	7	10	13	21
85+	745	5.4	18	1	2	4	7	10	14	22
B. *Operated*										
65-69 YRS	355	5.6	20	1	2	4	8	12	13	24
70-74	267	6.2	29	1	2	5	8	12	17	27
75-79	185	6.7	37	2	2	5	9	12	16	33
80-84	79	5.9	20	2	2	5	7	12	14	25
85+	33	7.1	24	2	2	6	10	15	16	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4057	6.9	33	2	2	6	8	13	16	28
70-74	5718	7.5	41	2	2	6	9	13	18	33
75-79	6371	8.0	50	2	3	6	10	15	19	37
80-84	6152	8.3	55	2	3	6	10	16	21	41
85+	6025	8.9	75	2	3	7	11	17	23	59
B. *Operated*										
65-69 YRS	1409	9.7	61	2	2	8	12	18	23	42
70-74	1434	10.4	82	2	3	8	13	21	28	47
75-79	1179	12.0	131	2	3	9	15	24	33	77
80-84	735	14.3	173	3	4	11	18	29	42	86
85+	465	16.5	213	3	4	12	22	39	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4129	5.1	16	1	2	4	6	9	12	19
B. *Operated*	919	6.1	26	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	28323	8.0	53	2	3	6	10	15	19	41
B. *Operated*	5222	11.6	117	2	3	9	14	23	32	73
1. SINGLE DX	5048	5.2	18	1	2	4	7	10	13	19
2. MULTIPLE DX	33545	8.6	64	2	3	7	10	16	22	47
A. NOT OPERATED	32452	7.6	49	2	2	6	9	14	19	37
B. OPERATED	6141	10.8	107	2	2	8	13	22	30	67
TOTAL 65-69 YRS	6593	7.2	38	2	2	6	9	14	18	31
70-74	8304	7.6	47	2	2	6	9	14	19	35
75-79	8658	8.2	61	2	2	6	10	15	21	41
80-84	7770	8.6	66	2	2	6	10	16	22	47
85+	7268	9.0	83	2	2	7	11	17	25	64
GRAND TOTAL	**38593**	**8.1**	**59**	**2**	**2**	**6**	**10**	**15**	**21**	**43**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	694	12.2	129	2	3	9	15	26	36	66
70-74	851	11.9	124	2	3	9	15	24	33	60
75-79	869	11.7	101	2	3	9	15	25	33	54
80-84	804	12.9	140	2	3	10	17	27	34	65
85+	779	13.3	135	3	4	10	17	27	36	77
B. *Operated*										
65-69 YRS	100	10.1	91	2	2	8	14	20	26	53
70-74	87	12.4	106	2	2	10	17	29	39	81
75-79	77	16.9	300	2	3	11	23	35	49	95
80-84	34	16.0	146	3	4	13	25	41	85	99+
85+	24	20.7	306	5	7	14	21	51	63	74
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3458	14.0	147	3	4	10	18	30	40	72
70-74	4681	14.6	154	3	4	11	19	30	42	82
75-79	5168	15.7	173	3	4	12	20	33	44	88
80-84	4861	16.1	179	3	5	13	20	33	47	99+
85+	4723	16.1	188	3	5	12	20	34	49	99+
B. *Operated*										
65-69 YRS	738	19.2	271	3	5	14	25	48	67	99+
70-74	803	22.7	350	4	6	17	31	56	76	99+
75-79	713	23.6	312	4	6	19	34	54	74	99+
80-84	537	24.6	343	5	7	20	36	56	86	99+
85+	407	28.6	387	7	10	24	43	70	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3997	12.4	125	2	3	9	16	26	34	63
B. *Operated*	322	13.8	176	2	2	10	18	30	40	99
2. MULTIPLE DX										
A. *Not Operated*	22891	15.4	170	3	4	12	20	32	44	97
B. *Operated*	3198	23.2	334	4	6	18	33	56	78	99+
1. SINGLE DX	4319	12.5	129	2	3	9	16	26	35	65
2. MULTIPLE DX	26089	16.3	197	3	4	12	21	35	50	99+
A. NOT OPERATED	26888	14.9	165	3	4	11	19	31	43	91
B. OPERATED	3520	22.3	327	4	6	17	32	54	75	99+
TOTAL 65-69 YRS	4990	14.4	166	3	4	11	18	31	43	83
70-74	6422	15.2	183	3	4	11	19	33	46	95
75-79	6827	16.0	188	3	4	12	21	35	47	99+
80-84	6236	16.4	196	3	4	13	21	35	49	99+
85+	5933	16.6	206	3	5	13	21	36	53	99+
GRAND TOTAL	**30408**	**15.8**	**189**	**3**	**4**	**12**	**20**	**34**	**48**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	14.1	82	2	3	12	23	26	26	26
70-74	14	12.9	117	2	3	11	14	34	38	39
75-79	9	10.9	55	3	3	6	19	20	21	21
80-84	4	21.3	266	3	3	20	33	42	42	42
85+	10	14.7	138	2	3	11	18	34	35	35
B. *Operated*										
65-69 YRS	1	17.0		17	17	17	17	17	17	17
70-74										
75-79										
80-84	1	87.0		87	87	87	87	87	87	87
85+	1	32.0		32	32	32	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1489	19.5	249	4	5	15	26	42	56	99+
70-74	1992	20.1	253	4	5	15	27	42	54	92
75-79	2045	20.8	258	4	6	16	28	43	57	99+
80-84	1865	20.9	262	4	6	16	27	45	60	99+
85+	1678	20.0	225	5	7	16	25	40	54	99+
B. *Operated*										
65-69 YRS	264	29.1	408	7	9	24	46	65	91	99+
70-74	322	28.8	394	7	9	25	41	63	94	99+
75-79	287	31.7	439	7	10	28	44	73	91	99+
80-84	177	32.5	475	7	11	28	50	84	99+	99+
85+	157	33.2	385	10	14	29	47	66	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	13.9	112	2	3	12	19	33	36	42
B. *Operated*	3	45.3	1358	17	17	32	73	87	87	87
2. MULTIPLE DX										
A. *Not Operated*	9069	20.3	250	4	6	16	27	42	57	99+
B. *Operated*	1207	30.7	420	7	10	26	45	70	95	99+
1. SINGLE DX	47	15.9	224	2	3	12	19	34	39	87
2. MULTIPLE DX	10276	21.5	281	4	6	17	29	47	63	99+
A. NOT OPERATED	9113	20.3	250	4	6	16	27	42	57	99+
B. OPERATED	1210	30.7	422	7	10	26	45	71	95	99+
TOTAL 65-69 YRS	1761	20.9	283	4	5	16	29	48	61	99+
70-74	2328	21.3	281	4	6	17	29	46	61	99+
75-79	2341	22.1	293	5	6	17	30	48	67	99+
80-84	2047	21.9	293	4	6	17	28	49	67	99+
85+	1846	21.1	251	5	7	17	27	44	59	99+
GRAND TOTAL	**10323**	**21.5**	**281**	**4**	**6**	**17**	**29**	**47**	**63**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	195	6.6	59	1	2	5	8	12	17	40
70-74	258	6.8	39	1	2	5	8	13	19	30
75-79	282	7.0	36	1	2	5	9	14	17	34
80-84	233	7.6	58	2	2	6	9	15	19	51
85+	250	8.1	50	2	2	7	10	16	24	99+
B. *Operated*										
65-69 YRS	210	6.9	40	1	2	5	9	16	20	30
70-74	170	8.0	107	2	2	6	10	14	18	67
75-79	103	7.1	63	2	2	5	9	12	15	50
80-84	56	7.5	41	2	2	6	11	14	22	29
85+	11	10.1	99	2	2	8	15	26	33	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1708	9.7	94	2	3	7	11	19	27	64
70-74	2624	10.1	85	2	3	7	12	20	28	58
75-79	3232	10.9	118	2	3	8	13	21	31	84
80-84	3206	10.9	101	2	3	8	13	22	31	79
85+	3190	11.5	122	3	3	9	14	24	34	99+
B. *Operated*										
65-69 YRS	617	13.6	193	2	2	9	17	29	45	80
70-74	691	12.8	128	2	3	10	16	25	38	64
75-79	603	14.1	133	2	3	11	19	29	38	66
80-84	381	16.8	232	3	4	12	22	39	51	99+
85+	286	19.5	288	4	6	14	25	50	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1218	7.2	48	1	2	5	9	14	19	43
B. *Operated*	550	7.4	66	1	2	5	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	13960	10.7	106	2	3	8	13	21	30	82
B. *Operated*	2578	14.6	182	2	3	11	19	32	45	99
1. SINGLE DX	1768	7.3	53	1	2	5	9	14	19	40
2. MULTIPLE DX	16538	11.3	120	2	3	8	14	23	34	84
A. NOT OPERATED	15178	10.4	102	2	3	8	13	21	30	81
B. OPERATED	3128	13.3	169	2	2	10	17	29	42	89
TOTAL 65-69 YRS	2730	10.1	114	2	2	7	12	21	30	67
70-74	3743	10.3	93	2	3	8	13	21	29	58
75-79	4220	11.0	116	2	3	8	13	22	32	81
80-84	3876	11.2	115	2	3	8	13	23	33	84
85+	3737	11.9	135	3	3	9	14	25	37	99+
GRAND TOTAL	**18306**	**10.9**	**115**	**2**	**3**	**8**	**13**	**23**	**32**	**82**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	4.3	9	1	2	4	5	9	11	14
70-74	36	4.5	18	1	1	3	5	10	15	20
75-79	37	7.1	86	1	2	5	7	12	24	53
80-84	28	12.3	438	2	2	6	11	17	78	92
85+	41	7.3	57	1	2	6	11	19	63	99+
B. *Operated*										
65-69 YRS	245	7.3	50	1	2	5	11	15	20	37
70-74	218	8.2	64	1	2	6	11	18	25	41
75-79	167	10.0	93	1	2	9	14	19	26	43
80-84	67	8.8	85	1	2	5	14	19	25	51
85+	50	14.1	154	1	2	10	21	31	36	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	388	7.9	48	2	2	6	10	15	20	39
70-74	572	9.5	73	2	2	7	12	19	24	56
75-79	748	10.2	98	2	3	8	12	20	28	67
80-84	756	10.7	98	2	3	8	13	21	32	58
85+	1067	10.6	90	2	3	8	13	21	30	65
B. *Operated*										
65-69 YRS	1570	15.8	220	2	2	12	21	34	45	86
70-74	1573	17.1	252	2	2	13	21	40	53	93
75-79	1203	19.2	293	2	3	14	25	43	58	99
80-84	825	20.2	266	2	4	16	27	46	60	99+
85+	661	20.5	221	4	6	17	27	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	6.9	110	1	2	4	7	13	20	97
B. *Operated*	747	8.8	76	1	2	6	12	19	25	43
2. MULTIPLE DX										
A. *Not Operated*	3531	10.1	87	2	3	8	12	20	28	59
B. *Operated*	5832	18.0	253	2	3	14	24	40	54	95
1. SINGLE DX	925	8.4	83	1	2	5	12	18	25	47
2. MULTIPLE DX	9363	15.0	205	2	3	11	19	34	47	86
A. NOT OPERATED	3709	9.9	88	2	3	7	12	19	28	61
B. OPERATED	6579	16.9	242	2	2	13	22	38	52	92
TOTAL 65-69 YRS	2239	13.3	183	2	2	10	17	29	41	78
70-74	2399	14.3	204	2	2	10	18	33	47	79
75-79	2155	15.1	227	2	3	10	19	35	50	94
80-84	1676	15.3	209	2	3	11	20	36	50	92
85+	1819	14.2	161	2	3	10	18	31	43	81
GRAND TOTAL	**10288**	**14.4**	**198**	**2**	**2**	**10**	**18**	**33**	**46**	**84**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	37	3.7	12	<1	<1	3	4	9	12	15
70-74	44	4.2	10	<1	1	4	6	9	11	14
75-79	44	4.4	11	<1	1	4	5	9	13	15
80-84	45	6.1	19	1	2	5	9	12	15	18
85+	25	5.6	18	2	3	4	7	11	17	19
B. *Operated*										
65-69 YRS	397	11.5	44	2	3	11	14	18	22	29
70-74	430	11.8	37	2	3	11	15	20	22	30
75-79	283	13.8	86	2	3	13	16	21	27	46
80-84	110	13.4	55	2	4	13	16	21	30	36
85+	47	12.6	53	2	3	13	16	22	27	32
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	184	7.0	29	1	2	6	9	14	17	29
70-74	262	7.1	41	1	2	5	9	15	20	32
75-79	306	7.4	39	1	2	6	10	15	19	34
80-84	252	8.6	66	2	2	6	11	16	22	37
85+	265	9.8	74	2	3	7	12	19	29	44
B. *Operated*										
65-69 YRS	1473	16.4	134	3	7	14	19	29	39	68
70-74	1516	17.1	149	3	5	14	21	31	44	78
75-79	1086	18.1	156	3	6	15	22	33	42	68
80-84	475	19.2	189	3	6	16	23	38	50	99+
85+	182	22.2	243	4	8	18	29	42	54	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	4.8	14	<1	1	4	6	10	14	18
B. *Operated*	1267	12.3	53	2	3	12	15	20	23	35
2. MULTIPLE DX										
A. *Not Operated*	1269	8.0	52	2	2	6	10	16	21	37
B. *Operated*	4732	17.5	155	3	6	15	21	32	44	77
1. SINGLE DX	1462	11.3	55	2	2	11	15	19	23	35
2. MULTIPLE DX	6001	15.5	148	2	3	13	19	30	40	70
A. NOT OPERATED	1464	7.6	48	1	2	6	10	15	20	36
B. OPERATED	5999	16.4	138	2	5	14	20	30	40	70
TOTAL 65-69 YRS	2091	14.4	117	2	3	12	17	25	34	61
70-74	2252	14.7	127	2	3	12	18	27	37	66
75-79	1719	15.1	140	2	3	13	19	29	37	61
80-84	882	14.8	154	2	3	12	19	30	40	91
85+	519	14.2	164	2	3	10	18	30	39	69
GRAND TOTAL	**7463**	**14.7**	**133**	**2**	**3**	**12**	**18**	**28**	**37**	**66**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	7.0	37	1	1	5	12	16	16	16
70-74	5	2.4	3	1	1	2	3	5	5	5
75-79	9	3.3	5	<1	<1	3	4	7	8	8
80-84	3	9.3	16	7	7	7	12	14	14	14
85+	4	6.0	19	2	2	5	9	12	12	12
B. *Operated*										
65-69 YRS	92	9.6	77	2	2	9	12	16	19	57
70-74	90	9.5	90	1	2	8	13	17	22	57
75-79	58	8.7	46	2	2	7	11	14	22	41
80-84	27	13.0	111	2	2	11	17	29	33	46
85+	12	10.3	79	1	1	8	12	26	29	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	17	5.4	23	<1	<1	4	9	12	15	17
70-74	20	7.2	22	2	2	6	11	14	16	17
75-79	13	5.6	65	1	1	3	5	11	28	32
80-84	18	6.6	20	2	2	6	8	13	16	18
85+	10	8.9	35	2	3	7	13	18	20	20
B. *Operated*										
65-69 YRS	263	15.1	185	2	3	12	19	29	37	91
70-74	242	15.8	157	2	4	12	21	35	43	59
75-79	146	15.3	113	2	4	12	19	28	42	61
80-84	82	19.1	257	2	4	14	27	40	51	74
85+	38	29.1	426	9	10	20	36	64	78	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.0	18	1	1	3	7	12	14	16
B. *Operated*	279	9.8	78	2	2	8	12	17	25	45
2. MULTIPLE DX										
A. *Not Operated*	78	6.6	30	1	2	5	8	14	17	29
B. *Operated*	771	16.5	190	2	4	13	20	35	46	76
1. SINGLE DX	306	9.3	75	1	2	8	12	17	24	44
2. MULTIPLE DX	849	15.6	184	2	3	12	20	32	44	76
A. NOT OPERATED	105	6.2	27	1	1	5	8	14	16	25
B. OPERATED	1050	14.7	169	2	3	11	18	30	42	74
TOTAL 65-69 YRS	378	13.2	157	2	2	11	16	25	36	75
70-74	357	13.6	141	2	2	10	17	30	41	58
75-79	226	12.6	103	2	2	11	16	25	37	55
80-84	130	15.9	208	2	3	11	22	35	42	72
85+	64	21.0	369	2	4	15	28	47	70	83
GRAND TOTAL	**1155**	**13.9**	**162**	**2**	**2**	**11**	**17**	**29**	**40**	**71**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	5.7	35	<1	1	3	8	14	18	30
70-74	52	5.2	16	1	1	4	8	10	11	17
75-79	42	6.6	15	1	2	6	9	11	12	20
80-84	24	7.7	23	2	2	7	11	14	16	20
85+	26	10.1	71	1	1	9	12	21	26	40
B. *Operated*										
65-69 YRS	765	9.6	54	1	2	9	13	17	21	34
70-74	582	9.4	52	1	2	9	13	18	23	38
75-79	342	9.5	68	1	2	9	13	18	23	33
80-84	165	9.8	47	2	2	9	15	20	23	29
85+	102	10.9	73	2	2	9	14	20	27	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	174	7.5	29	2	2	7	10	14	20	26
70-74	223	9.4	75	1	2	8	12	17	25	41
75-79	164	10.3	89	2	2	9	12	18	26	63
80-84	137	10.5	57	1	3	9	13	19	26	39
85+	156	10.4	79	2	3	9	13	18	28	66
B. *Operated*										
65-69 YRS	2323	15.1	162	2	3	12	18	30	40	73
70-74	1967	15.7	174	2	3	12	20	31	43	78
75-79	1456	17.2	199	2	4	14	22	36	47	91
80-84	817	17.4	217	3	4	14	22	35	51	97
85+	667	17.6	192	3	5	14	22	36	51	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.6	31	1	1	6	9	12	16	27
B. *Operated*	1956	9.6	56	1	2	9	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	854	9.5	67	2	2	8	12	17	24	44
B. *Operated*	7230	16.2	183	2	3	13	20	33	44	83
1. SINGLE DX	2156	9.3	55	1	2	9	13	18	22	34
2. MULTIPLE DX	8084	15.5	175	2	3	12	19	31	43	80
A. NOT OPERATED	1054	9.0	62	1	2	8	11	17	23	39
B. OPERATED	9186	14.8	163	2	3	12	18	29	41	77
TOTAL 65-69 YRS	3318	13.3	136	2	2	11	17	26	36	65
70-74	2824	13.7	148	2	2	11	17	28	37	73
75-79	2004	15.1	176	2	3	12	19	31	42	86
80-84	1143	15.3	181	2	3	12	19	31	43	80
85+	951	15.5	168	2	4	12	19	30	45	74
GRAND TOTAL	**10240**	**14.2**	**156**	**2**	**2**	**11**	**18**	**29**	**39**	**74**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	94	4.5	15	<1	1	3	6	10	13	18
70-74	95	6.4	30	1	1	5	9	14	19	24
75-79	93	5.6	28	1	2	4	7	13	16	28
80-84	63	5.2	17	<1	1	4	7	11	14	18
85+	49	6.9	35	1	2	5	8	13	18	31
B. *Operated*										
65-69 YRS	514	8.0	63	1	2	6	11	16	23	36
70-74	486	8.1	60	1	2	6	12	16	21	32
75-79	276	8.9	91	1	2	6	12	18	25	47
80-84	172	10.1	89	1	2	8	14	21	33	52
85+	81	12.0	133	1	2	10	16	26	36	91
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	608	8.2	69	1	2	6	10	16	23	48
70-74	640	9.0	74	2	2	7	11	17	25	51
75-79	667	9.1	78	2	3	7	11	17	23	57
80-84	472	11.2	109	2	3	8	14	24	27	60
85+	461	10.5	88	2	3	8	13	19	29	64
B. *Operated*										
65-69 YRS	1909	14.6	199	2	2	11	19	32	45	75
70-74	1840	15.5	216	2	2	12	20	35	50	98
75-79	1333	16.3	242	2	3	12	21	36	53	99+
80-84	742	20.0	329	2	4	15	26	45	61	99
85+	526	19.6	229	3	5	16	26	42	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	5.6	25	1	1	4	8	12	16	26
B. *Operated*	1529	8.6	75	1	2	7	12	18	25	44
2. MULTIPLE DX										
A. *Not Operated*	2848	9.4	83	2	2	7	12	19	26	55
B. *Operated*	6350	16.3	234	2	3	12	21	36	52	96
1. SINGLE DX	1923	8.0	66	1	2	6	11	17	22	37
2. MULTIPLE DX	9198	14.2	197	2	2	10	18	31	45	87
A. NOT OPERATED	3242	9.0	77	2	2	7	11	18	25	52
B. OPERATED	7879	14.8	212	2	2	11	19	33	47	91
TOTAL 65-69 YRS	3125	11.9	157	2	2	8	15	26	37	67
70-74	3061	12.7	168	2	2	9	16	28	41	78
75-79	2369	13.0	184	2	2	9	17	29	41	93
80-84	1449	15.3	240	2	3	11	20	34	51	91
85+	1117	14.7	177	2	3	11	19	32	47	90
GRAND TOTAL	**11121**	**13.1**	**180**	**2**	**2**	**9**	**17**	**29**	**42**	**81**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	697	8.6	19	3	4	8	11	14	16	23
70-74	611	9.1	19	3	4	9	12	14	17	23
75-79	435	9.1	19	4	4	8	11	15	17	22
80-84	249	9.9	20	4	4	10	12	16	18	24
85+	192	10.0	25	4	4	9	13	16	19	27
B. *Operated*										
65-69 YRS	211	9.5	30	2	3	9	13	16	20	25
70-74	177	10.6	32	3	4	10	13	17	22	29
75-79	108	11.1	57	2	3	10	14	18	24	44
80-84	66	10.2	21	2	4	10	13	16	19	20
85+	40	11.1	52	3	4	10	14	17	18	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2098	10.6	37	4	5	9	13	18	21	31
70-74	1999	10.8	41	4	5	10	13	18	21	34
75-79	1649	11.2	44	4	5	10	14	18	23	36
80-84	1198	11.2	41	4	5	10	14	19	23	35
85+	844	12.5	67	4	5	11	15	22	28	49
B. *Operated*										
65-69 YRS	867	12.9	72	4	5	11	16	23	28	48
70-74	850	13.7	82	4	5	12	16	23	30	47
75-79	611	14.8	130	4	6	12	18	25	34	80
80-84	396	14.9	107	4	6	13	18	27	41	62
85+	234	15.4	125	5	6	14	18	25	36	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2184	9.1	20	3	4	8	11	15	17	23
B. *Operated*	602	10.3	36	2	3	10	13	17	21	29
2. MULTIPLE DX										
A. *Not Operated*	7788	11.1	43	4	5	10	14	18	23	36
B. *Operated*	2958	14.0	96	4	5	12	17	24	31	58
1. SINGLE DX	2786	9.4	24	3	4	9	12	15	18	25
2. MULTIPLE DX	10746	11.9	60	4	5	10	14	20	25	42
A. NOT OPERATED	9972	10.6	39	4	5	9	13	18	21	33
B. OPERATED	3560	13.4	88	4	5	11	16	23	30	55
TOTAL 65-69 YRS	3873	10.7	43	3	4	9	13	18	22	35
70-74	3637	11.2	48	4	5	10	14	19	23	37
75-79	2803	11.7	63	4	5	10	14	20	24	41
80-84	1909	11.8	54	4	5	10	14	20	25	43
85+	1310	12.6	73	4	5	11	15	21	28	51
GRAND TOTAL	**13532**	**11.4**	**53**	**4**	**5**	**10**	**14**	**19**	**24**	**40**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	85	12.4	97	1	2	10	18	28	33	79
70-74	79	11.7	53	3	4	10	15	21	27	35
75-79	82	12.0	74	2	3	10	16	26	29	38
80-84	72	14.2	141	2	3	12	18	28	44	58
85+	76	12.4	80	2	3	12	16	22	31	48
B. *Operated*										
65-69 YRS	492	7.3	67	2	3	5	8	14	24	40
70-74	297	9.8	114	2	3	5	12	25	30	60
75-79	160	13.9	187	2	3	8	22	31	39	59
80-84	85	16.0	129	3	3	14	25	30	42	81
85+	49	20.7	230	4	5	16	31	39	52	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	334	12.5	101	2	3	9	16	26	35	59
70-74	425	12.4	76	2	3	10	17	24	30	45
75-79	448	14.0	124	3	4	11	17	26	34	67
80-84	432	14.3	114	4	5	11	18	28	34	52
85+	482	14.5	126	3	4	11	18	28	38	65
B. *Operated*										
65-69 YRS	598	14.1	197	3	3	9	19	31	40	76
70-74	471	16.9	227	3	4	13	23	40	50	80
75-79	362	19.9	237	3	5	16	27	37	51	87
80-84	216	22.5	258	4	6	20	31	46	59	94
85+	196	23.7	229	6	8	21	33	46	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	12.5	88	2	3	10	17	25	31	49
B. *Operated*	1083	10.3	122	2	3	5	13	26	34	58
2. MULTIPLE DX										
A. *Not Operated*	2121	13.6	110	3	4	11	17	27	34	61
B. *Operated*	1843	18.0	234	3	4	14	25	39	51	85
1. SINGLE DX	1477	10.9	114	2	3	7	14	26	33	54
2. MULTIPLE DX	3964	15.6	172	3	4	12	21	33	43	75
A. NOT OPERATED	2515	13.4	106	3	4	11	17	26	34	58
B. OPERATED	2926	15.1	207	3	3	10	21	35	45	79
TOTAL 65-69 YRS	1509	11.4	136	2	3	7	14	26	35	68
70-74	1272	13.4	147	3	3	9	18	29	38	69
75-79	1052	15.8	177	3	4	12	21	32	41	79
80-84	805	16.7	169	3	4	13	22	34	43	71
85+	803	16.9	170	4	5	13	22	36	45	73
GRAND TOTAL	**5441**	**14.3**	**161**	**3**	**3**	**10**	**19**	**31**	**40**	**70**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	74	3.2	5	<1	1	3	4	6	9	11
70-74	65	3.7	9	<1	1	3	5	8	9	16
75-79	47	3.5	7	1	1	3	4	8	9	12
80-84	30	4.5	12	<1	1	3	6	9	12	16
85+	35	4.2	9	<1	1	4	5	7	9	17
B. *Operated*										
65-69 YRS	335	5.5	9	3	3	5	6	9	10	14
70-74	182	5.9	13	2	3	5	7	10	13	20
75-79	94	6.4	13	3	3	6	8	10	12	23
80-84	47	6.7	9	3	3	6	8	11	12	15
85+	26	7.8	13	3	4	7	10	13	14	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	364	4.9	18	1	2	4	6	9	11	26
70-74	356	5.4	14	1	2	4	7	10	13	19
75-79	293	5.5	14	1	2	5	7	11	13	19
80-84	196	6.6	46	2	2	5	8	13	17	41
85+	207	6.9	44	2	2	5	7	12	18	36
B. *Operated*										
65-69 YRS	1706	6.8	18	3	3	6	8	11	15	23
70-74	1043	7.3	22	3	3	6	9	13	17	26
75-79	585	7.9	25	3	4	6	10	14	17	25
80-84	266	9.7	66	3	4	7	12	18	24	44
85+	140	11.2	56	4	4	10	14	20	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	3.7	8	<1	1	3	5	7	9	16
B. *Operated*	684	5.9	11	3	3	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1416	5.7	24	1	2	5	7	10	13	26
B. *Operated*	3740	7.5	26	3	3	6	9	13	17	27
1. SINGLE DX	935	5.3	11	1	2	5	7	9	11	17
2. MULTIPLE DX	5156	7.0	26	2	3	6	8	13	16	26
A. NOT OPERATED	1667	5.4	22	1	2	4	7	10	13	24
B. OPERATED	4424	7.2	24	3	3	6	9	13	16	26
TOTAL 65-69 YRS	2479	6.2	17	2	3	5	7	11	14	23
70-74	1646	6.6	20	2	3	5	8	12	15	24
75-79	1019	6.8	21	2	3	6	9	12	15	22
80-84	539	8.0	54	2	2	6	10	15	20	40
85+	408	8.2	48	2	3	6	10	16	21	43
GRAND TOTAL	**6091**	**6.7**	**24**	**2**	**3**	**5**	**8**	**12**	**16**	**26**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	235	7.0	27	1	1	6	9	14	17	26
70-74	231	7.8	51	1	2	6	10	14	19	33
75-79	195	7.7	27	1	2	7	10	14	18	27
80-84	150	7.2	44	1	2	6	10	13	16	27
85+	110	8.5	66	1	2	7	12	17	19	45
B. *Operated*										
65-69 YRS	185	9.4	61	2	2	8	13	17	23	41
70-74	149	9.7	72	2	2	8	12	19	23	56
75-79	110	10.5	100	2	2	8	14	22	29	83
80-84	56	11.3	58	2	3	10	16	21	25	41
85+	38	12.3	238	2	3	9	13	18	44	85
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1407	8.4	37	2	2	7	11	15	20	31
70-74	1519	8.7	55	2	3	7	11	17	21	41
75-79	1508	8.7	45	2	3	7	11	17	21	35
80-84	1147	9.5	65	2	3	8	12	18	24	41
85+	941	9.4	50	2	3	8	12	18	23	36
B. *Operated*										
65-69 YRS	722	13.5	122	2	3	11	18	26	32	59
70-74	749	14.1	142	2	4	11	17	26	35	79
75-79	615	15.1	150	3	4	12	19	29	38	75
80-84	347	17.1	220	3	5	13	20	33	52	99+
85+	283	16.4	181	2	4	13	21	32	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	921	7.6	41	1	2	6	10	14	18	27
B. *Operated*	538	10.1	84	2	2	8	13	19	25	56
2. MULTIPLE DX										
A. *Not Operated*	6522	8.9	50	2	3	7	11	17	22	36
B. *Operated*	2716	14.8	154	2	4	12	18	29	38	80
1. SINGLE DX	1459	8.5	58	1	2	7	11	16	21	36
2. MULTIPLE DX	9238	10.6	88	2	3	8	13	21	28	51
A. NOT OPERATED	7443	8.7	49	2	3	7	11	17	21	35
B. OPERATED	3254	14.0	145	2	3	11	18	28	36	79
TOTAL 65-69 YRS	2549	9.8	68	2	2	8	13	19	25	41
70-74	2648	10.2	86	2	3	8	13	19	26	52
75-79	2428	10.3	81	2	3	8	13	20	27	48
80-84	1700	10.9	105	2	3	8	14	21	29	62
85+	1372	10.9	92	2	3	9	14	21	28	55
GRAND TOTAL	**10697**	**10.3**	**84**	**2**	**3**	**8**	**13**	**20**	**27**	**51**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	125	4.4	7	<1	1	4	6	8	10	12
70-74	110	4.9	11	1	2	4	7	8	11	18
75-79	93	4.7	11	1	1	4	6	8	10	19
80-84	66	4.4	7	<1	1	4	5	8	9	14
85+	63	4.7	5	2	2	4	6	8	9	11
B. *Operated*										
65-69 YRS	28	3.3	5	1	1	2	4	7	8	9
70-74	28	2.6	4	<1	<1	2	3	7	7	8
75-79	11	3.5	7	1	1	2	4	8	10	10
80-84	6	5.2	24	2	2	4	4	14	15	15
85+	2	9.5	25	6	6	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1002	6.6	22	2	3	5	8	12	15	23
70-74	1022	7.1	30	2	2	6	9	13	16	29
75-79	923	7.2	30	2	3	6	9	13	15	24
80-84	673	8.1	42	2	3	6	10	15	19	37
85+	750	9.3	81	2	3	7	11	18	24	59
B. *Operated*										
65-69 YRS	111	12.0	144	2	2	9	15	26	39	62
70-74	91	11.3	148	1	2	9	13	22	31	72
75-79	73	11.3	74	2	2	10	16	25	30	35
80-84	44	14.6	141	2	3	10	21	30	36	60
85+	31	13.0	67	5	5	11	16	23	34	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	4.6	8	<1	2	4	6	8	10	14
B. *Operated*	75	3.4	8	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	4370	7.5	40	2	3	6	9	14	17	32
B. *Operated*	350	12.1	123	2	2	9	15	26	31	52
1. SINGLE DX	532	4.4	9	<1	1	4	6	8	10	14
2. MULTIPLE DX	4720	7.9	47	2	3	6	9	14	19	37
A. NOT OPERATED	4827	7.3	37	2	3	6	9	13	17	30
B. OPERATED	425	10.6	114	1	[illegible]	8	14	24	30	45
TOTAL 65-69 YRS	1266	6.8	34	2	2	5	8	12	16	29
70-74	1251	7.1	38	2	2	6	9	13	16	31
75-79	1100	7.2	33	2	2	6	9	13	16	29
80-84	789	8.1	48	2	3	6	10	15	20	37
85+	846	9.1	77	2	3	7	11	18	24	57
GRAND TOTAL	**5252**	**7.5**	**44**	**2**	**2**	**6**	**9**	**14**	**18**	**36**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	418	5.8	12	2	3	5	7	10	12	19
70-74	369	5.7	9	2	3	5	7	10	12	15
75-79	293	6.3	20	2	3	5	7	11	14	28
80-84	189	6.0	15	2	2	5	7	10	11	20
85+	192	6.2	13	2	3	5	8	11	13	20
B. *Operated*										
65-69 YRS	19	9.3	68	1	2	6	11	23	29	32
70-74	20	7.2	46	1	1	5	9	16	22	27
75-79	12	7.1	24	2	2	6	11	13	17	18
80-84	3	11.0	12	7	7	13	13	13	13	13
85+	3	10.7	6	8	8	11	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4372	7.8	28	3	3	7	10	14	17	28
70-74	4506	8.2	32	3	3	7	10	14	18	30
75-79	3672	8.4	35	3	3	7	10	15	19	31
80-84	2628	8.9	41	3	3	7	11	16	19	32
85+	2288	9.3	52	3	4	8	11	16	21	36
B. *Operated*										
65-69 YRS	351	11.5	54	2	4	10	15	21	27	34
70-74	356	14.1	133	3	4	11	17	27	35	60
75-79	250	13.6	87	4	4	11	19	25	30	51
80-84	161	16.4	183	4	5	13	20	33	41	94
85+	113	16.2	160	4	6	14	20	29	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1461	6.0	13	2	3	5	7	10	12	20
B. *Operated*	57	8.2	44	1	2	6	11	17	24	32
2. MULTIPLE DX										
A. *Not Operated*	17466	8.4	36	3	3	7	10	15	19	31
B. *Operated*	1231	13.7	113	3	4	11	17	26	33	61
1. SINGLE DX	1518	6.0	15	2	2	5	8	11	13	20
2. MULTIPLE DX	18697	8.8	43	3	3	7	11	16	20	34
A. NOT OPERATED	18927	8.2	35	3	3	7	10	15	18	30
B. OPERATED	1288	13.5	111	3	4	11	17	26	33	61
TOTAL 65-69 YRS	5160	7.9	30	2	3	7	10	14	18	29
70-74	5251	8.4	40	3	3	7	10	15	19	33
75-79	4227	8.6	39	3	3	7	10	15	20	33
80-84	2981	9.1	51	3	3	7	11	16	21	35
85+	2596	9.4	57	3	3	7	11	17	22	41
GRAND TOTAL	**20215**	**8.6**	**41**	**3**	**3**	**7**	**10**	**15**	**19**	**33**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	179	2.4	1	1	1	2	3	4	4	7
70-74	84	2.3	1	1	1	2	3	4	4	6
75-79	37	2.5	2	1	1	2	3	4	5	7
80-84	5	2.8	3	2	2	2	3	6	6	6
85+	6	3.2	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	1.7	1	<1	<1	1	2	3	5	5
70-74	6	2.7	2	<1	<1	3	4	4	4	4
75-79	3	4.0	27	1	1	1	8	10	10	10
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	426	3.0	4	1	1	3	3	5	6	12
70-74	220	3.2	5	1	1	3	4	5	7	13
75-79	99	4.1	19	2	2	3	4	6	9	28
80-84	20	4.6	34	1	2	3	4	9	20	27
85+	8	5.3	14	2	2	4	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	311	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	22	2.3	4	<1	<1	2	3	4	7	10
B. *Operated*	773	3.3	7	1	1	3	4	5	7	17
1. SINGLE DX	312	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX	795	3.3	7	1	1	3	4	5	7	17
A. NOT OPERATED	23	2.3	4	<1	<1	2	3	4	7	10
B. OPERATED	1084	3.0	6	1	1	3	3	5	6	13
TOTAL 65-69 YRS	617	2.8	3	1	1	3	3	4	6	11
70-74	310	3.0	4	1	1	3	3	5	6	10
75-79	139	3.7	15	1	2	3	4	5	8	27
80-84	26	4.1	27	1	2	3	3	6	16	27
85+	15	4.3	8	2	2	3	5	10	11	11
GRAND TOTAL	**1107**	**3.0**	**6**	**1**	**1**	**3**	**3**	**5**	**6**	**13**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	148	2.3	2	1	1	2	3	4	5	6
70-74	105	2.2	1	<1	1	2	2	4	4	8
75-79	59	2.6	3	1	1	2	3	4	5	11
80-84	28	2.4	1	1	2	2	3	4	4	5
85+	7	3.3	4	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	4.6	16	1	1	4	6	11	13	13
70-74	5	3.8	6	1	1	4	5	7	7	7
75-79	5	4.0	5	1	1	4	5	7	7	7
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	258	3.3	7	1	1	3	4	6	9	15
70-74	179	3.5	10	1	1	3	4	6	8	20
75-79	92	3.4	5	1	2	3	4	6	9	13
80-84	44	4.9	69	1	2	3	4	7	16	53
85+	17	4.4	9	1	1	3	6	9	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	347	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	21	4.4	9	1	1	4	6	8	11	13
B. *Operated*	590	3.5	12	1	1	3	4	6	9	19
1. SINGLE DX	348	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	611	3.6	12	1	1	3	4	6	9	18
A. NOT OPERATED	22	4.3	9	1	1	4	6	8	11	13
B. OPERATED	937	3.1	9	1	1	2	4	5	8	15
TOTAL 65-69 YRS	414	2.9	5	1	1	2	4	5	8	13
70-74	289	3.0	7	1	1	2	3	5	7	16
75-79	156	3.1	4	1	1	3	4	5	7	12
80-84	75	4.0	42	1	2	2	4	6	11	45
85+	25	4.0	7	1	1	3	5	9	10	11
GRAND TOTAL	**959**	**3.1**	**9**	**1**	**1**	**2**	**4**	**5**	**8**	**15**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	1.0		1	1	1	1	1	1	1
75-79										
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	48	2.4	4	1	1	2	2	5	8	10
70-74	18	1.8		<1	1	2	2	3	3	3
75-79	11	1.9	1	1	1	2	2	3	3	3
80-84	5	2.4		2	2	2	3	3	3	3
85+	24	2.0	3	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	5	<1	<1	1	4	5	5	5
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	3	6.7	17	2	2	8	9	10	10	10
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	27	3.2	3	2	2	3	3	5	7	9
70-74	23	4.6	21	<1	1	3	7	10	14	20
75-79	18	4.8	25	1	1	2	7	13	17	19
80-84	6	9.0	77	2	2	6	10	24	26	26
85+	6	2.2	1	1	1	2	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	4	1	1	1	3	5	5	5
B. *Operated*	106	2.2	2	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	11	4.3	8	<1	1	4	6	9	10	10
B. *Operated*	80	4.3	20	1	2	3	4	9	12	24
1. SINGLE DX	110	2.1	2	1	1	2	2	3	5	9
2. MULTIPLE DX	91	4.3	18	1	1	3	5	9	11	24
A. NOT OPERATED	15	3.7	8	<1	1	3	5	8	9	10
B. OPERATED	186	3.1	11	1	1	2	3	7	9	20
TOTAL 65-69 YRS	78	2.7	3	1	1	2	3	5	7	10
70-74	45	3.3	13	<1	1	2	3	9	10	20
75-79	32	4.0	18	1	1	2	4	10	14	19
80-84	13	5.8	42	2	2	4	6	13	24	26
85+	33	2.1	2	1	1	2	2	3	5	9
GRAND TOTAL	**201**	**3.1**	**11**	**1**	**1**	**2**	**3**	**7**	**9**	**19**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	81	3.7	10	1	1	3	5	8	10	15
70-74	70	3.5	7	1	1	3	4	7	9	12
75-79	45	3.6	9	<1	1	3	5	7	10	16
80-84	21	4.0	12	<1	<1	3	6	10	12	13
85+	13	3.5	5	<1	1	3	5	7	8	8
B. *Operated*										
65-69 YRS	748	2.6	8	1	1	2	3	4	6	14
70-74	439	2.5	4	1	1	2	3	4	6	13
75-79	229	3.0	12	1	1	2	3	6	8	18
80-84	99	3.0	8	1	1	2	3	5	8	17
85+	44	3.9	35	1	1	2	3	6	19	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	282	5.7	15	1	2	5	7	11	13	18
70-74	281	6.1	23	1	2	5	7	12	15	21
75-79	190	6.9	25	2	2	5	9	14	17	24
80-84	117	7.0	25	1	3	6	9	12	17	26
85+	93	7.3	39	1	2	6	10	13	18	36
B. *Operated*										
65-69 YRS	874	4.9	40	1	1	3	5	11	16	30
70-74	554	5.1	35	1	2	3	5	12	17	30
75-79	305	6.1	83	1	1	3	6	13	22	43
80-84	127	7.5	69	1	1	4	10	20	26	37
85+	53	9.9	106	2	2	6	14	27	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	3.6	8	1	1	3	5	7	9	15
B. *Operated*	1559	2.7	8	1	1	2	3	4	6	16
2. MULTIPLE DX										
A. *Not Operated*	963	6.4	23	1	2	5	8	12	16	24
B. *Operated*	1913	5.4	50	1	1	3	6	12	18	35
1. SINGLE DX	1789	2.8	8	1	1	2	3	5	7	15
2. MULTIPLE DX	2876	5.8	41	1	2	4	7	12	17	31
A. NOT OPERATED	1193	5.8	21	1	2	5	7	12	15	23
B. OPERATED	3472	4.2	33	1	1	2	4	9	14	30
TOTAL 65-69 YRS	1985	4.1	25	1	1	2	4	8	13	25
70-74	1344	4.4	23	1	1	3	5	10	13	22
75-79	769	5.2	46	1	1	3	6	11	17	36
80-84	364	5.9	39	1	1	3	7	12	19	31
85+	203	7.0	58	1	2	5	9	15	24	35
GRAND TOTAL	**4665**	**4.6**	**31**	**1**	**1**	**3**	**5**	**10**	**14**	**28**

179: Pneumonia (480-486)

TYPE OF PATIENT (1,	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1719	7.2	17	3	3	7	9	12	14	19
70-74	1618	7.4	20	3	3	6	9	13	16	22
75-79	1445	8.1	27	3	3	7	10	14	18	26
80-84	1306	8.3	25	3	4	7	10	14	18	25
85+	1381	8.9	27	3	4	8	11	15	19	28
B. *Operated*										
65-69 YRS	200	10.4	63	1	2	9	15	21	25	37
70-74	160	9.7	41	2	2	9	13	18	23	30
75-79	101	12.5	74	2	3	11	16	24	28	44
80-84	57	14.0	103	4	5	11	19	24	29	59
85+	37	20.8	197	2	8	17	30	45	57	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8543	9.9	49	3	4	8	12	17	22	37
70-74	9915	10.5	55	3	4	9	13	19	24	39
75-79	10358	11.4	67	4	4	9	14	20	26	44
80-84	9301	12.0	71	4	5	10	15	21	27	47
85+	11455	12.6	80	4	5	11	15	22	29	52
B. *Operated*										
65-69 YRS	1467	18.4	178	5	7	15	23	35	48	92
70-74	1553	19.1	190	5	7	15	24	36	50	97
75-79	1281	20.3	214	5	7	17	26	40	55	95
80-84	1037	20.8	193	6	8	17	26	40	54	99+
85+	896	22.5	230	7	8	18	28	44	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7469	7.9	23	3	3	7	10	13	17	24
B. *Operated*	555	11.6	79	2	2	10	15	23	29	46
2. MULTIPLE DX										
A. *Not Operated*	49572	11.3	66	3	4	9	14	20	26	44
B. *Operated*	6234	19.9	200	5	7	16	25	38	52	98
1. SINGLE DX	8024	8.2	28	3	3	7	10	14	18	27
2. MULTIPLE DX	55806	12.3	88	4	5	10	15	23	29	54
A. NOT OPERATED	57041	10.9	62	3	4	9	13	19	25	42
B. OPERATED	6789	19.3	196	5	7	16	24	37	51	96
TOTAL 65-69 YRS	11929	10.5	70	3	4	8	13	19	25	47
70-74	13246	11.1	76	3	4	9	13	21	27	48
75-79	13185	11.9	85	3	4	9	14	22	28	53
80-84	11701	12.4	85	4	5	10	15	22	29	54
85+	13769	12.9	93	4	5	11	16	23	30	58
GRAND TOTAL	**63830**	**11.8**	**83**	**3**	**4**	**9**	**14**	**22**	**28**	**52**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	143	5.0	9	1	2	4	6	9	11	15
70-74	141	4.8	9	1	2	4	6	7	9	20
75-79	74	5.4	16	1	2	4	7	10	16	20
80-84	86	5.9	18	1	2	5	7	11	14	24
85+	85	5.8	23	2	2	4	7	12	15	28
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	20.0		20	20	20	20	20	20	20
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	596	6.2	25	2	2	5	8	11	14	22
70-74	668	6.4	18	2	2	5	8	11	14	20
75-79	595	6.8	24	2	2	5	9	13	16	26
80-84	482	7.4	28	2	3	6	9	14	17	30
85+	468	8.0	32	2	3	7	10	15	18	25
B. *Operated*										
65-69 YRS	23	10.7	59	3	4	9	13	18	27	40
70-74	28	13.9	177	3	4	9	15	34	46	58
75-79	23	15.9	96	5	6	11	23	32	35	35
80-84	21	19.0	150	5	6	15	26	37	44	48
85+	9	16.0	30	8	8	17	19	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	5.3	14	2	2	4	7	9	12	19
B. *Operated*	2	14.0	72	8	8	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	2809	6.9	25	2	3	6	9	12	16	25
B. *Operated*	104	14.8	119	4	5	11	19	32	38	53
1. SINGLE DX	531	5.3	14	2	2	4	7	9	13	20
2. MULTIPLE DX	2913	7.2	31	2	3	6	9	13	17	29
A. NOT OPERATED	3338	6.6	24	2	2	5	8	12	15	24
B. OPERATED	106	14.8	117	4	5	11	19	32	38	52
TOTAL 65-69 YRS	762	6.1	24	2	2	5	8	11	14	22
70-74	837	6.4	24	2	2	5	8	11	15	24
75-79	692	7.0	28	2	2	5	9	13	17	28
80-84	590	7.6	36	2	3	6	9	14	19	34
85+	563	7.8	32	2	3	6	10	15	18	25
GRAND TOTAL	**3444**	**6.9**	**29**	**2**	**2**	**5**	**8**	**13**	**16**	**28**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	603	6.6	21	2	2	6	8	11	14	23
70-74	510	6.5	15	2	3	6	8	12	14	20
75-79	345	7.2	38	2	2	6	9	13	16	30
80-84	200	6.4	16	1	2	5	8	12	15	20
85+	169	6.8	25	2	3	5	8	12	20	27
B. *Operated*										
65-69 YRS	89	6.5	132	1	1	4	7	12	17	78
70-74	78	4.9	16	1	1	4	6	11	14	18
75-79	37	7.1	53	1	1	4	10	14	27	30
80-84	20	6.0	12	2	2	5	8	11	13	14
85+	9	10.1	96	2	2	7	15	26	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2860	8.4	40	3	3	7	10	16	20	34
70-74	2921	8.7	42	3	3	7	11	16	21	33
75-79	2279	9.0	45	3	3	7	11	17	21	35
80-84	1538	9.0	44	3	3	7	11	17	21	33
85+	1185	9.2	52	2	3	8	11	16	20	34
B. *Operated*										
65-69 YRS	497	10.8	100	2	3	8	14	21	33	79
70-74	477	11.7	102	2	2	9	15	24	28	56
75-79	297	12.1	113	2	3	9	16	26	34	89
80-84	187	14.6	158	3	4	12	19	33	47	99+
85+	76	14.0	67	3	5	13	19	26	30	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1827	6.7	22	2	2	6	8	12	15	23
B. *Operated*	233	6.2	69	1	1	4	8	12	16	35
2. MULTIPLE DX										
A. *Not Operated*	10783	8.8	44	3	3	7	11	16	21	34
B. *Operated*	1534	12.0	110	2	3	9	16	25	34	79
1. SINGLE DX	2060	6.6	28	2	2	5	8	12	15	23
2. MULTIPLE DX	12317	9.2	53	2	3	7	11	17	22	39
A. NOT OPERATED	12610	8.5	41	2	3	7	11	16	20	33
B. OPERATED	1767	11.2	108	2	2	8	15	23	32	73
TOTAL 65-69 YRS	4049	8.4	48	2	3	7	10	16	21	37
70-74	3986	8.7	47	2	3	7	11	17	21	35
75-79	2958	9.1	52	2	3	7	11	17	22	39
80-84	1945	9.2	56	2	3	7	11	18	23	44
85+	1439	9.2	52	2	3	7	12	17	21	34
GRAND TOTAL	**14377**	**8.8**	**50**	**2**	**3**	**7**	**11**	**17**	**21**	**38**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	267	8.0	45	1	2	6	10	14	20	40
70-74	253	7.8	30	2	3	7	10	15	18	29
75-79	167	7.2	23	2	3	6	8	13	17	27
80-84	89	7.6	25	1	3	7	9	14	18	25
85+	35	8.3	41	2	2	7	10	19	21	28
B. *Operated*										
65-69 YRS	8	10.6	62	4	4	8	15	23	25	25
70-74	8	18.1	210	2	3	14	29	40	40	40
75-79	5	15.8	307	4	4	8	23	46	46	46
80-84	2	7.5	1	7	7	7	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1635	9.8	70	2	3	8	12	18	23	47
70-74	1608	10.4	78	3	3	8	13	20	26	50
75-79	1173	10.2	69	3	3	8	13	20	25	44
80-84	624	10.0	61	2	3	8	13	20	25	41
85+	289	10.6	73	2	3	8	14	21	27	52
B. *Operated*										
65-69 YRS	201	20.0	294	4	6	14	27	48	71	99+
70-74	191	17.7	262	3	4	14	23	38	78	99+
75-79	139	17.6	145	4	6	15	25	34	52	99+
80-84	69	18.6	335	2	3	13	24	37	74	98
85+	24	20.9	200	6	8	18	31	51	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	7.8	33	2	3	6	10	14	18	28
B. *Operated*	23	14.1	157	3	4	10	19	39	42	46
2. MULTIPLE DX										
A. *Not Operated*	5329	10.2	71	2	3	8	13	19	25	46
B. *Operated*	624	18.6	252	3	5	15	24	41	67	99+
1. SINGLE DX	834	7.9	38	2	3	7	10	15	19	32
2. MULTIPLE DX	5953	11.0	97	3	3	8	14	22	30	66
A. NOT OPERATED	6140	9.8	67	2	3	8	12	19	25	44
B. OPERATED	647	18.5	249	3	5	14	24	40	65	99+
TOTAL 65-69 YRS	2111	10.6	97	2	3	8	13	20	28	70
70-74	2060	10.8	96	3	3	8	13	21	29	64
75-79	1484	10.6	77	3	3	8	13	21	28	51
80-84	784	10.5	87	2	3	8	13	21	27	54
85+	348	11.1	85	2	3	9	14	22	31	58
GRAND TOTAL	**6787**	**10.7**	**91**	**2**	**3**	**8**	**13**	**21**	**29**	**63**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1586	6.4	16	2	2	6	8	11	14	20
70-74	1184	6.6	20	2	3	6	8	12	14	21
75-79	739	6.5	17	2	2	6	8	12	14	20
80-84	332	6.9	19	2	2	6	9	12	16	21
85+	157	6.6	16	2	3	6	9	13	15	19
B. *Operated*										
65-69 YRS	23	9.5	26	2	3	9	13	17	18	19
70-74	25	10.7	42	2	2	9	17	21	40	99+
75-79	9	12.2	39	3	5	11	16	22	24	24
80-84	2	16.0	8	14	14	16	18	18	18	18
85+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4843	8.3	34	2	3	7	10	15	19	31
70-74	4160	8.5	39	3	3	7	11	15	19	33
75-79	2938	8.8	47	3	3	7	11	15	20	34
80-84	1608	9.3	45	3	3	8	12	17	21	32
85+	907	9.8	53	3	4	8	12	17	21	40
B. *Operated*										
65-69 YRS	333	15.7	197	3	5	11	20	30	48	82
70-74	275	16.1	156	4	6	13	20	29	40	85
75-79	171	15.5	182	3	5	12	18	29	42	77
80-84	67	18.0	123	5	6	16	25	37	45	99+
85+	39	17.3	215	5	7	14	19	28	48	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3998	6.5	18	2	2	6	8	12	14	20
B. *Operated*	60	10.7	34	2	3	10	16	19	22	92
2. MULTIPLE DX										
A. *Not Operated*	14456	8.7	41	2	3	7	11	15	20	33
B. *Operated*	885	16.0	176	4	5	13	20	30	43	84
1. SINGLE DX	4058	6.6	18	2	2	6	8	12	14	21
2. MULTIPLE DX	15341	9.1	51	3	3	7	11	16	21	38
A. NOT OPERATED	18454	8.2	36	2	3	7	10	15	19	31
B. OPERATED	945	15.7	169	4	5	12	19	29	42	85
TOTAL 65-69 YRS	6785	8.2	41	2	3	7	10	15	19	34
70-74	5644	8.5	44	2	3	7	11	15	19	36
75-79	3857	8.7	50	2	3	7	11	15	20	35
80-84	2009	9.2	47	2	3	8	11	17	22	34
85+	1104	9.6	57	3	3	8	12	17	21	40
GRAND TOTAL	**19399**	**8.6**	**45**	**2**	**3**	**7**	**11**	**15**	**20**	**35**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1771	7.9	40	2	3	6	10	14	18	32
70-74	1690	7.7	31	2	3	6	10	14	18	29
75-79	1130	8.1	38	2	3	7	10	15	19	36
80-84	523	7.6	28	2	3	6	9	14	17	30
85+	234	7.9	29	2	3	6	10	15	19	27
B. *Operated*										
65-69 YRS	80	9.6	98	1	2	7	13	25	38	99+
70-74	80	10.5	106	1	2	8	13	20	29	61
75-79	46	11.9	181	2	3	8	15	22	29	86
80-84	15	13.3	139	1	2	12	16	32	42	45
85+	4	14.3	7	12	12	13	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9792	9.7	60	3	3	8	12	18	23	41
70-74	9696	10.0	66	3	3	8	12	18	24	43
75-79	7289	10.4	69	3	3	8	13	20	26	46
80-84	4104	10.4	71	3	3	8	13	19	25	45
85+	1943	10.2	65	3	3	8	13	20	26	44
B. *Operated*										
65-69 YRS	1229	16.4	208	3	4	12	21	35	52	99+
70-74	1158	17.5	217	4	5	13	22	37	54	99+
75-79	817	18.3	229	4	5	14	23	37	50	97
80-84	414	18.8	230	4	6	14	24	40	58	99+
85+	140	19.0	214	5	7	15	23	37	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5348	7.8	35	2	3	6	10	14	18	31
B. *Operated*	225	10.7	118	1	2	8	14	22	30	89
2. MULTIPLE DX										
A. *Not Operated*	32824	10.0	66	3	3	8	12	19	25	44
B. *Operated*	3758	17.5	219	3	5	13	22	37	53	99+
1. SINGLE DX	5573	7.9	39	2	3	6	10	15	19	32
2. MULTIPLE DX	36582	10.8	86	3	3	8	13	21	28	55
A. NOT OPERATED	38172	9.7	62	2	3	8	12	18	24	42
B. OPERATED	3983	17.1	216	3	5	13	21	36	52	99+
TOTAL 65-69 YRS	12872	10.1	77	2	3	8	12	19	26	51
70-74	12624	10.4	81	2	3	8	13	20	27	52
75-79	9282	10.8	85	3	3	8	13	21	28	53
80-84	5056	10.8	86	3	3	8	13	20	29	55
85+	2321	10.5	75	3	3	8	13	20	26	49
GRAND TOTAL	**42155**	**10.4**	**81**	**2**	**3**	**8**	**13**	**20**	**27**	**52**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	7.7	16	2	4	7	10	13	16	17
70-74	13	5.5	7	2	2	5	6	10	11	11
75-79	6	6.3	11	2	2	6	9	10	10	10
80-84	5	6.0	17	3	3	5	8	13	13	13
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	68	8.0	28	2	3	7	10	14	17	29
70-74	59	11.7	61	3	5	9	18	23	28	32
75-79	39	10.8	78	2	3	8	14	25	30	38
80-84	14	7.6	16	3	4	7	10	14	15	16
85+	11	11.3	109	3	3	8	11	28	38	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	86	9.8	78	2	3	7	12	18	24	53
70-74	93	9.1	36	1	3	8	12	19	21	26
75-79	67	9.7	52	3	3	7	11	22	26	31
80-84	48	10.9	57	3	4	8	14	23	29	33
85+	43	11.1	63	2	3	9	15	21	28	37
B. *Operated*										
65-69 YRS	266	14.3	156	3	4	11	18	30	38	82
70-74	272	14.7	154	3	4	11	19	30	38	62
75-79	177	15.2	121	3	4	12	22	32	36	50
80-84	108	13.2	147	3	4	10	15	26	32	74
85+	67	13.9	140	3	4	9	18	28	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	6.6	13	2	3	6	9	11	14	17
B. *Operated*	191	9.8	54	2	3	7	13	21	26	36
2. MULTIPLE DX										
A. *Not Operated*	337	9.9	56	2	3	8	13	20	24	34
B. *Operated*	890	14.5	146	3	4	11	19	30	37	62
1. SINGLE DX	236	9.2	47	2	3	7	11	19	24	33
2. MULTIPLE DX	1227	13.2	125	3	4	10	17	27	34	57
A. NOT OPERATED	382	9.5	52	2	3	7	12	19	24	33
B. OPERATED	1081	13.7	133	3	4	10	18	28	35	58
TOTAL 65-69 YRS	440	12.2	122	3	4	9	15	25	33	61
70-74	437	12.8	119	3	4	10	17	26	32	53
75-79	289	13.2	104	3	3	10	19	28	33	47
80-84	175	11.9	111	3	4	9	14	24	30	69
85+	122	12.6	110	3	4	9	16	25	34	57
GRAND TOTAL	**1463**	**12.6**	**115**	**3**	**4**	**9**	**16**	**26**	**32**	**53**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	374	5.4	14	1	1	5	7	10	13	18
70-74	373	6.5	42	1	2	5	8	13	18	34
75-79	292	7.6	39	1	2	6	10	15	19	30
80-84	232	8.8	88	1	2	6	11	16	22	41
85+	229	6.8	27	1	2	6	9	14	17	26
B. *Operated*										
65-69 YRS	451	7.4	45	1	2	6	10	16	20	36
70-74	308	8.0	49	1	2	6	11	17	23	35
75-79	210	8.3	53	1	1	6	12	18	25	31
80-84	120	9.1	57	1	2	7	13	21	25	31
85+	53	10.5	191	2	2	6	14	20	25	87
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3173	9.0	54	2	3	7	11	17	22	38
70-74	3665	9.4	56	2	3	7	12	18	22	43
75-79	3390	10.3	76	2	3	8	13	19	26	46
80-84	2714	11.0	84	2	3	9	14	21	27	52
85+	2643	11.7	85	3	4	9	15	22	29	50
B. *Operated*										
65-69 YRS	1662	14.0	159	2	3	11	18	29	40	70
70-74	1538	14.7	165	2	3	12	19	29	40	68
75-79	1236	16.5	195	2	3	13	22	35	47	92
80-84	706	16.6	161	2	4	14	22	34	44	78
85+	528	18.7	217	4	5	15	25	37	49	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1500	6.8	41	1	2	5	9	14	17	29
B. *Operated*	1142	8.1	56	1	2	6	11	17	23	34
2. MULTIPLE DX										
A. *Not Operated*	15585	10.2	71	2	3	8	13	19	25	46
B. *Operated*	5670	15.5	176	2	3	12	20	32	42	77
1. SINGLE DX	2642	7.4	47	1	2	6	9	15	20	31
2. MULTIPLE DX	21255	11.6	104	2	3	9	14	23	31	56
A. NOT OPERATED	17085	9.9	69	2	3	8	13	19	25	45
B. OPERATED	6812	14.2	164	2	3	11	19	30	40	73
TOTAL 65-69 YRS	5660	10.1	89	2	2	8	13	20	27	49
70-74	5884	10.5	90	2	3	8	13	21	27	51
75-79	5128	11.6	110	2	3	9	14	23	32	60
80-84	3772	11.8	103	2	3	9	15	24	31	58
85+	3453	12.4	112	3	3	9	16	24	32	59
GRAND TOTAL	**23897**	**11.1**	**100**	**2**	**3**	**8**	**14**	**22**	**30**	**54**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.3	3	1	1	2	3	5	5	5
70-74	9	4.1	7	<1	1	4	6	8	9	9
75-79	7	5.9	43	<1	<1	5	6	17	20	20
80-84	3	4.0	7	2	2	3	6	7	7	7
85+	9	5.1	19	2	2	3	5	12	16	16
B. *Operated*										
65-69 YRS	314	2.8	7	<1	1	2	3	5	6	12
70-74	176	2.8	7	1	1	2	3	5	6	13
75-79	131	2.7	4	1	1	2	3	4	5	12
80-84	71	2.7	3	1	1	2	3	5	7	10
85+	42	3.2	8	1	1	3	3	5	9	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	5.8	36	1	1	4	7	13	21	28
70-74	58	6.2	26	1	1	5	9	13	17	24
75-79	47	6.3	25	2	2	5	8	13	15	28
80-84	43	6.4	30	<1	1	5	8	15	18	24
85+	29	4.6	14	1	1	4	7	9	13	16
B. *Operated*										
65-69 YRS	800	3.5	15	1	2	2	3	6	9	20
70-74	680	3.7	15	1	2	2	4	7	10	21
75-79	474	3.7	18	1	2	2	4	6	9	30
80-84	275	3.9	21	1	2	3	4	8	11	19
85+	218	3.8	18	2	2	2	4	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.2	15	<1	1	3	5	7	14	20
B. *Operated*	734	2.8	6	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	253	5.9	28	1	1	4	8	13	17	27
B. *Operated*	2447	3.7	17	1	2	2	4	7	9	21
1. SINGLE DX	771	2.9	6	1	1	2	3	5	6	14
2. MULTIPLE DX	2700	3.9	18	1	2	2	4	7	11	23
A. NOT OPERATED	290	5.7	27	1	1	4	7	13	16	26
B. OPERATED	3181	3.5	14	1	2	2	4	6	9	20
TOTAL 65-69 YRS	1199	3.4	15	1	1	2	3	6	9	23
70-74	923	3.7	15	1	1	2	4	7	10	20
75-79	659	3.7	17	1	2	2	4	7	10	27
80-84	392	4.0	19	1	1	3	4	8	11	21
85+	298	3.8	16	1	2	3	4	7	9	17
GRAND TOTAL	**3471**	**3.6**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	5.2	8	1	3	5	6	8	11	14
70-74	22	4.9	10	1	1	5	7	10	11	13
75-79	24	5.0	9	1	2	5	6	10	11	13
80-84	14	6.2	22	1	2	4	11	14	15	15
85+	24	6.8	23	1	2	5	9	12	18	21
B. *Operated*										
65-69 YRS	235	3.4	6	1	1	3	4	6	8	13
70-74	163	3.6	7	1	2	3	4	5	8	17
75-79	110	4.3	19	1	2	3	5	7	10	25
80-84	51	4.4	12	1	2	3	5	9	12	17
85+	32	4.7	8	2	2	4	6	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	142	6.8	25	1	2	6	8	14	16	27
70-74	142	6.9	25	2	2	6	9	12	15	28
75-79	109	8.6	57	2	3	7	10	16	23	47
80-84	115	8.1	21	2	3	8	10	14	16	24
85+	120	9.3	53	3	3	7	12	16	19	47
B. *Operated*										
65-69 YRS	300	5.4	29	1	2	4	6	11	15	30
70-74	224	6.2	48	1	2	4	7	14	20	34
75-79	151	7.4	76	2	2	4	9	16	22	46
80-84	95	7.4	95	1	2	5	8	18	23	58
85+	56	9.4	84	1	2	7	11	19	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.5	13	1	2	5	7	10	13	18
B. *Operated*	591	3.8	9	1	2	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	628	7.8	36	2	3	7	10	14	17	33
B. *Operated*	826	6.5	55	1	2	4	7	14	21	36
1. SINGLE DX	711	4.1	11	1	2	3	5	7	10	17
2. MULTIPLE DX	1454	7.1	47	1	2	5	9	14	19	35
A. NOT OPERATED	748	7.5	33	2	3	6	9	14	17	31
B. OPERATED	1417	5.3	38	1	2	3	6	11	17	31
TOTAL 65-69 YRS	713	5.0	21	1	2	4	6	10	14	26
70-74	551	5.5	30	1	2	4	6	11	16	30
75-79	394	6.7	53	1	2	5	8	13	20	41
80-84	275	7.1	46	1	2	6	9	14	17	31
85+	232	8.4	54	2	2	7	10	16	20	47
GRAND TOTAL	**2165**	**6.1**	**37**	**1**	**2**	**4**	**7**	**12**	**17**	**31**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	245	4.2	8	1	1	3	5	8	10	15
70-74	192	4.2	10	1	1	3	6	8	10	15
75-79	182	4.8	25	1	1	4	5	8	13	25
80-84	84	4.6	17	1	2	4	5	7	11	27
85+	77	4.9	17	1	2	4	6	10	13	23
B. *Operated*										
65-69 YRS	282	5.5	27	1	1	3	8	11	16	25
70-74	263	5.9	32	<1	1	4	8	12	17	29
75-79	189	6.5	42	1	1	5	9	15	18	23
80-84	140	6.0	24	1	1	4	9	13	15	24
85+	107	6.7	34	1	2	5	9	13	18	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1480	6.1	24	2	2	5	8	11	14	25
70-74	1441	6.4	30	2	2	5	8	11	15	29
75-79	1210	7.3	42	2	2	6	9	13	18	37
80-84	897	7.3	34	2	2	6	9	14	19	30
85+	750	7.9	37	2	2	6	10	15	21	32
B. *Operated*										
65-69 YRS	1279	9.7	96	2	2	7	12	19	27	59
70-74	1220	10.3	113	2	2	7	13	21	30	72
75-79	980	10.6	97	2	2	8	13	22	28	54
80-84	695	11.5	141	2	2	8	14	24	35	71
85+	477	11.7	103	2	3	9	15	24	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	780	4.4	14	1	1	3	5	8	11	19
B. *Operated*	981	6.0	32	1	1	4	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	5778	6.8	33	2	2	5	8	13	17	29
B. *Operated*	4651	10.5	108	2	2	8	13	22	30	61
1. SINGLE DX	1761	5.3	25	1	1	4	7	11	15	24
2. MULTIPLE DX	10429	8.5	70	2	2	6	10	17	23	47
A. NOT OPERATED	6558	6.5	31	2	2	5	8	12	16	29
B. OPERATED	5632	9.8	98	1	2	7	12	20	27	57
TOTAL 65-69 YRS	3286	7.3	55	1	2	5	9	14	19	39
70-74	3116	7.7	66	1	2	6	9	15	21	46
75-79	2561	8.3	66	2	2	6	10	17	23	43
80-84	1816	8.7	79	2	2	6	10	18	24	53
85+	1411	8.9	62	2	2	7	11	18	24	44
GRAND TOTAL	**12190**	**8.0**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**44**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	145	5.6	22	1	2	5	7	10	12	30
70-74	142	5.5	15	1	2	5	6	10	14	21
75-79	91	5.6	12	1	2	4	8	11	12	17
80-84	79	6.7	41	<1	1	5	9	13	14	41
85+	64	7.2	22	1	2	6	9	14	17	21
B. *Operated*										
65-69 YRS	143	7.9	33	1	2	6	10	15	20	26
70-74	156	8.5	37	1	2	7	12	17	21	26
75-79	108	7.5	30	<1	1	6	10	15	17	29
80-84	71	9.8	61	2	3	7	13	21	23	38
85+	39	10.6	85	1	2	9	14	18	33	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	793	7.4	29	2	3	6	9	14	17	30
70-74	783	7.8	35	2	3	6	10	14	19	27
75-79	680	8.4	41	2	3	7	10	15	19	34
80-84	535	9.3	45	2	3	7	11	18	24	34
85+	445	9.5	43	2	3	8	12	18	21	35
B. *Operated*										
65-69 YRS	667	10.9	73	3	4	9	13	19	25	46
70-74	693	11.9	80	3	4	10	15	23	29	47
75-79	627	12.0	87	3	4	9	15	23	31	57
80-84	407	12.1	71	3	4	10	15	23	30	45
85+	267	13.2	102	3	4	10	16	25	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	5.9	22	1	2	5	7	11	14	22
B. *Operated*	517	8.5	42	1	2	7	11	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	3236	8.3	38	2	3	7	10	15	19	32
B. *Operated*	2661	11.8	81	3	4	10	15	23	29	48
1. SINGLE DX	1038	7.2	33	1	2	6	9	14	18	30
2. MULTIPLE DX	5897	9.9	60	2	3	8	12	19	25	39
A. NOT OPERATED	3757	8.0	36	2	3	7	10	15	19	31
B. OPERATED	3178	11.3	76	2	4	9	14	22	28	46
TOTAL 65-69 YRS	1748	8.6	49	2	3	7	11	16	21	35
70-74	1774	9.3	56	2	3	7	12	18	23	36
75-79	1506	9.7	62	2	3	8	12	18	25	40
80-84	1092	10.2	58	2	3	8	13	20	26	40
85+	815	10.6	66	2	3	8	13	20	26	45
GRAND TOTAL	**6935**	**9.5**	**57**	**2**	**3**	**8**	**12**	**18**	**24**	**38**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	157	5.9	11	2	3	5	7	9	13	20
70-74	144	6.8	18	2	3	6	8	11	16	20
75-79	121	6.8	15	2	3	6	8	10	14	23
80-84	87	7.7	16	3	4	7	9	11	18	22
85+	54	9.3	38	2	5	8	11	16	17	41
B. *Operated*										
65-69 YRS	121	10.2	37	3	4	9	14	17	20	30
70-74	136	10.5	48	3	4	9	13	20	21	32
75-79	97	12.0	58	3	4	10	16	23	26	40
80-84	71	11.6	50	4	5	10	15	20	24	41
85+	54	13.0	65	4	5	11	17	22	29	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	550	8.2	32	3	3	7	10	15	19	31
70-74	634	8.9	43	3	4	7	10	15	20	34
75-79	687	9.3	40	3	4	8	12	16	19	33
80-84	507	10.5	60	3	4	9	12	19	23	40
85+	443	10.8	60	3	4	9	13	20	26	45
B. *Operated*										
65-69 YRS	645	13.5	117	4	5	11	16	25	32	57
70-74	692	14.6	146	4	5	11	17	29	39	74
75-79	630	14.5	128	4	5	11	18	28	37	62
80-84	494	17.0	178	5	6	14	21	33	45	92
85+	391	17.6	183	5	6	14	21	35	47	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	6.9	18	2	3	6	8	11	16	22
B. *Operated*	479	11.2	50	3	4	10	15	20	24	40
2. MULTIPLE DX										
A. *Not Operated*	2821	9.4	46	3	4	8	11	16	21	37
B. *Operated*	2852	15.2	148	4	5	12	19	29	40	75
1. SINGLE DX	1042	8.9	37	3	3	7	11	16	21	29
2. MULTIPLE DX	5673	12.3	106	3	4	9	15	23	32	60
A. NOT OPERATED	3384	9.0	43	3	4	7	11	16	20	36
B. OPERATED	3331	14.6	136	4	5	11	18	28	38	73
TOTAL 65-69 YRS	1473	10.5	76	3	4	8	13	19	26	49
70-74	1606	11.3	95	3	4	8	13	22	30	56
75-79	1535	11.4	83	3	4	9	14	21	28	52
80-84	1159	13.1	118	4	5	10	16	24	34	61
85+	942	13.7	122	4	5	11	16	26	36	74
GRAND TOTAL	**6715**	**11.8**	**97**	**3**	**4**	**9**	**14**	**22**	**30**	**56**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	381	5.2	9	2	2	5	6	9	11	17
70-74	310	4.9	7	2	2	4	6	8	10	13
75-79	192	5.3	19	2	2	4	6	9	11	20
80-84	126	6.1	15	2	2	6	8	11	12	22
85+	85	6.6	22	2	2	6	8	10	13	29
B. *Operated*										
65-69 YRS	67	10.3	35	1	3	10	13	17	22	33
70-74	51	8.6	36	1	2	7	11	17	20	29
75-79	41	10.7	40	4	4	9	13	19	24	32
80-84	17	9.5	73	1	2	7	11	24	30	32
85+	9	9.4	6	6	6	9	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1654	6.9	21	2	3	6	8	12	15	24
70-74	1546	7.2	23	2	3	6	9	13	16	25
75-79	1304	7.9	30	2	3	7	9	14	18	29
80-84	915	8.5	45	2	3	7	10	16	22	32
85+	682	9.2	42	3	3	8	11	16	21	42
B. *Operated*										
65-69 YRS	444	11.5	70	2	3	10	15	21	27	48
70-74	416	13.0	110	3	4	10	16	25	31	59
75-79	323	13.7	117	3	5	11	17	26	35	75
80-84	190	13.5	81	4	5	11	17	25	32	45
85+	123	15.3	127	4	6	12	19	28	44	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1094	5.4	12	2	2	5	7	9	11	17
B. *Operated*	185	9.8	38	1	3	9	12	17	23	32
2. MULTIPLE DX										
A. *Not Operated*	6101	7.7	30	2	3	6	9	14	18	29
B. *Operated*	1496	13.0	98	3	4	10	16	25	32	54
1. SINGLE DX	1279	6.0	18	2	2	5	7	10	13	24
2. MULTIPLE DX	7597	8.7	48	2	3	7	11	16	21	40
A. NOT OPERATED	7195	7.3	28	2	3	6	9	13	17	28
B. OPERATED	1681	12.6	93	3	4	10	16	24	30	52
TOTAL 65-69 YRS	2546	7.5	32	2	3	6	9	14	18	28
70-74	2323	8.0	43	2	3	6	10	15	20	34
75-79	1860	8.7	50	2	3	7	10	16	21	38
80-84	1248	9.0	52	2	3	7	11	17	23	41
85+	899	9.8	57	3	3	8	12	18	23	45
GRAND TOTAL	**8876**	**8.3**	**45**	**2**	**3**	**7**	**10**	**15**	**20**	**37**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	416	5.9	9	2	3	5	7	10	11	17
70-74	296	6.6	11	2	3	6	8	10	13	19
75-79	238	6.4	11	3	3	6	8	11	14	17
80-84	165	6.8	16	2	3	6	9	11	13	23
85+	129	8.4	27	3	4	7	10	16	18	26
B. *Operated*										
65-69 YRS	160	11.6	45	4	6	10	13	17	27	33
70-74	125	12.4	40	5	6	11	15	20	25	35
75-79	92	14.3	73	6	8	12	17	23	26	56
80-84	62	14.8	80	4	6	12	17	28	31	46
85+	80	15.5	67	6	8	14	20	25	30	50
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1054	8.0	35	3	3	7	10	14	18	38
70-74	1056	8.2	32	3	3	7	10	14	19	33
75-79	996	9.0	37	3	4	8	11	16	20	33
80-84	817	10.5	62	3	4	9	13	19	22	52
85+	733	11.3	86	3	4	9	13	20	26	54
B. *Operated*										
65-69 YRS	527	16.7	165	5	6	13	20	31	42	71
70-74	600	18.0	183	5	7	14	23	36	48	76
75-79	553	18.7	184	6	7	14	23	38	48	78
80-84	435	20.1	200	6	7	16	25	38	51	88
85+	320	20.1	218	6	7	16	24	38	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1244	6.6	13	2	3	6	8	11	13	20
B. *Operated*	519	13.2	58	5	6	11	16	23	28	42
2. MULTIPLE DX										
A. *Not Operated*	4656	9.2	49	3	4	8	11	16	21	41
B. *Operated*	2435	18.5	188	5	7	14	23	36	48	82
1. SINGLE DX	1763	8.5	36	3	3	7	10	15	20	31
2. MULTIPLE DX	7091	12.4	116	3	4	9	15	24	34	64
A. NOT OPERATED	5900	8.7	43	3	3	7	10	15	20	37
B. OPERATED	2954	17.6	169	5	7	14	22	34	45	78
TOTAL 65-69 YRS	2157	10.0	79	3	3	8	12	19	26	55
70-74	2077	11.1	94	3	4	8	13	22	29	54
75-79	1879	11.8	100	3	4	9	14	23	31	59
80-84	1479	13.1	120	3	4	10	16	25	35	66
85+	1262	13.5	129	4	5	10	16	25	34	76
GRAND TOTAL	**8854**	**11.6**	**103**	**3**	**4**	**9**	**14**	**22**	**31**	**59**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	7.2	21	2	3	6	8	13	18	22
70-74	31	8.0	19	3	3	7	10	14	19	20
75-79	19	9.6	60	2	3	8	12	19	29	35
80-84	11	10.5	16	5	6	11	12	16	19	19
85+	16	11.3	58	3	4	10	14	16	29	35
B. *Operated*										
65-69 YRS	50	16.2	68	7	8	15	17	26	37	45
70-74	44	14.3	50	4	5	14	17	24	28	35
75-79	27	14.1	67	5	6	12	17	27	30	38
80-84	21	16.9	105	8	9	12	20	29	40	50
85+	11	15.4	69	4	7	14	18	28	34	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	91	8.1	20	3	4	8	10	13	18	24
70-74	87	10.7	69	2	3	8	13	23	27	42
75-79	94	9.7	32	4	4	9	12	18	22	30
80-84	70	11.8	58	2	3	10	16	24	28	31
85+	58	13.1	67	5	5	11	17	22	32	41
B. *Operated*										
65-69 YRS	156	19.6	164	6	8	16	25	39	49	66
70-74	169	21.1	160	8	9	18	26	37	49	84
75-79	136	21.1	257	6	8	17	25	47	59	94
80-84	109	23.0	259	6	8	18	29	43	55	99
85+	62	22.7	193	7	9	20	28	38	49	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	8.8	33	3	3	7	11	16	19	35
B. *Operated*	153	15.3	67	5	7	14	17	26	31	45
2. MULTIPLE DX										
A. *Not Operated*	400	10.4	49	3	4	9	13	20	25	34
B. *Operated*	632	21.2	202	6	8	17	26	41	51	88
1. SINGLE DX	262	12.6	63	3	5	11	16	23	28	42
2. MULTIPLE DX	1032	17.0	170	4	5	13	22	33	44	75
A. NOT OPERATED	509	10.1	46	3	4	8	12	19	24	34
B. OPERATED	785	20.0	181	6	8	16	25	38	49	86
TOTAL 65-69 YRS	329	14.7	124	4	5	12	18	27	40	60
70-74	331	16.2	135	3	5	14	22	31	39	60
75-79	276	15.7	176	4	5	12	19	28	47	82
80-84	211	18.0	192	4	6	14	23	38	44	91
85+	147	17.1	141	5	6	14	21	34	38	57
GRAND TOTAL	**1294**	**16.1**	**152**	**4**	**5**	**13**	**20**	**31**	**42**	**65**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	411	4.5	18	1	2	4	6	8	10	17
70-74	339	4.5	9	1	2	4	6	8	10	16
75-79	258	5.3	14	1	1	4	7	10	13	18
80-84	171	5.4	21	1	2	4	7	10	13	25
85+	125	5.1	15	1	2	4	6	11	12	21
B. *Operated*										
65-69 YRS	94	6.4	24	<1	1	5	9	13	17	22
70-74	64	7.3	46	<1	1	6	9	15	23	33
75-79	62	7.3	38	<1	1	6	9	14	19	35
80-84	33	8.2	74	<1	1	6	10	23	29	37
85+	14	10.6	66	1	3	8	17	21	29	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3130	6.5	24	2	2	5	8	11	15	26
70-74	2857	6.9	30	2	2	6	8	12	16	28
75-79	2397	7.2	27	2	3	6	9	13	16	28
80-84	1715	7.9	48	2	3	6	10	14	18	36
85+	1472	8.3	50	2	3	7	10	15	20	39
B. *Operated*										
65-69 YRS	898	10.1	56	2	3	8	13	19	24	37
70-74	887	11.4	81	3	4	9	14	22	30	45
75-79	669	11.0	65	3	4	9	14	21	26	42
80-84	405	12.5	86	3	4	10	16	24	33	54
85+	263	12.3	71	3	5	10	16	22	29	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1304	4.9	15	1	2	4	6	9	11	18
B. *Operated*	267	7.3	41	<1	1	5	9	14	21	33
2. MULTIPLE DX										
A. *Not Operated*	11571	7.2	33	2	3	6	9	13	16	30
B. *Operated*	3122	11.2	71	3	4	9	14	21	28	44
1. SINGLE DX	1571	5.3	20	1	2	4	7	10	13	23
2. MULTIPLE DX	14693	8.0	44	2	3	6	10	15	20	35
A. NOT OPERATED	12875	7.0	32	2	2	6	9	13	16	29
B. OPERATED	3389	10.8	70	2	3	9	14	21	27	43
TOTAL 65-69 YRS	4533	7.1	32	2	2	6	9	13	17	28
70-74	4147	7.7	44	2	2	6	9	14	20	34
75-79	3386	7.8	36	2	3	6	10	14	19	33
80-84	2324	8.5	57	2	3	7	10	16	21	40
85+	1874	8.7	53	2	3	7	11	17	22	38
GRAND TOTAL	**16264**	**7.8**	**42**	**2**	**3**	**6**	**9**	**15**	**19**	**34**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	4.9	11	1	2	4	6	9	13	17
70-74	92	5.2	19	1	1	4	7	10	12	24
75-79	81	4.9	12	1	1	4	7	10	11	17
80-84	60	5.0	17	1	1	4	6	9	14	21
85+	34	5.2	8	1	2	5	7	9	11	13
B. *Operated*										
65-69 YRS	40	14.5	66	2	3	14	18	25	30	34
70-74	41	14.6	141	2	3	12	21	31	44	48
75-79	34	15.9	130	1	2	15	22	31	36	52
80-84	13	16.0	125	2	3	13	25	31	34	35
85+	14	19.0	229	2	4	17	34	38	46	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	672	6.2	21	2	2	5	8	12	15	24
70-74	638	6.7	32	2	2	5	8	13	17	36
75-79	551	7.2	40	2	2	6	9	13	17	29
80-84	379	7.6	37	2	2	6	10	15	19	26
85+	308	8.4	44	2	2	7	10	16	21	39
B. *Operated*										
65-69 YRS	292	17.9	194	3	4	14	23	35	42	76
70-74	275	18.6	235	3	6	15	23	37	50	90
75-79	231	19.7	230	4	6	16	26	39	50	95
80-84	138	21.6	233	4	6	18	27	38	52	79
85+	105	21.8	207	3	6	18	33	43	51	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	5.0	13	1	1	4	6	9	12	20
B. *Operated*	142	15.4	122	2	3	14	22	31	36	49
2. MULTIPLE DX										
A. *Not Operated*	2548	7.0	34	2	2	6	9	13	17	31
B. *Operated*	1041	19.4	220	3	5	16	25	38	49	84
1. SINGLE DX	526	7.8	64	1	2	5	10	18	24	38
2. MULTIPLE DX	3589	10.6	119	2	3	7	13	23	33	60
A. NOT OPERATED	2932	6.8	31	2	2	5	8	13	16	28
B. OPERATED	1183	18.9	210	3	5	15	25	37	48	81
TOTAL 65-69 YRS	1121	9.4	94	2	2	6	11	21	28	49
70-74	1046	10.0	117	2	2	6	12	22	31	66
75-79	897	10.6	122	2	3	7	13	23	32	66
80-84	590	10.8	120	2	2	7	14	23	32	59
85+	461	11.5	119	2	2	8	14	27	38	53
GRAND TOTAL	**4115**	**10.2**	**113**	**2**	**2**	**7**	**13**	**22**	**32**	**56**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	2	<1	<1	3	4	4	4	4
70-74	4	7.3	31	2	2	6	11	15	15	15
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	232	6.1	9	3	3	6	7	10	12	17
70-74	156	6.7	13	3	3	6	8	11	13	22
75-79	89	6.7	7	3	4	6	8	10	12	16
80-84	37	8.0	9	4	5	8	9	11	15	17
85+	25	6.8	20	3	3	6	9	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	7.6	13	3	3	7	11	12	12	12
70-74	8	6.6	12	2	2	8	9	11	11	11
75-79	1	8.0		8	8	8	8	8	8	8
80-84	7	11.1	53	2	3	10	12	23	26	26
85+	5	14.4	43	7	7	13	17	25	25	25
B. *Operated*										
65-69 YRS	204	10.1	75	3	4	8	12	18	22	45
70-74	156	9.8	44	4	4	8	12	19	22	33
75-79	112	11.6	92	4	5	9	13	19	25	60
80-84	52	12.1	53	5	6	10	15	21	29	35
85+	41	13.7	59	6	7	11	15	23	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.3	16	<1	<1	3	5	10	15	15
B. *Operated*	539	6.5	11	3	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	28	9.4	33	2	3	9	12	14	25	26
B. *Operated*	565	10.8	68	4	4	9	13	19	24	49
1. SINGLE DX	550	6.5	11	3	3	6	8	10	12	17
2. MULTIPLE DX	593	10.7	66	4	4	9	13	19	24	48
A. NOT OPERATED	39	8.0	33	1	2	8	11	14	20	25
B. OPERATED	1104	8.7	44	3	4	7	10	15	20	32
TOTAL 65-69 YRS	447	7.9	43	3	3	6	9	14	17	31
70-74	324	8.2	30	3	4	7	10	15	19	26
75-79	203	9.4	60	3	4	7	11	16	20	53
80-84	97	10.4	39	4	5	9	12	19	26	34
85+	72	11.2	55	3	4	10	14	20	26	42
GRAND TOTAL	**1143**	**8.7**	**44**	**3**	**4**	**7**	**10**	**15**	**20**	**32**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	8.3	16	1	2	8	10	14	15	15
70-74	3	13.3	21	8	8	16	16	16	16	16
75-79	5	12.2	37	4	4	11	17	20	20	20
80-84	2	9.5	5	8	8	9	11	11	11	11
85+	2	13.0	8	11	11	13	15	15	15	15
B. *Operated*										
65-69 YRS	222	10.2	24	5	6	9	12	16	17	32
70-74	141	10.2	18	5	6	10	12	15	19	25
75-79	85	11.3	24	5	6	11	14	17	18	31
80-84	47	13.7	83	6	7	10	17	22	41	44
85+	42	12.5	34	5	6	12	15	21	24	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	9.4	14	1	3	10	12	13	14	14
70-74	9	9.6	23	5	5	7	13	16	18	18
75-79	4	15.3	14	11	11	15	18	20	20	20
80-84	10	11.0	60	3	3	9	12	24	26	26
85+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
65-69 YRS	407	15.0	98	6	7	12	18	27	35	58
70-74	316	15.7	87	7	7	13	18	27	34	53
75-79	230	16.3	74	8	8	14	20	29	35	66
80-84	128	18.5	119	7	9	15	24	32	38	62
85+	116	19.8	160	7	9	15	25	38	47	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	10.6	22	2	5	10	15	16	18	20
B. *Operated*	537	10.9	29	5	6	10	13	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	36	10.4	29	3	5	10	13	18	22	26
B. *Operated*	1197	16.3	101	7	8	13	20	29	37	59
1. SINGLE DX	557	10.9	29	5	6	10	13	17	20	33
2. MULTIPLE DX	1233	16.1	100	6	7	13	19	29	37	59
A. NOT OPERATED	56	10.5	26	3	5	10	13	16	20	26
B. OPERATED	1734	14.6	85	6	7	12	17	26	34	53
TOTAL 65-69 YRS	648	13.2	76	5	6	11	15	24	32	50
70-74	469	13.9	71	6	7	11	16	24	30	50
75-79	324	15.0	64	6	8	13	18	26	33	56
80-84	187	16.8	111	7	8	13	22	29	38	58
85+	162	17.7	135	6	8	14	21	36	44	64
GRAND TOTAL	**1790**	**14.5**	**84**	**6**	**7**	**12**	**17**	**26**	**33**	**53**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.0	5	1	1	3	4	6	6	6
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	27	7.2	18	3	4	6	9	13	19	19
70-74	15	7.3	20	1	3	6	9	14	16	17
75-79	8	7.9	8	4	5	7	9	12	13	13
80-84	3	7.3	1	6	6	8	8	8	8	8
85+	3	8.3	37	3	3	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	5.5	9	3	3	5	6	10	12	12
70-74	7	6.1	14	3	3	5	7	13	14	14
75-79	5	3.4	9	<1	<1	2	6	8	8	8
80-84	3	15.7	10	12	12	17	18	18	18	18
85+										
B. *Operated*										
65-69 YRS	33	10.2	38	4	4	8	14	21	23	24
70-74	40	11.2	20	4	5	10	13	18	20	23
75-79	19	17.0	180	4	7	14	22	27	48	64
80-84	8	14.3	86	6	6	11	20	29	31	31
85+	8	10.6	41	3	3	10	15	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.5	4	1	1	4	5	6	7	7
B. *Operated*	56	7.4	16	3	4	6	9	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	23	6.6	23	1	2	5	8	15	17	18
B. *Operated*	108	12.1	64	4	5	10	15	22	25	45
1. SINGLE DX	67	6.8	16	2	3	6	8	13	15	19
2. MULTIPLE DX	131	11.1	61	3	4	10	14	20	24	37
A. NOT OPERATED	34	5.6	19	1	1	5	7	12	16	18
B. OPERATED	164	10.5	52	3	4	9	13	19	23	31
TOTAL 65-69 YRS	73	8.1	29	3	3	6	10	17	21	24
70-74	64	9.5	24	3	4	9	12	17	19	23
75-79	33	12.4	135	1	2	9	15	25	28	64
80-84	15	12.5	58	5	6	10	16	26	30	31
85+	13	8.9	38	2	3	7	13	19	20	20
GRAND TOTAL	**198**	**9.7**	**50**	**3**	**3**	**8**	**12**	**19**	**22**	**30**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	3.0	4	<1	1	2	4	6	7	9
70-74	16	3.5	11	1	1	2	4	10	11	12
75-79	19	5.1	36	<1	1	3	7	10	20	27
80-84	21	3.2	10	<1	<1	2	4	9	10	11
85+	18	2.8	8	<1	1	2	3	7	10	11
B. *Operated*										
65-69 YRS	5113	4.3	4	2	2	4	5	7	8	10
70-74	4034	4.5	4	2	2	4	5	7	8	11
75-79	2757	4.9	8	2	2	4	6	8	9	13
80-84	1308	5.2	7	2	3	5	6	8	10	14
85+	613	5.8	8	2	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	131	3.9	19	<1	<1	2	5	9	15	22
70-74	143	4.5	57	<1	1	3	5	9	13	44
75-79	125	4.3	11	1	1	3	6	9	11	14
80-84	90	4.9	21	1	1	3	6	13	17	68
85+	105	5.8	50	1	1	4	7	10	17	41
B. *Operated*										
65-69 YRS	5188	5.9	15	2	3	5	7	10	13	21
70-74	4586	6.6	23	2	3	5	8	11	14	24
75-79	3425	7.1	25	2	3	6	8	13	16	26
80-84	1874	8.4	47	3	3	6	10	16	20	40
85+	1031	9.1	52	3	3	7	10	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	3.5	14	<1	1	2	4	8	10	20
B. *Operated*	13825	4.6	5	2	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	594	4.6	32	1	1	3	6	10	13	26
B. *Operated*	16104	6.8	26	2	3	5	8	12	16	27
1. SINGLE DX	13924	4.6	6	2	2	4	6	7	9	12
2. MULTIPLE DX	16698	6.8	27	2	3	5	8	12	16	27
A. NOT OPERATED	693	4.5	30	<1	1	3	6	9	13	25
B. OPERATED	29929	5.8	18	2	3	5	7	10	13	23
TOTAL 65-69 YRS	10457	5.1	10	2	2	4	6	8	10	18
70-74	8779	5.6	16	2	3	5	7	9	12	19
75-79	6326	6.1	19	2	3	5	7	10	13	23
80-84	3293	7.0	33	2	3	6	8	13	17	31
85+	1767	7.7	39	2	3	6	9	13	19	37
GRAND TOTAL	**30622**	**5.8**	**18**	**2**	**3**	**5**	**7**	**10**	**13**	**23**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	5	<1	<1	<1	4	5	5	5
70-74	8	2.6	3	<1	<1	2	4	5	5	5
75-79	11	5.2	18	1	1	5	8	12	14	14
80-84	5	2.6	2	1	1	2	3	5	5	5
85+	26	2.7	4	1	1	2	4	6	7	7
B. *Operated*										
65-69 YRS	219	5.1	6	3	3	5	6	8	10	13
70-74	238	5.8	13	2	3	5	7	9	13	18
75-79	236	6.5	11	2	3	6	8	10	13	18
80-84	186	7.0	16	3	3	6	8	11	15	23
85+	181	7.7	20	3	4	7	9	13	15	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	2.9	4	1	1	3	3	6	8	8
70-74	20	6.4	42	<1	1	4	9	17	21	23
75-79	19	4.7	12	1	1	4	7	10	11	11
80-84	36	5.3	39	1	1	4	6	9	13	37
85+	46	7.8	69	1	2	5	10	14	25	49
B. *Operated*										
65-69 YRS	386	9.2	90	3	3	7	11	16	21	53
70-74	474	9.4	82	3	4	7	10	17	22	55
75-79	510	10.7	97	3	4	8	12	19	30	56
80-84	428	11.7	103	3	4	9	14	22	31	70
85+	434	12.0	57	4	5	10	15	21	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.2	7	<1	1	2	5	6	8	14
B. *Operated*	1060	6.4	13	2	3	5	8	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	130	6.1	45	1	1	4	8	11	16	39
B. *Operated*	2232	10.6	87	3	4	8	12	20	27	54
1. SINGLE DX	1113	6.2	14	2	3	5	7	10	14	20
2. MULTIPLE DX	2362	10.4	86	3	4	8	12	19	26	51
A. NOT OPERATED	183	5.3	36	1	1	4	7	10	14	33
B. OPERATED	3292	9.2	67	3	3	7	11	17	22	44
TOTAL 65-69 YRS	617	7.6	62	2	3	6	9	13	18	39
70-74	740	8.1	61	2	3	6	9	15	19	46
75-79	776	9.2	72	3	4	7	10	16	22	45
80-84	655	10.0	80	3	3	8	11	20	26	62
85+	687	10.2	52	2	4	8	13	20	25	39
GRAND TOTAL	**3475**	**9.0**	**66**	**2**	**3**	**7**	**11**	**17**	**22**	**43**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	4	6.3	45	<1	<1	4	10	16	16	16
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	159	4.3	8	1	2	4	5	7	9	18
70-74	114	4.4	5	1	2	4	6	8	9	11
75-79	42	4.4	5	1	2	4	6	7	9	11
80-84	28	6.1	29	2	2	5	8	10	13	30
85+	12	6.1	18	1	2	5	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	5.1	15	<1	1	5	7	10	13	17
70-74	14	9.5	80	1	2	7	10	23	32	34
75-79	16	7.0	52	2	2	5	6	15	26	31
80-84	5	5.2	39	1	1	4	7	16	16	16
85+	10	5.3	21	1	1	4	6	13	15	15
B. *Operated*										
65-69 YRS	256	7.5	42	2	3	6	9	14	19	33
70-74	187	8.2	40	2	3	7	10	15	18	31
75-79	113	9.8	74	3	3	7	12	18	22	49
80-84	43	10.3	39	3	3	9	14	20	22	28
85+	35	9.8	69	2	3	8	12	17	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.3	29	<1	<1	4	5	15	16	16
B. *Operated*	355	4.5	9	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	70	6.5	40	1	1	5	7	15	17	33
B. *Operated*	634	8.4	49	2	3	7	10	16	21	43
1. SINGLE DX	361	4.6	9	1	2	4	5	8	10	17
2. MULTIPLE DX	704	8.2	48	2	3	6	10	15	21	40
A. NOT OPERATED	76	6.4	39	1	1	5	7	15	17	33
B. OPERATED	989	7.0	38	2	2	5	8	14	18	31
TOTAL 65-69 YRS	442	6.2	30	1	2	5	7	12	16	26
70-74	319	6.8	32	2	2	5	8	13	16	29
75-79	171	8.2	60	2	3	6	9	16	22	46
80-84	76	8.4	39	2	3	7	11	16	21	29
85+	57	8.2	53	2	2	6	11	15	19	45
GRAND TOTAL	**1065**	**7.0**	**38**	**2**	**2**	**5**	**8**	**14**	**17**	**32**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	2.8	2	<1	1	3	4	5	6	6
70-74	13	5.1	24	1	2	4	5	9	19	21
75-79	6	4.7	31	2	2	3	3	15	16	16
80-84	7	3.7	7	1	1	4	4	8	9	9
85+	10	5.9	12	2	2	5	8	11	14	14
B. *Operated*										
65-69 YRS	734	6.2	10	2	3	6	8	9	11	16
70-74	592	6.6	11	3	3	6	8	11	12	17
75-79	329	7.0	12	3	3	6	9	11	13	18
80-84	146	7.7	16	3	3	7	10	13	15	24
85+	59	7.9	26	3	3	7	9	13	18	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	98	5.2	31	1	1	4	5	12	15	33
70-74	91	5.5	23	1	1	4	8	12	18	22
75-79	86	6.8	55	1	1	5	8	13	21	42
80-84	56	6.7	26	2	2	6	8	12	17	29
85+	45	6.4	27	2	2	5	7	15	24	99+
B. *Operated*										
65-69 YRS	1138	9.4	43	3	4	8	11	17	21	36
70-74	918	9.9	50	3	4	8	12	16	21	39
75-79	576	10.7	57	3	4	9	13	19	23	37
80-84	233	11.7	73	4	4	9	15	21	25	35
85+	115	12.0	86	4	5	10	14	19	28	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.4	14	1	1	3	5	8	14	21
B. *Operated*	1860	6.6	12	3	3	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	376	6.0	33	1	1	4	7	12	18	33
B. *Operated*	2980	10.1	52	3	4	8	12	18	22	38
1. SINGLE DX	1909	6.6	12	2	3	6	8	11	13	18
2. MULTIPLE DX	3356	9.6	52	3	3	8	12	17	22	38
A. NOT OPERATED	425	5.8	32	1	1	4	7	12	18	31
B. OPERATED	4840	8.7	40	3	4	7	10	15	19	32
TOTAL 65-69 YRS	1983	8.0	32	2	3	7	9	14	18	30
70-74	1614	8.4	37	3	3	7	10	14	18	31
75-79	997	9.1	45	2	3	8	11	16	21	34
80-84	442	9.6	52	3	4	8	12	18	22	31
85+	229	9.6	61	3	3	8	12	17	23	60
GRAND TOTAL	**5265**	**8.5**	**40**	**2**	**3**	**7**	**10**	**15**	**19**	**32**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	212	4.2	6	1	2	4	5	7	8	14
70-74	197	4.5	7	2	2	4	5	8	9	15
75-79	137	4.8	12	2	2	4	6	8	10	20
80-84	73	5.2	10	2	2	5	7	9	12	16
85+	67	6.2	25	2	2	5	8	13	14	29
B. *Operated*										
65-69 YRS	62	9.7	25	2	3	9	12	17	19	25
70-74	47	10.7	70	2	3	8	14	22	30	38
75-79	30	9.9	25	3	3	10	14	17	18	18
80-84	20	11.3	76	1	2	10	15	24	31	33
85+	7	12.0	71	5	5	7	20	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2000	5.6	15	2	2	5	7	10	11	18
70-74	2002	5.9	15	2	2	5	7	10	13	20
75-79	1608	6.6	21	2	3	6	8	12	15	22
80-84	1300	6.8	27	2	3	6	8	12	16	27
85+	905	7.7	35	2	3	6	10	14	17	30
B. *Operated*										
65-69 YRS	713	10.5	72	2	3	9	13	19	25	44
70-74	562	10.8	64	3	4	9	13	20	26	36
75-79	403	12.0	98	2	3	10	15	24	31	48
80-84	213	11.7	95	2	4	9	15	25	33	55
85+	126	13.8	121	3	4	11	18	24	42	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	4.7	10	2	2	4	6	8	10	17
B. *Operated*	166	10.3	45	2	3	9	13	18	24	36
2. MULTIPLE DX										
A. *Not Operated*	7815	6.3	21	2	2	5	8	11	14	23
B. *Operated*	2017	11.2	81	2	3	9	14	21	28	47
1. SINGLE DX	852	5.8	21	2	2	4	7	11	15	25
2. MULTIPLE DX	9832	7.3	37	2	3	6	9	13	18	31
A. NOT OPERATED	8501	6.2	20	2	2	5	8	11	14	22
B. OPERATED	2183	11.1	78	2	3	9	14	21	28	47
TOTAL 65-69 YRS	2987	6.7	33	2	2	5	8	12	16	28
70-74	2808	6.9	29	2	2	5	8	13	16	29
75-79	2178	7.5	40	2	3	6	9	14	18	34
80-84	1606	7.5	39	2	3	6	9	14	18	33
85+	1105	8.3	49	2	3	7	10	15	20	42
GRAND TOTAL	**10684**	**7.2**	**36**	**2**	**3**	**6**	**9**	**13**	**17**	**31**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	7	1	1	4	6	8	9	9
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	3	6.0	25	1	1	6	10	11	11	11
85+	3	5.7	1	5	5	5	7	7	7	7
B. *Operated*										
65-69 YRS	144	5.1	6	2	3	4	6	8	10	14
70-74	134	5.3	12	2	2	4	6	9	11	21
75-79	85	6.2	39	2	2	5	7	10	12	43
80-84	59	6.6	25	2	3	6	9	10	13	34
85+	35	5.7	7	2	3	5	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	5.4	13	1	1	5	7	10	14	15
70-74	24	6.1	11	2	2	5	8	11	13	13
75-79	17	4.4	4	1	2	4	6	7	8	9
80-84	20	5.2	15	1	1	4	8	11	12	13
85+	23	6.1	33	1	1	4	8	13	21	24
B. *Operated*										
65-69 YRS	167	7.9	33	3	3	6	9	15	20	30
70-74	186	8.1	32	3	3	7	10	14	21	33
75-79	124	9.6	65	3	3	7	11	20	26	43
80-84	94	10.0	40	3	4	8	12	19	22	31
85+	58	11.0	90	3	4	9	14	18	21	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.9	7	1	1	5	6	8	10	11
B. *Operated*	457	5.6	17	2	2	5	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	112	5.5	15	1	2	5	7	11	13	22
B. *Operated*	629	8.9	46	3	3	7	10	17	22	36
1. SINGLE DX	475	5.6	16	2	2	5	7	9	11	18
2. MULTIPLE DX	741	8.4	43	2	3	7	10	16	21	35
A. NOT OPERATED	130	5.4	14	1	2	5	7	10	13	21
B. OPERATED	1086	7.5	36	2	3	6	9	14	19	32
TOTAL 65-69 YRS	346	6.4	22	2	3	5	8	11	15	29
70-74	346	6.8	24	2	3	5	8	11	16	25
75-79	229	7.9	54	2	3	6	9	15	22	42
80-84	176	8.2	35	2	3	7	10	16	21	32
85+	119	8.4	58	2	3	6	10	17	20	38
GRAND TOTAL	**1216**	**7.3**	**34**	**2**	**3**	**6**	**9**	**13**	**18**	**30**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	5.0	56	2	2	3	4	8	23	35
70-74	26	5.7	20	<1	<1	4	8	13	14	16
75-79	22	3.5	2	2	2	3	4	6	7	7
80-84	10	5.7	20	2	2	4	8	13	16	16
85+	10	5.0	10	1	1	5	7	9	11	11
B. *Operated*										
65-69 YRS	297	7.4	19	3	3	6	9	13	16	23
70-74	306	7.3	18	3	3	7	9	12	15	23
75-79	214	8.3	35	3	3	7	10	14	18	28
80-84	145	9.6	29	3	4	8	12	16	22	29
85+	135	10.4	68	2	4	9	12	17	23	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	60	8.1	59	2	2	6	9	15	21	50
70-74	60	7.0	48	1	2	5	8	11	16	44
75-79	84	7.4	28	2	2	6	9	17	19	25
80-84	81	9.0	49	2	3	7	11	17	24	36
85+	89	8.2	37	2	2	7	11	16	19	33
B. *Operated*										
65-69 YRS	557	11.5	95	4	4	9	14	21	29	70
70-74	568	12.8	115	4	5	10	15	24	33	80
75-79	581	13.4	125	4	5	10	16	25	36	66
80-84	444	14.5	116	5	6	12	17	27	35	54
85+	403	15.5	143	4	6	12	18	31	39	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.9	22	1	2	3	6	10	13	28
B. *Operated*	1097	8.2	30	3	3	7	10	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	374	8.0	43	2	2	6	10	16	21	36
B. *Operated*	2553	13.4	119	4	5	10	16	26	36	75
1. SINGLE DX	1184	8.0	30	2	3	7	10	14	18	28
2. MULTIPLE DX	2927	12.7	113	3	4	10	15	24	34	70
A. NOT OPERATED	461	7.4	41	2	2	6	9	15	19	34
B. OPERATED	3650	11.8	98	3	4	9	14	22	30	61
TOTAL 65-69 YRS	933	9.8	72	3	4	8	12	19	24	51
70-74	960	10.5	85	3	4	8	12	20	28	61
75-79	901	11.4	99	3	4	8	14	21	30	58
80-84	680	12.7	95	3	5	10	15	24	30	47
85+	637	13.2	119	3	4	10	16	26	36	78
GRAND TOTAL	**4111**	**11.3**	**93**	**3**	**4**	**9**	**14**	**21**	**30**	**57**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	671	5.6	14	1	2	5	7	10	12	20
70-74	542	5.5	15	1	2	5	7	9	12	18
75-79	437	6.0	12	2	2	5	7	11	13	18
80-84	344	6.4	21	2	2	5	8	12	14	23
85+	275	7.2	22	2	3	6	9	13	17	24
B. *Operated*										
65-69 YRS	356	13.6	75	5	7	12	16	20	29	54
70-74	308	13.5	42	6	7	12	16	22	27	38
75-79	253	14.3	62	7	7	12	18	25	29	40
80-84	167	16.2	129	7	8	13	18	24	42	84
85+	159	16.6	80	8	9	14	20	27	33	56
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1545	7.9	31	2	3	7	10	15	18	26
70-74	1671	8.1	38	2	3	7	10	15	19	32
75-79	1612	9.1	50	2	3	7	11	17	22	36
80-84	1462	9.7	56	2	3	8	12	19	24	39
85+	1545	10.3	65	2	3	8	13	19	26	47
B. *Operated*										
65-69 YRS	1255	19.2	160	7	8	16	23	36	45	77
70-74	1320	18.9	152	7	8	15	23	35	45	85
75-79	1208	20.2	166	7	9	17	24	37	48	74
80-84	929	20.8	187	7	9	17	26	40	52	98
85+	801	21.7	195	8	10	18	26	39	52	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	5.9	16	2	2	5	7	11	13	21
B. *Operated*	1243	14.5	73	6	7	12	17	24	29	54
2. MULTIPLE DX										
A. *Not Operated*	7835	9.0	49	2	3	7	11	17	22	37
B. *Operated*	5513	20.0	170	7	9	16	24	37	48	87
1. SINGLE DX	3512	9.0	53	2	3	7	12	17	22	36
2. MULTIPLE DX	13348	13.5	128	3	4	11	17	27	36	66
A. NOT OPERATED	10104	8.3	43	2	3	7	10	16	20	34
B. OPERATED	6756	19.0	157	7	8	15	23	34	45	81
TOTAL 65-69 YRS	3827	11.7	106	2	3	9	15	23	30	56
70-74	3841	11.8	103	2	3	9	15	24	32	58
75-79	3510	12.9	117	3	4	10	16	26	34	61
80-84	2902	13.3	129	3	4	10	17	27	35	66
85+	2780	13.6	129	3	4	11	17	27	35	70
GRAND TOTAL	**16860**	**12.6**	**116**	**2**	**3**	**10**	**16**	**25**	**33**	**61**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	813	3.9	7	1	1	3	5	7	9	14
70-74	778	4.1	11	1	1	3	5	8	10	14
75-79	672	4.6	16	1	1	3	5	9	11	23
80-84	432	4.5	14	1	1	4	6	8	11	16
85+	444	4.9	20	1	2	4	6	9	11	20
B. *Operated*										
65-69 YRS	78	6.7	28	1	1	6	9	13	15	30
70-74	42	7.5	27	2	3	7	8	12	19	27
75-79	43	9.0	36	2	2	7	11	19	22	23
80-84	20	7.9	23	<1	1	8	10	14	18	20
85+	14	12.3	109	2	3	9	14	24	39	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3854	6.2	24	2	2	5	8	11	15	25
70-74	4070	6.6	29	2	2	5	8	12	16	29
75-79	3901	7.1	35	2	2	6	9	13	17	30
80-84	3210	7.5	41	2	2	6	9	14	18	33
85+	3029	8.0	51	2	3	6	10	15	20	38
B. *Operated*										
65-69 YRS	494	13.4	114	3	4	11	17	25	31	61
70-74	486	13.4	119	3	4	11	16	25	34	66
75-79	398	14.4	128	3	5	11	18	30	39	77
80-84	269	15.3	141	3	5	12	19	30	39	70
85+	232	16.4	134	3	4	14	21	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3139	4.3	13	1	1	3	5	8	10	15
B. *Operated*	197	7.9	36	1	2	7	10	15	21	29
2. MULTIPLE DX										
A. *Not Operated*	18064	7.0	36	2	2	6	9	13	17	30
B. *Operated*	1879	14.3	125	3	4	11	18	27	36	69
1. SINGLE DX	3336	4.5	15	1	1	4	6	9	11	18
2. MULTIPLE DX	19943	7.7	48	2	2	6	9	15	20	36
A. NOT OPERATED	21203	6.6	33	2	2	5	8	12	16	29
B. OPERATED	2076	13.7	120	3	4	11	17	27	35	63
TOTAL 65-69 YRS	5239	6.6	36	1	2	5	8	13	17	29
70-74	5376	6.8	40	2	2	5	8	13	17	33
75-79	5014	7.4	45	2	2	6	9	14	19	36
80-84	3931	7.7	50	2	2	6	10	15	20	38
85+	3719	8.2	58	2	2	6	10	16	21	44
GRAND TOTAL	**23279**	**7.3**	**45**	**2**	**2**	**5**	**9**	**14**	**19**	**35**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1344	5.2	11	1	2	5	7	9	11	16
70-74	1253	5.1	10	1	2	5	7	9	11	15
75-79	1030	5.3	12	1	2	5	7	10	12	16
80-84	737	6.1	22	1	2	5	8	11	14	21
85+	569	6.3	32	1	2	5	8	11	15	25
B. *Operated*										
65-69 YRS	350	12.6	52	2	5	12	15	20	26	36
70-74	305	13.2	63	2	4	12	17	23	30	38
75-79	240	12.9	54	2	4	13	17	21	25	38
80-84	91	15.9	118	2	4	13	20	31	41	81
85+	44	16.8	137	2	3	14	25	33	35	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3881	6.6	22	2	2	6	8	11	14	22
70-74	4672	6.8	23	2	2	6	8	12	15	25
75-79	4771	7.3	27	2	3	6	9	13	17	27
80-84	4007	8.0	38	2	3	7	10	15	20	33
85+	3624	9.0	53	2	3	7	11	17	22	41
B. *Operated*										
65-69 YRS	1710	15.5	129	3	5	13	19	28	36	61
70-74	1754	16.0	141	3	5	13	20	29	38	67
75-79	1555	17.0	151	4	6	14	21	32	43	77
80-84	1028	18.5	197	4	6	15	23	36	50	71
85+	688	17.9	176	4	5	15	23	34	48	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4933	5.5	15	1	2	5	7	10	12	18
B. *Operated*	1030	13.3	66	2	4	12	17	22	29	[illegible]4
2. MULTIPLE DX										
A. *Not Operated*	20955	7.5	33	2	3	6	9	14	17	30
B. *Operated*	6735	16.7	153	3	5	14	21	31	42	70
1. SINGLE DX	5963	6.8	33	1	2	5	9	13	17	29
2. MULTIPLE DX	27690	9.7	78	2	3	7	12	19	26	49
A. NOT OPERATED	25888	7.1	30	2	2	6	9	13	16	28
B. OPERATED	7765	16.2	143	3	5	13	20	30	40	67
TOTAL 65-69 YRS	7285	8.7	62	2	2	7	11	17	22	40
70-74	7984	8.8	65	2	2	7	11	17	23	41
75-79	7596	9.2	69	2	3	7	11	18	24	44
80-84	5863	9.7	83	2	3	7	12	19	26	52
85+	4925	10.0	80	2	3	7	12	20	27	51
GRAND TOTAL	**33653**	**9.2**	**71**	**2**	**3**	**7**	**11**	**18**	**24**	**46**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	3.6	7	<1	1	3	5	6	10	12
70-74	18	4.3	8	1	1	4	6	8	10	11
75-79	14	6.4	58	1	1	4	7	12	27	31
80-84	10	5.5	21	2	2	5	5	12	18	18
85+	6	4.2	7	2	2	4	4	9	9	9
B. *Operated*										
65-69 YRS	373	4.3	10	1	2	4	5	7	10	16
70-74	240	4.3	8	1	2	4	5	7	10	19
75-79	106	5.1	17	2	2	4	5	8	11	26
80-84	42	7.9	84	2	3	5	8	16	27	49
85+	38	5.1	9	1	2	4	7	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	86	7.3	73	1	2	5	8	14	22	51
70-74	83	5.8	18	1	2	5	8	11	18	73
75-79	60	11.0	167	2	2	7	12	26	38	74
80-84	54	7.4	26	2	2	6	10	16	18	21
85+	38	8.7	45	2	3	8	10	16	21	36
B. *Operated*										
65-69 YRS	828	7.2	66	2	3	5	8	13	20	41
70-74	525	8.2	64	2	3	6	10	16	24	49
75-79	236	9.0	74	2	3	6	10	19	27	48
80-84	129	11.7	163	2	3	8	14	24	33	84
85+	86	10.5	79	2	3	8	14	20	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	4.6	19	1	1	4	5	9	11	28
B. *Operated*	799	4.6	14	2	2	4	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	321	7.8	67	2	2	6	10	15	21	49
B. *Operated*	1804	8.2	76	2	3	6	9	16	24	48
1. SINGLE DX	872	4.6	15	1	2	4	5	8	10	21
2. MULTIPLE DX	2125	8.1	74	2	3	6	9	16	24	47
A. NOT OPERATED	394	7.2	60	1	2	5	9	14	20	42
B. OPERATED	2603	7.1	60	2	2	5	8	14	20	44
TOTAL 65-69 YRS	1312	6.3	51	2	2	4	7	11	16	33
70-74	866	6.8	46	2	2	5	8	13	20	44
75-79	416	8.2	76	2	2	5	9	16	26	47
80-84	235	9.7	115	2	3	7	12	19	26	54
85+	168	8.7	58	2	3	7	10	17	22	42
GRAND TOTAL	**2997**	**7.1**	**60**	**2**	**2**	**5**	**8**	**14**	**20**	**43**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	750	4.6	16	1	1	4	6	9	11	20
70-74	718	5.1	19	1	1	4	7	10	13	23
75-79	559	5.1	24	1	1	3	6	10	14	25
80-84	426	5.4	27	1	1	4	7	11	14	23
85+	434	5.1	22	<1	1	4	6	10	14	21
B. *Operated*										
65-69 YRS	612	8.2	62	1	1	6	11	16	22	38
70-74	449	9.2	68	1	2	7	12	18	22	45
75-79	393	9.8	82	2	2	7	12	21	26	47
80-84	221	11.1	104	2	2	8	14	22	30	53
85+	156	10.5	78	2	2	9	13	21	25	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3270	6.5	29	2	2	5	8	12	16	27
70-74	3474	6.9	36	2	2	5	8	13	18	33
75-79	3518	7.3	43	2	2	5	9	14	19	35
80-84	2919	8.0	53	2	2	6	10	15	20	38
85+	3092	8.0	55	2	2	6	10	16	21	41
B. *Operated*										
65-69 YRS	2259	14.2	177	2	3	10	17	30	43	77
70-74	2078	14.9	191	2	3	11	19	32	45	81
75-79	1640	15.8	183	3	4	12	20	33	43	80
80-84	1200	16.6	185	3	4	14	21	33	44	84
85+	892	17.1	217	3	4	13	21	36	50	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2887	5.0	21	1	1	4	6	10	13	22
B. *Operated*	1833	9.3	75	1	2	7	12	19	25	44
2. MULTIPLE DX										
A. *Not Operated*	16273	7.3	43	2	2	6	9	14	19	35
B. *Operated*	8069	15.4	188	2	4	11	19	32	45	82
1. SINGLE DX	4720	6.7	46	1	1	5	9	14	19	33
2. MULTIPLE DX	24342	10.0	106	2	2	7	12	21	30	58
A. NOT OPERATED	19160	7.0	40	1	2	5	9	14	18	33
B. OPERATED	9902	14.3	173	2	3	11	18	30	42	75
TOTAL 65-69 YRS	6891	9.0	93	1	2	6	11	18	27	56
70-74	6719	9.3	99	2	2	6	11	20	28	55
75-79	6110	9.5	96	2	2	7	12	20	28	54
80-84	4766	10.1	102	2	2	7	13	21	29	56
85+	4576	9.6	99	2	2	7	12	20	29	56
GRAND TOTAL	**29062**	**9.4**	**97**	**2**	**2**	**7**	**11**	**20**	**28**	**55**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	9.0	50	2	2	7	12	18	21	37
70-74	33	7.4	24	2	2	6	11	14	15	23
75-79	17	7.9	28	2	3	7	9	18	20	20
80-84	7	7.7	17	3	3	8	10	14	15	15
85+										
B. *Operated*										
65-69 YRS	18	10.9	124	1	1	8	16	26	36	42
70-74	13	16.0	82	4	6	13	23	28	35	37
75-79	5	10.6	28	5	5	10	15	17	17	17
80-84	3	8.7	50	1	1	10	14	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	788	13.7	108	3	4	11	18	26	33	57
70-74	485	12.8	116	3	4	10	16	26	31	60
75-79	203	13.4	116	3	4	10	17	26	32	61
80-84	57	14.6	198	3	4	12	18	29	46	99
85+	15	8.2	21	3	4	6	10	15	18	19
B. *Operated*										
65-69 YRS	271	16.2	159	3	4	13	21	30	40	61
70-74	147	19.0	229	4	5	16	23	40	54	91
75-79	46	17.2	185	3	4	14	21	31	57	60
80-84	12	13.8	77	3	4	13	18	28	31	32
85+	5	15.2	201	4	4	11	18	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	8.4	38	2	2	7	11	17	19	30
B. *Operated*	39	12.4	94	1	1	11	16	25	32	42
2. MULTIPLE DX										
A. *Not Operated*	1548	13.3	114	3	4	10	17	26	32	60
B. *Operated*	481	17.1	182	3	4	14	22	31	43	77
1. SINGLE DX	167	9.3	54	1	2	7	12	18	23	39
2. MULTIPLE DX	2029	14.2	133	3	4	11	18	27	35	62
A. NOT OPERATED	1676	13.0	110	3	4	10	16	25	31	58
B. OPERATED	520	16.7	177	3	4	14	22	31	42	75
TOTAL 65-69 YRS	1148	13.9	119	3	4	11	18	27	34	58
70-74	678	13.9	144	3	4	11	18	27	35	71
75-79	271	13.6	124	3	4	10	18	26	35	60
80-84	79	13.6	161	3	4	11	17	26	34	98
85+	20	10.0	67	3	4	7	11	17	29	40
GRAND TOTAL	**2196**	**13.8**	**128**	**3**	**4**	**11**	**18**	**26**	**34**	**61**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	73	8.5	40	1	2	8	11	16	20	33
70-74	57	7.5	44	<1	1	6	9	17	23	31
75-79	43	8.3	170	<1	1	6	9	14	18	86
80-84	23	11.0	94	2	4	9	14	16	29	50
85+	7	10.1	142	1	1	6	13	31	35	35
B. *Operated*										
65-69 YRS	102	5.0	27	<1	1	3	7	12	16	23
70-74	75	8.0	102	1	1	4	11	21	23	54
75-79	34	7.9	62	1	1	5	12	18	27	31
80-84	10	8.5	71	1	1	5	16	21	24	24
85+	8	19.4	122	2	4	21	29	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	713	11.5	95	2	3	9	14	22	30	53
70-74	608	12.5	117	3	4	10	15	24	34	54
75-79	409	12.9	120	3	4	10	16	26	32	64
80-84	192	12.7	109	3	4	11	15	23	31	61
85+	102	14.4	154	3	4	11	17	25	37	71
B. *Operated*										
65-69 YRS	473	13.3	180	1	2	9	16	30	39	71
70-74	401	15.2	165	1	2	12	21	31	39	64
75-79	270	17.0	195	2	3	14	22	35	42	75
80-84	92	17.3	125	4	5	15	24	32	43	82
85+	36	19.4	158	4	7	16	26	38	42	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	8.5	77	1	1	7	11	16	21	42
B. *Operated*	229	7.1	68	1	1	4	9	18	23	36
2. MULTIPLE DX										
A. *Not Operated*	2024	12.4	111	3	4	9	15	24	32	56
B. *Operated*	1272	15.1	176	2	2	12	21	32	41	71
1. SINGLE DX	432	7.8	73	1	1	5	10	17	23	38
2. MULTIPLE DX	3296	13.4	138	2	3	10	17	28	36	63
A. NOT OPERATED	2227	12.0	109	2	3	9	15	23	31	55
B. OPERATED	1501	13.9	168	1	2	11	19	31	38	67
TOTAL 65-69 YRS	1361	11.5	121	2	2	8	15	24	34	54
70-74	1141	12.9	134	1	3	10	17	28	35	56
75-79	756	13.9	154	2	3	10	18	29	37	69
80-84	317	13.7	116	3	4	11	17	29	33	60
85+	153	15.7	157	3	4	12	20	32	39	58
GRAND TOTAL	**3728**	**12.8**	**134**	**2**	**3**	**10**	**16**	**27**	**35**	**61**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	7.4	28	1	2	6	10	15	18	27
70-74	47	8.3	34	2	3	8	10	15	22	30
75-79	44	7.7	34	1	2	6	11	17	19	26
80-84	21	9.0	29	2	2	8	13	16	18	19
85+	18	12.2	183	3	4	9	12	21	47	63
B. *Operated*										
65-69 YRS	59	8.3	50	<1	1	7	13	19	22	28
70-74	49	10.9	163	1	1	8	13	23	36	73
75-79	23	10.2	69	1	1	8	14	22	29	30
80-84	12	11.7	58	1	1	13	18	20	21	21
85+	5	12.0	171	3	3	8	15	35	35	[illegible]
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	638	10.4	86	3	3	8	13	20	27	54
70-74	459	11.5	96	3	4	9	14	23	29	46
75-79	317	10.5	59	3	4	8	13	20	26	37
80-84	181	12.3	83	3	4	10	16	26	31	46
85+	126	12.7	107	3	4	10	16	24	31	58
B. *Operated*										
65-69 YRS	219	15.6	160	2	3	13	21	33	46	64
70-74	171	17.2	220	2	3	13	22	33	51	72
75-79	120	15.3	131	2	3	13	19	29	41	56
80-84	67	18.0	130	3	5	16	24	38	42	91
85+	44	22.5	279	7	8	17	31	38	58	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	8.2	44	2	2	7	10	15	19	30
B. *Operated*	148	9.8	94	1	1	8	14	20	28	47
2. MULTIPLE DX										
A. *Not Operated*	1721	11.1	85	3	4	9	13	22	28	46
B. *Operated*	621	16.7	179	2	4	14	21	34	45	71
1. SINGLE DX	365	8.9	65	1	2	7	12	18	22	35
2. MULTIPLE DX	2342	12.6	116	3	4	9	16	25	33	59
A. NOT OPERATED	1938	10.8	82	3	3	8	13	21	28	46
B. OPERATED	769	15.4	170	2	3	12	20	32	42	70
TOTAL 65-69 YRS	1003	11.2	101	2	3	8	14	22	30	55
70-74	726	12.6	133	2	3	9	15	26	34	66
75-79	504	11.4	79	2	3	9	15	22	28	46
80-84	281	13.4	96	3	4	11	17	27	34	51
85+	193	14.8	169	3	4	10	19	31	38	65
GRAND TOTAL	**2707**	**12.1**	**111**	**2**	**3**	**9**	**15**	**24**	**32**	**58**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	451	4.6	10	1	1	4	6	9	11	15
70-74	324	4.9	15	1	2	4	6	9	11	19
75-79	283	5.2	13	1	2	4	7	9	13	20
80-84	216	5.9	12	2	2	5	8	11	13	17
85+	179	6.6	27	2	2	5	9	12	14	24
B. *Operated*										
65-69 YRS	2890	8.9	14	5	5	8	10	13	16	22
70-74	2062	9.7	17	5	6	9	11	15	17	24
75-79	1213	10.6	25	6	6	9	12	16	20	30
80-84	486	12.1	28	6	7	11	15	20	23	30
85+	282	13.6	54	6	7	12	17	23	26	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1603	6.2	19	2	2	5	8	11	13	21
70-74	1684	6.9	24	2	2	6	9	12	16	26
75-79	1548	7.4	29	2	3	6	9	13	17	28
80-84	1278	8.1	36	2	3	7	10	14	18	35
85+	1396	9.2	56	2	3	7	11	17	22	37
B. *Operated*										
65-69 YRS	6254	12.4	53	6	6	10	15	21	26	41
70-74	5287	13.6	63	6	7	11	16	23	28	44
75-79	3876	15.1	81	6	7	13	18	25	31	52
80-84	2175	17.0	99	7	8	15	20	29	36	60
85+	1364	19.2	120	8	9	16	23	33	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1453	5.2	15	1	2	4	7	10	12	18
B. *Operated*	6933	9.8	21	5	6	9	11	15	19	26
2. MULTIPLE DX										
A. *Not Operated*	7509	7.5	33	2	3	6	9	13	17	31
B. *Operated*	18956	14.3	76	6	7	12	17	24	30	49
1. SINGLE DX	8386	9.0	23	3	4	8	11	15	18	25
2. MULTIPLE DX	26465	12.4	73	3	5	10	15	22	28	46
A. NOT OPERATED	8962	7.1	31	2	2	6	9	13	17	29
B. OPERATED	25889	13.1	65	6	6	11	16	22	28	45
TOTAL 65-69 YRS	11198	10.3	43	3	5	9	12	18	22	34
70-74	9357	11.2	53	3	5	10	14	20	24	39
75-79	6920	12.1	69	3	4	10	15	21	27	43
80-84	4155	13.1	86	3	4	11	17	24	30	49
85+	3221	13.7	106	3	4	11	18	26	33	56
GRAND TOTAL	**34851**	**11.6**	**63**	**3**	**5**	**10**	**14**	**20**	**26**	**43**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	230	4.9	13	1	2	4	7	9	12	18
70-74	186	5.4	10	2	2	5	7	10	12	15
75-79	156	5.8	30	2	2	5	7	9	11	15
80-84	133	6.2	16	2	2	5	8	11	15	20
85+	100	6.9	31	2	2	5	9	14	16	32
B. *Operated*										
65-69 YRS	301	9.8	17	5	6	9	11	15	17	25
70-74	196	10.4	19	5	6	9	12	16	19	26
75-79	152	12.6	55	6	7	11	14	20	27	45
80-84	89	12.7	38	6	7	11	16	19	23	40
85+	53	12.9	28	6	6	13	17	19	22	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	656	6.8	23	2	2	6	8	12	15	26
70-74	669	7.6	31	2	3	6	10	14	17	28
75-79	588	8.0	29	3	3	7	10	14	17	30
80-84	549	9.0	53	2	3	7	11	16	21	33
85+	531	9.7	38	3	4	8	12	17	21	37
B. *Operated*										
65-69 YRS	915	14.0	75	6	7	12	16	24	28	47
70-74	782	15.1	84	6	7	13	18	25	32	51
75-79	591	16.4	106	6	7	14	20	29	36	57
80-84	393	18.3	141	7	8	15	22	32	47	99+
85+	272	19.5	139	8	9	16	23	36	45	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	805	5.7	18	2	2	5	7	10	13	18
B. *Operated*	791	11.0	29	6	6	10	13	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	2993	8.2	35	2	3	7	10	14	18	30
B. *Operated*	2953	15.8	101	6	7	13	19	28	35	61
1. SINGLE DX	1596	8.3	31	2	3	7	11	15	18	28
2. MULTIPLE DX	5946	12.0	83	3	4	10	15	22	29	50
A. NOT OPERATED	3798	7.6	33	2	3	6	10	14	17	29
B. OPERATED	3744	14.8	90	6	7	12	18	26	32	56
TOTAL 65-69 YRS	2102	10.2	56	2	3	8	13	18	23	37
70-74	1833	10.9	64	3	4	9	14	20	25	40
75-79	1487	11.6	80	3	4	9	14	22	29	46
80-84	1164	12.1	99	3	4	10	15	23	30	63
85+	956	12.4	87	3	4	10	16	23	30	53
GRAND TOTAL	**7542**	**11.2**	**74**	**3**	**4**	**9**	**14**	**21**	**27**	**46**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	55	3.6	5	<1	2	3	5	6	7	14
70-74	46	4.8	8	1	2	4	7	9	11	12
75-79	50	6.0	27	1	1	4	8	13	19	24
80-84	28	6.9	40	1	1	6	9	12	24	28
85+	38	6.3	21	1	1	5	8	14	15	22
B. *Operated*										
65-69 YRS	209	10.9	46	2	3	10	14	18	24	32
70-74	216	11.2	48	2	3	11	14	19	25	33
75-79	165	12.7	62	2	3	12	17	24	28	37
80-84	145	12.7	62	2	2	12	16	23	28	38
85+	88	14.6	90	3	3	13	19	26	30	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	6.7	18	2	2	6	9	13	15	19
70-74	155	7.3	22	2	2	6	10	12	14	25
75-79	125	9.1	75	2	3	7	10	15	18	59
80-84	149	8.8	35	2	3	8	12	17	19	33
85+	151	9.9	59	2	3	8	13	18	25	64
B. *Operated*										
65-69 YRS	488	15.2	93	4	7	13	19	25	32	57
70-74	559	17.1	118	4	6	15	22	29	38	56
75-79	541	17.8	129	4	7	15	22	32	40	60
80-84	450	18.6	125	5	8	16	23	31	39	64
85+	345	22.2	195	7	9	19	27	40	50	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	5.3	19	1	1	4	7	11	14	24
B. *Operated*	823	12.0	59	2	3	11	15	22	27	35
2. MULTIPLE DX										
A. *Not Operated*	693	8.4	43	2	3	7	11	15	18	33
B. *Operated*	2383	17.9	132	5	7	15	22	31	40	65
1. SINGLE DX	1040	10.6	58	2	2	10	14	20	25	33
2. MULTIPLE DX	3076	15.8	128	3	5	13	20	29	37	62
A. NOT OPERATED	910	7.7	39	2	2	6	10	14	18	33
B. OPERATED	3206	16.4	120	3	6	14	21	29	36	60
TOTAL 65-69 YRS	865	12.3	80	2	3	11	16	22	27	47
70-74	976	13.7	100	2	3	12	18	25	31	51
75-79	881	14.9	118	2	4	12	19	28	35	59
80-84	772	15.2	111	2	4	13	20	27	33	59
85+	622	17.2	171	3	5	15	22	33	42	81
GRAND TOTAL	**4116**	**14.5**	**115**	**2**	**4**	**12**	**19**	**27**	**33**	**58**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	4.8	8	1	1	4	7	9	10	11
70-74	60	6.3	21	1	2	5	9	13	15	22
75-79	55	6.9	16	2	3	6	9	13	15	18
80-84	51	7.2	26	1	2	6	9	14	19	24
85+	40	6.5	17	2	2	5	9	12	14	20
B. *Operated*										
65-69 YRS	43	13.3	86	1	2	12	19	27	33	37
70-74	53	12.0	62	2	2	12	16	23	27	37
75-79	38	13.9	120	1	2	13	20	22	36	54
80-84	29	13.7	120	2	2	9	23	31	34	35
85+	28	14.2	119	2	2	14	19	29	36	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	199	8.7	28	2	3	7	12	16	19	26
70-74	214	9.3	63	2	3	7	11	19	24	49
75-79	217	8.6	39	2	3	7	10	15	23	30
80-84	196	9.9	59	3	4	8	13	17	23	35
85+	268	10.6	45	3	4	9	13	18	26	33
B. *Operated*										
65-69 YRS	249	18.8	172	2	4	16	25	37	49	69
70-74	257	17.8	167	3	5	15	25	33	41	77
75-79	219	21.4	225	5	8	18	26	40	50	83
80-84	181	20.4	157	5	8	18	26	34	44	67
85+	145	22.4	200	5	9	19	29	43	50	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	6.3	18	1	2	5	9	12	15	20
B. *Operated*	191	13.3	95	2	2	12	19	27	33	42
2. MULTIPLE DX										
A. *Not Operated*	1094	9.5	47	2	3	8	12	17	23	32
B. *Operated*	1051	19.9	185	3	6	17	26	37	48	76
1. SINGLE DX	456	9.2	62	1	2	7	13	20	25	37
2. MULTIPLE DX	2145	14.6	142	3	4	11	19	30	38	64
A. NOT OPERATED	1359	8.9	43	2	3	7	11	16	21	30
B. OPERATED	1242	18.9	177	2	4	16	25	35	45	75
TOTAL 65-69 YRS	550	13.2	125	2	3	10	18	28	35	58
70-74	584	13.0	124	2	3	10	18	28	34	67
75-79	529	14.1	159	2	3	10	19	29	39	60
80-84	457	14.0	126	2	4	11	18	29	34	56
85+	481	14.0	126	3	4	11	18	28	37	53
GRAND TOTAL	**2601**	**13.7**	**132**	**2**	**3**	**11**	**18**	**28**	**36**	**57**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	381	6.7	20	2	2	6	8	12	14	23
70-74	265	7.4	21	2	3	6	10	14	16	21
75-79	182	7.7	21	2	3	7	10	14	17	24
80-84	117	7.2	15	2	3	7	9	12	15	20
85+	99	7.1	19	2	3	6	9	13	16	23
B. *Operated*										
65-69 YRS	66	11.3	94	1	2	9	14	21	32	48
70-74	53	10.8	82	2	2	10	13	23	26	50
75-79	35	13.0	113	2	3	12	17	24	39	47
80-84	17	13.8	144	3	4	11	18	28	44	52
85+	13	12.7	90	1	3	10	15	24	36	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1182	9.0	37	3	4	8	11	16	20	31
70-74	987	9.3	41	3	3	8	12	17	20	34
75-79	801	10.1	55	3	4	8	12	18	23	38
80-84	674	10.0	62	3	4	9	12	18	22	40
85+	551	11.0	69	3	4	9	14	19	25	66
B. *Operated*										
65-69 YRS	459	18.2	171	3	5	16	23	35	45	75
70-74	378	19.0	209	3	6	16	23	37	57	95
75-79	265	20.5	224	4	7	16	26	38	46	85
80-84	167	22.1	196	6	7	19	31	46	55	99+
85+	102	21.8	183	7	10	19	28	37	43	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1044	7.2	20	2	3	6	9	13	15	22
B. *Operated*	184	11.8	97	2	2	10	15	22	32	50
2. MULTIPLE DX										
A. *Not Operated*	4195	9.7	50	3	4	8	12	17	22	36
B. *Operated*	1371	19.6	197	4	7	16	24	37	50	86
1. SINGLE DX	1228	7.8	34	2	3	7	10	14	18	30
2. MULTIPLE DX	5566	12.2	104	3	4	9	15	23	31	60
A. NOT OPERATED	5239	9.2	45	3	3	8	11	16	21	34
B. OPERATED	1555	18.7	192	3	5	16	23	36	47	85
TOTAL 65-69 YRS	2088	10.7	82	2	3	8	13	21	27	49
70-74	1683	11.3	95	3	3	9	14	21	28	63
75-79	1283	12.0	106	3	4	9	14	23	30	56
80-84	975	11.8	104	3	4	9	14	22	33	59
85+	765	12.0	94	3	4	10	15	22	31	69
GRAND TOTAL	**6794**	**11.4**	**94**	**3**	**4**	**9**	**14**	**22**	**29**	**56**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	304	5.2	10	1	2	5	7	9	11	17
70-74	332	5.6	12	2	2	5	7	10	11	19
75-79	292	6.0	18	1	2	5	7	12	15	21
80-84	288	6.2	18	1	2	5	8	12	13	19
85+	302	7.6	41	2	2	6	9	13	19	29
B. *Operated*										
65-69 YRS	51	9.1	54	2	3	7	10	16	22	39
70-74	43	10.3	50	2	3	8	15	20	24	32
75-79	37	10.4	34	2	3	9	14	20	22	25
80-84	24	12.1	55	3	4	11	16	27	28	29
85+	27	11.4	78	2	3	9	16	21	28	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2373	7.4	33	2	3	6	9	13	17	30
70-74	2645	7.7	35	2	3	6	9	14	18	31
75-79	2699	8.4	47	2	3	7	10	15	20	37
80-84	2449	9.0	51	2	3	7	11	17	22	36
85+	2781	9.6	60	2	3	8	12	18	24	42
B. *Operated*										
65-69 YRS	755	12.8	110	3	4	10	16	25	34	63
70-74	782	14.0	134	3	4	11	18	27	36	70
75-79	726	14.1	127	3	4	11	18	29	34	73
80-84	584	15.0	148	4	5	11	19	29	40	76
85+	481	16.0	164	4	6	12	20	33	42	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1518	6.1	20	1	2	5	8	11	14	22
B. *Operated*	182	10.4	52	2	3	9	14	20	25	38
2. MULTIPLE DX										
A. *Not Operated*	12947	8.5	46	2	3	7	10	16	20	36
B. *Operated*	3328	14.2	134	3	5	11	18	28	37	68
1. SINGLE DX	1700	6.6	26	1	2	5	8	12	16	26
2. MULTIPLE DX	16275	9.6	70	2	3	7	12	18	25	46
A. NOT OPERATED	14465	8.2	44	2	3	7	10	15	20	35
B. OPERATED	3510	14.0	131	3	4	11	17	28	36	67
TOTAL 65-69 YRS	3483	8.4	54	2	3	7	10	16	21	41
70-74	3802	8.9	61	2	3	7	11	17	23	40
75-79	3754	9.3	66	2	3	7	11	18	24	45
80-84	3345	9.8	72	2	3	8	12	19	26	47
85+	3591	10.3	78	2	3	8	12	20	27	50
GRAND TOTAL	**17975**	**9.3**	**66**	**2**	**3**	**7**	**11**	**18**	**24**	**45**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	7.6	23	1	2	8	10	15	17	18
70-74	11	11.0	141	2	3	7	13	29	42	43
75-79	8	9.5	74	2	2	5	17	23	24	24
80-84	5	17.4	364	5	5	7	27	50	50	50
85+	5	7.2	24	4	4	4	10	15	15	15
B. *Operated*										
65-69 YRS	6	10.7	55	3	3	10	14	22	23	23
70-74	8	13.3	184	2	3	8	16	36	44	44
75-79	6	9.2	47	1	1	7	14	19	20	20
80-84	3	17.0	91	11	11	12	24	28	28	28
85+	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	101	12.4	124	3	3	9	16	27	38	83
70-74	82	13.6	121	3	4	10	19	29	40	50
75-79	76	9.8	34	4	4	8	13	16	22	30
80-84	36	9.8	39	3	4	8	12	19	22	28
85+	25	12.2	39	4	5	12	17	23	42	99+
B. *Operated*										
65-69 YRS	69	18.0	261	3	5	13	22	37	50	83
70-74	59	19.1	290	4	5	16	23	38	53	84
75-79	34	18.7	151	5	5	17	25	30	49	55
80-84	10	19.8	164	5	7	16	27	39	50	50
85+	4	22.0	406	9	9	13	33	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	9.9	98	2	3	6	12	20	30	50
B. *Operated*	25	11.7	89	2	3	9	14	23	32	44
2. MULTIPLE DX										
A. *Not Operated*	320	11.8	87	3	4	9	15	24	31	55
B. *Operated*	176	18.7	242	4	5	14	23	38	51	83
1. SINGLE DX	69	10.5	94	2	3	8	14	20	29	49
2. MULTIPLE DX	496	14.2	152	3	4	11	18	28	41	82
A. NOT OPERATED	364	11.6	88	3	4	9	15	24	31	50
B. OPERATED	201	17.8	228	3	5	14	23	35	50	83
TOTAL 65-69 YRS	191	14.0	172	3	3	10	17	30	44	83
70-74	160	15.4	192	3	4	11	20	33	44	80
75-79	124	12.2	83	3	4	10	16	24	28	54
80-84	54	12.7	103	3	4	10	17	27	28	50
85+	36	12.4	80	4	4	11	15	23	44	99+
GRAND TOTAL	**565**	**13.8**	**147**	**3**	**4**	**10**	**18**	**27**	**40**	**79**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	8.4	37	2	3	7	12	19	22	22
70-74	19	7.6	29	2	2	7	11	16	19	21
75-79	6	7.3	15	2	2	7	8	13	14	14
80-84	3	3.3	4	1	1	4	5	5	5	5
85+	6	15.0	91	5	5	14	22	27	28	28
B. *Operated*										
65-69 YRS	26	8.0	96	2	2	4	10	21	28	47
70-74	21	8.3	87	1	2	4	10	20	30	40
75-79	9	8.1	88	1	1	6	10	23	31	31
80-84	4	6.5	20	3	3	5	9	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	162	10.2	114	2	3	8	12	19	27	53
70-74	161	11.0	90	2	3	8	13	22	32	51
75-79	171	11.3	54	3	4	9	14	23	27	34
80-84	101	13.4	116	3	4	10	16	27	35	61
85+	65	11.1	42	3	5	9	15	23	27	99+
B. *Operated*										
65-69 YRS	168	12.9	111	2	3	10	17	26	32	67
70-74	131	14.1	177	2	3	9	20	30	44	65
75-79	84	19.6	284	3	5	15	23	42	50	93
80-84	35	16.9	96	5	5	16	25	27	36	42
85+	17	27.4	182	5	11	26	36	45	53	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	8.5	40	2	2	7	11	20	22	28
B. *Operated*	60	8.0	83	2	2	4	10	20	27	46
2. MULTIPLE DX										
A. *Not Operated*	660	11.2	86	2	3	9	14	22	28	54
B. *Operated*	435	15.4	176	2	3	11	21	33	42	67
1. SINGLE DX	112	8.2	63	2	2	6	10	20	22	43
2. MULTIPLE DX	1095	12.9	126	2	3	10	16	26	35	62
A. NOT OPERATED	712	11.0	83	2	3	9	14	22	28	52
B. OPERATED	495	14.5	171	2	3	10	20	31	41	66
TOTAL 65-69 YRS	374	11.2	110	2	3	8	15	24	30	62
70-74	332	11.8	124	2	3	8	15	25	37	57
75-79	270	13.7	141	2	4	10	17	27	35	58
80-84	143	13.9	112	3	4	10	17	27	35	58
85+	88	14.5	111	3	5	11	21	30	39	99+
GRAND TOTAL	**1207**	**12.5**	**122**	**2**	**3**	**9**	**16**	**26**	**34**	**59**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	11.0		11	11	11	11	11	11	11
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	3	4.3	6	2	2	4	6	7	7	7
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	9.2	40	2	2	8	14	20	21	21
70-74	17	14.3	182	3	4	8	20	29	47	56
75-79	9	10.1	17	5	6	10	11	17	19	19
80-84	7	10.4	91	2	2	5	16	26	28	28
85+	16	12.8	146	4	4	8	13	38	40	40
B. *Operated*										
65-69 YRS	16	23.8	682	2	3	12	35	62	84	93
70-74	15	11.8	66	2	3	12	18	21	28	31
75-79	7	12.3	316	2	2	6	10	44	52	52
80-84	8	18.9	270	2	5	14	19	46	57	57
85+	6	15.3	148	2	2	16	31	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*	5	6.2	28	2	2	4	9	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	67	11.6	102	2	4	9	14	26	31	53
B. *Operated*	52	17.1	334	2	2	12	21	50	62	99+
1. SINGLE DX	7	6.9	22	2	2	6	10	14	15	15
2. MULTIPLE DX	119	14.0	209	2	3	10	18	30	50	95
A. NOT OPERATED	69	11.5	100	2	4	9	14	25	30	53
B. OPERATED	57	16.1	315	2	2	12	21	49	61	99+
TOTAL 65-69 YRS	35	16.0	374	2	2	10	20	48	59	93
70-74	36	12.3	117	2	3	8	16	26	30	56
75-79	17	10.6	132	2	2	7	11	18	40	52
80-84	16	14.4	185	2	2	13	17	27	48	57
85+	22	13.5	141	3	4	9	21	39	61	99+
GRAND TOTAL	**126**	**13.6**	**201**	**2**	**3**	**9**	**17**	**29**	**49**	**95**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	103	2.0	6	<1	<1	<1	2	5	6	16
70-74	100	2.7	9	<1	<1	2	2	6	10	16
75-79	67	3.9	18	1	1	2	5	9	14	19
80-84	16	8.0	36	1	2	5	12	16	20	22
85+	16	6.8	29	1	1	5	10	14	18	19
B. *Operated*										
65-69 YRS	145	6.9	65	<1	1	4	9	16	26	39
70-74	121	7.9	95	1	1	5	10	16	23	54
75-79	53	8.6	112	1	2	6	9	20	29	61
80-84	25	8.4	77	1	2	5	11	28	43	99+
85+	6	9.3	105	2	2	6	11	27	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	502	8.0	63	1	1	6	10	18	24	37
70-74	616	7.7	89	1	1	5	10	17	27	50
75-79	434	11.5	98	2	3	9	15	22	30	48
80-84	318	12.5	119	2	3	9	17	26	35	63
85+	302	11.5	152	1	1	8	15	26	36	66
B. *Operated*										
65-69 YRS	767	14.1	209	2	2	10	19	32	45	87
70-74	658	14.8	219	2	2	10	19	35	52	99+
75-79	430	17.3	252	2	3	13	23	40	55	99+
80-84	209	17.7	204	2	4	14	25	40	54	99+
85+	79	20.8	251	3	4	18	29	43	55	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	3.2	15	<1	<1	2	3	8	12	19
B. *Operated*	350	7.6	84	<1	1	5	9	17	28	49
2. MULTIPLE DX										
A. *Not Operated*	2172	9.8	102	1	1	7	13	21	29	54
B. *Operated*	2143	15.6	224	2	3	11	21	36	51	99
1. SINGLE DX	652	5.6	56	<1	<1	3	7	14	19	45
2. MULTIPLE DX	4315	12.6	171	1	2	9	17	29	40	78
A. NOT OPERATED	2474	9.0	96	1	1	6	12	20	28	52
B. OPERATED	2493	14.5	212	2	2	10	19	34	48	97
TOTAL 65-69 YRS	1517	10.6	148	<1	1	7	14	25	35	66
70-74	1495	10.5	157	1	1	7	14	26	38	77
75-79	984	13.4	176	2	2	10	17	30	42	81
80-84	558	14.1	154	2	3	11	19	31	44	72
85+	403	13.1	180	1	1	9	18	29	42	66
GRAND TOTAL	**4967**	**11.7**	**162**	**1**	**1**	**8**	**15**	**27**	**38**	**76**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	7.4	33	<1	1	7	9	18	19	20
70-74	35	6.4	48	1	1	4	9	15	20	31
75-79	14	7.1	47	1	1	5	9	15	24	26
80-84	18	7.4	22	<1	1	7	10	15	16	17
85+	16	13.3	166	3	4	9	12	35	46	51
B. *Operated*										
65-69 YRS	27	6.0	101	<1	<1	3	6	11	32	47
70-74	27	14.9	204	2	2	10	20	33	49	59
75-79	17	12.5	54	3	5	10	16	21	28	32
80-84	5	9.4	94	2	2	7	13	26	26	26
85+	4	20.0	157	4	4	21	29	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	283	11.7	74	2	4	10	15	23	31	41
70-74	413	12.2	98	2	2	9	17	26	33	47
75-79	433	13.9	131	2	4	11	17	27	38	63
80-84	413	14.1	135	3	4	11	18	27	38	75
85+	458	14.7	151	3	4	12	18	26	37	82
B. *Operated*										
65-69 YRS	230	18.8	227	2	4	15	25	37	50	72
70-74	229	20.8	237	3	5	17	28	46	55	99+
75-79	208	24.8	349	4	7	20	33	51	75	99+
80-84	128	22.5	193	4	6	20	31	41	49	60
85+	96	24.6	403	6	7	20	29	57	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	7.9	62	1	1	7	10	17	21	43
B. *Operated*	80	11.3	140	<1	1	7	16	28	33	55
2. MULTIPLE DX										
A. *Not Operated*	2000	13.5	122	2	4	11	17	26	35	62
B. *Operated*	891	21.9	277	3	5	18	29	46	58	96
1. SINGLE DX	183	9.4	98	1	1	7	11	21	30	50
2. MULTIPLE DX	2891	16.0	185	2	4	12	21	33	44	79
A. NOT OPERATED	2103	13.2	121	2	3	10	17	26	34	61
B. OPERATED	971	21.0	274	2	5	17	28	45	57	94
TOTAL 65-69 YRS	560	14.2	153	1	3	11	18	31	37	61
70-74	704	14.8	164	1	2	11	20	33	43	69
75-79	672	17.1	222	3	4	13	22	37	50	81
80-84	564	15.7	158	3	4	12	21	32	42	68
85+	574	16.3	206	3	5	13	20	31	43	95
GRAND TOTAL	**3074**	**15.6**	**182**	**2**	**4**	**12**	**21**	**32**	**44**	**78**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	60	5.5	6	2	3	5	7	8	9	13
70-74	69	6.2	9	2	2	6	8	10	12	15
75-79	51	6.9	30	3	3	5	7	14	21	26
80-84	33	6.8	9	3	3	7	8	11	12	15
85+	29	8.0	74	2	2	7	9	12	15	49
B. *Operated*										
65-69 YRS	11	7.9	15	2	4	7	9	14	17	17
70-74	3	16.7	229	6	6	10	28	34	34	34
75-79	6	5.0	2	3	3	5	6	6	6	6
80-84	6	9.3	22	5	5	8	14	16	16	16
85+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	441	7.9	21	3	3	7	10	14	17	25
70-74	507	8.5	29	3	4	7	10	15	19	30
75-79	450	9.5	41	3	4	8	12	17	22	33
80-84	376	10.5	56	3	4	9	13	18	23	43
85+	365	11.1	69	3	4	9	14	19	27	46
B. *Operated*										
65-69 YRS	119	14.6	78	5	6	13	17	23	35	51
70-74	119	14.5	83	4	6	12	18	27	35	46
75-79	96	16.6	79	5	7	14	22	32	35	40
80-84	71	17.5	123	7	8	14	21	31	41	61
85+	49	15.9	115	4	6	15	18	25	40	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	6.5	21	2	3	6	8	11	13	26
B. *Operated*	28	8.6	37	3	4	7	10	15	19	34
2. MULTIPLE DX										
A. *Not Operated*	2139	9.4	42	3	4	8	11	16	21	35
B. *Operated*	454	15.6	91	5	7	13	19	28	36	50
1. SINGLE DX	270	6.7	23	2	3	6	8	11	13	26
2. MULTIPLE DX	2593	10.5	57	3	4	8	13	19	25	40
A. NOT OPERATED	2381	9.1	41	3	4	7	11	16	20	35
B. OPERATED	482	15.2	91	5	6	13	19	27	35	50
TOTAL 65-69 YRS	631	8.9	38	3	3	7	11	16	20	36
70-74	698	9.3	43	3	4	8	11	16	22	36
75-79	603	10.3	53	3	4	8	13	20	27	37
80-84	486	11.2	70	4	4	9	14	20	25	46
85+	445	11.4	77	3	4	9	14	20	27	49
GRAND TOTAL	**2863**	**10.1**	**55**	**3**	**4**	**8**	**13**	**18**	**24**	**40**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	5.7	10	2	2	5	7	10	11	17
70-74	84	5.3	8	1	2	5	7	10	11	14
75-79	73	8.2	49	2	3	6	9	12	18	41
80-84	43	6.1	10	2	3	6	7	11	13	15
85+	46	7.8	42	2	3	6	9	14	19	37
B. *Operated*										
65-69 YRS	41	9.5	84	1	2	7	12	20	30	45
70-74	35	8.2	33	2	2	7	11	16	19	26
75-79	22	13.0	82	2	3	11	20	26	28	29
80-84	4	8.8	69	2	2	6	15	20	20	20
85+	2	13.0	2	12	12	57	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	473	8.1	33	3	4	7	10	14	18	33
70-74	490	8.8	29	3	4	7	11	16	20	29
75-79	485	9.4	41	3	4	8	12	17	21	34
80-84	373	10.4	72	3	4	8	12	18	24	50
85+	375	10.4	43	3	4	9	13	19	23	42
B. *Operated*										
65-69 YRS	230	14.4	126	3	4	12	18	28	41	64
70-74	208	14.8	133	3	4	12	18	28	40	66
75-79	169	15.1	148	3	5	12	19	30	43	73
80-84	111	17.2	171	3	5	14	23	32	56	77
85+	85	18.7	126	6	7	16	25	35	43	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	6.5	24	2	2	6	8	11	14	32
B. *Operated*	104	9.8	65	2	2	8	13	22	27	99+
2. MULTIPLE DX										
A. *Not Operated*	2196	9.3	43	3	4	8	11	17	21	36
B. *Operated*	803	15.5	140	3	5	12	19	30	42	65
1. SINGLE DX	429	7.3	36	2	2	6	9	14	19	39
2. MULTIPLE DX	2999	11.0	76	3	4	8	14	21	27	53
A. NOT OPERATED	2521	9.0	41	3	4	7	11	16	21	36
B. OPERATED	907	14.9	134	3	4	12	19	29	41	68
TOTAL 65-69 YRS	823	9.7	68	2	3	8	11	19	26	46
70-74	817	10.0	63	3	3	8	12	18	25	41
75-79	749	10.7	73	3	4	8	13	20	26	53
80-84	531	11.5	97	3	4	9	14	22	28	60
85+	508	11.6	57	3	4	9	15	22	30	48
GRAND TOTAL	**3428**	**10.5**	**73**	**3**	**4**	**8**	**13**	**20**	**26**	**50**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	200	2.7	3	1	1	2	3	5	7	9
70-74	141	3.1	4	1	1	3	4	6	7	10
75-79	55	2.8	3	1	1	2	3	6	7	7
80-84	47	4.1	27	1	1	3	4	8	11	34
85+	17	6.0	25	1	2	4	9	14	16	17
B. *Operated*										
65-69 YRS	270	9.2	29	2	2	9	11	16	18	29
70-74	161	10.0	22	3	5	10	12	15	17	32
75-79	84	9.2	23	2	3	9	11	15	17	26
80-84	37	9.7	24	2	3	10	12	16	20	23
85+	19	12.1	75	1	1	11	18	26	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	409	5.0	21	1	1	4	6	9	12	25
70-74	330	5.3	18	1	2	4	7	11	14	20
75-79	244	6.2	27	2	2	5	8	13	15	32
80-84	155	6.3	24	1	2	5	8	12	16	29
85+	90	9.3	130	2	3	6	11	16	26	75
B. *Operated*										
65-69 YRS	654	11.6	86	2	3	10	14	21	28	46
70-74	527	11.8	67	2	3	10	15	23	28	45
75-79	324	12.4	72	2	3	11	16	22	27	38
80-84	167	12.8	77	2	3	11	17	25	30	46
85+	82	13.8	108	3	4	11	17	30	35	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	3.1	7	1	1	2	4	6	7	13
B. *Operated*	571	9.6	27	2	3	9	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	1228	5.8	31	1	2	4	7	11	15	29
B. *Operated*	1754	12.0	78	2	3	10	15	23	29	46
1. SINGLE DX	1031	6.7	29	1	1	6	10	13	16	26
2. MULTIPLE DX	2982	9.5	68	2	2	7	12	19	25	41
A. NOT OPERATED	1688	5.1	26	1	1	4	6	10	14	25
B. OPERATED	2325	11.4	67	2	3	10	14	21	27	42
TOTAL 65-69 YRS	1533	8.3	59	1	2	7	11	16	22	36
70-74	1159	8.7	51	1	2	7	11	18	23	37
75-79	707	9.2	56	2	2	8	12	18	23	34
80-84	406	9.0	58	2	2	7	12	19	25	37
85+	208	11.0	113	2	3	8	14	23	31	52
GRAND TOTAL	**4013**	**8.8**	**59**	**1**	**2**	**7**	**11**	**18**	**23**	**36**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	672	2.5	3	1	1	2	3	4	5	8
70-74	382	2.8	4	1	1	2	4	5	7	9
75-79	199	3.2	6	1	1	3	4	6	8	14
80-84	57	2.8	4	1	1	2	3	5	7	11
85+	36	3.4	4	<1	1	3	4	7	8	9
B. *Operated*										
65-69 YRS	763	7.2	20	2	2	7	10	13	15	19
70-74	426	7.2	22	2	2	7	9	13	16	24
75-79	217	7.9	21	2	3	7	11	14	16	22
80-84	72	7.8	38	1	2	7	10	16	22	29
85+	31	7.7	17	2	3	8	10	14	15	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	649	3.7	7	1	1	3	5	7	8	11
70-74	414	4.0	9	1	1	3	5	7	9	15
75-79	264	4.2	10	1	2	3	5	8	11	16
80-84	128	4.5	9	1	2	4	6	9	11	15
85+	57	5.6	25	1	2	4	7	11	15	28
B. *Operated*										
65-69 YRS	952	10.2	50	2	3	9	13	19	24	36
70-74	691	10.2	54	2	3	9	13	19	25	38
75-79	406	11.5	76	3	4	9	15	21	27	43
80-84	194	12.4	92	2	3	10	16	23	28	49
85+	100	14.1	166	3	4	10	16	31	35	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1346	2.7	4	1	1	2	3	5	6	10
B. *Operated*	1509	7.4	22	2	2	7	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	1512	4.0	9	1	1	3	5	7	9	15
B. *Operated*	2343	10.8	65	2	3	9	14	20	25	41
1. SINGLE DX	2855	5.2	18	1	1	4	7	11	14	19
2. MULTIPLE DX	3855	8.1	54	1	2	6	11	17	22	36
A. NOT OPERATED	2858	3.4	7	1	1	3	4	7	8	14
B. OPERATED	3852	9.4	51	2	3	8	12	17	22	36
TOTAL 65-69 YRS	3036	6.4	32	1	1	5	9	13	17	26
70-74	1913	6.7	36	1	2	5	9	14	18	29
75-79	1086	7.5	48	1	2	5	10	15	20	34
80-84	451	8.2	64	1	2	6	11	18	23	34
85+	224	9.3	103	1	2	7	11	18	30	54
GRAND TOTAL	**6710**	**6.9**	**41**	**1**	**2**	**5**	**9**	**14**	**18**	**31**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	77	5.1	54	1	1	3	6	10	15	49
70-74	48	4.9	20	1	1	3	6	11	15	19
75-79	38	5.0	15	1	1	4	6	11	13	18
80-84	27	6.5	32	2	2	4	9	12	18	28
85+	16	8.9	72	<1	1	6	12	26	28	29
B. *Operated*										
65-69 YRS	196	7.0	48	1	1	4	10	16	20	31
70-74	156	6.9	42	1	2	4	10	16	20	33
75-79	78	7.8	67	1	2	5	10	19	23	40
80-84	58	5.8	22	1	2	4	9	13	16	19
85+	33	7.6	79	1	1	6	10	15	23	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	318	7.8	52	1	2	6	10	16	21	30
70-74	390	9.9	114	2	2	7	11	20	30	55
75-79	370	9.3	77	2	3	7	11	18	26	40
80-84	309	10.7	90	2	3	8	13	21	26	56
85+	285	11.6	83	3	4	9	15	21	29	50
B. *Operated*										
65-69 YRS	836	11.4	124	1	2	9	14	23	33	61
70-74	753	11.9	109	2	2	10	15	22	31	56
75-79	564	11.8	83	2	2	10	16	24	30	47
80-84	308	14.1	147	2	3	10	19	32	40	58
85+	181	15.4	246	2	3	11	20	32	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	5.5	38	1	1	3	6	12	15	28
B. *Operated*	521	7.0	48	1	2	4	10	16	20	35
2. MULTIPLE DX										
A. *Not Operated*	1672	9.8	86	2	3	7	12	19	26	49
B. *Operated*	2642	12.2	123	2	2	9	16	25	33	60
1. SINGLE DX	727	6.6	45	1	2	4	9	15	19	33
2. MULTIPLE DX	4314	11.3	110	2	2	8	14	23	31	56
A. NOT OPERATED	1878	9.3	82	2	2	7	12	19	25	48
B. OPERATED	3163	11.4	114	2	2	9	15	23	32	56
TOTAL 65-69 YRS	1427	9.6	98	1	2	7	12	20	27	52
70-74	1347	10.5	103	2	2	8	14	21	29	55
75-79	1050	10.4	80	2	2	8	14	22	29	42
80-84	702	11.6	114	2	2	8	15	24	34	56
85+	515	12.6	144	2	3	10	15	27	34	82
GRAND TOTAL	**5041**	**10.6**	**103**	**2**	**2**	**8**	**14**	**22**	**30**	**55**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	2.6	2	1	1	2	3	5	6	6
70-74	20	3.3	5	<1	1	3	4	6	9	10
75-79	13	2.6	9	<1	<1	1	3	7	10	11
80-84	8	2.3	1	1	1	2	3	4	4	4
85+	3	4.7	16	1	1	4	8	9	9	9
B. *Operated*										
65-69 YRS	111	5.7	17	1	2	4	8	13	14	17
70-74	75	5.4	17	1	2	3	9	12	13	15
75-79	53	6.6	32	2	2	5	9	13	20	25
80-84	40	5.6	21	1	2	4	8	13	15	20
85+	27	6.4	27	1	2	6	9	15	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	4.9	25	1	2	4	5	9	12	30
70-74	53	6.3	49	1	1	5	7	12	20	36
75-79	37	5.5	19	1	2	4	6	12	17	18
80-84	22	7.4	28	1	2	6	10	14	19	22
85+	22	8.9	81	2	3	4	12	20	29	40
B. *Operated*										
65-69 YRS	335	9.0	49	2	3	7	11	17	21	37
70-74	302	9.5	54	2	2	8	13	18	23	34
75-79	300	9.7	60	2	3	8	14	19	23	61
80-84	190	11.6	154	2	3	9	14	23	29	91
85+	149	13.5	138	2	3	10	17	29	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.8	4	1	1	2	3	6	8	11
B. *Operated*	306	5.8	21	1	2	4	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	201	6.1	37	1	2	4	7	12	18	35
B. *Operated*	1276	10.2	80	2	3	8	13	20	26	50
1. SINGLE DX	381	5.2	19	1	1	3	8	11	14	20
2. MULTIPLE DX	1477	9.6	76	2	2	7	12	19	25	46
A. NOT OPERATED	276	5.2	31	1	1	4	6	11	16	34
B. OPERATED	1582	9.3	72	2	2	7	12	18	24	44
TOTAL 65-69 YRS	544	7.4	41	1	2	6	10	15	19	32
70-74	450	8.2	48	1	2	6	11	16	22	35
75-79	403	8.7	54	2	2	7	12	18	22	44
80-84	260	10.0	125	2	2	7	12	20	28	86
85+	201	11.9	122	2	3	9	15	27	40	64
GRAND TOTAL	**1858**	**8.7**	**68**	**2**	**2**	**7**	**11**	**17**	**23**	**42**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	4.2	7	1	2	4	5	8	9	14
70-74	47	4.0	7	1	1	3	5	8	9	14
75-79	53	5.3	8	2	2	5	7	9	10	15
80-84	37	6.2	25	1	1	5	8	12	16	25
85+	40	6.0	15	1	2	6	8	11	13	19
B. *Operated*										
65-69 YRS	436	3.4	7	1	1	3	4	6	8	13
70-74	387	3.8	11	1	1	3	4	7	10	15
75-79	253	4.0	10	1	2	3	5	8	11	17
80-84	153	4.9	16	1	2	4	6	11	14	19
85+	112	5.3	13	2	2	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	326	6.9	29	2	2	6	9	12	15	30
70-74	407	8.1	39	2	3	6	10	16	19	32
75-79	447	8.4	58	2	3	7	10	14	20	41
80-84	462	8.4	39	2	3	7	11	15	19	36
85+	508	9.0	46	2	3	7	11	17	22	35
B. *Operated*										
65-69 YRS	1249	6.1	30	1	2	4	8	13	17	29
70-74	1240	6.8	51	1	2	5	8	14	19	37
75-79	1059	8.1	73	2	2	6	10	16	21	49
80-84	771	8.3	48	2	2	7	11	17	21	37
85+	641	9.9	71	2	3	8	13	19	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	5.0	12	1	2	4	7	9	12	16
B. *Operated*	1341	4.0	11	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	2150	8.2	43	2	3	7	10	15	19	35
B. *Operated*	4960	7.5	54	2	2	5	9	15	20	38
1. SINGLE DX	1583	4.1	11	1	2	3	5	8	11	16
2. MULTIPLE DX	7110	7.7	51	2	2	6	10	15	20	37
A. NOT OPERATED	2392	7.9	41	2	3	6	10	14	19	34
B. OPERATED	6301	6.8	47	1	2	5	8	14	19	36
TOTAL 65-69 YRS	2076	5.6	26	1	2	4	7	12	15	25
70-74	2081	6.4	42	1	2	4	8	13	17	35
75-79	1812	7.5	61	2	2	6	9	15	19	42
80-84	1423	7.9	42	2	2	6	10	15	20	36
85+	1301	9.0	56	2	3	7	11	17	23	43
GRAND TOTAL	**8693**	**7.1**	**46**	**2**	**2**	**5**	**9**	**14**	**19**	**35**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	2.9	5	1	1	2	4	7	7	7
70-74	17	3.4	5	<1	<1	4	5	6	7	8
75-79	12	3.4	6	<1	1	3	4	8	9	9
80-84	12	4.6	18	1	1	4	5	9	16	17
85+	13	3.7	2	1	2	4	5	6	6	6
B. *Operated*										
65-69 YRS	402	3.8	7	1	1	3	4	7	9	15
70-74	396	4.1	15	1	1	3	5	8	11	17
75-79	319	4.6	14	1	2	4	6	8	12	18
80-84	188	4.6	15	1	1	3	6	10	13	22
85+	110	5.5	13	1	2	4	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	53	5.7	38	<1	1	4	7	11	16	38
70-74	80	6.0	17	1	2	5	9	12	14	20
75-79	79	6.3	19	1	1	6	8	12	16	19
80-84	53	6.6	22	2	2	6	9	11	15	25
85+	64	6.9	18	1	3	6	9	13	14	22
B. *Operated*										
65-69 YRS	1052	6.0	31	1	2	4	8	12	16	28
70-74	1102	6.5	45	1	2	5	8	13	18	31
75-79	994	7.6	55	2	2	5	10	15	21	37
80-84	653	7.9	59	2	2	6	10	16	20	41
85+	445	9.0	80	2	3	7	11	17	22	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.5	7	1	1	3	5	6	7	15
B. *Operated*	1415	4.3	13	1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	329	6.3	22	1	2	5	9	12	15	22
B. *Operated*	4246	7.1	51	2	2	5	9	14	20	33
1. SINGLE DX	1485	4.3	12	1	1	3	5	8	11	17
2. MULTIPLE DX	4575	7.1	[illegible]	2	2	5	9	14	19	32
A. NOT OPERATED	399	5.8	[illegible]	1	2	5	8	11	14	21
B. OPERATED	5661	6.4	43	1	2	4	8	13	17	30
TOTAL 65-69 YRS	1523	5.4	25	1	2	4	7	11	14	26
70-74	1595	5.9	37	1	2	4	7	12	16	28
75-79	1404	6.8	45	1	2	5	8	14	18	32
80-84	906	7.1	49	2	2	5	9	14	19	30
85+	632	8.0	63	2	2	6	10	15	21	38
GRAND TOTAL	**6060**	**6.4**	**41**	**1**	**2**	**4**	**8**	**13**	**17**	**30**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	351	5.3	27	1	2	4	6	9	13	21
70-74	365	5.4	19	1	2	4	7	10	13	20
75-79	392	5.7	20	1	2	5	7	10	13	19
80-84	322	6.3	22	1	2	5	8	13	16	23
85+	371	6.4	20	1	2	5	8	12	15	22
B. *Operated*										
65-69 YRS	817	4.2	13	1	1	3	5	8	11	18
70-74	785	4.6	16	1	2	3	6	8	11	20
75-79	595	4.7	18	1	1	4	6	9	12	22
80-84	301	5.4	19	1	2	4	7	11	15	20
85+	220	5.7	21	1	2	4	7	11	16	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2985	7.9	45	2	3	6	10	15	18	35
70-74	3954	8.5	46	2	3	7	10	15	20	36
75-79	4370	9.3	53	2	3	8	11	17	22	42
80-84	4300	9.8	60	3	3	8	12	18	23	40
85+	5217	10.3	74	3	4	8	12	18	24	51
B. *Operated*										
65-69 YRS	2926	8.3	74	1	2	6	10	17	24	48
70-74	3162	8.9	78	2	2	7	11	18	25	47
75-79	2758	10.3	100	2	2	7	13	21	30	53
80-84	1974	11.3	102	2	3	9	14	23	32	61
85+	1568	12.5	122	2	3	9	16	25	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1801	5.8	22	1	2	5	7	11	14	21
B. *Operated*	2718	4.7	16	1	1	3	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	20826	9.3	58	2	3	7	11	17	22	42
B. *Operated*	12388	9.9	93	2	2	7	12	21	28	53
1. SINGLE DX	4519	5.1	19	1	2	4	6	10	13	21
2. MULTIPLE DX	33214	9.5	71	2	3	7	12	18	24	47
A. NOT OPERATED	22627	9.0	56	2	3	7	11	16	21	41
B. OPERATED	15106	9.0	83	2	2	6	11	19	26	50
TOTAL 65-69 YRS	7079	7.5	54	2	2	6	9	15	20	38
70-74	8266	8.1	56	2	2	6	10	16	21	40
75-79	8115	9.1	67	2	2	7	11	18	23	48
80-84	6897	9.9	71	2	3	8	12	19	25	44
85+	7376	10.4	82	2	3	8	13	19	26	53
GRAND TOTAL	**37733**	**9.0**	**67**	**2**	**2**	**7**	**11**	**17**	**23**	**45**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	3.3	7	<1	1	2	4	7	9	12
70-74	69	3.7	11	1	1	3	4	8	10	18
75-79	48	3.6	10	<1	1	2	4	8	12	14
80-84	43	4.0	10	<1	1	3	5	8	10	16
85+	33	4.0	11	1	1	3	6	8	10	16
B. *Operated*										
65-69 YRS	5275	6.4	13	2	2	6	8	11	13	18
70-74	4649	6.5	12	2	2	6	8	11	13	18
75-79	3039	7.2	17	2	3	7	9	12	14	21
80-84	1414	7.9	21	2	4	7	10	13	16	25
85+	717	8.9	30	3	4	8	11	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	395	5.2	38	1	1	4	6	11	14	26
70-74	487	5.3	32	1	1	4	6	11	16	29
75-79	448	6.6	39	1	1	5	8	13	19	33
80-84	359	7.4	52	1	2	5	9	16	22	37
85+	327	8.2	47	1	2	7	11	18	22	62
B. *Operated*										
65-69 YRS	9740	8.6	34	2	4	7	10	15	19	30
70-74	9736	9.3	42	3	4	8	11	16	20	34
75-79	7643	10.3	57	3	4	8	12	18	24	41
80-84	4336	11.6	68	4	5	9	14	21	27	45
85+	2516	13.5	92	4	5	11	17	25	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	3.7	10	<1	1	3	5	8	10	16
B. *Operated*	15094	6.9	16	2	3	6	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	2016	6.4	42	1	1	4	8	14	19	33
B. *Operated*	33971	9.9	52	3	4	8	12	18	23	39
1. SINGLE DX	15354	6.8	16	2	2	6	8	11	14	20
2. MULTIPLE DX	35987	9.7	52	2	4	8	12	18	23	39
A. NOT OPERATED	2276	6.1	39	1	1	4	8	13	18	32
B. OPERATED	49065	9.0	43	2	4	7	11	16	20	35
TOTAL 65-69 YRS	15477	7.7	28	2	3	7	9	13	17	27
70-74	14941	8.3	35	2	3	7	10	14	18	31
75-79	11178	9.3	48	2	4	8	11	17	21	38
80-84	6152	10.5	59	3	4	8	13	19	25	42
85+	3593	12.0	80	3	4	10	15	22	28	54
GRAND TOTAL	**51341**	**8.9**	**43**	**2**	**3**	**7**	**11**	**16**	**20**	**35**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	4.9	5	2	2	5	6	8	9	10
70-74	50	4.7	5	2	2	4	6	8	9	12
75-79	27	4.4	10	1	1	4	5	9	11	14
80-84	10	6.3	18	2	2	5	9	13	16	16
85+	12	4.2	6	1	2	4	6	8	9	9
B. *Operated*										
65-69 YRS	139	3.4	6	1	1	3	4	7	9	11
70-74	107	3.6	6	1	1	3	5	7	9	11
75-79	58	3.6	8	1	1	3	5	6	9	17
80-84	27	4.4	42	1	1	3	5	7	14	35
85+	17	4.6	11	1	2	3	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	262	5.9	16	2	2	5	7	10	14	22
70-74	207	6.0	18	2	2	5	7	10	12	18
75-79	134	6.2	19	2	3	5	7	11	13	26
80-84	97	6.3	14	2	2	5	8	12	13	19
85+	69	7.8	99	2	3	5	9	14	19	69
B. *Operated*										
65-69 YRS	474	6.5	26	2	2	5	8	12	16	27
70-74	419	7.1	34	2	2	6	9	13	17	26
75-79	242	7.7	37	2	2	6	10	15	19	32
80-84	123	7.9	65	2	2	6	9	15	21	42
85+	86	10.6	105	2	2	7	14	23	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.8	7	1	2	4	6	8	10	14
B. *Operated*	348	3.7	9	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	769	6.2	24	2	2	5	7	11	13	23
B. *Operated*	1344	7.3	40	2	2	6	9	14	18	31
1. SINGLE DX	512	4.0	9	1	1	3	5	7	9	13
2. MULTIPLE DX	2113	6.9	34	2	2	5	9	13	16	29
A. NOT OPERATED	933	5.9	22	2	2	5	7	10	13	21
B. OPERATED	1692	6.6	36	1	2	5	8	13	17	30
TOTAL 65-69 YRS	940	5.8	20	1	2	5	7	10	14	24
70-74	783	6.2	26	2	2	5	8	11	14	23
75-79	461	6.5	28	2	2	5	8	13	17	29
80-84	257	6.9	42	2	2	5	9	13	16	31
85+	184	8.6	92	2	2	6	10	16	26	55
GRAND TOTAL	**2625**	**6.3**	**31**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	319	3.4	3	1	2	3	4	5	6	9
70-74	205	3.6	3	2	2	3	4	6	6	9
75-79	135	3.9	4	2	2	3	5	6	7	12
80-84	47	4.1	5	2	2	4	5	6	11	11
85+	14	4.1	3	1	2	4	5	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	5.4	13	<1	1	5	8	11	12	12
70-74	5	5.0	23	1	1	4	7	13	13	13
75-79	6	4.8	17	2	2	3	5	12	13	13
80-84	3	2.0		2	2	2	2	2	2	2
85+	4	3.5	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	348	4.8	13	2	2	4	6	8	10	20
70-74	278	5.3	15	2	2	4	6	9	12	24
75-79	174	6.2	19	2	2	5	8	11	17	20
80-84	79	7.9	45	2	2	6	10	15	23	36
85+	40	9.4	67	2	2	7	14	18	29	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*	720	3.6	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	27	4.6	12	1	2	3	5	11	13	13
B. *Operated*	919	5.7	21	2	2	4	6	10	15	25
1. SINGLE DX	722	3.6	3	2	2	3	4	6	7	11
2. MULTIPLE DX	946	5.7	21	2	2	4	6	10	14	25
A. NOT OPERATED	29	4.4	12	<1	1	3	5	11	13	13
B. OPERATED	1639	4.8	15	2	2	4	5	8	11	21
TOTAL 65-69 YRS	677	4.1	9	2	2	3	5	7	9	16
70-74	488	4.6	11	2	2	4	5	8	10	21
75-79	315	5.2	14	2	2	4	6	9	13	18
80-84	130	6.3	33	2	2	4	7	13	16	33
85+	58	7.7	53	2	2	5	9	16	22	36
GRAND TOTAL	**1668**	**4.8**	**14**	**2**	**2**	**4**	**5**	**8**	**11**	**21**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	116	6.4	13	2	3	6	8	11	13	20
70-74	81	5.9	7	2	3	6	7	9	11	14
75-79	59	5.9	9	2	3	5	7	9	12	18
80-84	25	5.4	4	2	3	5	7	8	9	9
85+	19	6.8	24	<1	1	6	9	12	18	22
B. *Operated*										
65-69 YRS	77	6.4	22	2	2	4	8	13	15	26
70-74	55	5.3	14	2	2	4	6	10	13	20
75-79	27	5.7	16	2	2	4	9	12	14	15
80-84	13	6.7	34	1	2	3	10	17	19	19
85+	9	8.7	35	2	3	8	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	226	7.6	27	3	4	7	9	12	14	30
70-74	182	7.7	20	3	3	7	10	13	15	26
75-79	158	8.1	18	3	3	8	10	13	16	24
80-84	86	8.9	39	3	4	7	11	15	18	38
85+	52	11.1	48	2	4	9	15	20	21	33
B. *Operated*										
65-69 YRS	161	8.4	43	2	3	7	11	15	18	34
70-74	150	9.7	40	3	3	8	12	19	23	25
75-79	110	9.5	60	2	3	8	13	17	25	41
80-84	71	10.1	38	3	4	8	13	19	22	30
85+	23	11.0	27	3	5	10	15	18	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	6.1	11	2	3	6	7	10	12	19
B. *Operated*	181	6.1	20	2	2	4	8	12	16	20
2. MULTIPLE DX										
A. *Not Operated*	704	8.2	27	3	4	7	10	14	17	28
B. *Operated*	515	9.4	44	2	3	8	12	17	22	35
1. SINGLE DX	481	6.1	14	2	3	5	8	11	13	19
2. MULTIPLE DX	1219	8.7	35	3	3	7	11	15	19	31
A. NOT OPERATED	1004	7.5	23	3	3	6	9	13	16	25
B. OPERATED	696	8.5	40	2	3	7	11	16	20	33
TOTAL 65-69 YRS	580	7.4	29	2	3	6	9	13	16	29
70-74	468	7.8	26	3	3	6	10	14	18	25
75-79	354	8.0	31	2	3	7	10	15	17	32
80-84	195	8.7	36	3	3	7	11	16	20	30
85+	103	10.1	40	2	3	9	14	19	21	32
GRAND TOTAL	**1700**	**7.9**	**30**	**2**	**3**	**7**	**10**	**14**	**18**	**29**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	2.3	2	<1	1	2	3	4	6	7
70-74	25	2.2	1	1	1	2	3	3	4	5
75-79	10	2.2	1	<1	<1	2	3	3	3	3
80-84	10	2.2	1	1	1	2	2	3	4	4
85+	8	2.8	4	<1	<1	2	3	6	7	7
B. *Operated*										
65-69 YRS	82	2.0	1	<1	1	2	2	3	4	5
70-74	61	2.2	1	1	1	2	3	4	4	5
75-79	37	2.8	3	1	1	2	3	5	8	9
80-84	17	3.1	6	<1	1	2	3	7	9	10
85+	17	2.9	5	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	4.9	74	1	2	2	4	8	14	54
70-74	28	3.1	6	1	2	3	3	5	8	14
75-79	31	4.7	34	1	2	3	5	10	15	31
80-84	22	4.3	15	<1	1	3	7	11	12	13
85+	21	5.4	31	1	2	3	7	12	20	24
B. *Operated*										
65-69 YRS	194	4.2	19	1	2	3	4	9	12	22
70-74	163	4.4	20	1	2	3	4	9	13	23
75-79	128	5.5	32	2	2	4	7	11	14	27
80-84	73	7.2	70	1	2	4	8	15	20	47
85+	68	8.4	63	1	2	6	10	18	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.3	1	<1	1	2	3	4	5	7
B. *Operated*	214	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	141	4.5	36	1	2	3	4	9	14	33
B. *Operated*	626	5.3	35	1	2	3	6	11	18	32
1. SINGLE DX	299	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX	767	5.2	35	1	2	3	6	11	15	32
A. NOT OPERATED	226	3.7	24	1	1	2	3	7	11	26
B. OPERATED	840	4.6	28	1	2	3	5	9	14	28
TOTAL 65-69 YRS	347	3.6	20	1	1	2	3	7	11	22
70-74	277	3.6	14	1	2	2	4	7	11	23
75-79	206	4.7	27	1	2	3	6	9	13	26
80-84	122	5.7	49	1	1	3	7	12	18	42
85+	114	6.6	49	1	2	4	8	13	23	37
GRAND TOTAL	**1066**	**4.4**	**27**	**1**	**1**	**3**	**4**	**9**	**13**	**27**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	3.0	10	<1	1	2	3	8	12	13
70-74	23	3.2	12	<1	1	2	4	7	12	15
75-79	10	4.9	14	1	1	5	6	10	14	14
80-84	5	3.4	4	1	1	4	5	6	6	6
85+	5	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*										
65-69 YRS	278	3.9	7	1	2	3	5	7	10	13
70-74	150	3.9	14	1	1	3	4	7	8	17
75-79	82	4.5	41	<1	1	3	5	8	10	44
80-84	43	4.1	14	1	2	3	5	9	13	20
85+	11	6.7	71	1	2	3	7	20	29	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	4.4	25	1	1	3	5	10	13	30
70-74	64	5.6	20	1	1	4	8	13	15	20
75-79	39	7.9	71	1	2	5	9	23	34	99+
80-84	30	9.2	33	3	3	8	13	19	22	23
85+	29	8.1	48	2	3	6	10	16	20	35
B. *Operated*										
65-69 YRS	460	6.2	72	2	2	4	7	10	15	56
70-74	310	6.7	46	1	2	4	8	15	22	35
75-79	169	7.7	74	2	2	5	9	18	23	43
80-84	72	9.6	105	1	2	6	15	27	42	99+
85+	47	10.7	123	1	2	7	13	21	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	3.3	10	<1	1	2	5	6	12	15
B. *Operated*	564	4.1	15	1	2	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	239	6.3	37	1	1	4	8	14	19	37
B. *Operated*	1058	7.0	70	2	2	5	8	15	22	55
1. SINGLE DX	639	4.0	15	1	1	3	5	7	10	17
2. MULTIPLE DX	1297	6.9	64	1	2	4	8	15	22	51
A. NOT OPERATED	314	5.6	33	1	1	4	7	13	16	35
B. OPERATED	1622	6.0	53	1	2	4	7	12	18	42
TOTAL 65-69 YRS	847	5.2	45	1	2	4	6	9	12	36
70-74	547	5.7	35	1	2	4	7	12	16	32
75-79	300	6.8	64	1	2	4	7	15	23	47
80-84	150	7.8	67	1	2	5	10	20	26	99
85+	92	9.0	90	1	2	6	12	19	22	54
GRAND TOTAL	**1936**	**5.9**	**50**	**1**	**2**	**4**	**7**	**12**	**17**	**40**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.7	22	1	1	3	4	13	14	14
70-74	5	2.8	3	1	1	2	4	5	5	5
75-79	3	4.3	6	2	2	4	6	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS	749	2.6	2	<1	1	2	3	4	5	10
70-74	506	2.6	2	1	1	2	3	4	5	8
75-79	246	2.6	2	1	1	2	3	4	5	7
80-84	107	3.1	7	1	2	2	3	6	8	16
85+	36	3.6	8	1	1	2	4	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	3.4	4	1	1	3	5	6	7	7
70-74	13	5.2	12	<1	1	5	9	9	10	10
75-79	12	4.0	15	1	1	2	6	9	13	14
80-84	4	5.8	2	4	4	6	7	7	7	7
85+	2	5.5	41	1	1	5	10	10	10	10
B. *Operated*										
65-69 YRS	660	3.8	11	1	2	3	4	7	9	18
70-74	489	4.3	17	2	2	3	5	8	11	22
75-79	291	4.5	18	2	2	3	5	8	10	26
80-84	128	4.9	13	2	2	3	6	10	12	17
85+	50	6.0	28	2	2	4	6	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.9	11	1	1	3	4	8	13	14
B. *Operated*	1644	2.6	2	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	56	4.2	9	1	1	4	6	9	10	14
B. *Operated*	1618	4.2	15	2	2	3	5	8	11	20
1. SINGLE DX	1658	2.6	2	1	1	2	3	4	6	9
2. MULTIPLE DX	1674	4.2	15	2	2	3	5	8	10	20
A. NOT OPERATED	70	4.2	9	1	1	3	6	8	10	14
B. OPERATED	3262	3.4	9	1	2	2	4	6	8	15
TOTAL 65-69 YRS	1440	3.1	7	1	2	2	3	6	7	13
70-74	1013	3.4	10	1	2	3	4	6	9	15
75-79	552	3.6	12	1	2	3	4	7	8	19
80-84	239	4.1	11	2	2	3	5	8	11	16
85+	88	5.0	21	1	2	3	6	11	15	24
GRAND TOTAL	**3332**	**3.4**	**9**	**1**	**2**	**2**	**4**	**6**	**9**	**15**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.7	14	<1	<1	2	5	10	12	12
70-74	10	3.9	7	<1	<1	3	7	8	8	8
75-79	4	2.0	2	<1	<1	1	3	4	4	4
80-84	4	4.0	13	<1	<1	3	7	8	8	8
85+	6	3.7	7	<1	<1	3	7	7	7	7
B. *Operated*										
65-69 YRS	358	3.0	3	<1	1	3	4	5	6	11
70-74	243	3.1	6	<1	1	2	4	6	7	12
75-79	128	3.2	8	<1	1	2	3	5	7	16
80-84	65	3.0	3	1	1	2	4	5	6	10
85+	27	3.3	10	1	2	3	4	4	7	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	6.4	31	1	1	5	9	14	17	29
70-74	42	7.3	199	1	1	4	8	13	17	92
75-79	31	6.7	46	1	1	5	8	18	21	30
80-84	26	7.9	55	1	1	6	10	18	23	33
85+	17	7.0	40	<1	1	5	10	12	22	27
B. *Operated*										
65-69 YRS	344	4.8	13	1	2	4	6	9	11	23
70-74	244	5.4	50	1	2	4	6	9	15	38
75-79	168	5.9	48	1	2	4	6	12	16	33
80-84	73	6.3	35	2	2	4	7	14	18	31
85+	56	7.9	171	1	2	4	7	17	26	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.6	8	<1	<1	2	6	8	8	12
B. *Operated*	821	3.1	5	<1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	165	7.0	80	1	1	5	9	15	20	33
B. *Operated*	885	5.5	42	1	2	4	6	10	15	30
1. SINGLE DX	855	3.1	5	<1	1	2	4	5	7	12
2. MULTIPLE DX	1050	5.7	48	1	2	4	6	11	16	31
A. NOT OPERATED	199	6.4	69	<1	1	4	8	13	19	32
B. OPERATED	1706	4.3	26	1	2	3	5	8	11	24
TOTAL 65-69 YRS	761	4.0	11	1	1	3	5	8	10	17
70-74	539	4.5	43	1	1	3	5	8	11	30
75-79	331	4.9	34	1	1	3	5	10	15	30
80-84	168	5.2	28	1	2	3	6	11	18	31
85+	106	6.4	102	1	2	4	6	14	19	56
GRAND TOTAL	**1905**	**4.5**	**31**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.8	2	2	2	4	5	5	5	5
70-74	1	10.0		10	10	10	10	10	10	10
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	51	7.4	8	3	4	7	8	11	14	16
70-74	33	8.4	11	3	5	8	10	13	16	18
75-79	28	9.6	22	3	3	9	12	15	18	23
80-84	11	9.4	50	2	2	8	10	21	26	26
85+	7	8.3	20	4	4	6	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	1.6		1	1	2	2	2	2	2
70-74	13	7.4	72	2	2	4	9	15	30	34
75-79	5	5.8	7	3	3	6	7	10	10	10
80-84	7	15.3	269	1	1	9	29	40	42	42
85+	11	9.3	22	4	4	9	11	17	19	19
B. *Operated*										
65-69 YRS	125	11.1	72	5	6	9	13	17	20	49
70-74	95	11.8	45	6	7	10	13	18	26	42
75-79	73	12.6	87	5	6	10	14	19	24	61
80-84	34	13.0	68	3	5	12	18	21	27	44
85+	18	14.8	65	5	6	12	22	28	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.5	10	1	1	2	5	9	10	10
B. *Operated*	130	8.3	16	3	4	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	41	8.3	84	1	2	5	10	17	34	42
B. *Operated*	345	12.0	67	5	6	10	14	19	25	44
1. SINGLE DX	138	8.1	17	2	3	8	10	14	16	23
2. MULTIPLE DX	386	11.6	70	4	5	10	14	19	25	43
A. NOT OPERATED	49	7.6	74	1	1	4	9	15	34	42
B. OPERATED	475	11.0	56	4	6	9	13	18	23	41
TOTAL 65-69 YRS	185	9.7	56	3	5	8	11	16	18	36
70-74	142	10.6	42	4	6	9	12	17	24	35
75-79	107	11.4	69	3	5	10	14	18	23	53
80-84	52	12.5	89	2	2	10	17	23	33	44
85+	38	11.3	54	2	4	10	15	23	27	29
GRAND TOTAL	**524**	**10.7**	**58**	**3**	**5**	**9**	**13**	**18**	**23**	**42**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	5.5	22	1	1	4	6	14	17	18
70-74	4	5.5	7	3	3	5	7	9	9	9
75-79	5	6.8	6	4	4	7	8	10	10	10
80-84	1	2.0		2	2	2	2	2	2	2
85+	5	7.8	13	4	4	7	11	12	12	12
B. *Operated*										
65-69 YRS	40	9.5	74	<1	1	7	10	23	28	39
70-74	13	10.9	86	2	3	8	14	25	33	35
75-79	4	13.8	33	7	7	14	18	19	19	19
80-84	2	12.0	18	9	9	12	15	15	15	15
85+	5	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	7.8	36	2	2	7	10	15	21	28
70-74	22	10.8	74	3	4	8	14	28	31	33
75-79	13	8.5	27	4	4	6	12	16	20	21
80-84	18	9.7	60	3	4	7	11	16	29	37
85+	9	10.7	124	3	3	5	18	29	33	33
B. *Operated*										
65-69 YRS	81	13.7	92	4	5	10	17	27	36	83
70-74	76	16.0	211	3	4	10	20	34	47	99
75-79	30	16.8	98	5	6	16	24	31	43	99+
80-84	14	18.6	216	5	6	14	27	41	53	56
85+	15	17.1	186	4	5	11	20	33	51	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.0	15	1	2	5	7	11	14	18
B. *Operated*	64	9.6	69	1	2	8	12	22	28	38
2. MULTIPLE DX										
A. *Not Operated*	92	9.3	56	2	3	7	11	18	28	35
B. *Operated*	216	15.5	148	3	5	11	21	32	44	99+
1. SINGLE DX	94	8.4	55	1	2	7	10	18	24	37
2. MULTIPLE DX	308	13.6	129	3	4	10	18	29	37	98
A. NOT OPERATED	122	8.4	48	2	3	6	10	16	25	34
B. OPERATED	280	14.1	136	2	4	10	19	30	39	99
TOTAL 65-69 YRS	166	10.9	79	1	2	8	14	24	30	47
70-74	115	14.1	170	3	3	10	18	32	37	98
75-79	52	13.5	81	4	5	11	20	27	33	98
80-84	35	13.2	136	3	4	9	16	31	38	56
85+	34	11.9	138	2	3	8	16	27	33	57
GRAND TOTAL	**402**	**12.4**	**116**	**2**	**3**	**9**	**16**	**27**	**34**	**75**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	6.1	7	<1	1	7	8	8	8	8
70-74	7	4.9	13	1	1	6	8	10	10	10
75-79	4	4.8	7	1	1	5	6	7	7	7
80-84										
85+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	4.3	24	1	1	2	8	10	10	10
70-74	1	9.0		9	9	9	9	9	9	9
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	81	8.9	22	4	5	7	10	15	21	24
70-74	60	10.1	34	4	6	8	11	16	24	33
75-79	18	9.1	11	2	5	9	11	12	14	16
80-84	6	13.3	171	2	2	7	20	35	37	37
85+	9	5.8	7	1	2	6	8	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	24	5.6	8	<1	1	6	8	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	5	5.6	16	1	1	6	9	10	10	10
B. *Operated*	174	9.3	30	3	5	8	11	16	22	32
1. SINGLE DX	24	5.6	8	<1	1	6	8	8	9	10
2. MULTIPLE DX	179	9.2	30	3	5	8	11	16	22	32
A. NOT OPERATED	5	5.6	16	1	1	6	9	10	10	10
B. OPERATED	198	8.9	29	2	4	8	10	14	21	30
TOTAL 65-69 YRS	95	8.4	21	2	4	7	10	13	21	24
70-74	68	9.6	34	2	4	8	11	16	24	33
75-79	22	8.3	13	1	3	8	11	12	14	16
80-84	7	12.3	150	2	3	7	17	34	37	37
85+	11	6.0	6	1	2	6	8	9	10	10
GRAND TOTAL	**203**	**8.8**	**28**	**2**	**4**	**8**	**10**	**14**	**21**	**30**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	18.0		18	18	18	18	18	18	18
85+										
B. *Operated*										
65-69 YRS	29	2.5		2	2	2	3	3	4	4
70-74	20	2.5	2	<1	1	2	3	4	6	8
75-79	12	2.2	1	1	1	2	3	3	4	4
80-84	6	3.2	1	2	2	3	4	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	7.0	2	6	6	7	8	8	8	8
70-74	3	5.3	12	2	2	5	8	9	9	9
75-79										
80-84	2	5.0		5	5	5	5	5	5	5
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	117	5.2	18	1	2	4	8	11	13	20
70-74	59	5.4	19	1	1	4	8	11	14	23
75-79	43	5.4	29	1	2	4	7	9	19	28
80-84	15	6.9	38	1	2	6	9	10	22	26
85+	14	6.4	36	1	1	5	7	16	21	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	18.0		18	18	18	18	18	18	18
B. *Operated*	67	2.5	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	8	6.3	7	2	3	6	8	10	10	10
B. *Operated*	248	5.5	22	1	2	4	7	11	14	24
1. SINGLE DX	68	2.7	5	1	2	2	3	4	4	16
2. MULTIPLE DX	256	5.5	21	1	2	4	7	10	14	24
A. NOT OPERATED	9	7.6	21	2	3	6	9	15	18	18
B. OPERATED	315	4.8	19	1	2	3	7	10	13	24
TOTAL 65-69 YRS	148	4.7	15	1	2	3	7	10	12	19
70-74	82	4.7	16	1	1	3	6	10	12	21
75-79	55	4.7	24	1	2	3	6	8	16	28
80-84	24	6.3	32	1	2	5	8	11	20	26
85+	15	6.6	34	1	1	5	8	15	21	23
GRAND TOTAL	**324**	**4.9**	**19**	**1**	**2**	**3**	**7**	**10**	**13**	**23**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.5		4	4	4	5	5	5	5
70-74	6	2.0	1	<1	<1	2	3	3	3	3
75-79	7	5.9	20	<1	<1	4	9	12	13	13
80-84	3	8.3	57	3	3	5	14	17	17	17
85+	7	6.3	17	<1	1	6	8	13	14	14
B. *Operated*										
65-69 YRS	56	3.3	6	<1	1	2	4	7	8	12
70-74	44	2.5	4	1	1	2	3	4	6	12
75-79	19	3.4	14	1	2	2	3	6	13	18
80-84	8	3.6	3	2	2	3	5	6	7	7
85+	13	7.9	28	2	2	8	12	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	7.5	23	3	3	6	9	15	17	23
70-74	30	9.4	26	2	4	8	13	17	18	22
75-79	29	8.3	28	2	3	7	11	17	18	22
80-84	40	9.9	152	2	3	7	10	19	23	78
85+	35	8.7	30	2	3	8	11	16	21	25
B. *Operated*										
65-69 YRS	71	5.4	41	1	1	3	6	11	17	40
70-74	62	7.0	98	1	2	4	6	16	26	62
75-79	58	10.1	116	1	2	6	14	25	27	59
80-84	35	6.8	31	1	2	5	8	15	21	25
85+	24	11.7	266	3	3	6	10	28	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.2	17	<1	<1	4	7	12	14	17
B. *Operated*	140	3.5	10	1	1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*	162	8.8	57	2	3	7	11	16	22	25
B. *Operated*	250	7.7	95	1	2	4	9	17	26	61
1. SINGLE DX	167	3.8	11	<1	1	2	4	8	12	17
2. MULTIPLE DX	412	8.1	81	1	2	6	10	17	23	52
A. NOT OPERATED	189	8.3	53	2	3	7	11	16	19	25
B. OPERATED	390	6.2	69	1	1	3	7	14	19	43
TOTAL 65-69 YRS	159	5.0	26	1	1	3	6	10	15	23
70-74	142	5.9	56	1	1	3	7	14	18	34
75-79	113	8.2	75	1	2	5	11	18	25	46
80-84	86	8.0	88	2	2	5	9	15	23	59
85+	79	9.3	100	2	3	7	11	17	24	65
GRAND TOTAL	**579**	**6.9**	**64**	**1**	**2**	**4**	**8**	**15**	**19**	**36**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.0	1	1	1	2	3	4	4	4
70-74	10	3.4	3	<1	<1	3	5	6	6	6
75-79	19	3.6	9	<1	<1	2	5	9	9	9
80-84	8	5.1	14	1	1	4	6	11	13	13
85+	7	4.4	20	<1	<1	2	8	11	12	12
B. *Operated*										
65-69 YRS	1269	7.6	8	4	5	7	9	11	13	17
70-74	1000	8.0	9	4	5	7	9	12	14	18
75-79	568	8.2	10	4	5	8	10	12	14	19
80-84	227	8.6	34	4	5	8	10	12	15	22
85+	81	8.7	13	4	5	8	10	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	89	3.6	11	<1	1	2	5	8	10	18
70-74	104	4.7	16	1	1	3	7	10	13	19
75-79	76	5.7	24	<1	1	4	8	11	12	27
80-84	70	7.7	48	1	2	6	10	14	29	33
85+	51	8.8	102	2	2	7	11	17	18	70
B. *Operated*										
65-69 YRS	2953	8.8	15	4	5	8	10	13	16	23
70-74	2323	9.3	19	5	6	8	11	14	17	27
75-79	1522	9.8	24	5	6	9	11	15	19	30
80-84	628	10.2	34	4	5	9	12	16	19	31
85+	267	11.1	54	3	5	9	14	19	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.6	9	<1	1	3	5	8	9	13
B. *Operated*	3145	7.9	11	4	5	7	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	390	5.7	36	1	1	4	8	11	15	30
B. *Operated*	7693	9.4	21	5	5	8	11	14	17	26
1. SINGLE DX	3198	7.9	11	4	5	7	9	12	13	18
2. MULTIPLE DX	8083	9.2	23	4	5	8	11	14	17	27
A. NOT OPERATED	443	5.5	33	1	1	4	8	11	13	29
B. OPERATED	10838	8.9	19	4	5	8	10	14	16	25
TOTAL 65-69 YRS	4320	8.3	13	4	5	8	10	12	15	22
70-74	3437	8.8	17	4	5	8	10	13	16	25
75-79	2185	9.2	22	4	5	8	11	14	17	27
80-84	933	9.6	36	3	5	9	11	15	18	31
85+	406	10.2	53	3	4	9	12	17	21	35
GRAND TOTAL	**11281**	**8.8**	**20**	**4**	**5**	**8**	**10**	**14**	**16**	**25**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	2.6	4	<1	<1	2	3	6	7	7
70-74	18	1.8	1	<1	<1	1	2	3	4	5
75-79	7	3.1	6	1	1	2	5	7	7	7
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	14	2.9	3	<1	<1	3	4	5	6	6
B. *Operated*										
65-69 YRS	623	2.1	2	<1	1	2	2	3	4	11
70-74	368	2.3	4	<1	1	2	2	3	5	13
75-79	212	2.4	2	<1	1	2	3	4	5	9
80-84	104	2.8	8	<1	1	2	3	4	9	18
85+	50	3.4	8	1	1	2	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	3.7	8	<1	<1	3	4	8	10	15
70-74	57	4.0	11	1	1	3	5	8	10	19
75-79	37	6.3	38	1	1	5	8	12	23	27
80-84	37	6.6	76	1	2	5	7	10	10	56
85+	38	7.0	35	2	2	5	9	13	21	28
B. *Operated*										
65-69 YRS	1084	3.6	12	1	1	2	4	8	10	16
70-74	730	4.0	19	1	1	2	4	8	12	22
75-79	430	4.5	25	1	1	3	5	11	13	25
80-84	241	4.8	24	1	2	3	6	11	14	24
85+	129	6.0	33	2	2	4	7	14	17	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.4	3	<1	<1	2	4	5	6	7
B. *Operated*	1357	2.3	4	<1	1	2	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	218	5.3	32	1	1	4	7	10	13	27
B. *Operated*	2614	4.1	18	1	1	2	5	9	12	22
1. SINGLE DX	1406	2.3	4	<1	1	2	2	3	5	11
2. MULTIPLE DX	2832	4.2	20	1	1	3	5	9	12	22
A. NOT OPERATED	267	4.8	28	<1	1	3	6	10	11	27
B. OPERATED	3971	3.5	14	1	1	2	3	8	11	19
TOTAL 65-69 YRS	1764	3.1	9	<1	1	2	3	7	9	15
70-74	1173	3.4	14	1	1	2	3	7	10	20
75-79	686	3.9	19	1	1	2	4	9	12	23
80-84	384	4.4	26	1	1	3	5	9	13	23
85+	231	5.4	28	1	2	4	7	12	16	31
GRAND TOTAL	**4238**	**3.6**	**15**	**1**	**1**	**2**	**4**	**8**	**11**	**19**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	2.1	2	<1	<1	1	3	4	5	5
70-74	11	3.6	5	<1	1	3	6	7	7	7
75-79	3	6.0	27	3	3	3	10	12	12	12
80-84	8	6.6	39	2	2	5	7	17	21	21
85+	8	8.0	38	<1	1	6	13	17	18	18
B. *Operated*										
65-69 YRS	461	3.4	15	<1	1	2	3	8	10	19
70-74	276	3.2	17	<1	1	2	3	7	9	19
75-79	143	3.6	12	1	1	2	4	8	11	17
80-84	69	5.2	108	1	1	3	4	10	19	70
85+	45	5.2	32	<1	1	3	6	11	23	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	5.5	30	1	2	4	6	13	20	27
70-74	71	5.9	23	1	1	5	8	12	15	26
75-79	59	7.9	46	2	2	6	10	16	22	34
80-84	50	8.5	46	2	2	7	11	14	22	36
85+	78	7.9	67	2	3	6	10	14	20	86
B. *Operated*										
65-69 YRS	1080	6.2	47	1	2	4	8	13	17	35
70-74	783	6.7	43	1	2	4	9	15	20	33
75-79	476	7.0	49	1	2	4	9	15	22	30
80-84	235	8.7	102	2	2	6	11	18	24	90
85+	143	10.6	111	2	2	7	14	23	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.6	21	<1	<1	3	6	10	17	21
B. *Operated*	994	3.6	23	<1	1	2	3	8	10	22
2. MULTIPLE DX										
A. *Not Operated*	309	7.2	44	1	2	5	9	14	18	41
B. *Operated*	2717	6.9	55	1	2	5	9	15	21	39
1. SINGLE DX	1038	3.6	22	<1	1	2	3	8	11	22
2. MULTIPLE DX	3026	7.0	54	1	2	5	9	15	20	39
A. NOT OPERATED	353	6.9	42	1	2	5	9	14	18	36
B. OPERATED	3711	6.0	49	1	1	3	8	13	18	36
TOTAL 65-69 YRS	1606	5.3	39	1	1	3	7	11	15	33
70-74	1141	5.8	37	1	1	3	8	13	17	31
75-79	681	6.3	43	1	2	4	8	14	20	30
80-84	362	8.0	95	1	2	5	10	17	22	77
85+	274	8.9	87	1	2	6	12	21	28	56
GRAND TOTAL	**4064**	**6.1**	**48**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	5.3	22	2	2	4	6	13	16	16
70-74	6	6.7	8	2	2	7	9	10	10	10
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	5	6.0	11	3	3	6	8	11	11	11
85+	3	6.0	28	2	2	4	10	12	12	12
B. *Operated*										
65-69 YRS	329	8.8	14	3	5	8	10	13	15	25
70-74	238	9.1	17	3	5	9	11	14	16	25
75-79	141	8.8	15	3	4	9	10	13	16	22
80-84	55	8.9	21	2	3	9	11	14	18	23
85+	19	7.8	17	1	2	8	11	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	5.7	25	1	1	5	7	12	19	21
70-74	44	6.2	27	<1	2	5	7	12	19	26
75-79	35	5.5	14	<1	2	4	9	11	12	13
80-84	23	5.1	24	1	2	3	7	10	15	23
85+	14	8.4	30	3	3	7	12	16	20	21
B. *Operated*										
65-69 YRS	553	9.9	34	3	5	9	12	16	20	32
70-74	411	10.6	39	3	5	9	13	18	22	33
75-79	270	10.6	32	2	5	10	13	18	21	31
80-84	116	12.6	64	3	5	11	15	22	29	43
85+	50	12.3	83	3	4	9	16	25	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.4	14	1	2	5	7	11	13	16
B. *Operated*	782	8.9	16	3	5	9	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	154	5.9	23	1	2	4	8	12	17	23
B. *Operated*	1400	10.6	40	3	5	9	13	18	22	34
1. SINGLE DX	807	8.8	16	2	4	8	10	13	15	24
2. MULTIPLE DX	1554	10.1	40	2	3	9	12	17	21	34
A. NOT OPERATED	179	5.9	22	1	2	4	8	12	16	23
B. OPERATED	2182	10.0	32	3	5	9	12	16	20	32
TOTAL 65-69 YRS	928	9.3	27	2	4	8	11	15	18	29
70-74	699	9.8	32	2	4	9	12	16	20	31
75-79	449	9.5	27	2	3	9	12	16	19	28
80-84	199	10.5	53	2	3	9	13	19	24	38
85+	86	10.4	62	2	3	8	13	21	26	42
GRAND TOTAL	**2361**	**9.6**	**32**	**2**	**4**	**9**	**12**	**16**	**20**	**31**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	382	6.6	18	2	3	6	8	12	15	24
70-74	358	7.3	23	2	3	6	9	13	16	24
75-79	293	7.8	51	2	3	6	10	14	17	31
80-84	252	8.4	34	3	3	7	10	15	19	35
85+	238	9.0	44	2	3	7	11	16	22	37
B. *Operated*										
65-69 YRS	201	8.2	49	2	2	6	10	18	21	36
70-74	140	9.3	102	2	3	6	11	16	30	56
75-79	108	10.5	104	2	2	7	13	21	26	61
80-84	68	11.5	150	2	3	8	13	20	32	75
85+	48	11.6	69	3	4	9	16	23	29	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1797	9.4	49	3	3	8	12	17	22	36
70-74	1712	10.0	53	3	4	8	12	18	24	38
75-79	1656	10.8	70	3	4	9	13	20	25	46
80-84	1364	11.4	68	3	4	9	14	21	27	40
85+	1542	12.3	93	3	4	10	15	23	30	55
B. *Operated*										
65-69 YRS	838	16.8	209	3	4	13	22	34	48	90
70-74	793	17.8	237	3	4	13	22	37	51	91
75-79	615	18.8	224	4	5	14	24	42	51	88
80-84	436	19.1	223	4	6	15	25	39	55	99+
85+	387	18.2	190	4	6	14	24	36	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1523	7.7	33	2	3	6	9	14	17	30
B. *Operated*	565	9.6	87	2	3	7	12	19	25	54
2. MULTIPLE DX										
A. *Not Operated*	8071	10.7	67	3	4	9	13	20	26	44
B. *Operated*	3069	18.0	219	3	5	14	23	37	51	93
1. SINGLE DX	2088	8.2	48	2	3	7	10	15	19	36
2. MULTIPLE DX	11140	12.7	119	3	4	9	16	25	34	64
A. NOT OPERATED	9594	10.2	63	3	4	8	13	19	25	42
B. OPERATED	3634	16.7	208	3	4	12	21	36	49	90
TOTAL 65-69 YRS	3218	10.9	100	3	3	8	13	22	29	56
70-74	3003	11.7	115	3	4	8	14	23	32	60
75-79	2672	12.3	118	3	4	9	15	24	34	60
80-84	2120	12.6	110	3	4	10	16	25	32	61
85+	2215	13.0	111	3	4	10	16	25	34	65
GRAND TOTAL	**13228**	**12.0**	**111**	**3**	**4**	**9**	**15**	**23**	**32**	**60**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	7.7	38	2	2	7	9	15	25	29
70-74	68	7.4	28	1	1	6	9	16	20	24
75-79	44	7.7	61	2	2	6	9	12	20	50
80-84	29	7.8	42	1	2	6	12	16	19	31
85+	28	6.4	35	<1	1	5	8	12	15	31
B. *Operated*										
65-69 YRS	90	9.2	141	1	1	5	9	21	41	58
70-74	78	7.6	50	1	2	5	11	18	23	32
75-79	46	7.5	50	1	2	5	10	17	20	39
80-84	27	8.4	67	2	2	4	10	21	29	32
85+	20	9.4	41	1	2	7	14	19	22	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	275	10.1	84	3	3	8	13	19	25	60
70-74	305	9.7	46	3	4	8	11	19	25	39
75-79	276	10.5	90	2	3	8	12	18	24	60
80-84	203	10.9	73	3	4	8	14	22	32	99+
85+	200	10.3	77	3	4	8	13	19	24	34
B. *Operated*										
65-69 YRS	274	13.7	162	2	3	10	17	30	43	70
70-74	252	14.0	161	2	3	10	18	29	44	61
75-79	199	16.0	231	2	3	11	20	43	53	99+
80-84	135	16.1	184	3	4	12	22	34	46	92
85+	105	12.9	124	3	3	9	15	28	41	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	7.4	39	1	2	6	9	14	20	31
B. *Operated*	261	8.3	82	1	2	5	11	19	24	51
2. MULTIPLE DX										
A. *Not Operated*	1259	10.3	73	3	3	8	13	19	26	55
B. *Operated*	965	14.5	175	2	3	10	19	31	45	83
1. SINGLE DX	479	7.9	63	1	2	6	9	17	22	41
2. MULTIPLE DX	2224	12.1	122	3	3	9	15	25	34	67
A. NOT OPERATED	1477	9.8	69	2	3	8	12	19	25	51
B. OPERATED	1226	13.2	162	2	3	9	17	29	43	69
TOTAL 65-69 YRS	688	11.2	123	2	3	8	14	24	31	65
70-74	703	10.8	92	2	3	8	13	23	29	54
75-79	565	11.9	144	2	3	8	14	25	43	70
80-84	394	12.3	116	3	3	9	15	28	36	95
85+	353	10.7	88	2	3	8	13	20	27	45
GRAND TOTAL	**2703**	**11.4**	**114**	**2**	**3**	**8**	**14**	**24**	**32**	**60**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	19	3.8	2	2	2	3	5	6	7	7
70-74	9	6.6	35	2	2	4	10	17	17	17
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	5	7.8	55	<1	<1	5	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	12.3	94	4	4	10	20	23	23	23
70-74	3	14.0	217	5	5	6	25	31	31	31
75-79	2	11.5	145	3	3	11	20	20	20	20
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	11.0	72	5	5	11	17	17	17	17
B. *Operated*										
65-69 YRS	21	6.9	44	2	2	4	9	14	22	30
70-74	7	17.4	593	2	2	6	25	60	68	68
75-79	6	10.5	26	3	3	11	15	16	16	16
80-84	5	16.6	570	4	4	5	23	59	59	59
85+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*	36	5.0	18	2	2	4	5	9	17	20
2. MULTIPLE DX										
A. *Not Operated*	11	11.4	97	1	2	6	19	26	31	31
B. *Operated*	40	10.4	197	2	2	5	12	23	45	68
1. SINGLE DX	38	5.1	17	2	2	4	5	9	17	20
2. MULTIPLE DX	51	10.6	174	2	2	5	12	26	31	68
A. NOT OPERATED	13	10.5	86	1	3	6	18	25	30	31
B. OPERATED	76	7.8	118	2	2	4	8	16	27	66
TOTAL 65-69 YRS	43	5.9	32	2	2	4	5	12	18	30
70-74	19	11.7	264	2	2	5	14	31	51	68
75-79	10	9.6	37	3	3	9	15	18	20	20
80-84	9	10.6	338	1	1	4	7	40	59	59
85+	8	8.0	48	<1	1	5	13	19	20	20
GRAND TOTAL	**89**	**8.2**	**113**	**2**	**2**	**4**	**9**	**17**	**30**	**64**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	129	1.9	2	<1	<1	2	2	4	4	8
70-74	95	2.3	4	<1	<1	2	3	5	6	11
75-79	55	2.5	4	<1	<1	2	3	5	6	12
80-84	40	2.5	4	<1	<1	2	3	5	7	9
85+	17	2.3	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	11.5	181	2	2	11	21	21	21	21
70-74	5	3.4	11	1	1	1	6	8	8	8
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84	2	9.5	85	3	3	9	16	16	16	16
85+	4	4.3	10	<1	<1	4	7	7	7	7
B. *Operated*										
65-69 YRS	131	3.5	13	<1	<1	2	4	7	11	21
70-74	91	4.5	16	<1	<1	3	6	10	15	18
75-79	55	6.6	46	<1	<1	4	8	18	23	31
80-84	37	7.0	33	1	2	5	9	18	20	21
85+	17	7.5	34	1	1	7	9	16	21	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*	336	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	15	5.7	34	<1	1	3	7	16	20	21
B. *Operated*	331	4.9	25	<1	1	3	6	11	15	24
1. SINGLE DX	340	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	346	4.9	25	<1	1	3	6	11	16	24
A. NOT OPERATED	19	5.1	28	<1	1	3	7	13	19	21
B. OPERATED	667	3.5	15	<1	<1	2	4	8	11	21
TOTAL 65-69 YRS	262	2.7	9	<1	<1	2	3	5	7	20
70-74	193	3.4	11	<1	<1	2	4	7	10	15
75-79	113	4.5	28	<1	<1	2	5	11	17	27
80-84	80	4.7	24	<1	<1	3	6	10	17	21
85+	38	4.8	22	<1	<1	3	7	10	15	23
GRAND TOTAL	**686**	**3.6**	**16**	**<1**	**<1**	**2**	**4**	**8**	**12**	**21**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	231	8.2	76	1	1	5	10	20	25	50
70-74	204	10.5	95	2	2	8	13	24	30	46
75-79	189	9.9	72	2	3	8	13	21	27	42
80-84	132	11.4	111	1	2	8	14	25	37	71
85+	173	11.0	102	1	3	8	13	24	34	59
B. *Operated*										
65-69 YRS	595	7.3	111	<1	1	3	8	20	29	59
70-74	543	8.0	106	<1	1	4	10	21	30	58
75-79	350	10.6	165	1	1	5	15	25	37	64
80-84	267	13.7	268	1	1	8	20	34	42	95
85+	182	12.9	145	1	2	9	19	29	35	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1299	11.6	112	2	3	9	15	24	32	58
70-74	1274	12.4	115	3	4	9	16	25	34	60
75-79	1395	13.0	130	3	4	10	16	26	35	67
80-84	1205	14.1	153	3	4	11	17	28	41	76
85+	1324	14.8	160	3	4	11	19	30	41	78
B. *Operated*										
65-69 YRS	1606	15.9	291	1	2	11	23	42	61	99+
70-74	1447	19.2	359	2	2	14	27	47	68	99+
75-79	1246	20.9	352	2	3	16	30	48	63	99
80-84	944	23.0	353	2	4	18	34	53	73	99+
85+	909	22.1	334	3	4	18	30	54	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	929	10.0	90	1	2	7	13	22	30	49
B. *Operated*	1937	9.5	150	<1	1	4	12	25	35	64
2. MULTIPLE DX										
A. *Not Operated*	6497	13.2	135	3	4	10	17	27	36	69
B. *Operated*	6152	19.7	342	2	2	15	28	49	69	99+
1. SINGLE DX	2866	9.7	130	1	1	6	12	24	33	61
2. MULTIPLE DX	12649	16.3	246	2	3	12	21	38	54	99+
A. NOT OPERATED	7426	12.8	130	2	3	10	16	26	35	68
B. OPERATED	8089	17.3	315	1	2	12	25	44	61	99+
TOTAL 65-69 YRS	3731	12.6	197	1	2	8	17	30	45	96
70-74	3468	14.4	232	2	2	10	19	35	49	91
75-79	3180	15.6	236	2	3	11	20	35	49	86
80-84	2548	17.2	257	2	3	12	23	40	56	99+
85+	2588	17.0	231	3	4	13	22	37	54	99+
GRAND TOTAL	**15515**	**15.1**	**232**	**2**	**2**	**10**	**20**	**36**	**50**	**96**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	7.3	25	2	3	7	9	13	21	22
70-74	21	8.0	44	2	2	6	10	16	23	29
75-79	15	10.9	85	3	4	7	20	32	80	99+
80-84	5	16.6	57	12	12	13	19	30	30	30
85+										
B. *Operated*										
65-69 YRS	14	11.3	68	2	2	9	18	22	28	30
70-74	17	10.4	22	3	4	9	14	17	19	20
75-79	5	11.6	31	7	7	9	14	21	21	21
80-84	5	12.6	278	2	2	7	17	42	42	42
85+	3	19.3	89	12	12	16	26	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	256	11.9	94	2	3	9	15	23	29	53
70-74	218	11.2	72	3	3	9	14	21	29	44
75-79	132	12.4	99	3	3	10	15	26	35	50
80-84	49	13.2	180	3	3	9	14	32	48	61
85+	28	14.6	70	4	5	13	18	28	34	34
B. *Operated*										
65-69 YRS	161	19.7	254	4	4	15	27	42	52	81
70-74	120	19.2	272	3	4	15	26	42	58	94
75-79	85	20.1	266	4	5	15	26	46	58	96
80-84	22	17.5	119	3	4	16	22	29	39	51
85+	14	18.2	85	5	8	17	27	36	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	8.9	50	2	3	7	12	21	29	86
B. *Operated*	44	11.7	66	2	3	9	15	21	30	42
2. MULTIPLE DX										
A. *Not Operated*	683	12.0	93	2	3	9	15	23	32	51
B. *Operated*	402	19.4	247	3	4	15	26	42	56	95
1. SINGLE DX	114	10.0	57	2	3	8	13	21	29	62
2. MULTIPLE DX	1085	14.7	163	3	4	11	18	31	42	72
A. NOT OPERATED	753	11.7	90	2	3	9	15	23	31	52
B. OPERATED	446	18.7	235	3	4	15	24	40	55	91
TOTAL 65-69 YRS	460	14.3	161	2	3	10	19	29	40	71
70-74	376	13.5	147	2	3	10	17	29	38	67
75-79	237	15.0	170	3	4	11	19	33	45	90
80-84	81	14.5	160	3	3	11	17	30	46	59
85+	45	16.0	76	5	6	15	20	31	35	99+
GRAND TOTAL	**1199**	**14.3**	**155**	**3**	**4**	**11**	**18**	**30**	**40**	**71**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	266	8.8	42	3	3	7	11	15	21	36
70-74	194	9.4	44	2	3	8	12	17	23	35
75-79	148	9.4	63	2	2	8	12	20	26	34
80-84	64	9.8	66	2	3	8	13	20	26	43
85+	18	8.6	27	2	3	8	10	17	20	21
B. *Operated*										
65-69 YRS	449	11.7	77	2	3	10	17	23	28	39
70-74	293	13.4	126	2	3	11	18	25	33	61
75-79	121	15.5	162	3	3	13	21	29	33	70
80-84	34	18.1	159	2	5	15	23	39	48	51
85+	8	14.3	43	5	6	14	18	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1026	10.7	70	3	3	9	13	20	26	45
70-74	1009	10.3	56	3	3	8	13	20	25	38
75-79	779	11.9	87	3	4	10	15	22	30	54
80-84	410	11.0	67	3	4	9	14	22	28	45
85+	183	10.5	69	3	4	9	13	19	26	85
B. *Operated*										
65-69 YRS	889	15.5	199	3	4	12	19	32	43	80
70-74	577	16.8	197	3	4	13	21	35	46	86
75-79	364	18.1	195	3	5	16	24	35	48	77
80-84	131	17.7	171	3	4	15	23	36	43	59
85+	33	18.2	151	3	5	15	27	38	41	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	690	9.2	49	2	3	8	12	18	22	36
B. *Operated*	905	13.0	109	2	3	11	17	24	31	51
2. MULTIPLE DX										
A. *Not Operated*	3407	10.9	70	3	3	9	14	21	27	46
B. *Operated*	1994	16.6	195	3	4	13	20	34	45	79
1. SINGLE DX	1595	11.4	87	2	3	9	15	22	28	46
2. MULTIPLE DX	5401	13.0	124	3	4	10	16	25	34	64
A. NOT OPERATED	4097	10.6	67	3	3	8	13	20	26	45
B. OPERATED	2899	15.5	171	2	3	13	20	31	41	74
TOTAL 65-69 YRS	2630	12.3	118	2	3	9	16	23	32	61
70-74	2073	12.5	112	2	3	10	16	24	33	59
75-79	1412	13.5	128	3	4	10	18	27	34	65
80-84	639	12.6	102	3	4	10	16	26	34	49
85+	242	11.6	83	3	4	9	14	21	31	61
GRAND TOTAL	**6996**	**12.6**	**116**	**3**	**3**	**10**	**16**	**25**	**33**	**60**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	227	6.6	25	1	2	5	9	13	17	25
70-74	257	6.1	26	<1	1	5	8	12	14	28
75-79	256	6.8	37	1	2	5	9	13	17	25
80-84	211	8.1	42	2	2	6	11	17	23	32
85+	175	7.2	27	1	2	6	9	16	18	22
B. *Operated*										
65-69 YRS	2881	12.8	50	2	3	13	16	21	24	35
70-74	2601	14.3	54	3	5	14	17	22	26	38
75-79	2021	15.6	54	4	7	15	19	23	27	40
80-84	897	17.0	62	4	8	16	20	26	31	41
85+	281	17.1	64	5	8	16	21	26	31	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1235	7.8	37	2	2	6	10	15	19	32
70-74	1582	8.3	49	2	2	7	11	16	19	36
75-79	1748	8.9	48	2	3	7	11	16	21	37
80-84	1601	9.3	59	2	3	8	12	17	24	45
85+	1488	10.3	81	2	3	8	13	20	26	56
B. *Operated*										
65-69 YRS	3183	14.7	81	2	3	14	19	25	30	46
70-74	3235	16.6	106	3	5	15	20	29	35	56
75-79	2864	18.3	122	4	7	16	22	31	38	68
80-84	1436	19.8	131	4	8	18	24	33	42	65
85+	559	20.3	142	5	8	19	26	34	47	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1126	6.9	32	1	2	5	9	14	17	26
B. *Operated*	8681	14.5	56	3	5	14	18	23	27	38
2. MULTIPLE DX										
A. *Not Operated*	7654	9.0	56	2	3	7	11	17	22	41
B. *Operated*	11277	17.1	112	3	5	16	21	29	36	59
1. SINGLE DX	9807	13.6	59	2	4	14	17	22	26	38
2. MULTIPLE DX	18931	13.8	105	2	3	12	18	26	32	56
A. NOT OPERATED	8780	8.7	53	2	3	7	11	16	21	39
B. OPERATED	19958	16.0	89	3	5	15	19	26	32	53
TOTAL 65-69 YRS	7526	12.6	67	2	3	12	17	22	27	40
70-74	7675	13.8	86	2	3	13	18	24	30	49
75-79	6889	14.7	97	3	4	14	19	25	32	54
80-84	4145	14.5	107	3	4	13	19	27	33	57
85+	2503	13.1	109	2	4	10	17	26	32	59
GRAND TOTAL	**28738**	**13.7**	**89**	**2**	**3**	**13**	**18**	**24**	**30**	**50**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	7.4	30	1	2	6	9	15	19	27
70-74	84	6.5	24	1	1	5	9	13	15	26
75-79	90	6.3	36	<1	2	5	7	11	18	36
80-84	56	5.8	14	1	2	5	8	12	14	15
85+	61	8.6	60	1	3	7	10	17	21	49
B. *Operated*										
65-69 YRS	227	10.8	62	2	2	10	15	20	24	39
70-74	169	13.9	94	2	2	12	19	26	36	44
75-79	115	16.0	114	2	5	15	20	26	37	59
80-84	51	15.7	148	4	4	14	20	27	35	70
85+	17	13.1	53	1	3	13	17	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	398	8.8	47	2	3	7	11	16	22	41
70-74	424	9.3	74	2	3	7	11	18	24	51
75-79	417	9.9	61	2	3	8	13	19	28	40
80-84	383	10.6	122	2	3	8	12	21	34	70
85+	296	10.5	111	3	3	7	12	23	31	57
B. *Operated*										
65-69 YRS	330	17.0	240	2	3	13	22	39	58	99+
70-74	281	19.0	239	3	4	16	24	39	59	99+
75-79	197	20.2	225	3	4	17	27	39	54	96
80-84	122	24.0	360	4	6	17	30	55	66	84
85+	83	22.3	339	3	4	17	33	50	61	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	6.9	33	1	2	5	8	14	18	29
B. *Operated*	579	13.2	93	2	3	12	17	24	29	49
2. MULTIPLE DX										
A. *Not Operated*	1918	9.8	81	2	3	7	12	19	27	51
B. *Operated*	1013	19.5	264	3	4	16	25	42	60	99+
1. SINGLE DX	966	10.7	79	2	2	8	15	21	26	44
2. MULTIPLE DX	2931	13.1	165	2	3	9	16	28	40	74
A. NOT OPERATED	2305	9.3	74	2	3	7	11	18	25	50
B. OPERATED	1592	17.2	210	2	3	14	21	36	50	85
TOTAL 65-69 YRS	1051	11.7	123	2	3	9	15	23	33	70
70-74	958	12.7	142	2	3	9	17	26	37	67
75-79	819	12.9	128	2	3	10	17	27	35	62
80-84	612	13.2	194	2	3	9	15	29	44	74
85+	457	12.5	165	2	3	8	15	28	41	65
GRAND TOTAL	**3897**	**12.5**	**145**	**2**	**3**	**9**	**16**	**26**	**37**	**69**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	4.2	8	1	1	4	6	8	9	9
70-74	5	8.0	100	2	2	2	13	25	25	25
75-79	7	5.9	9	<1	1	6	9	9	9	9
80-84	1	3.0		3	3	3	3	3	3	3
85+	5	8.8	40	2	2	6	15	16	16	16
B. *Operated*										
65-69 YRS	283	3.6	8	1	1	3	4	6	8	14
70-74	162	4.2	13	1	2	3	5	9	12	19
75-79	88	4.5	13	1	2	3	6	9	10	20
80-84	33	5.4	28	2	2	3	6	13	18	24
85+	9	3.3	4	2	2	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	33	7.0	29	1	1	6	10	15	18	20
70-74	19	6.1	26	1	2	4	8	15	17	19
75-79	24	5.4	13	1	1	5	9	10	11	12
80-84	13	9.2	54	1	2	8	13	22	24	25
85+	9	8.3	18	1	3	8	10	14	16	16
B. *Operated*										
65-69 YRS	630	4.6	22	1	2	3	5	9	12	22
70-74	362	5.0	21	1	2	4	6	9	13	26
75-79	215	5.9	49	2	2	4	7	11	16	35
80-84	65	6.6	38	1	2	4	8	16	20	28
85+	19	7.2	57	2	2	4	6	22	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	5.9	28	1	1	4	8	12	16	25
B. *Operated*	575	4.0	12	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	98	6.9	27	1	1	6	10	14	18	23
B. *Operated*	1291	5.1	28	1	2	4	6	10	14	27
1. SINGLE DX	605	4.1	13	1	1	3	5	8	11	20
2. MULTIPLE DX	1389	5.2	28	1	2	4	6	10	14	26
A. NOT OPERATED	128	6.6	27	1	1	5	9	14	18	25
B. OPERATED	1866	4.8	23	1	2	3	5	9	13	25
TOTAL 65-69 YRS	958	4.4	18	1	2	3	5	8	11	21
70-74	548	4.9	20	1	2	3	6	9	13	25
75-79	334	5.5	36	1	2	4	7	10	15	26
80-84	112	6.5	37	1	2	4	8	15	21	27
85+	42	6.8	37	2	2	5	8	16	22	25
GRAND TOTAL	**1994**	**4.9**	**23**	**1**	**2**	**3**	**6**	**9**	**14**	**25**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	80	5.4	16	1	2	4	7	10	14	20
70-74	79	6.1	34	<1	1	5	8	11	16	35
75-79	66	8.0	58	1	1	6	10	15	28	34
80-84	64	6.2	28	1	2	5	8	12	15	32
85+	57	6.6	26	1	2	5	9	13	18	23
B. *Operated*										
65-69 YRS	238	6.5	39	1	1	4	8	15	23	25
70-74	176	6.9	66	1	2	4	8	17	21	48
75-79	118	10.1	101	2	2	6	15	23	28	49
80-84	49	10.6	96	1	1	9	15	23	31	45
85+	26	7.0	43	1	1	5	10	14	23	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	313	7.9	86	1	2	6	9	15	22	39
70-74	312	7.2	29	2	2	6	9	14	19	27
75-79	347	8.6	48	2	3	7	11	16	20	45
80-84	287	9.5	60	2	3	8	12	18	24	39
85+	305	9.1	55	2	2	7	12	17	22	32
B. *Operated*										
65-69 YRS	364	9.9	111	1	2	6	13	23	32	84
70-74	283	11.6	133	2	2	8	15	25	36	62
75-79	235	13.1	170	2	2	10	16	27	36	87
80-84	92	14.8	171	2	3	11	19	36	44	99+
85+	76	17.5	168	2	4	16	23	36	48	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	6.4	32	1	1	5	8	13	17	32
B. *Operated*	607	7.7	66	1	2	5	10	18	24	38
2. MULTIPLE DX										
A. *Not Operated*	1564	8.4	56	2	2	7	11	16	21	35
B. *Operated*	1050	12.0	144	2	2	8	16	27	37	80
1. SINGLE DX	953	7.2	54	1	2	5	9	16	22	35
2. MULTIPLE DX	2614	9.9	94	2	2	7	12	20	29	53
A. NOT OPERATED	1910	8.1	52	1	2	6	10	16	20	35
B. OPERATED	1657	10.4	120	1	2	6	14	24	32	64
TOTAL 65-69 YRS	995	8.1	80	1	2	5	10	17	24	45
70-74	850	8.5	77	1	2	6	10	18	24	43
75-79	766	10.1	98	2	2	7	14	21	27	54
80-84	492	10.1	86	2	2	8	13	21	32	50
85+	464	10.0	81	1	2	7	13	20	27	53
GRAND TOTAL	**3567**	**9.2**	**85**	**1**	**2**	**6**	**12**	**19**	**26**	**49**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	10.3	162	2	2	4	20	25	25	25
70-74	5	14.8	175	3	3	7	27	32	32	32
75-79	3	4.7		4	4	5	5	5	5	5
80-84	2	8.5	1	8	8	8	9	9	9	9
85+										
B. *Operated*										
65-69 YRS	1	16.0		16	16	16	16	16	16	16
70-74	1	28.0		28	28	28	28	28	28	28
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	10.2	96	2	3	7	11	24	35	40
70-74	26	9.3	45	3	4	8	14	16	22	33
75-79	13	10.3	118	2	3	6	12	20	39	44
80-84	8	8.3	40	2	2	6	13	18	19	19
85+	11	12.2	52	4	5	10	14	25	26	26
B. *Operated*										
65-69 YRS	18	14.3	156	3	3	11	20	35	42	46
70-74	6	17.2	214	2	2	16	21	41	43	43
75-79	1	29.0		29	29	29	29	29	29	29
80-84	2	35.5	181	26	26	35	45	45	45	45
85+	3	7.7	66	2	2	4	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	10.5	102	2	3	6	13	27	31	32
B. *Operated*	2	22.0	72	16	16	22	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	75	10.0	67	3	3	8	13	19	26	43
B. *Operated*	30	16.1	180	2	3	13	21	39	45	46
1. SINGLE DX	15	12.0	109	2	3	7	23	28	31	32
2. MULTIPLE DX	105	11.7	106	3	3	9	14	26	37	45
A. NOT OPERATED	88	10.1	71	3	3	7	13	23	27	42
B. OPERATED	32	16.5	173	2	3	14	23	38	45	46
TOTAL 65-69 YRS	39	12.3	123	2	3	8	16	30	38	46
70-74	38	11.7	95	3	3	9	15	27	33	43
75-79	17	10.4	116	2	3	6	12	26	39	44
80-84	12	12.8	154	2	3	8	17	32	43	45
85+	14	11.2	54	2	4	10	14	25	26	26
GRAND TOTAL	**120**	**11.8**	**105**	**2**	**3**	**8**	**15**	**26**	**35**	**45**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	317	6.5	23	1	2	5	8	12	15	23
70-74	272	6.8	20	2	2	6	9	13	15	22
75-79	238	7.7	27	2	3	6	10	15	19	25
80-84	171	7.8	29	2	2	7	10	15	19	25
85+	117	7.5	33	2	3	7	10	13	14	29
B. *Operated*										
65-69 YRS	324	8.8	47	1	2	8	11	17	22	33
70-74	220	10.4	66	2	2	9	14	20	28	40
75-79	102	13.0	178	1	2	9	19	25	34	77
80-84	28	11.6	136	2	2	8	12	25	32	58
85+	11	9.5	25	3	3	10	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1613	8.0	31	2	3	7	10	14	18	29
70-74	1791	8.7	45	2	3	7	11	15	20	36
75-79	1689	9.3	47	3	3	8	12	17	22	35
80-84	1361	10.0	57	3	3	8	12	19	24	39
85+	1114	10.1	60	3	3	8	13	19	24	47
B. *Operated*										
65-69 YRS	823	12.9	112	2	3	10	17	25	32	57
70-74	693	14.6	138	2	3	12	13	29	39	61
75-79	493	17.0	224	3	4	13	21	36	48	99+
80-84	213	17.3	185	4	4	13	23	39	47	72
85+	107	18.3	258	4	5	14	22	45	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1115	7.1	25	2	2	6	9	13	16	24
B. *Operated*	685	10.1	78	2	2	8	13	21	27	41
2. MULTIPLE DX										
A. *Not Operated*	7568	9.1	47	2	3	7	11	17	22	36
B. *Operated*	2329	14.9	160	2	4	12	19	30	41	74
1. SINGLE DX	1800	8.3	47	2	2	7	10	15	21	32
2. MULTIPLE DX	9897	10.5	80	2	3	8	13	20	27	50
A. NOT OPERATED	8683	8.9	45	2	3	7	11	16	21	36
B. OPERATED	3014	13.8	145	2	3	11	18	27	38	68
TOTAL 65-69 YRS	3077	9.3	59	2	3	7	11	18	23	38
70-74	2976	10.0	73	2	3	8	12	19	25	47
75-79	2522	10.8	95	2	3	8	13	21	27	56
80-84	1773	10.7	77	2	3	8	13	21	28	48
85+	1349	10.5	78	3	3	8	13	19	27	56
GRAND TOTAL	**11697**	**10.2**	**76**	**2**	**3**	**8**	**12**	**19**	**26**	**48**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	430	9.2	31	2	3	8	12	16	20	29
70-74	278	9.1	32	2	3	8	12	16	20	24
75-79	162	9.0	27	3	4	8	11	16	18	29
80-84	62	9.0	26	3	4	8	11	16	19	26
85+	46	10.1	38	2	3	9	13	19	22	29
B. *Operated*										
65-69 YRS	1035	11.1	60	2	2	10	15	20	25	35
70-74	444	11.9	61	2	3	11	16	22	26	37
75-79	220	11.6	71	2	2	10	16	22	27	44
80-84	53	13.5	91	2	2	12	21	27	34	97
85+	25	16.1	155	1	1	12	23	38	39	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1013	10.0	48	3	4	8	12	18	22	31
70-74	886	10.5	51	3	4	9	13	20	23	33
75-79	716	10.5	52	3	4	9	14	19	22	42
80-84	431	11.1	79	3	3	9	14	20	25	36
85+	296	11.1	60	3	4	9	14	20	27	38
B. *Operated*										
65-69 YRS	1246	14.6	98	2	4	12	19	27	33	47
70-74	881	16.6	110	3	6	14	22	31	37	54
75-79	489	18.0	149	3	5	16	24	33	42	63
80-84	133	19.4	147	4	7	18	25	33	48	74
85+	54	18.9	203	5	7	15	23	34	40	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	978	9.2	30	2	3	8	12	16	19	28
B. *Operated*	1777	11.5	64	2	2	10	15	21	26	39
2. MULTIPLE DX										
A. *Not Operated*	3342	10.5	55	3	4	9	13	19	23	35
B. *Operated*	2803	16.1	117	3	5	14	21	30	37	56
1. SINGLE DX	2755	10.7	54	2	3	9	14	20	24	35
2. MULTIPLE DX	6145	13.1	91	3	4	11	17	25	31	47
A. NOT OPERATED	4320	10.2	50	3	4	9	13	18	22	33
B. OPERATED	4580	14.3	102	2	3	12	19	27	33	50
TOTAL 65-69 YRS	3724	11.8	70	2	3	10	15	22	27	42
70-74	2489	12.7	80	3	4	11	16	24	30	45
75-79	1587	12.8	94	3	4	10	17	25	31	50
80-84	679	12.7	100	3	4	10	16	25	31	56
85+	421	12.3	89	3	4	10	16	23	29	43
GRAND TOTAL	**8900**	**12.3**	**81**	**2**	**4**	**10**	**16**	**23**	**29**	**45**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	122	8.0	33	1	2	7	11	15	18	30
70-74	86	7.9	23	2	3	7	11	14	16	20
75-79	42	8.1	44	1	2	6	11	18	21	33
80-84	30	7.2	16	2	3	6	9	13	16	17
85+	17	6.9	21	2	2	7	9	12	17	19
B. *Operated*										
65-69 YRS	197	9.8	53	2	2	8	13	18	23	38
70-74	97	10.7	47	2	3	10	14	20	25	33
75-79	41	10.4	123	1	2	8	12	20	29	64
80-84	8	9.1	41	1	2	9	13	18	20	20
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	421	9.3	35	3	3	8	12	17	22	30
70-74	347	9.1	43	2	3	8	11	16	19	30
75-79	275	9.6	77	2	3	7	12	17	24	41
80-84	167	9.8	53	3	3	8	13	18	23	43
85+	108	9.6	104	2	3	7	12	18	19	62
B. *Operated*										
65-69 YRS	244	13.8	144	2	3	11	18	27	36	74
70-74	155	14.2	137	2	3	12	17	24	34	64
75-79	83	18.5	307	2	3	14	26	34	64	99
80-84	28	16.0	83	3	5	13	24	33	38	99+
85+	14	24.1	389	6	9	17	33	54	72	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	7.9	29	2	2	7	11	14	18	29
B. *Operated*	344	10.2	59	2	2	9	13	18	24	36
2. MULTIPLE DX										
A. *Not Operated*	1318	9.4	54	2	3	8	12	17	22	34
B. *Operated*	524	15.0	175	2	3	12	19	30	38	83
1. SINGLE DX	641	9.1	47	2	2	8	12	17	21	35
2. MULTIPLE DX	1842	11.0	95	2	3	9	14	21	27	52
A. NOT OPERATED	1615	9.1	50	2	3	8	11	17	21	33
B. OPERATED	868	13.1	135	2	3	10	17	26	34	76
TOTAL 65-69 YRS	984	10.4	70	2	3	9	13	19	26	40
70-74	685	10.3	67	2	3	9	13	18	23	41
75-79	441	11.2	133	2	3	8	13	24	32	78
80-84	233	10.2	56	3	3	8	14	20	25	46
85+	140	10.8	140	2	3	8	13	19	22	79
GRAND TOTAL	**2483**	**10.5**	**83**	**2**	**3**	**9**	**13**	**20**	**26**	**45**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	53	6.5	24	1	2	5	9	14	15	27
70-74	18	7.3	23	1	1	7	12	14	16	17
75-79	16	6.3	27	<1	1	5	9	11	18	21
80-84	13	10.8	51	1	3	10	14	19	27	29
85+	7	7.1	5	3	4	8	8	10	10	10
B. *Operated*										
65-69 YRS	8	9.8	30	2	3	9	12	18	20	20
70-74	1	17.0		17	17	17	17	17	17	17
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	166	9.2	36	2	3	8	12	16	19	33
70-74	119	8.6	18	3	4	8	11	15	17	20
75-79	88	8.5	36	2	2	7	11	17	20	29
80-84	51	9.0	35	2	3	8	13	16	22	30
85+	35	6.8	20	1	3	6	9	13	15	21
B. *Operated*										
65-69 YRS	38	15.2	272	2	2	10	20	26	47	91
70-74	19	14.6	123	4	5	12	17	29	43	50
75-79	12	15.7	131	3	4	14	26	33	34	34
80-84	6	29.2	835	9	9	18	34	80	85	85
85+	7	16.1	76	5	5	17	24	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	7.2	28	1	2	6	10	14	16	28
B. *Operated*	14	9.4	27	2	4	8	13	17	19	20
2. MULTIPLE DX										
A. *Not Operated*	459	8.7	30	2	3	7	12	16	18	29
B. *Operated*	82	16.2	240	3	4	12	21	32	41	89
1. SINGLE DX	121	7.4	28	1	2	6	10	14	17	28
2. MULTIPLE DX	541	9.8	69	2	3	8	12	18	23	35
A. NOT OPERATED	566	8.4	30	2	3	7	11	15	18	29
B. OPERATED	96	15.2	214	2	4	11	19	28	35	88
TOTAL 65-69 YRS	265	9.5	73	2	2	8	12	16	22	35
70-74	157	9.2	35	2	4	8	12	16	18	34
75-79	118	8.9	48	1	2	7	11	18	24	33
80-84	71	10.9	126	2	3	8	13	20	29	74
85+	51	8.3	34	2	3	7	11	16	21	27
GRAND TOTAL	**662**	**9.4**	**62**	**2**	**3**	**8**	**12**	**17**	**22**	**34**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	91	7.5	15	2	3	7	9	12	16	21
70-74	84	8.5	24	2	3	8	11	15	19	22
75-79	57	9.4	33	2	3	8	12	19	22	24
80-84	40	8.3	25	1	2	8	12	14	15	24
85+	18	8.1	19	2	3	7	11	14	17	18
B. *Operated*										
65-69 YRS	24	6.8	21	1	1	7	11	12	14	14
70-74	23	7.3	40	1	1	5	9	17	20	25
75-79	6	9.8	51	3	3	8	12	22	23	23
80-84	4	8.3	8	5	5	8	10	11	11	11
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	295	9.0	26	3	4	8	11	17	19	25
70-74	300	10.1	40	3	4	9	13	18	23	29
75-79	235	10.5	40	3	4	9	14	19	23	30
80-84	172	10.6	42	3	4	9	14	19	23	35
85+	107	11.1	80	3	4	8	14	20	26	55
B. *Operated*										
65-69 YRS	71	16.1	93	3	5	13	22	29	31	49
70-74	45	17.1	176	5	6	13	19	37	45	65
75-79	46	13.6	75	3	5	12	19	26	30	39
80-84	21	16.8	160	2	4	12	26	35	45	47
85+	17	13.5	43	2	3	15	19	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	8.3	23	2	3	8	10	15	18	23
B. *Operated*	58	7.3	30	1	1	7	11	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	1109	10.1	41	3	4	8	13	18	22	31
B. *Operated*	200	15.6	110	3	5	13	20	29	35	49
1. SINGLE DX	348	8.2	24	2	2	7	11	15	18	23
2. MULTIPLE DX	1309	10.9	55	3	4	9	14	20	26	37
A. NOT OPERATED	1399	9.7	38	3	4	8	12	17	21	29
B. OPERATED	258	13.7	104	1	3	11	18	27	32	47
TOTAL 65-69 YRS	481	9.6	41	2	4	8	12	18	22	31
70-74	452	10.3	55	2	4	9	13	19	25	40
75-79	344	10.8	45	3	4	9	14	21	24	32
80-84	237	10.7	53	3	4	9	13	19	25	38
85+	143	11.0	69	3	4	9	14	20	24	47
GRAND TOTAL	**1657**	**10.3**	**50**	**2**	**4**	**9**	**13**	**19**	**24**	**35**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	576	7.3	26	1	2	6	10	14	18	23
70-74	426	7.3	26	1	2	6	10	14	17	23
75-79	301	7.7	30	1	2	6	10	15	17	28
80-84	202	7.9	33	1	2	6	11	16	19	28
85+	119	7.7	28	1	2	7	11	15	18	23
B. *Operated*										
65-69 YRS	668	9.8	53	1	2	9	14	19	24	33
70-74	380	10.5	61	1	2	9	14	20	26	37
75-79	258	12.2	97	2	2	11	16	23	30	48
80-84	82	15.0	131	1	2	13	22	27	35	59
85+	30	15.9	171	2	3	12	22	39	45	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1793	8.6	36	2	3	7	11	16	20	30
70-74	1594	9.1	40	2	3	8	12	17	21	34
75-79	1374	9.6	45	2	3	8	12	18	22	32
80-84	951	10.3	66	2	3	8	13	20	24	42
85+	716	9.7	47	2	3	8	13	18	22	37
B. *Operated*										
65-69 YRS	1201	13.2	95	2	3	11	17	25	32	47
70-74	956	14.3	129	2	3	11	19	30	37	56
75-79	627	17.3	190	2	4	14	22	35	46	73
80-84	251	18.1	184	3	4	15	23	35	46	75
85+	109	18.5	142	5	7	16	26	33	36	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1624	7.5	28	1	2	6	10	14	18	25
B. *Operated*	1418	10.8	72	1	2	9	15	22	27	42
2. MULTIPLE DX										
A. *Not Operated*	6428	9.3	45	2	3	8	12	18	21	34
B. *Operated*	3144	14.9	136	2	3	12	19	30	37	61
1. SINGLE DX	3042	9.0	51	1	2	8	12	18	22	34
2. MULTIPLE DX	9572	11.2	82	2	3	9	14	22	28	46
A. NOT OPERATED	8052	9.0	42	2	3	8	12	17	21	32
B. OPERATED	4562	13.7	120	2	3	11	18	27	35	56
TOTAL 65-69 YRS	4238	9.9	59	2	2	8	13	19	24	37
70-74	3356	10.5	72	2	3	8	13	20	27	42
75-79	2560	11.5	96	2	3	9	15	22	29	53
80-84	1486	11.6	96	2	3	9	15	22	29	52
85+	974	10.7	69	2	3	9	14	21	28	44
GRAND TOTAL	**12614**	**10.7**	**75**	**2**	**3**	**9**	**14**	**21**	**27**	**44**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	124	5.2	11	1	1	5	7	9	11	17
70-74	95	5.4	16	<1	1	4	6	11	12	23
75-79	73	6.2	18	1	2	5	9	12	15	18
80-84	45	6.7	23	1	2	5	8	13	16	26
85+	40	6.5	13	1	2	6	8	11	14	16
B. *Operated*										
65-69 YRS	685	3.4	9	<1	1	3	4	6	8	17
70-74	349	3.7	13	<1	1	3	4	8	11	18
75-79	196	3.7	9	<1	1	3	5	7	11	16
80-84	77	4.1	15	<1	1	3	5	9	14	19
85+	29	5.1	14	<1	<1	4	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	370	7.1	22	2	2	6	9	14	17	24
70-74	367	7.7	29	2	2	6	10	15	18	28
75-79	348	8.6	44	2	3	7	11	15	19	37
80-84	202	8.3	41	2	3	7	10	15	21	28
85+	189	9.1	72	2	3	7	12	17	21	38
B. *Operated*										
65-69 YRS	612	5.7	42	1	2	4	7	11	16	33
70-74	435	6.5	48	1	2	4	8	14	18	42
75-79	280	8.0	80	2	2	5	10	19	24	47
80-84	124	8.9	126	1	2	5	11	21	29	92
85+	63	11.1	116	1	2	9	15	21	26	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	5.8	15	1	2	5	8	11	13	18
B. *Operated*	1336	3.6	10	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	1476	8.0	38	2	3	7	10	15	19	29
B. *Operated*	1514	6.9	62	1	2	4	8	14	21	44
1. SINGLE DX	1713	4.1	12	<1	1	3	5	8	11	17
2. MULTIPLE DX	2990	7.4	51	1	2	6	9	15	20	35
A. NOT OPERATED	1853	7.6	34	2	2	6	10	14	18	26
B. OPERATED	2850	5.3	41	1	1	3	6	11	16	31
TOTAL 65-69 YRS	1791	5.1	25	1	1	4	6	10	14	22
70-74	1246	6.0	33	1	1	4	8	12	16	29
75-79	897	7.2	49	1	2	5	9	15	19	34
80-84	448	7.6	61	1	2	5	9	15	21	43
85+	321	8.8	71	2	2	7	11	16	21	44
GRAND TOTAL	**4703**	**6.2**	**39**	**1**	**2**	**4**	**8**	**13**	**17**	**29**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0	8	1	1	3	5	5	5	5
70-74	9	2.0	5	<1	<1	1	2	6	8	8
75-79	5	1.0		<1	<1	<1	1	1	1	1
80-84										
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	836	4.2	10	1	2	4	5	6	8	11
70-74	529	4.2	9	1	2	4	5	7	8	12
75-79	307	4.3	7	1	2	4	6	8	9	14
80-84	145	4.3	7	1	1	4	5	7	9	12
85+	49	4.2	10	1	1	3	5	7	13	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	3.0	17	<1	<1	1	3	8	10	23
70-74	27	3.7	17	<1	<1	1	5	10	13	17
75-79	16	3.9	16	<1	1	2	5	10	13	15
80-84	19	6.2	24	<1	1	4	9	15	16	16
85+	9	6.7	32	1	1	5	8	16	19	19
B. *Operated*										
65-69 YRS	2323	5.1	12	2	2	4	6	8	11	18
70-74	1452	5.5	20	2	2	5	6	9	12	21
75-79	769	6.1	24	2	2	5	7	10	13	30
80-84	328	6.4	28	2	2	5	8	11	15	30
85+	113	6.8	56	1	2	5	8	12	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.2	7	<1	<1	1	2	7	9	9
B. *Operated*	1866	4.2	9	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	111	4.2	20	<1	<1	3	5	11	15	21
B. *Operated*	4985	5.5	19	2	2	5	6	9	12	22
1. SINGLE DX	1883	4.2	9	1	2	4	5	7	8	13
2. MULTIPLE DX	5096	5.5	19	2	2	5	6	9	12	22
A. NOT OPERATED	128	3.9	19	<1	<1	2	5	10	14	20
B. OPERATED	6851	5.1	16	2	2	4	6	8	11	20
TOTAL 65-69 YRS	3201	4.8	12	2	2	4	6	8	10	17
70-74	2017	5.1	18	2	2	4	6	9	11	17
75-79	1097	5.5	20	2	2	5	7	10	12	25
80-84	492	5.8	23	1	2	5	7	10	14	29
85+	172	6.1	43	1	2	4	7	12	17	33
GRAND TOTAL	**6979**	**5.1**	**16**	**2**	**2**	**4**	**6**	**9**	**11**	**20**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.2	9	2	2	3	6	9	9	9
70-74	3	4.7	14	2	2	3	7	9	9	9
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	250	2.7	3	<1	<1	2	3	5	6	11
70-74	167	3.3	8	<1	<1	2	4	7	9	15
75-79	77	3.2	9	<1	<1	2	4	7	10	17
80-84	33	2.9	3	1	1	2	4	6	7	7
85+	26	3.6	13	<1	1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	4.5	15	1	1	4	5	10	13	17
70-74	16	6.6	21	<1	1	6	8	14	16	17
75-79	12	8.8	187	1	1	4	7	27	47	50
80-84	5	11.0	57	2	2	10	16	22	22	22
85+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	219	4.6	14	1	2	3	6	9	12	19
70-74	153	5.1	23	1	2	4	6	11	15	27
75-79	88	5.4	32	<1	1	3	8	11	14	34
80-84	40	7.9	46	1	1	6	12	18	21	27
85+	16	5.4	21	1	1	4	7	12	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.1	8	1	2	3	5	9	9	9
B. *Operated*	553	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	65	6.2	52	1	1	4	7	14	17	46
B. *Operated*	516	5.2	23	1	2	4	6	11	15	27
1. SINGLE DX	567	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	581	5.3	26	1	1	4	7	11	15	27
A. NOT OPERATED	79	5.9	45	1	1	4	7	13	17	42
B. OPERATED	1069	4.0	15	<1	1	3	5	8	11	19
TOTAL 65-69 YRS	503	3.6	9	<1	1	3	4	7	9	16
70-74	339	4.3	16	<1	1	3	5	9	12	21
75-79	179	4.7	33	<1	1	3	6	10	12	36
80-84	81	5.8	34	1	1	3	7	16	19	26
85+	46	4.2	16	<1	1	3	6	9	14	18
GRAND TOTAL	**1148**	**4.2**	**17**	**<1**	**1**	**3**	**5**	**8**	**12**	**20**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Oparated*										
65-69 YRS	31	10.5	51	2	2	10	14	19	27	31
70-74	26	15.3	181	2	4	10	22	40	46	47
75-79	24	17.3	256	3	6	11	19	44	52	64
80-84	20	15.0	256	1	3	9	18	38	56	64
85+	10	12.6	85	3	3	11	15	27	32	32
B. *Operated*										
65-69 YRS	93	14.9	174	2	3	11	21	37	47	82
70-74	89	15.9	210	2	3	11	22	41	51	99+
75-79	51	16.0	202	2	3	12	21	32	45	79
80-84	34	13.0	71	2	4	11	20	22	26	37
85+	28	17.1	261	2	3	12	25	31	49	78
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	152	17.6	204	3	4	13	23	41	45	71
70-74	148	16.5	187	3	4	12	21	37	48	58
75-79	92	19.4	256	4	5	15	21	41	52	83
80-84	73	18.0	186	5	6	13	23	38	48	64
85+	83	15.5	128	3	5	13	21	33	44	83
B. *Operated*										
65-69 YRS	389	24.2	340	3	5	20	34	56	68	99+
70-74	306	23.2	316	4	6	19	32	50	69	99+
75-79	210	25.8	351	5	6	20	38	57	71	99+
80-84	162	24.1	322	4	7	20	33	54	68	98
85+	112	23.2	314	3	4	19	32	49	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	14.1	166	2	3	10	16	32	46	64
B. *Operated*	295	15.4	185	2	3	12	21	34	47	90
2. MULTIPLE DX										
A. *Not Operated*	548	17.3	194	3	4	14	22	40	47	71
B. *Operated*	1179	24.1	330	4	6	19	34	53	68	99+
1. SINGLE DX	406	15.0	180	2	3	11	20	33	47	78
2. MULTIPLE DX	1727	22.0	297	4	5	17	30	48	61	99+
A. NOT OPERATED	659	16.8	191	3	4	13	21	39	46	68
B. OPERATED	1474	22.4	313	3	5	18	31	50	65	99+
TOTAL 65-69 YRS	665	20.8	290	3	4	15	29	47	60	99+
70-74	569	20.0	271	3	5	15	28	45	55	97
75-79	377	22.4	315	4	5	17	30	47	64	96
80-84	289	20.6	269	3	5	16	27	45	57	88
85+	233	19.3	244	3	4	15	25	42	52	98
GRAND TOTAL	**2133**	**20.6**	**282**	**3**	**5**	**16**	**29**	**46**	**59**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	233	6.7	22	1	2	5	9	14	16	22
70-74	260	8.4	54	1	2	7	11	16	19	27
75-79	262	8.6	42	2	2	7	12	17	21	36
80-84	230	9.0	39	1	2	8	12	17	22	30
85+	210	9.1	34	2	3	8	13	17	19	26
B. *Operated*										
65-69 YRS	390	10.1	74	2	2	7	14	21	27	44
70-74	288	11.2	85	2	2	10	15	22	29	43
75-79	237	12.6	80	2	3	12	17	24	29	42
80-84	131	15.5	108	2	3	14	20	28	33	52
85+	101	16.4	90	3	4	17	21	26	30	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1500	10.0	68	2	3	8	13	19	24	38
70-74	2054	10.5	58	2	3	9	13	20	25	37
75-79	2451	11.2	79	3	4	9	14	21	26	45
80-84	2221	11.4	66	3	4	10	15	21	26	41
85+	2353	12.1	101	3	4	10	15	23	30	63
B. *Operated*										
65-69 YRS	962	16.3	198	2	3	13	21	33	47	79
70-74	917	17.1	192	3	5	14	21	32	44	88
75-79	855	19.1	171	4	6	17	24	34	42	71
80-84	610	19.9	195	4	6	17	24	37	49	74
85+	477	20.3	188	5	7	18	24	37	47	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1195	8.4	39	2	2	7	11	16	19	28
B. *Operated*	1147	12.1	87	2	3	10	16	24	29	44
2. MULTIPLE DX										
A. *Not Operated*	10579	11.1	76	3	3	9	14	21	26	46
B. *Operated*	3821	18.2	191	3	5	15	23	34	45	78
1. SINGLE DX	2342	10.2	66	2	2	8	14	20	25	41
2. MULTIPLE DX	14400	13.0	116	3	4	10	17	25	32	62
A. NOT OPERATED	11774	10.9	73	2	3	9	14	20	26	44
B. OPERATED	4968	16.8	174	3	4	14	22	32	42	74
TOTAL 65-69 YRS	3085	11.7	116	2	3	9	15	23	31	59
70-74	3519	12.1	104	2	3	10	15	23	30	60
75-79	3805	12.9	109	3	4	10	17	25	32	56
80-84	3192	13.0	103	3	4	11	17	24	30	58
85+	3141	13.3	119	3	4	10	17	25	34	66
GRAND TOTAL	**16742**	**12.6**	**110**	**2**	**3**	**10**	**16**	**24**	**31**	**60**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	7.2	73	2	2	3	8	22	24	24
70-74	1	10.0		10	10	10	10	10	10	10
75-79										
80-84										
85+	2	9.5	41	5	5	9	14	14	14	14
B. *Operated*										
65-69 YRS	62	4.8	14	<1	1	4	6	11	12	17
70-74	41	5.4	18	1	1	4	7	12	15	16
75-79	20	6.3	41	1	2	3	8	17	21	24
80-84	10	9.1	65	<1	1	7	12	22	26	26
85+	4	5.0	11	<1	<1	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	16.3	320	3	3	10	23	38	66	67
70-74	27	12.4	198	3	4	6	14	42	46	47
75-79	16	16.0	261	1	2	13	16	37	59	67
80-84	16	10.8	54	3	4	9	13	15	29	35
85+	12	14.3	144	2	2	13	25	51	91	99+
B. *Operated*										
65-69 YRS	156	7.7	79	2	2	6	9	15	18	47
70-74	109	11.3	141	2	2	7	15	23	31	68
75-79	73	12.6	203	2	2	8	16	28	35	73
80-84	22	13.4	158	3	4	9	24	54	99+	99+
85+	10	15.7	245	2	3	10	25	73	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	8.0	52	2	2	5	11	20	24	24
B. *Operated*	137	5.5	23	<1	1	4	7	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	93	13.9	202	2	3	9	16	35	47	86
B. *Operated*	370	10.3	134	2	2	7	12	22	34	82
1. SINGLE DX	146	5.6	25	<1	1	4	7	12	16	24
2. MULTIPLE DX	463	11.0	150	2	2	7	13	25	39	83
A. NOT OPERATED	102	13.4	191	2	3	9	16	31	46	83
B. OPERATED	507	9.0	109	1	2	6	11	19	28	72
TOTAL 65-69 YRS	246	7.7	91	1	2	5	9	15	23	65
70-74	178	10.1	126	2	2	6	12	21	31	62
75-79	109	12.0	188	2	2	8	16	24	35	71
80-84	48	11.6	103	2	3	9	15	31	49	99+
85+	28	13.1	157	2	2	10	21	47	99+	99+
GRAND TOTAL	**609**	**9.7**	**125**	**2**	**2**	**6**	**11**	**21**	**31**	**72**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	7.1	18	2	2	7	9	14	15	16
70-74	28	9.1	40	3	3	7	12	19	21	29
75-79	10	4.4	5	1	1	4	5	8	8	8
80-84	9	6.8	64	1	1	5	7	20	27	27
85+	10	6.6	15	1	2	5	10	11	12	12
B. *Operated*										
65-69 YRS	13	6.3	27	1	2	4	12	14	16	16
70-74	12	5.3	15	1	1	4	9	11	11	11
75-79	11	13.5	107	2	3	10	22	30	33	33
80-84	2	16.5	13	14	14	16	19	19	19	19
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	125	8.3	27	2	3	7	12	16	18	23
70-74	134	8.8	33	3	3	7	11	15	19	30
75-79	103	9.4	50	2	3	8	11	17	19	45
80-84	73	9.8	50	2	3	7	13	19	25	36
85+	38	9.9	51	2	3	9	12	21	24	33
B. *Operated*										
65-69 YRS	48	11.3	51	2	3	9	15	22	26	30
70-74	38	13.3	58	5	5	11	17	24	28	37
75-79	24	13.2	173	2	2	8	19	31	44	51
80-84	7	18.0	299	2	2	12	25	47	52	52
85+	4	27.0	494	8	8	20	41	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	7.3	29	1	3	6	9	14	18	28
B. *Operated*	38	8.6	59	1	2	6	12	18	26	33
2. MULTIPLE DX										
A. *Not Operated*	473	9.1	39	2	3	8	12	17	21	31
B. *Operated*	121	13.2	107	2	3	10	17	25	30	54
1. SINGLE DX	127	7.7	38	1	2	6	10	15	19	30
2. MULTIPLE DX	594	9.9	56	2	3	8	13	18	24	40
A. NOT OPERATED	562	8.8	38	2	3	7	11	16	20	29
B. OPERATED	159	12.1	99	2	2	10	16	24	29	52
TOTAL 65-69 YRS	218	8.7	33	2	2	8	12	16	20	27
70-74	212	9.5	41	3	3	8	12	18	23	30
75-79	148	10.0	75	2	3	8	12	19	25	47
80-84	91	10.3	72	2	3	7	14	21	27	47
85+	52	10.6	94	2	3	9	12	22	24	58
GRAND TOTAL	**721**	**9.5**	**53**	**2**	**3**	**8**	**12**	**18**	**24**	**38**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	228	5.5	25	1	1	4	7	11	14	27
70-74	180	5.6	23	1	1	4	7	11	15	26
75-79	151	6.3	27	<1	1	5	9	13	18	25
80-84	98	6.8	26	1	1	5	9	14	17	24
85+	60	7.7	44	2	2	6	9	15	24	36
B. *Operated*										
65-69 YRS	678	3.5	12	1	1	2	4	7	11	18
70-74	411	4.2	24	1	1	3	4	8	13	27
75-79	240	4.0	21	1	1	3	4	9	12	24
80-84	80	5.0	37	1	1	3	5	11	15	36
85+	33	5.1	37	1	1	3	5	11	20	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	926	7.0	30	2	2	5	9	14	17	27
70-74	852	7.6	32	2	2	6	10	15	19	26
75-79	774	7.8	31	2	3	7	10	14	19	29
80-84	538	8.9	70	2	2	7	11	16	23	46
85+	413	9.6	81	2	2	7	12	19	25	59
B. *Operated*										
65-69 YRS	804	8.1	85	1	2	5	11	19	25	43
70-74	630	8.4	91	1	2	5	11	18	25	47
75-79	401	10.6	118	2	2	7	14	24	30	56
80-84	196	11.9	150	2	2	8	15	25	42	59
85+	93	11.2	92	3	3	9	14	22	26	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	6.1	27	1	1	5	8	13	17	25
B. *Operated*	1442	3.9	19	1	1	3	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	3503	7.9	43	2	2	6	10	15	20	35
B. *Operated*	2124	9.2	101	1	2	6	12	20	28	50
1. SINGLE DX	2159	4.6	23	1	1	3	5	10	14	24
2. MULTIPLE DX	5627	8.4	66	2	2	6	11	17	23	42
A. NOT OPERATED	4220	7.6	41	2	2	6	10	15	19	34
B. OPERATED	3566	7.0	75	1	2	4	9	16	23	43
TOTAL 65-69 YRS	2636	6.3	45	1	2	4	8	14	19	34
70-74	2073	7.0	50	1	2	5	9	15	19	34
75-79	1566	7.8	56	1	2	6	10	16	22	37
80-84	912	9.0	83	2	2	7	11	18	24	48
85+	599	9.4	78	2	2	7	12	19	25	59
GRAND TOTAL	**7786**	**7.4**	**57**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	3	5.7	10	2	2	7	8	8	8	8
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	8.2	39	2	3	6	11	15	25	27
70-74	33	7.8	43	2	2	6	11	12	24	32
75-79	22	8.1	44	2	2	7	9	15	25	31
80-84	7	8.4	10	4	4	9	11	13	13	13
85+	6	7.0	20	3	3	6	9	14	14	14
B. *Operated*										
65-69 YRS	6	11.2	37	2	2	11	16	19	19	19
70-74	5	10.2	130	2	2	8	14	30	30	30
75-79	2	13.0	128	5	5	13	21	21	21	21
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	14.5	1	14	14	14	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	7.0	12	2	2	7	10	11	11	11
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	96	8.0	37	2	2	7	10	13	24	32
B. *Operated*	16	11.2	60	2	2	10	15	21	27	30
1. SINGLE DX	9	5.3	14	2	2	4	8	11	11	11
2. MULTIPLE DX	112	8.5	41	2	2	7	11	15	25	31
A. NOT OPERATED	102	7.9	36	2	2	7	10	13	23	31
B. OPERATED	19	9.7	62	2	2	8	15	20	26	30
TOTAL 65-69 YRS	35	8.8	38	2	3	7	12	16	23	27
70-74	42	7.8	49	2	2	7	10	12	28	32
75-79	25	8.4	46	2	2	7	9	21	24	31
80-84	9	7.4	12	2	3	8	10	12	13	13
85+	10	8.3	25	2	2	9	14	15	15	15
GRAND TOTAL	**121**	**8.2**	**40**	**2**	**2**	**7**	**11**	**14**	**23**	**31**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.7	10	1	1	2	2	8	9	9
70-74										
75-79	1	10.0		10	10	10	10	10	10	10
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	4	10.0	39	5	5	8	14	19	19	19
70-74	3	3.0	1	2	2	3	4	4	4	4
75-79	1	69.0		69	69	69	69	69	69	69
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	7.7	58	1	1	5	12	20	22	22
70-74	8	6.4	23	1	1	5	9	13	15	15
75-79	11	5.5	29	<1	<1	1	11	12	14	14
80-84	6	7.0	20	2	2	6	8	14	15	15
85+	2	14.5	1	14	14	14	15	15	15	15
B. *Operated*										
65-69 YRS	5	18.0	301	4	4	14	23	48	48	48
70-74	8	22.1	223	7	7	20	34	43	45	45
75-79	5	14.6	147	1	1	11	20	34	34	34
80-84	5	18.6	147	3	3	20	29	32	32	32
85+	3	7.0	39	2	2	5	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.2	19	1	1	2	9	11	11	11
B. *Operated*	8	14.8	509	2	2	6	14	54	69	69
2. MULTIPLE DX										
A. *Not Operated*	37	7.0	34	1	1	6	11	15	18	22
B. *Operated*	26	17.5	183	2	3	14	28	38	46	48
1. SINGLE DX	17	9.2	262	1	1	4	9	17	51	69
2. MULTIPLE DX	63	11.3	120	1	1	9	15	29	35	48
A. NOT OPERATED	46	6.5	32	1	1	5	10	15	16	22
B. OPERATED	34	16.8	248	2	3	11	26	39	47	69
TOTAL 65-69 YRS	25	8.9	106	1	1	6	12	19	28	48
70-74	19	12.5	169	1	2	8	15	35	42	45
75-79	18	11.8	272	<1	1	10	11	29	55	69
80-84	12	12.2	96	2	3	9	17	29	32	32
85+	6	8.5	43	1	1	9	14	15	15	15
GRAND TOTAL	**80**	**10.9**	**148**	**1**	**1**	**8**	**14**	**27**	**36**	**63**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	135	2.5	2	1	1	2	3	4	5	8
70-74	108	2.7	2	1	2	2	3	4	6	9
75-79	84	2.6	1	1	2	2	3	4	4	8
80-84	43	2.9	3	1	2	3	3	4	5	11
85+	28	2.6	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	2.0	1	1	1	2	3	3	3	3
70-74	4	11.8	107	2	2	9	19	26	26	26
75-79	6	3.8	9	1	1	3	7	8	8	8
80-84	5	7.0	35	<1	<1	6	11	16	16	16
85+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	158	2.8	4	2	2	2	3	4	6	13
70-74	143	3.2	27	1	2	2	3	4	6	19
75-79	124	2.8	2	1	2	2	3	4	6	9
80-84	77	3.1	12	2	2	2	3	5	6	25
85+	37	3.5	10	2	2	2	4	6	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	5	1	1	2	4	6	6	6
B. *Operated*	398	2.6	2	1	2	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	21	5.6	38	<1	1	3	7	14	20	26
B. *Operated*	539	3.0	11	2	2	2	3	4	6	16
1. SINGLE DX	402	2.6	2	1	2	2	3	4	5	9
2. MULTIPLE DX	560	3.1	12	1	2	2	3	5	7	18
A. NOT OPERATED	25	5.2	33	<1	1	3	7	12	18	26
B. OPERATED	937	2.8	7	1	2	2	3	4	5	11
TOTAL 65-69 YRS	298	2.7	3	1	2	2	3	4	5	10
70-74	257	3.1	18	1	2	2	3	4	6	16
75-79	214	2.7	2	1	2	2	3	4	5	9
80-84	125	3.2	10	1	2	2	3	5	6	21
85+	68	3.0	6	1	2	2	3	5	6	17
GRAND TOTAL	**962**	**2.9**	**8**	**1**	**2**	**2**	**3**	**4**	**6**	**13**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	5.6	9	2	3	4	8	11	11	11
70-74	4	3.8	2	2	2	4	5	5	5	5
75-79										
80-84	3	8.7	26	3	3	10	12	13	13	13
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	40	6.5	33	1	2	4	9	15	17	26
70-74	14	5.2	29	<1	1	3	6	15	18	19
75-79	8	8.5	59	2	2	7	13	20	23	23
80-84	2	10.0	2	9	9	10	11	11	11	11
85+	3	6.3	10	4	4	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	8.0	42	2	2	6	10	17	20	35
70-74	76	7.8	46	1	2	6	10	14	16	44
75-79	55	9.0	70	2	3	7	11	16	27	42
80-84	31	10.5	132	2	2	6	11	24	41	52
85+	30	8.5	23	1	3	8	11	15	18	20
B. *Operated*										
65-69 YRS	114	12.8	191	2	2	10	16	29	36	78
70-74	97	12.9	126	2	2	11	17	28	33	83
75-79	45	12.8	118	1	2	10	19	26	36	46
80-84	16	11.9	104	2	2	9	16	32	34	35
85+	15	14.8	217	2	2	8	22	40	47	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.6	11	2	3	4	8	11	12	13
B. *Operated*	67	6.6	33	1	2	4	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	261	8.5	57	2	2	6	10	15	21	42
B. *Operated*	287	12.9	152	2	2	10	17	29	36	68
1. SINGLE DX	90	6.3	27	1	2	4	9	14	17	25
2. MULTIPLE DX	548	10.8	112	2	2	8	14	23	32	53
A. NOT OPERATED	284	8.3	54	2	2	6	10	15	21	42
B. OPERATED	354	11.7	136	2	2	9	16	26	35	64
TOTAL 65-69 YRS	238	9.9	117	2	2	7	12	20	30	55
70-74	191	10.1	93	2	2	7	14	20	30	61
75-79	108	10.5	91	2	2	8	14	23	29	44
80-84	52	10.8	110	2	2	8	12	23	35	52
85+	49	10.2	88	2	3	8	11	21	30	50
GRAND TOTAL	**638**	**10.2**	**102**	**2**	**2**	**7**	**13**	**21**	**30**	**52**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84	2	9.0	98	2	2	9	16	16	16	16
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	3	7.7	54	2	2	5	13	16	16	16
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	4	6.8	40	2	2	4	10	16	16	16
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	4	6.0	47	1	1	3	10	16	16	16
TOTAL 65-69 YRS	2	3.0	8	1	1	3	5	5	5	5
70-74										
75-79										
80-84	3	7.3	57	2	2	4	13	16	16	16
85+										
GRAND TOTAL	**5**	**5.6**	**36**	**1**	**1**	**4**	**8**	**16**	**16**	**16**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	3.3	6	<1	<1	2	5	7	9	9
70-74	8	2.5	6	1	1	2	3	7	8	8
75-79	3	1.7		1	1	2	2	2	2	2
80-84	9	5.4	15	<1	1	4	9	11	11	11
85+	3	4.7	9	2	2	4	7	8	8	8
B. *Operated*										
65-69 YRS	37	5.8	39	<1	1	2	7	13	21	26
70-74	20	6.7	45	1	2	4	9	15	22	28
75-79	13	6.1	66	<1	1	2	6	22	24	24
80-84	7	10.0	112	2	2	4	17	27	29	29
85+	2	12.5	13	10	10	12	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	6.5	24	1	2	6	8	10	14	27
70-74	44	6.8	19	1	2	6	10	14	15	17
75-79	42	7.6	51	2	2	5	9	16	23	37
80-84	47	6.3	35	1	1	5	9	12	15	31
85+	43	7.9	55	2	2	6	10	15	23	42
B. *Operated*										
65-69 YRS	84	11.2	78	1	2	10	15	22	27	45
70-74	65	11.4	87	2	3	8	15	24	31	45
75-79	62	14.6	208	2	2	12	17	30	39	87
80-84	45	15.0	216	2	2	12	21	31	32	86
85+	20	14.0	148	2	3	10	18	28	40	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.6	9	<1	1	3	5	9	10	11
B. *Operated*	79	6.6	51	<1	1	3	10	19	23	29
2. MULTIPLE DX										
A. *Not Operated*	231	7.0	36	1	2	6	9	13	17	32
B. *Operated*	276	12.8	137	2	2	9	17	27	32	52
1. SINGLE DX	113	5.7	40	<1	1	3	8	13	21	28
2. MULTIPLE DX	507	10.2	99	1	2	7	13	23	29	46
A. NOT OPERATED	265	6.6	33	1	2	5	9	12	16	31
B. OPERATED	355	11.4	125	1	2	8	15	24	31	51
TOTAL 65-69 YRS	187	8.3	57	1	2	7	12	19	24	33
70-74	137	8.7	61	1	2	7	11	17	26	38
75-79	120	10.9	146	2	2	7	15	24	33	59
80-84	108	10.1	129	1	1	6	12	24	31	57
85+	68	9.7	86	2	2	7	11	21	27	50
GRAND TOTAL	**620**	**9.4**	**91**	**1**	**2**	**7**	**12**	**21**	**28**	**44**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	2	6.0	18	3	3	6	9	9	9	9
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-63 YRS	7	5.3	17	2	2	4	6	12	14	14
70-74	3	7.3	57	2	2	4	13	16	16	16
75-79	1	22.0		22	22	22	22	22	22	22
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	4.5	9	3	3	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*	13	7.3	38	2	2	5	9	17	21	22
1. SINGLE DX	4	4.5	9	3	3	3	6	9	9	9
2. MULTIPLE DX	15	7.1	34	2	2	5	8	16	20	22
A. NOT OPERATED	2	6.0	8	4	4	6	8	8	8	8
B. OPERATED	17	6.6	32	2	2	4	8	16	20	22
TOTAL 65-69 YRS	9	4.8	13	2	2	3	5	11	14	14
70-74	6	7.0	27	2	2	6	9	15	16	16
75-79	2	13.0	162	4	4	13	22	22	22	22
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**19**	**6.6**	**29**	**2**	**2**	**4**	**8**	**15**	**19**	**22**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.0	1	<1	<1	2	3	3	3	3
70-74	17	4.5	28	1	1	2	5	10	17	21
75-79	9	4.1	8	2	2	3	5	9	10	10
80-84	4	4.3	3	2	2	4	5	6	6	6
85+	3	4.7	5	2	2	6	6	6	6	6
B. *Operated*										
65-69 YRS	28	4.4	8	1	2	4	6	9	10	11
70-74	21	5.1	29	1	1	3	6	12	18	23
75-79	17	6.2	22	<1	1	5	7	13	17	19
80-84	6	10.8	127	2	2	8	10	31	33	33
85+	5	12.2	112	<1	<1	10	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	5.7	11	1	2	5	8	10	15	99+
70-74	49	7.2	45	2	2	5	9	14	17	42
75-79	32	9.7	93	2	2	6	10	19	36	45
80-84	18	7.1	15	2	3	7	9	12	14	16
85+	17	7.9	22	2	3	6	11	15	16	16
B. *Operated*										
65-69 YRS	135	8.3	68	<1	<1	6	11	17	26	43
70-74	106	9.0	45	2	2	7	13	18	22	31
75-79	69	9.8	67	2	2	8	12	21	28	39
80-84	23	9.1	55	1	2	8	12	18	25	33
85+	22	7.9	45	1	2	6	10	17	23	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.2	16	1	1	3	5	10	10	21
B. *Operated*	77	6.0	35	1	1	5	7	11	20	31
2. MULTIPLE DX										
A. *Not Operated*	156	7.4	41	2	2	6	9	14	17	45
B. *Operated*	355	8.8	58	1	2	7	12	18	25	35
1. SINGLE DX	113	5.4	29	1	1	4	7	10	18	29
2. MULTIPLE DX	511	8.4	53	1	2	6	11	17	22	41
A. NOT OPERATED	192	6.8	38	1	2	5	9	13	17	44
B. OPERATED	432	8.3	55	1	2	6	11	18	24	35
TOTAL 65-69 YRS	206	7.2	50	<1	1	5	9	16	20	45
70-74	193	7.7	44	1	2	6	10	16	21	32
75-79	127	8.9	65	2	2	6	11	19	26	41
80-84	51	8.2	45	2	2	7	10	16	21	33
85+	47	8.1	41	1	2	6	10	16	21	28
GRAND TOTAL	**624**	**7.9**	**50**	**1**	**2**	**6**	**10**	**16**	**21**	**38**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	10	4.3	8	1	1	4	5	8	10	10
70-74	4	4.8	6	3	3	4	6	8	8	8
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	3.0	10	<1	<1	1	5	8	8	8
70-74										
75-79										
80-84										
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	41	5.4	6	3	3	5	6	8	9	16
70-74	24	6.4	16	3	3	5	8	11	16	19
75-79	11	7.1	11	3	4	6	9	12	14	14
80-84	5	6.8	5	4	4	7	9	9	9	9
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	19	4.4	6	1	1	5	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	6	3.3	8	<1	<1	3	5	8	8	8
B. *Operated*	81	6.0	10	3	3	5	7	10	12	18
1. SINGLE DX	19	4.4	6	1	1	5	5	8	9	10
2. MULTIPLE DX	87	5.8	10	2	3	5	7	10	11	18
A. NOT OPERATED	6	3.3	8	<1	<1	3	5	8	8	8
B. OPERATED	100	5.7	9	2	3	5	7	9	11	17
TOTAL 65-69 YRS	56	5.0	7	1	2	5	6	8	10	16
70-74	28	6.1	15	3	3	5	8	10	15	19
75-79	13	6.6	11	3	3	5	8	12	14	14
80-84	6	7.0	4	4	4	7	9	9	9	9
85+	3	3.7	5	1	1	5	5	5	5	5
GRAND TOTAL	**106**	**5.6**	**10**	**1**	**3**	**5**	**7**	**9**	**11**	**17**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	7.7	23	2	3	7	9	15	18	19
70-74	15	4.8	13	1	1	4	8	10	11	12
75-79	9	5.7	5	3	3	5	7	9	10	10
80-84	6	6.8	15	3	3	5	10	13	13	13
85+	12	5.7	11	1	1	5	8	10	11	11
B. *Operated*										
65-69 YRS	102	6.8	37	1	1	4	10	16	20	24
70-74	59	9.2	172	2	2	5	10	18	35	81
75-79	30	9.1	192	1	1	4	9	20	45	65
80-84	13	9.2	124	1	2	4	10	24	39	42
85+	7	16.6	110	4	5	14	22	33	36	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	110	8.2	36	2	3	6	11	16	21	31
70-74	106	8.4	35	2	2	7	12	15	21	27
75-79	91	10.0	29	3	3	9	14	17	21	70
80-84	60	8.7	37	2	3	7	12	19	22	92
85+	45	11.4	66	2	3	10	16	22	25	42
B. *Operated*										
65-69 YRS	168	10.9	120	1	2	8	14	25	33	96
70-74	129	12.7	95	2	3	10	18	26	34	42
75-79	63	12.9	138	1	2	8	18	32	35	48
80-84	33	14.3	224	2	2	8	20	32	36	74
85+	6	13.2	79	2	3	11	18	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	6.2	15	1	1	6	8	11	14	19
B. *Operated*	211	8.3	106	1	1	5	10	18	23	53
2. MULTIPLE DX										
A. *Not Operated*	412	9.0	38	2	3	8	12	18	22	31
B. *Operated*	399	12.1	122	2	2	9	16	28	34	65
1. SINGLE DX	272	7.8	86	1	1	5	10	17	21	46
2. MULTIPLE DX	811	10.5	82	2	2	8	14	22	30	50
A. NOT OPERATED	473	8.7	36	2	3	7	12	17	21	30
B. OPERATED	610	10.8	120	1	2	8	15	23	33	60
TOTAL 65-69 YRS	399	8.9	74	1	2	6	12	19	25	53
70-74	309	10.1	90	1	2	7	14	21	26	44
75-79	193	10.6	91	1	2	8	14	22	31	58
80-84	112	10.3	105	2	2	7	13	22	31	84
85+	70	11.1	68	1	3	9	16	22	27	41
GRAND TOTAL	**1083**	**9.9**	**84**	**1**	**2**	**7**	**13**	**21**	**29**	**49**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	287	4.7	15	1	1	4	6	9	12	20
70-74	267	5.1	13	1	2	4	6	9	13	18
75-79	179	4.7	14	1	1	4	6	9	13	17
80-84	105	5.5	34	1	1	4	6	9	14	39
85+	100	4.7	12	1	1	4	6	10	13	16
B. *Operated*										
65-69 YRS	19	7.0	14	2	3	7	8	12	15	17
70-74	12	6.6	7	2	4	6	8	11	12	12
75-79	4	9.8	33	5	5	8	13	18	18	18
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1458	7.5	43	2	2	6	9	15	19	36
70-74	1381	7.9	54	2	2	6	10	15	20	43
75-79	1181	8.2	51	2	2	6	10	15	21	39
80-84	826	8.5	61	2	3	6	10	17	23	43
85+	587	8.7	59	2	3	7	10	16	23	58
B. *Operated*										
65-69 YRS	157	14.2	134	3	4	11	18	27	39	58
70-74	140	14.7	151	3	4	11	18	29	38	78
75-79	108	15.6	246	3	4	11	18	34	47	82
80-84	49	16.1	199	4	5	11	19	44	58	99+
85+	43	20.4	410	3	4	14	27	62	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	938	4.9	16	1	1	4	6	9	13	19
B. *Operated*	36	7.2	13	2	4	7	9	12	16	18
2. MULTIPLE DX										
A. *Not Operated*	5433	8.0	52	2	2	6	10	15	21	41
B. *Operated*	497	15.4	194	3	4	11	19	32	46	78
1. SINGLE DX	974	5.0	16	1	1	4	6	9	13	19
2. MULTIPLE DX	5930	8.6	68	2	2	6	10	17	23	48
A. NOT OPERATED	6371	7.6	48	2	2	6	9	15	20	39
B. OPERATED	533	14.8	186	3	4	11	18	30	45	78
TOTAL 65-69 YRS	1921	7.6	50	1	2	6	9	16	21	39
70-74	1800	8.0	60	2	2	6	10	16	20	44
75-79	1472	8.3	66	2	2	6	10	16	22	47
80-84	981	8.6	69	2	2	6	10	18	24	49
85+	730	8.8	83	2	2	6	11	17	25	70
GRAND TOTAL	**6904**	**8.1**	**62**	**2**	**2**	**6**	**10**	**16**	**22**	**45**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	110	5.2	11	2	2	4	7	9	10	21
70-74	100	6.2	11	2	2	6	9	11	13	15
75-79	94	6.3	20	2	2	5	8	11	14	25
80-84	69	5.9	25	2	2	5	7	9	14	33
85+	65	6.9	29	1	1	6	9	15	18	27
B. *Operated*										
65-69 YRS	15	14.7	106	2	5	11	19	25	39	44
70-74	18	9.7	22	3	3	10	14	16	18	19
75-79	14	13.6	99	1	2	14	16	25	36	39
80-84	5	10.0	22	4	4	10	14	15	15	15
85+	4	8.0	41	2	2	6	12	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	728	7.3	36	2	3	6	9	14	17	32
70-74	746	7.4	29	2	3	6	9	14	17	27
75-79	688	8.3	51	2	3	7	10	15	20	37
80-84	497	9.1	66	2	3	7	10	17	23	40
85+	501	8.3	53	2	3	6	10	16	20	31
B. *Operated*										
65-69 YRS	139	15.1	113	3	4	12	19	29	37	50
70-74	146	16.4	144	4	5	14	20	35	41	75
75-79	96	15.7	140	5	6	12	19	30	40	59
80-84	69	21.1	180	5	7	19	31	45	48	99+
85+	35	17.3	284	5	6	12	25	35	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	6.0	18	2	2	5	8	11	14	23
B. *Operated*	56	11.9	67	2	3	11	15	20	24	44
2. MULTIPLE DX										
A. *Not Operated*	3160	8.0	45	2	3	6	10	15	19	34
B. *Operated*	485	16.6	152	4	5	13	22	35	43	89
1. SINGLE DX	494	6.7	27	2	2	5	8	13	16	28
2. MULTIPLE DX	3645	9.1	68	2	3	7	11	18	24	46
A. NOT OPERATED	3598	7.7	42	2	3	6	9	15	18	32
B. OPERATED	541	16.1	145	4	5	13	20	34	41	75
TOTAL 65-69 YRS	992	8.3	54	2	3	6	10	16	22	41
70-74	1010	8.6	54	2	3	7	11	16	21	41
75-79	892	9.0	64	2	3	7	11	17	23	48
80-84	640	10.0	89	2	3	7	11	21	30	51
85+	505	8.7	68	2	2	6	11	17	21	42
GRAND TOTAL	**4139**	**8.8**	**64**	**2**	**3**	**7**	**11**	**17**	**23**	**44**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	4.4	16	<1	1	3	5	9	13	20
70-74	72	4.4	28	1	1	3	5	8	13	34
75-79	32	4.6	7	2	2	3	6	9	10	12
80-84	31	4.1	7	<1	<1	4	5	8	10	11
85+	22	6.7	31	1	2	5	14	16	17	17
B. *Operated*										
65-69 YRS	19	7.0	49	1	2	4	9	14	23	31
70-74	10	6.8	19	2	2	6	9	13	16	16
75-79	12	4.1	17	<1	<1	3	4	12	14	14
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	484	5.7	23	1	2	5	7	11	14	23
70-74	402	5.8	19	2	2	5	7	10	13	23
75-79	276	6.0	26	2	2	5	7	11	14	28
80-84	216	6.4	36	2	2	5	7	12	17	26
85+	119	6.3	37	1	2	5	8	13	16	41
B. *Operated*										
65-69 YRS	85	10.0	67	2	3	8	12	19	26	47
70-74	67	10.6	36	4	5	9	13	18	23	33
75-79	42	10.9	120	1	2	7	16	24	33	51
80-84	25	12.7	51	3	5	11	15	24	29	31
85+	16	10.0	36	2	3	10	11	14	24	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	4.6	19	<1	1	3	6	9	14	17
B. *Operated*	45	6.2	31	<1	2	4	9	13	15	31
2. MULTIPLE DX										
A. *Not Operated*	1497	6.0	25	2	2	5	7	11	14	25
B. *Operated*	235	10.6	63	2	3	9	13	19	26	45
1. SINGLE DX	294	4.8	21	<1	1	3	6	10	14	21
2. MULTIPLE DX	1732	6.6	33	2	2	5	8	13	17	31
A. NOT OPERATED	1746	5.8	25	1	2	4	7	11	14	23
B. OPERATED	280	9.9	61	2	2	8	13	19	25	41
TOTAL 65-69 YRS	680	6.1	30	1	2	5	8	12	15	29
70-74	551	6.3	25	1	2	5	8	12	15	28
75-79	362	6.4	37	2	2	4	8	12	16	39
80-84	274	6.7	38	2	2	5	8	13	18	30
85+	159	6.8	37	1	2	5	9	14	16	39
GRAND TOTAL	**2026**	**6.3**	**32**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	229	3.8	6	<1	1	3	5	7	8	11
70-74	212	3.5	6	1	1	3	4	6	8	12
75-79	157	3.5	4	1	1	3	4	6	7	12
80-84	124	3.5	10	1	1	3	5	6	8	16
85+	118	3.1	4	<1	1	3	4	6	7	9
B. *Operated*										
65-69 YRS	146	5.2	11	1	1	5	6	9	11	16
70-74	79	5.1	11	1	2	4	7	9	11	16
75-79	72	5.2	13	1	1	5	7	10	11	21
80-84	40	4.8	11	1	1	4	7	10	12	14
85+	30	4.5	18	1	1	3	6	10	15	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	517	4.9	18	1	1	4	6	10	13	21
70-74	546	5.0	17	1	2	4	6	9	13	26
75-79	448	5.0	18	1	1	4	6	10	14	23
80-84	350	6.0	64	1	2	4	7	11	16	30
85+	333	5.5	25	1	1	4	7	11	14	23
B. *Operated*										
65-69 YRS	271	7.2	35	2	2	6	9	14	19	29
70-74	234	7.6	31	2	3	6	9	14	18	32
75-79	181	7.3	49	2	2	6	9	13	17	34
80-84	142	8.1	57	1	2	6	10	16	21	41
85+	114	8.9	91	2	2	6	10	18	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	3.5	6	1	1	3	5	6	8	12
B. *Operated*	367	5.1	12	1	1	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	2194	5.2	26	1	1	4	6	10	13	23
B. *Operated*	942	7.7	47	2	2	6	9	14	19	35
1. SINGLE DX	1207	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	3136	5.9	34	1	2	4	7	12	15	28
A. NOT OPERATED	3034	4.7	21	1	1	4	6	9	12	22
B. OPERATED	1309	6.9	38	1	2	5	8	13	17	31
TOTAL 65-69 YRS	1163	5.2	20	1	1	4	7	10	13	22
70-74	1071	5.3	19	1	2	4	7	10	13	23
75-79	858	5.2	23	1	1	4	6	10	13	23
80-84	656	5.9	51	1	1	4	7	12	16	33
85+	595	5.6	36	1	1	4	7	12	16	29
GRAND TOTAL	**4343**	**5.4**	**27**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	3.0	4	<1	<1	2	4	6	7	8
70-74	19	2.4	2	<1	<1	2	4	4	5	5
75-79	18	4.2	7	<1	<1	4	6	8	9	10
80-84	16	2.8	6	<1	1	2	4	5	9	10
85+	9	5.1	42	<1	<1	1	8	16	20	20
B. *Operated*										
65-69 YRS	98	3.5	10	<1	1	2	4	8	11	17
70-74	88	3.1	4	<1	1	2	4	6	8	11
75-79	43	3.7	10	<1	1	3	5	7	10	17
80-84	10	5.0	22	2	2	3	4	13	16	16
85+	6	3.7	4	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	236	6.4	32	1	2	5	8	13	16	32
70-74	223	7.9	76	1	2	6	10	15	22	33
75-79	215	8.6	60	1	2	6	12	19	24	43
80-84	146	9.1	101	1	2	6	12	21	27	83
85+	135	10.1	96	1	2	8	13	20	32	51
B. *Operated*										
65-69 YRS	194	9.2	117	1	2	5	12	23	28	58
70-74	185	11.0	135	2	2	7	15	25	33	57
75-79	90	11.0	100	1	2	8	15	24	29	50
80-84	72	14.5	214	2	2	10	16	36	46	73
85+	37	15.1	151	2	3	12	20	38	43	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.2	8	<1	<1	2	4	7	8	15
B. *Operated*	245	3.4	8	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	955	8.2	69	1	2	6	11	17	23	41
B. *Operated*	578	11.1	137	2	2	7	15	25	33	55
1. SINGLE DX	351	3.4	8	<1	1	2	4	7	9	16
2. MULTIPLE DX	1533	9.3	97	1	2	6	12	21	28	50
A. NOT OPERATED	1061	7.7	65	1	2	5	10	16	22	40
B. OPERATED	823	8.8	111	1	2	5	11	22	29	52
TOTAL 65-69 YRS	572	6.6	60	1	1	4	8	14	20	39
70-74	515	8.0	91	1	2	5	10	18	25	50
75-79	366	8.4	66	1	2	5	11	20	24	43
80-84	244	10.1	135	1	2	6	12	24	34	80
85+	187	10.6	107	1	2	8	14	22	33	48
GRAND TOTAL	**1884**	**8.2**	**86**	**1**	**2**	**5**	**10**	**18**	**25**	**47**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	9.3	77	1	2	6	12	25	28	28
70-74	12	6.3	43	1	1	4	8	18	21	21
75-79	19	6.7	31	<1	1	5	8	16	20	21
80-84	11	9.4	126	<1	<1	3	10	29	35	36
85+	20	9.9	38	1	3	10	14	19	20	21
B. *Operated*										
65-69 YRS	115	16.1	154	2	4	14	21	31	40	84
70-74	102	18.1	240	4	4	13	23	39	49	83
75-79	111	16.8	169	2	4	13	24	31	37	98
80-84	75	17.4	216	3	4	14	21	36	60	93
85+	125	18.6	179	3	6	15	24	35	51	73
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	14.9	178	2	3	12	19	30	42	75
70-74	90	12.4	75	3	4	9	17	26	29	78
75-79	83	13.8	143	2	4	10	16	27	40	65
80-84	109	11.9	91	3	4	9	15	25	30	50
85+	149	12.7	123	3	4	10	16	23	33	81
B. *Operated*										
65-69 YRS	711	24.5	325	4	7	20	33	51	65	99+
70-74	780	24.1	309	5	8	19	31	50	66	99+
75-79	712	25.5	324	6	8	21	34	51	71	99+
80-84	580	25.2	323	6	8	20	35	55	80	99+
85+	626	21.8	249	6	7	17	27	44	62	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	8.3	55	1	1	5	12	20	23	34
B. *Operated*	528	17.4	188	3	4	14	23	35	49	88
2. MULTIPLE DX										
A. *Not Operated*	510	13.0	120	2	4	10	16	27	35	67
B. *Operated*	3409	24.2	308	5	8	19	32	51	67	99+
1. SINGLE DX	601	16.3	181	2	4	13	21	32	45	83
2. MULTIPLE DX	3919	22.8	298	4	7	18	30	48	64	99+
A. NOT OPERATED	583	12.4	114	2	3	10	16	26	32	65
B. OPERATED	3937	23.3	297	5	7	19	31	49	64	99+
TOTAL 65-69 YRS	916	22.4	303	4	5	18	30	48	60	98
70-74	984	22.2	293	4	6	18	29	48	62	99+
75-79	925	23.0	305	4	7	19	30	46	64	99
80-84	775	22.3	303	4	6	17	31	49	70	99+
85+	920	19.6	228	4	6	16	24	41	56	93
GRAND TOTAL	**4520**	**21.9**	**287**	**4**	**6**	**17**	**29**	**46**	**62**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1027	3.8	7	1	1	3	5	7	8	13
70-74	667	3.9	8	1	1	3	5	7	9	15
75-79	484	3.9	18	1	1	3	5	8	10	18
80-84	260	4.2	15	1	1	3	5	8	10	22
85+	192	4.1	10	1	1	3	5	8	11	16
B. *Operated*										
65-69 YRS	295	3.3	6	1	2	2	4	7	9	13
70-74	90	4.4	27	2	2	2	5	10	11	32
75-79	16	3.8	6	<1	2	3	5	7	9	10
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	3	6.3	34	2	2	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4726	4.9	13	1	2	4	6	9	11	17
70-74	3791	5.2	17	1	2	4	6	9	12	19
75-79	2710	5.5	18	2	2	4	7	10	13	22
80-84	1619	5.5	17	1	2	4	7	10	13	21
85+	1075	5.6	19	1	2	5	7	10	14	23
B. *Operated*										
65-69 YRS	905	6.2	41	2	2	4	8	13	16	29
70-74	504	7.6	58	2	2	6	10	15	22	35
75-79	211	9.4	63	2	2	7	13	19	24	39
80-84	87	11.3	77	2	3	9	14	22	28	49
85+	48	11.5	69	3	4	10	14	20	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2630	3.9	10	1	1	3	5	7	9	15
B. *Operated*	407	3.6	11	1	2	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	13921	5.2	16	1	2	4	6	10	12	20
B. *Operated*	1755	7.4	53	2	2	5	10	15	20	35
1. SINGLE DX	3037	3.8	10	1	1	3	5	7	9	14
2. MULTIPLE DX	15676	5.5	21	1	2	4	7	10	13	23
A. NOT OPERATED	16551	5.0	15	1	2	4	6	9	12	20
B. OPERATED	2162	6.7	48	2	2	4	9	14	19	34
TOTAL 65-69 YRS	6953	4.8	16	1	2	4	6	9	12	20
70-74	5052	5.2	21	1	2	4	6	10	13	22
75-79	3421	5.6	22	1	2	4	7	11	14	24
80-84	1969	5.6	21	1	2	4	7	11	14	23
85+	1318	5.6	21	1	2	4	7	11	14	24
GRAND TOTAL	**18713**	**5.2**	**19**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	4.1	9	1	1	4	5	8	9	14
70-74	81	4.8	25	<1	1	3	6	8	14	28
75-79	74	5.2	23	<1	1	4	7	11	13	26
80-84	52	5.0	13	<1	1	4	7	9	14	16
85+	48	4.1	12	<1	<1	3	5	8	12	16
B. *Operated*										
65-69 YRS	167	4.3	21	1	1	3	6	10	11	22
70-74	125	5.4	23	1	1	4	7	11	14	25
75-79	73	4.8	21	1	1	3	5	11	16	22
80-84	43	8.0	96	1	1	5	10	16	27	52
85+	20	4.9	12	1	2	4	6	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	940	7.6	33	2	2	6	10	15	19	27
70-74	938	7.7	38	1	2	6	10	15	19	33
75-79	774	7.5	41	2	2	6	9	14	19	32
80-84	495	7.7	39	2	3	6	9	15	22	33
85+	368	7.0	28	2	2	6	9	14	18	27
B. *Operated*										
65-69 YRS	486	8.1	67	1	2	6	10	17	24	44
70-74	442	8.8	103	1	2	6	11	18	25	65
75-79	311	9.5	84	2	2	7	12	18	25	58
80-84	199	9.6	73	2	2	8	12	20	23	38
85+	69	12.6	171	3	4	10	15	24	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	4.6	17	<1	1	4	6	9	12	22
B. *Operated*	428	5.1	29	1	1	3	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	3515	7.6	36	2	2	6	10	15	19	30
B. *Operated*	1507	9.0	87	2	2	7	11	18	25	58
1. SINGLE DX	775	4.9	24	1	1	3	6	10	13	25
2. MULTIPLE DX	5022	8.0	52	2	2	6	10	16	21	38
A. NOT OPERATED	3862	7.3	35	1	2	6	9	14	19	29
B. OPERATED	1935	8.1	77	1	2	6	10	17	23	47
TOTAL 65-69 YRS	1685	7.2	42	1	2	5	9	14	19	34
70-74	1586	7.7	55	1	2	6	10	15	21	39
75-79	1232	7.7	51	1	2	6	10	15	20	39
80-84	789	8.0	50	2	2	6	10	16	22	37
85+	505	7.4	50	1	2	6	9	15	18	38
GRAND TOTAL	**5797**	**7.6**	**49**	**1**	**2**	**6**	**10**	**15**	**20**	**37**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	195	3.0	3	1	1	3	4	6	6	10
70-74	127	3.0	5	1	1	2	4	5	7	13
75-79	104	4.0	13	1	1	3	5	9	12	18
80-84	55	3.7	8	<1	1	3	5	7	11	13
85+	78	5.4	46	1	1	3	7	11	15	41
B. *Operated*										
65-69 YRS	119	6.2	18	1	2	5	8	11	16	21
70-74	104	5.5	12	1	2	5	7	10	12	16
75-79	88	6.1	35	1	1	5	8	13	14	34
80-84	48	6.9	20	2	2	6	9	13	15	21
85+	39	7.1	23	2	2	6	9	15	18	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	551	5.2	27	1	1	4	6	10	13	22
70-74	585	6.0	33	1	2	4	7	12	15	24
75-79	581	6.7	47	1	2	5	8	12	16	31
80-84	433	7.4	47	1	2	5	9	15	20	46
85+	481	8.2	60	1	2	6	10	17	23	33
B. *Operated*										
65-69 YRS	564	9.9	60	2	3	8	13	19	24	42
70-74	619	10.4	55	2	3	9	13	20	24	43
75-79	573	10.7	60	2	3	9	13	21	26	39
80-84	435	11.6	93	2	4	9	14	22	29	52
85+	348	12.7	83	2	4	10	17	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	3.6	12	1	1	3	4	6	9	16
B. *Operated*	398	6.2	21	1	2	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	2631	6.6	43	1	2	5	8	13	17	32
B. *Operated*	2539	10.9	68	2	3	9	14	21	27	46
1. SINGLE DX	957	4.7	18	1	1	4	6	9	12	20
2. MULTIPLE DX	5170	8.7	60	2	2	7	11	17	23	41
A. NOT OPERATED	3190	6.1	39	1	1	4	7	12	16	31
B. OPERATED	2937	10.2	64	2	3	8	13	20	25	42
TOTAL 65-69 YRS	1429	6.9	43	1	2	5	9	14	19	35
70-74	1435	7.6	45	1	2	6	10	15	20	31
75-79	1346	8.1	54	1	2	6	11	16	22	35
80-84	971	9.1	70	2	2	7	12	18	25	49
85+	946	9.6	72	1	2	7	13	20	25	42
GRAND TOTAL	**6127**	**8.1**	**55**	**1**	**2**	**6**	**10**	**17**	**22**	**38**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	766	4.0	12	1	1	3	5	7	9	14
70-74	620	4.2	8	1	1	3	5	8	9	15
75-79	447	4.2	10	1	1	3	5	8	10	14
80-84	317	4.8	14	1	1	4	6	9	11	21
85+	237	4.7	11	1	1	4	6	9	11	15
B. *Operated*										
65-69 YRS	90	7.0	48	1	1	5	9	16	20	38
70-74	59	6.1	18	1	2	5	9	11	16	19
75-79	51	7.2	40	1	2	6	9	15	19	31
80-84	25	6.4	16	<1	2	6	9	12	14	14
85+	12	8.9	32	1	2	8	11	16	22	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2327	5.8	22	1	2	5	7	11	14	21
70-74	2437	5.8	17	1	2	5	7	11	13	23
75-79	2065	6.2	25	2	2	5	8	12	15	24
80-84	1447	6.3	22	2	2	5	8	12	15	22
85+	1253	6.7	26	2	2	5	9	12	17	26
B. *Operated*										
65-69 YRS	457	9.5	47	2	3	8	13	18	21	35
70-74	364	10.8	89	3	4	9	13	19	24	55
75-79	287	12.3	100	2	3	9	16	25	36	49
80-84	158	11.9	84	3	4	10	15	23	26	60
85+	113	12.3	82	3	4	10	15	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2387	4.3	11	1	1	3	5	8	10	15
B. *Operated*	237	6.8	35	1	2	5	9	14	19	32
2. MULTIPLE DX										
A. *Not Operated*	9529	6.1	22	2	2	5	8	11	15	24
B. *Operated*	1379	10.9	78	2	3	9	14	20	26	48
1. SINGLE DX	2624	4.5	14	1	1	4	6	9	11	18
2. MULTIPLE DX	10908	6.7	32	2	2	5	8	13	17	28
A. NOT OPERATED	11916	5.7	20	1	2	5	7	11	14	22
B. OPERATED	1616	10.3	73	2	3	8	13	19	25	46
TOTAL 65-69 YRS	3640	5.9	26	1	2	5	7	12	15	23
70-74	3480	6.0	26	1	2	5	8	11	15	25
75-79	2850	6.5	35	1	2	5	8	12	17	31
80-84	1947	6.5	28	1	2	5	8	13	16	25
85+	1615	6.8	30	1	2	5	9	13	17	27
GRAND TOTAL	**13532**	**6.3**	**29**	**1**	**2**	**5**	**8**	**12**	**16**	**26**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	149	3.9	12	1	1	3	5	8	11	18
70-74	129	4.7	14	1	1	4	6	11	13	16
75-79	109	5.1	19	1	1	4	7	10	13	24
80-84	83	5.0	24	1	1	4	6	10	12	30
85+	87	5.3	22	<1	1	4	7	13	16	71
B. *Operated*										
65-69 YRS	53	4.0	6	1	1	3	5	8	9	10
70-74	45	7.1	96	1	1	4	7	16	25	56
75-79	36	5.8	36	<1	1	4	8	11	18	31
80-84	26	5.8	36	<1	1	2	9	15	19	23
85+	9	11.0	106	1	2	6	16	28	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1005	6.6	29	1	2	5	8	12	16	26
70-74	1084	7.2	47	2	2	5	9	14	19	37
75-79	1010	6.9	33	2	2	5	9	13	19	30
80-84	804	7.7	50	2	2	6	9	16	21	41
85+	717	8.0	52	2	2	6	10	16	22	34
B. *Operated*										
65-69 YRS	311	11.5	106	2	2	8	15	25	34	52
70-74	298	12.5	155	2	2	10	16	23	37	82
75-79	248	12.9	116	2	3	9	18	28	37	50
80-84	144	11.9	77	2	3	10	17	25	28	41
85+	126	15.3	173	2	3	12	19	32	43	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	4.7	17	1	1	3	6	10	13	23
B. *Operated*	169	5.9	48	1	1	4	7	11	18	35
2. MULTIPLE DX										
A. *Not Operated*	4620	7.2	41	2	2	5	9	14	19	33
B. *Operated*	1127	12.6	126	2	2	9	17	27	36	55
1. SINGLE DX	726	5.0	25	1	1	4	6	10	14	24
2. MULTIPLE DX	5747	8.3	62	2	2	6	10	17	23	42
A. NOT OPERATED	5177	7.0	39	1	2	5	9	14	18	32
B. OPERATED	1296	11.7	121	2	2	9	16	25	34	54
TOTAL 65-69 YRS	1518	7.2	48	1	2	5	9	15	20	37
70-74	1556	8.0	71	1	2	5	10	16	21	46
75-79	1403	7.8	52	2	2	6	9	17	23	39
80-84	1057	8.0	54	1	2	6	10	17	23	41
85+	939	8.8	73	2	2	6	11	19	25	43
GRAND TOTAL	**6473**	**7.9**	**59**	**1**	**2**	**6**	**10**	**16**	**22**	**41**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1218	5.1	45	1	1	3	6	10	14	34
70-74	1278	5.8	47	1	1	4	7	11	17	38
75-79	1017	5.6	32	1	2	4	7	11	15	30
80-84	723	5.8	38	1	2	4	7	12	16	35
85+	608	6.3	43	1	1	5	8	13	16	32
B. *Operated*										
65-69 YRS	271	5.1	52	<1	1	3	5	11	17	51
70-74	239	6.1	80	<1	1	3	7	13	20	48
75-79	157	7.1	80	1	1	4	8	15	22	57
80-84	95	8.2	80	1	2	5	9	21	26	45
85+	31	9.8	114	1	1	6	12	24	31	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6156	6.9	41	1	2	5	9	13	18	33
70-74	7000	7.1	41	2	2	5	9	14	18	32
75-79	6698	7.4	41	2	2	6	9	14	19	33
80-84	5572	7.7	50	2	2	6	9	15	20	34
85+	4737	8.1	57	2	2	6	10	16	21	40
B. *Operated*										
65-69 YRS	1213	11.5	141	2	2	8	14	26	36	75
70-74	1202	12.3	159	2	2	9	15	25	39	80
75-79	1050	13.1	154	2	3	9	16	28	39	80
80-84	702	13.8	193	2	3	9	17	31	43	88
85+	513	13.9	167	2	3	10	18	29	39	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4844	5.6	42	1	1	4	7	11	15	33
B. *Operated*	793	6.3	73	1	1	3	7	14	22	48
2. MULTIPLE DX										
A. *Not Operated*	30163	7.4	45	2	2	6	9	14	19	34
B. *Operated*	4680	12.7	160	2	3	9	16	27	39	82
1. SINGLE DX	5637	5.7	46	1	1	4	7	12	16	35
2. MULTIPLE DX	34843	8.1	64	2	2	6	10	16	22	43
A. NOT OPERATED	35007	7.1	45	1	2	5	9	14	19	34
B. OPERATED	5473	11.7	152	2	2	8	15	26	37	79
TOTAL 65-69 YRS	8858	7.3	59	1	2	5	9	14	20	40
70-74	9719	7.5	61	1	2	5	9	15	20	44
75-79	8922	7.8	58	2	2	6	10	16	21	40
80-84	7092	8.1	68	2	2	6	10	16	22	44
85+	5889	8.4	68	2	2	6	10	17	23	44
GRAND TOTAL	**40480**	**7.8**	**62**	**1**	**2**	**6**	**9**	**15**	**21**	**42**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.0	10	1	1	3	7	9	9	9
70-74	3	10.3	162	2	2	4	20	25	25	25
75-79	7	3.3	8	<1	<1	3	5	8	8	8
80-84	3	3.3	4	1	1	4	5	5	5	5
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	2	8.0	18	5	5	8	11	11	11	11
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	7.6	49	1	2	6	10	15	27	29
70-74	20	9.4	52	<1	1	7	13	19	24	28
75-79	37	12.0	84	1	2	9	18	22	31	39
80-84	33	12.7	118	1	2	11	20	26	36	42
85+	33	13.4	191	2	4	7	18	33	45	61
B. *Operated*										
65-69 YRS	29	27.2	608	2	3	20	48	67	85	99+
70-74	19	22.8	434	4	9	16	29	71	98	99+
75-79	10	24.0	309	3	5	24	31	52	56	56
80-84	10	32.7	330	8	9	36	52	76	98	99+
85+	6	18.3	67	10	10	17	24	30	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.1	33	<1	1	3	6	11	19	25
B. *Operated*	3	7.7	9	5	5	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	150	11.3	107	1	2	8	16	25	31	46
B. *Operated*	74	25.7	438	3	4	21	41	60	92	99+
1. SINGLE DX	23	5.4	30	<1	1	4	7	12	18	25
2. MULTIPLE DX	224	16.1	260	2	2	10	22	41	56	99+
A. NOT OPERATED	170	10.6	102	1	2	7	15	25	29	45
B. OPERATED	77	25.0	433	3	4	20	40	59	90	99+
TOTAL 65-69 YRS	64	16.1	395	1	2	8	22	53	66	98
70-74	43	15.3	263	1	2	12	21	32	61	99+
75-79	54	13.1	147	1	2	8	20	29	38	56
80-84	46	16.4	231	1	2	14	25	41	53	99+
85+	40	14.2	169	2	4	10	20	31	42	61
GRAND TOTAL	**247**	**15.1**	**248**	**1**	**2**	**10**	**21**	**39**	**53**	**99+**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	10.0	144	1	1	7	13	31	35	35
70-74	10	9.8	95	1	2	6	9	27	33	33
75-79	7	7.9	11	2	3	8	10	12	12	12
80-84	5	12.2	281	2	2	6	16	42	42	42
85+	2	13.0	162	4	4	13	22	22	22	22
B. *Operated*										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	50	11.7	103	2	2	8	15	28	32	42
70-74	57	11.6	142	1	3	8	16	25	40	98
75-79	44	10.0	82	2	3	7	12	24	32	35
80-84	34	14.8	202	1	2	10	22	36	62	99+
85+	31	12.5	67	2	3	11	19	23	26	33
B. *Operated*										
65-69 YRS	23	26.5	523	7	7	20	30	63	85	97
70-74	26	22.0	612	2	3	11	25	73	81	91
75-79	19	20.7	219	4	6	16	28	42	56	62
80-84	15	24.0	389	3	4	17	38	48	65	71
85+	13	20.2	193	2	4	20	34	39	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	10.0	105	1	2	7	11	26	35	42
B. *Operated*	3	12.0	91	2	2	13	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	216	11.9	119	2	2	8	17	26	35	81
B. *Operated*	96	22.9	411	3	4	17	30	48	75	94
1. SINGLE DX	34	10.2	101	1	2	7	12	23	35	42
2. MULTIPLE DX	312	15.3	234	2	3	11	21	33	43	93
A. NOT OPERATED	247	11.7	118	2	2	8	17	26	35	72
B. OPERATED	99	22.5	403	3	4	17	29	48	74	94
TOTAL 65-69 YRS	81	15.8	264	2	3	11	22	32	39	91
70-74	94	14.2	284	1	3	9	18	33	65	96
75-79	70	12.7	134	2	3	9	17	30	34	59
80-84	54	17.1	269	2	2	12	24	42	65	99
85+	47	14.8	111	2	3	13	22	32	36	40
GRAND TOTAL	**346**	**14.8**	**223**	**2**	**3**	**10**	**21**	**33**	**42**	**91**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.8	8	1	1	2	6	8	9	9
70-74	4	4.0	12	<1	<1	3	6	9	9	9
75-79	10	3.0	6	1	1	2	4	7	9	9
80-84	7	2.9	17	<1	<1	1	3	10	12	12
85+	5	3.6	3	1	1	4	5	5	5	5
B. *Operated*										
65-69 YRS	43	3.8	10	1	1	3	5	7	9	19
70-74	34	5.6	47	1	1	3	7	15	26	28
75-79	21	4.8	23	1	1	3	5	13	16	20
80-84	19	7.2	57	<1	1	4	11	17	24	29
85+	9	7.4	57	1	1	3	14	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	5.6	32	1	1	4	7	11	18	79
70-74	103	6.1	47	1	1	4	7	12	16	43
75-79	113	7.4	62	1	2	5	8	15	26	41
80-84	97	6.7	33	1	2	5	10	14	18	29
85+	174	7.6	52	1	2	5	10	17	23	36
B. *Operated*										
65-69 YRS	205	8.6	119	1	2	5	9	19	31	62
70-74	170	9.1	109	1	2	7	11	17	24	58
75-79	148	8.5	59	1	2	7	12	16	20	34
80-84	123	10.2	119	2	2	8	12	18	21	71
85+	78	9.4	54	2	2	8	12	18	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.4	8	<1	1	3	5	9	9	12
B. *Operated*	126	5.2	33	1	1	3	6	13	19	28
2. MULTIPLE DX										
A. *Not Operated*	569	6.8	47	1	2	5	9	14	21	38
B. *Operated*	724	9.1	97	1	2	6	11	18	24	60
1. SINGLE DX	161	4.8	28	1	1	3	5	12	19	28
2. MULTIPLE DX	1293	8.1	76	1	2	6	10	16	22	48
A. NOT OPERATED	604	6.6	46	1	1	5	8	13	20	38
B. OPERATED	850	8.5	90	1	2	6	11	17	23	56
TOTAL 65-69 YRS	339	7.2	85	1	1	4	7	17	23	62
70-74	311	7.7	83	1	2	5	10	16	22	52
75-79	292	7.6	57	1	2	5	10	15	20	39
80-84	246	8.4	81	1	2	6	11	16	20	49
85+	266	8.0	53	1	2	6	10	18	22	37
GRAND TOTAL	**1454**	**7.7**	**72**	**1**	**2**	**5**	**10**	**16**	**22**	**44**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	239	9.0	37	2	3	8	11	15	21	32
70-74	278	10.3	68	2	3	8	13	19	22	34
75-79	276	10.5	54	3	4	9	14	19	24	36
80-84	283	11.1	62	3	4	9	15	20	24	35
85+	231	11.2	104	2	3	9	14	20	25	49
B. *Operated*										
65-69 YRS	16	14.5	153	1	1	12	20	33	41	44
70-74	13	13.0	57	2	4	15	20	22	23	23
75-79	13	21.3	107	5	9	19	28	38	38	38
80-84	4	13.0	39	4	4	15	17	18	18	18
85+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1341	11.2	62	3	4	9	14	21	26	41
70-74	1673	11.7	65	3	4	10	15	21	27	45
75-79	1952	11.9	59	3	4	10	15	22	27	44
80-84	1904	12.8	89	3	4	11	16	23	30	57
85+	1951	13.0	88	3	4	11	16	24	31	51
B. *Operated*										
65-69 YRS	163	18.9	176	5	7	16	24	36	43	79
70-74	212	20.3	211	5	7	17	23	38	49	87
75-79	175	22.0	247	6	8	17	29	43	59	93
80-84	163	22.4	263	6	9	17	28	44	62	91
85+	124	22.0	227	6	9	18	28	46	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1307	10.4	65	3	3	9	13	19	23	36
B. *Operated*	47	16.1	109	1	3	16	21	32	38	44
2. MULTIPLE DX										
A. *Not Operated*	8821	12.2	74	3	4	10	15	22	28	47
B. *Operated*	837	21.1	225	6	7	17	27	41	56	99+
1. SINGLE DX	1354	10.6	67	2	3	9	14	19	24	37
2. MULTIPLE DX	9658	13.0	93	3	4	11	16	24	31	56
A. NOT OPERATED	10128	12.0	73	3	4	10	15	22	28	46
B. OPERATED	884	20.8	220	5	7	17	26	40	55	99
TOTAL 65-69 YRS	1759	11.6	76	3	4	10	15	22	28	44
70-74	2176	12.4	87	3	4	10	16	22	29	50
75-79	2416	12.5	80	3	4	11	16	23	29	52
80-84	2354	13.3	104	3	4	11	17	24	32	65
85+	2307	13.3	102	3	4	11	17	25	33	59
GRAND TOTAL	**11012**	**12.7**	**91**	**3**	**4**	**10**	**16**	**23**	**30**	**54**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	5.7	65	<1	<1	1	11	15	15	15
70-74	9	9.0	11	3	4	9	11	14	14	14
75-79	3	10.3	70	5	5	6	16	20	20	20
80-84	3	11.0	31	6	6	10	15	17	17	17
85+	4	10.5	11	6	6	11	13	13	13	13
B. *Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	3	37.0	189	25	25	34	47	52	52	52
75-79	1	26.0		26	26	26	26	26	26	26
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	12.1	259	2	2	7	11	32	40	88
70-74	33	11.6	47	2	3	12	15	19	27	33
75-79	36	15.8	239	5	6	12	18	27	76	99+
80-84	43	13.8	134	3	4	11	18	25	31	68
85+	36	17.6	234	4	4	12	21	44	52	63
B. *Operated*										
65-69 YRS	11	20.6	196	8	9	20	89	99+	99+	99+
70-74	9	25.8	363	10	12	20	63	99+	99+	99+
75-79	12	24.8	390	5	8	17	34	82	97	99+
80-84	9	39.4	987	12	12	27	53	93	99	99+
85+	5	20.8	53	15	15	21	31	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	9.3	24	1	2	9	13	16	18	20
B. *Operated*	5	30.4	191	15	15	26	38	52	52	52
2. MULTIPLE DX										
A. *Not Operated*	186	14.2	185	2	4	11	17	28	43	90
B. *Operated*	46	26.4	430	9	11	22	43	99+	99+	99+
1. SINGLE DX	27	13.2	119	1	3	10	15	26	37	52
2. MULTIPLE DX	232	16.6	256	3	4	12	20	41	86	99+
A. NOT OPERATED	208	13.7	170	2	4	10	16	26	40	89
B. OPERATED	51	26.8	404	9	11	24	42	99+	99+	99+
TOTAL 65-69 YRS	53	13.6	240	1	2	9	19	54	99+	99+
70-74	54	15.0	152	3	5	13	18	34	65	99+
75-79	52	17.7	270	5	6	14	20	40	88	99+
80-84	55	17.8	345	3	5	12	21	31	62	98
85+	45	17.3	198	4	4	13	23	44	54	99+
GRAND TOTAL	**259**	**16.2**	**242**	**3**	**4**	**12**	**20**	**40**	**78**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	4.6	7	1	1	4	6	8	10	12
70-74	74	6.3	26	1	2	5	8	13	17	26
75-79	87	5.5	17	1	2	4	7	11	12	23
80-84	82	6.9	47	1	2	5	8	14	17	42
85+	89	6.4	19	2	2	5	8	12	13	25
B. *Operated*										
65-69 YRS										
70-74	1	13.0		13	13	13	13	13	13	13
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	914	7.8	47	2	2	6	10	15	19	38
70-74	1042	8.2	44	2	2	6	10	16	22	34
75-79	1040	8.7	41	2	3	7	11	16	21	33
80-84	1041	9.9	65	2	3	8	13	19	26	42
85+	1235	10.4	88	2	3	8	13	20	25	65
B. *Operated*										
65-69 YRS	171	16.3	163	4	5	13	21	33	42	62
70-74	174	17.4	161	4	5	15	22	34	45	62
75-79	170	19.4	248	5	5	15	24	43	59	98
80-84	111	17.9	156	4	5	15	27	36	51	99+
85+	116	19.6	198	4	6	15	25	44	53	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	5.9	23	1	2	5	7	11	14	24
B. *Operated*	3	9.0	12	7	7	7	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	5272	9.1	59	2	3	7	11	17	23	39
B. *Operated*	742	18.0	187	4	5	14	23	36	49	85
1. SINGLE DX	431	5.9	23	1	2	5	7	11	14	24
2. MULTIPLE DX	6014	10.2	84	2	3	8	13	20	27	52
A. NOT OPERATED	5700	8.9	57	2	2	7	11	17	22	38
B. OPERATED	745	18.0	187	4	5	14	23	36	49	85
TOTAL 65-69 YRS	1181	8.8	71	2	2	6	11	18	24	45
70-74	1291	9.4	69	2	2	7	11	20	26	45
75-79	1297	9.9	81	2	3	8	12	19	26	51
80-84	1235	10.4	78	2	3	8	13	21	29	60
85+	1441	10.9	100	2	3	8	13	21	27	65
GRAND TOTAL	**6445**	**9.9**	**81**	**2**	**3**	**8**	**12**	**20**	**27**	**51**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	9.3	60	2	3	7	13	18	21	46
70-74	171	12.2	70	3	4	10	15	21	33	40
75-79	197	13.2	77	4	5	12	17	21	27	53
80-84	186	12.8	68	3	4	12	16	22	27	43
85+	271	13.6	109	3	4	11	18	26	33	83
B. *Operated*										
65-69 YRS	5	25.0	68	14	14	26	31	35	35	35
70-74	3	16.0	7	14	14	15	18	19	19	19
75-79	4	20.3	71	12	12	20	27	28	28	28
80-84	4	15.0	5	12	12	15	16	17	17	17
85+	2	12.5	25	9	9	12	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	571	15.1	135	3	5	12	20	28	36	57
70-74	748	15.3	101	4	5	13	19	28	35	58
75-79	1040	15.6	118	4	5	13	19	28	36	56
80-84	1225	15.6	124	4	5	13	20	29	36	68
85+	1806	15.6	129	4	5	13	20	29	37	74
B. *Operated*										
65-69 YRS	81	28.7	329	9	11	25	37	56	68	98
70-74	131	28.3	402	6	9	25	39	56	83	99+
75-79	128	26.8	253	7	10	24	34	49	57	87
80-84	133	26.0	271	8	11	21	35	59	74	99+
85+	160	27.1	255	7	10	24	39	59	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	926	12.6	83	3	4	11	16	22	31	46
B. *Operated*	18	18.8	53	10	12	16	26	29	33	35
2. MULTIPLE DX										
A. *Not Operated*	5390	15.5	122	4	5	13	20	28	36	67
B. *Operated*	633	27.3	297	7	10	24	37	55	70	99+
1. SINGLE DX	944	12.7	83	3	4	11	16	23	31	46
2. MULTIPLE DX	6023	16.7	153	4	5	14	21	32	43	77
A. NOT OPERATED	6316	15.1	117	4	5	13	19	28	36	64
B. OPERATED	651	27.0	292	7	10	24	36	55	70	99+
TOTAL 65-69 YRS	758	15.9	169	3	4	12	20	30	43	65
70-74	1053	16.4	154	4	5	13	21	31	41	73
75-79	1369	16.3	136	4	5	13	20	30	39	66
80-84	1548	16.1	139	4	5	13	20	31	41	74
85+	2239	16.2	144	4	5	13	21	32	41	89
GRAND TOTAL	**6967**	**16.2**	**146**	**4**	**5**	**13**	**21**	**31**	**41**	**74**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	137	5.0	30	1	1	4	6	10	15	28
70-74	163	5.3	26	1	1	4	7	11	15	27
75-79	172	6.0	43	1	1	4	8	12	19	34
80-84	190	7.1	46	1	2	5	9	14	16	43
85+	182	8.0	56	1	2	6	10	16	23	44
B. *Operated*										
65-69 YRS	204	6.0	34	1	1	5	7	11	14	18
70-74	182	7.0	33	1	2	5	9	14	20	28
75-79	171	7.7	32	1	2	6	11	15	18	26
80-84	109	8.1	45	2	2	6	12	17	23	31
85+	99	9.5	88	1	2	7	12	20	27	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	494	7.7	57	1	2	6	10	15	21	40
70-74	691	8.9	62	1	2	7	11	18	25	46
75-79	789	9.8	95	2	2	7	12	21	30	51
80-84	853	10.6	102	2	2	8	14	22	29	56
85+	1024	11.0	106	2	3	8	14	24	32	60
B. *Operated*										
65-69 YRS	554	11.1	135	2	2	7	13	24	35	74
70-74	629	12.8	174	2	3	8	16	28	42	78
75-79	633	13.5	150	2	3	10	18	29	38	68
80-84	515	14.4	161	2	3	11	19	31	41	87
85+	486	16.2	215	2	3	13	22	34	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	6.4	42	1	1	5	8	13	17	35
B. *Operated*	765	7.4	43	1	2	6	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	3851	9.9	90	2	2	7	13	21	28	52
B. *Operated*	2817	13.5	168	2	3	10	17	30	40	80
1. SINGLE DX	1609	6.9	43	1	1	5	9	14	18	32
2. MULTIPLE DX	6668	11.4	126	2	2	8	15	25	34	68
A. NOT OPERATED	4695	9.2	83	1	2	7	12	20	27	50
B. OPERATED	3582	12.2	147	2	3	8	16	27	37	74
TOTAL 65-69 YRS	1389	8.5	87	1	2	6	10	17	25	52
70-74	1665	9.8	104	1	2	7	12	21	29	58
75-79	1765	10.6	110	1	2	7	14	23	32	55
80-84	1667	11.2	116	2	2	8	14	24	33	68
85+	1791	12.0	137	2	3	9	15	27	34	84
GRAND TOTAL	**8277**	**10.5**	**113**	**1**	**2**	**7**	**13**	**23**	**32**	**63**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	4.0	12	1	1	3	6	10	11	15
70-74	29	4.5	37	<1	1	2	4	10	24	25
75-79	38	3.9	14	1	1	3	6	9	14	16
80-84	26	4.6	19	1	1	3	5	9	14	21
85+	34	5.2	16	1	1	4	7	10	13	19
B. *Operated*										
65-69 YRS	510	3.5	9	1	1	3	4	7	9	15
70-74	400	3.6	10	1	1	3	4	7	9	16
75-79	333	3.8	12	1	1	3	5	7	10	17
80-84	220	5.1	36	1	1	3	6	10	15	33
85+	156	4.6	14	1	1	3	6	9	13	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	176	5.6	31	<1	1	4	7	12	16	35
70-74	182	6.4	38	1	1	4	9	15	18	31
75-79	227	8.4	61	1	2	6	11	16	21	42
80-84	220	10.0	131	1	2	7	13	22	33	77
85+	252	9.3	115	1	1	6	11	19	29	70
B. *Operated*										
65-69 YRS	967	6.0	70	1	1	4	6	13	19	46
70-74	909	6.5	56	1	1	4	8	14	21	40
75-79	850	7.7	72	1	1	5	10	18	24	48
80-84	598	8.3	93	1	1	5	10	18	28	55
85+	525	8.8	72	1	2	6	12	19	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	4.4	19	1	1	3	6	9	13	24
B. *Operated*	1619	3.9	14	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	1057	8.1	82	1	1	5	10	17	24	53
B. *Operated*	3849	7.2	72	1	1	4	9	16	23	46
1. SINGLE DX	1784	4.0	15	1	1	3	5	8	11	19
2. MULTIPLE DX	4906	7.4	74	1	1	5	9	16	23	46
A. NOT OPERATED	1222	7.6	75	1	1	5	10	16	23	49
B. OPERATED	5468	6.2	57	1	1	4	7	14	20	41
TOTAL 65-69 YRS	1691	5.2	48	1	1	3	6	11	15	33
70-74	1520	5.7	43	1	1	3	7	12	18	35
75-79	1448	6.8	58	1	1	4	9	15	21	44
80-84	1064	7.9	90	1	1	5	9	17	27	55
85+	967	8.1	75	1	1	6	10	17	24	47
GRAND TOTAL	**6690**	**6.5**	**61**	**1**	**1**	**4**	**8**	**14**	**20**	**42**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.3	3	<1	<1	2	3	5	5	5
70-74	9	2.7	2	1	1	3	4	5	5	5
75-79	12	3.5	5	<1	1	4	5	6	9	9
80-84	12	4.6	12	<1	1	4	7	10	11	11
85+	10	6.2	19	<1	1	5	7	13	17	17
B. *Operated*										
65-69 YRS	100	2.4	7	<1	1	2	3	4	6	16
70-74	66	3.1	4	1	1	3	4	6	8	9
75-79	48	3.0	6	1	1	2	4	6	8	14
80-84	30	3.6	10	1	1	3	5	8	12	13
85+	23	4.5	19	<1	1	3	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	6.4	56	<1	<1	4	8	15	23	41
70-74	65	7.0	30	<1	2	6	9	16	20	24
75-79	76	7.4	49	1	1	6	9	18	21	37
80-84	87	10.3	116	2	2	7	13	21	27	64
85+	83	11.3	136	1	2	7	13	25	37	56
B. *Operated*										
65-69 YRS	210	4.8	41	1	1	3	6	10	14	40
70-74	194	5.2	54	1	1	3	6	10	16	39
75-79	128	6.5	50	1	1	4	7	16	22	36
80-84	94	7.5	44	1	1	6	11	18	22	30
85+	65	9.9	139	1	2	5	12	24	30	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.0	10	<1	1	4	5	8	10	17
B. *Operated*	267	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	380	8.7	84	<1	1	6	11	20	25	45
B. *Operated*	691	6.1	58	1	1	3	7	14	19	38
1. SINGLE DX	316	3.2	8	1	1	2	4	6	9	15
2. MULTIPLE DX	1071	7.0	69	1	1	4	8	16	22	42
A. NOT OPERATED	429	8.1	78	<1	1	5	10	19	24	44
B. OPERATED	958	5.2	46	1	1	3	6	12	17	33
TOTAL 65-69 YRS	385	4.4	36	<1	1	2	5	9	14	36
70-74	334	5.1	40	1	1	3	6	10	16	25
75-79	264	6.0	42	1	1	4	7	14	20	36
80-84	223	7.9	71	1	1	6	11	19	23	31
85+	181	9.6	120	1	2	6	12	24	31	59
GRAND TOTAL	**1387**	**6.1**	**58**	**1**	**1**	**4**	**7**	**14**	**20**	**38**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	10.0	85	1	1	8	13	20	23	52
70-74	89	12.1	181	1	2	8	14	23	37	79
75-79	102	10.5	60	<1	1	9	15	23	30	99+
80-84	128	14.1	196	1	1	10	19	31	38	71
85+	168	11.7	114	1	2	9	16	26	32	54
B. *Operated*										
65-69 YRS	870	15.8	60	7	9	14	18	24	29	45
70-74	1282	17.3	82	8	9	15	20	27	34	54
75-79	1681	18.2	90	8	10	16	21	28	36	58
80-84	1881	18.9	107	9	10	17	22	28	37	73
85+	2589	19.2	110	8	10	17	22	31	40	70
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	263	15.5	188	2	3	13	20	31	48	90
70-74	355	16.0	208	2	4	12	20	37	48	99
75-79	460	16.2	205	2	4	12	21	36	47	77
80-84	708	16.3	214	2	3	12	21	35	48	86
85+	1034	15.3	182	2	3	12	20	34	52	99+
B. *Operated*										
65-69 YRS	3155	19.2	134	7	9	16	23	33	42	80
70-74	5008	20.6	152	8	10	17	25	36	47	93
75-79	7089	21.1	152	9	10	18	25	36	49	94
80-84	8406	21.5	165	9	11	18	25	38	51	99+
85+	11904	21.6	169	9	11	18	26	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	11.9	131	1	2	9	16	25	33	63
B. *Operated*	8303	18.3	97	8	10	16	21	28	36	64
2. MULTIPLE DX										
A. *Not Operated*	2820	15.8	198	2	3	12	20	35	49	99+
B. *Operated*	35562	21.1	160	9	10	18	25	37	49	98
1. SINGLE DX	8861	17.9	101	7	9	16	21	28	36	64
2. MULTIPLE DX	38382	20.7	164	8	10	18	25	37	49	99
A. NOT OPERATED	3378	15.2	189	1	3	12	20	33	47	99+
B. OPERATED	43865	20.6	149	8	10	17	24	35	47	92
TOTAL 65-69 YRS	4359	18.1	125	7	8	16	21	30	40	77
70-74	6734	19.6	145	7	9	17	23	35	45	87
75-79	9332	20.2	146	8	10	17	24	35	46	88
80-84	11123	20.7	161	8	10	18	24	36	48	95
85+	15695	20.7	163	7	10	18	25	36	50	99+
GRAND TOTAL	**47243**	**20.2**	**154**	**7**	**9**	**17**	**24**	**35**	**47**	**93**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	24.5	457	5	6	16	40	68	73	99+
70-74	46	16.6	352	2	2	11	21	53	63	73
75-79	44	20.0	489	1	2	12	29	50	66	98
80-84	51	23.3	438	2	3	17	35	56	68	91
85+	66	15.9	303	1	2	9	25	46	63	99+
B. *Operated*										
65-69 YRS	86	23.9	322	8	9	17	31	62	78	99+
70-74	96	20.6	197	6	9	17	25	45	56	99+
75-79	96	22.3	228	5	10	18	27	43	56	77
80-84	99	21.7	271	6	7	17	23	42	59	90
85+	148	19.6	135	5	8	17	24	34	44	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	23.1	408	3	5	17	36	66	89	99+
70-74	138	23.1	399	3	4	19	30	57	85	99+
75-79	189	24.1	483	3	5	16	38	69	91	99+
80-84	218	21.7	414	3	4	14	31	57	75	99+
85+	347	20.4	394	2	3	14	28	55	76	99+
B. *Operated*										
65-69 YRS	325	24.8	280	7	10	20	35	53	85	99+
70-74	413	25.1	290	9	10	21	32	49	76	99+
75-79	477	28.2	387	8	11	22	35	65	87	99+
80-84	490	26.6	301	8	11	22	33	56	75	99+
85+	706	25.2	298	7	9	20	33	53	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	19.4	399	2	2	12	26	55	68	99+
B. *Operated*	525	21.4	220	6	9	17	25	43	58	95
2. MULTIPLE DX										
A. *Not Operated*	1005	22.0	418	3	4	15	31	58	78	99+
B. *Operated*	2411	26.0	313	8	10	21	33	55	78	99+
1. SINGLE DX	759	20.8	276	3	5	16	25	46	61	99
2. MULTIPLE DX	3416	24.8	347	5	7	20	33	57	78	99+
A. NOT OPERATED	1239	21.5	415	2	3	15	30	57	77	99+
B. OPERATED	2936	25.2	300	7	10	20	32	53	75	99+
TOTAL 65-69 YRS	551	24.3	320	5	8	19	35	59	83	99+
70-74	693	23.5	307	5	8	19	30	51	72	99+
75-79	806	26.1	402	5	8	20	35	63	83	99+
80-84	858	24.6	339	4	7	19	32	56	74	99+
85+	1267	22.8	313	4	6	18	30	50	70	99+
GRAND TOTAL	**4175**	**24.1**	**337**	**4**	**7**	**19**	**32**	**55**	**75**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	8.4	97	1	2	6	10	16	31	88
70-74	83	8.6	62	2	2	6	12	17	19	46
75-79	66	11.2	107	1	2	9	13	21	45	92
80-84	61	9.2	78	2	2	7	10	18	29	48
85+	50	8.2	30	1	2	7	11	17	20	22
B. *Operated*										
65-69 YRS	167	12.8	120	2	3	9	17	25	35	55
70-74	108	12.8	108	2	3	10	17	24	32	53
75-79	88	12.1	70	3	4	11	15	21	28	49
80-84	50	18.2	325	3	4	13	22	48	81	99+
85+	31	14.1	105	2	3	13	17	27	28	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	276	10.9	102	2	3	8	13	21	33	58
70-74	329	11.8	87	2	4	9	15	23	31	50
75-79	272	12.6	99	3	4	11	15	24	34	48
80-84	221	13.9	145	3	4	10	17	31	41	72
85+	278	11.8	127	2	3	9	14	23	32	78
B. *Operated*										
65-69 YRS	468	15.8	220	3	4	11	19	33	49	79
70-74	375	17.8	211	4	6	13	22	36	53	99+
75-79	282	18.2	198	3	5	15	24	36	46	99+
80-84	193	20.8	286	3	5	16	28	48	64	99+
85+	155	16.9	202	3	4	13	23	41	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	9.1	78	2	2	7	12	17	28	55
B. *Operated*	444	13.3	131	2	4	11	17	25	34	58
2. MULTIPLE DX										
A. *Not Operated*	1376	12.1	110	2	3	9	15	24	33	54
B. *Operated*	1473	17.5	222	3	5	13	22	38	53	99+
1. SINGLE DX	797	11.4	112	2	3	9	14	23	32	57
2. MULTIPLE DX	2849	14.9	176	3	4	11	18	32	44	90
A. NOT OPERATED	1729	11.5	105	2	3	9	14	23	33	55
B. OPERATED	1917	16.6	204	3	4	13	21	35	50	99
TOTAL 65-69 YRS	1004	13.3	166	2	3	9	16	28	41	71
70-74	895	14.1	150	2	4	11	17	29	42	78
75-79	708	14.6	144	3	4	12	18	29	39	88
80-84	525	16.3	221	3	4	12	21	37	50	92
85+	514	13.1	146	2	3	10	17	26	42	99+
GRAND TOTAL	**3646**	**14.2**	**164**	**2**	**4**	**11**	**17**	**30**	**42**	**82**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	122	5.0	17	1	1	4	6	9	12	20
70-74	111	5.6	15	1	2	4	7	10	12	22
75-79	107	7.4	50	2	2	6	9	13	16	45
80-84	74	6.4	54	1	2	4	8	13	19	46
85+	54	8.5	55	1	2	6	11	17	23	42
B. *Operated*										
65-69 YRS	560	7.7	38	2	3	6	9	13	17	26
70-74	404	8.1	26	2	3	7	10	14	17	29
75-79	228	8.9	27	3	4	8	11	16	20	26
80-84	130	10.4	31	3	4	9	14	19	22	24
85+	67	10.8	68	2	3	9	13	24	31	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	430	7.0	39	1	2	5	9	14	19	35
70-74	476	8.2	45	1	2	7	10	16	19	39
75-79	440	9.0	79	2	3	7	11	17	24	47
80-84	377	10.6	88	2	3	8	13	22	28	51
85+	369	11.0	108	2	3	8	14	22	31	99
B. *Operated*										
65-69 YRS	1330	10.2	81	3	3	8	12	19	25	52
70-74	999	11.2	83	3	4	9	13	22	28	50
75-79	724	13.7	141	3	5	10	17	28	40	95
80-84	411	14.9	152	4	5	12	18	28	43	80
85+	272	17.0	171	5	6	14	20	34	47	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	6.3	35	1	2	5	8	12	15	33
B. *Operated*	1389	8.4	34	2	3	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	2092	9.0	72	2	2	7	11	18	25	45
B. *Operated*	3736	12.2	112	3	4	9	15	23	33	65
1. SINGLE DX	1857	7.9	35	2	3	7	10	14	18	30
2. MULTIPLE DX	5828	11.0	100	2	3	8	14	21	29	59
A. NOT OPERATED	2560	8.5	66	2	2	6	11	17	23	44
B. OPERATED	5125	11.1	93	3	4	8	13	21	29	57
TOTAL 65-69 YRS	2442	8.8	63	2	3	7	11	16	22	44
70-74	1990	9.5	61	2	3	8	12	18	24	40
75-79	1499	11.2	105	2	3	8	14	22	31	64
80-84	992	12.0	111	2	3	9	15	23	30	73
85+	762	12.9	132	2	4	10	16	26	37	80
GRAND TOTAL	**7685**	**10.3**	**86**	**2**	**3**	**8**	**13**	**20**	**27**	**53**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	3.3	10	<1	<1	2	6	8	9	9
70-74	12	4.6	13	1	1	4	6	9	13	14
75-79	8	4.5	15	<1	<1	3	7	11	11	11
80-84	9	5.1	16	1	1	4	7	11	14	14
85+	17	7.9	33	2	3	7	10	16	22	24
B. *Operated*										
65-69 YRS	3	8.3	57	3	3	5	14	17	17	17
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	7.0		7	7	7	7	7	7	7
80-84	3	2.3	5	1	1	1	4	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	149	8.1	44	1	2	7	10	16	18	41
70-74	152	9.1	55	2	3	7	11	20	25	40
75-79	154	9.7	59	2	2	8	13	20	24	42
80-84	153	10.3	66	2	2	8	13	23	28	46
85+	180	10.9	129	2	2	8	14	22	34	98
B. *Operated*										
65-69 YRS	39	9.7	56	1	2	7	14	22	27	29
70-74	35	13.4	160	1	3	8	19	25	48	53
75-79	25	12.4	70	3	5	9	18	28	44	99+
80-84	36	18.2	192	4	5	14	23	36	51	60
85+	34	13.6	91	2	3	11	21	29	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.4	21	<1	1	4	7	12	14	23
B. *Operated*	9	5.1	24	1	1	5	6	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	788	9.7	73	2	2	7	13	20	25	45
B. *Operated*	169	13.5	121	1	3	10	20	28	33	59
1. SINGLE DX	67	5.3	21	<1	1	4	7	12	15	23
2. MULTIPLE DX	957	10.3	84	2	2	8	14	22	28	53
A. NOT OPERATED	846	9.4	71	2	2	7	12	20	24	45
B. OPERATED	178	13.0	120	1	3	9	19	28	33	59
TOTAL 65-69 YRS	203	8.1	46	1	2	7	10	16	20	37
70-74	201	9.5	74	2	2	7	13	21	25	46
75-79	188	9.8	60	2	2	8	14	21	25	44
80-84	201	11.4	97	1	2	8	15	24	31	58
85+	231	11.1	117	2	3	8	14	23	33	96
GRAND TOTAL	**1024**	**10.0**	**81**	**1**	**2**	**7**	**13**	**22**	**28**	**53**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84	2	3.5	1	3	3	3	4	4	4	4
85+	3	14.3	21	9	9	17	17	17	17	17
B. *Operated*										
65-69 YRS	2	14.0	72	8	8	14	20	20	20	20
70-74	1	19.0		19	19	19	19	19	19	19
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	8.2	25	2	3	7	12	15	16	16
70-74	6	8.5	32	3	3	8	12	16	17	17
75-79	5	14.2	284	3	3	8	18	44	44	44
80-84	3	10.0	19	5	5	12	13	13	13	13
85+	12	13.1	127	1	2	9	23	30	34	35
B. *Operated*										
65-69 YRS	4	14.0	143	3	3	11	21	31	31	31
70-74	2	46.5	1985	15	15	78	94	99+	99+	99+
75-79	2	11.0	128	3	3	11	19	19	19	19
80-84	2	24.0	162	15	15	24	33	33	33	33
85+	6	39.7	403	11	13	39	55	64	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	9.7	37	3	3	8	17	17	17	17
B. *Operated*	5	19.0	61	8	8	19	22	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	35	10.9	92	2	3	8	13	25	33	44
B. *Operated*	16	28.6	507	3	5	28	50	75	92	99+
1. SINGLE DX	11	13.9	67	3	4	17	19	24	29	30
2. MULTIPLE DX	51	16.5	283	2	3	11	23	45	64	99+
A. NOT OPERATED	41	10.8	83	2	3	8	13	23	31	44
B. OPERATED	21	26.3	410	3	7	20	33	69	87	99+
TOTAL 65-69 YRS	15	10.5	58	2	3	10	13	20	28	31
70-74	10	17.1	489	3	3	12	18	87	99	99+
75-79	8	13.9	186	3	3	9	18	36	44	44
80-84	7	12.1	107	3	3	12	14	29	33	33
85+	22	21.3	310	2	3	17	30	51	59	65
GRAND TOTAL	**62**	**16.0**	**244**	**2**	**3**	**11**	**20**	**37**	**58**	**97**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.6	2	1	1	1	2	4	4	4
70-74	6	1.7	1	1	1	2	2	3	3	3
75-79	8	1.5	1	1	1	1	2	3	3	3
80-84	8	4.3	39	<1	<1	2	4	15	19	19
85+	10	4.6	12	1	1	4	6	9	12	12
B. *Operated*										
65-69 YRS	58	2.4	4	<1	1	1	3	6	8	9
70-74	58	2.8	11	<1	1	1	3	7	12	15
75-79	45	3.0	12	<1	1	2	3	6	13	17
80-84	21	2.5	4	<1	<1	2	4	5	6	8
85+	23	3.3	23	<1	1	2	3	6	13	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	4.0	18	<1	<1	2	5	8	12	20
70-74	41	6.0	27	1	1	5	10	14	20	99+
75-79	47	6.9	72	1	1	4	8	13	20	50
80-84	40	8.5	48	1	2	7	12	17	19	36
85+	32	5.5	19	1	1	5	8	12	14	19
B. *Operated*										
65-69 YRS	113	5.9	84	1	1	3	6	14	23	52
70-74	133	5.7	40	<1	1	4	7	13	19	33
75-79	114	5.0	41	1	1	3	6	11	19	36
80-84	87	8.8	146	1	1	5	11	19	29	71
85+	57	9.7	114	1	1	8	12	21	23	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.0	13	1	1	2	3	6	10	19
B. *Operated*	205	2.7	10	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	185	6.4	42	1	1	5	9	14	18	45
B. *Operated*	504	6.6	79	1	1	4	8	16	23	43
1. SINGLE DX	242	2.8	10	<1	1	2	3	6	8	17
2. MULTIPLE DX	689	6.5	69	1	1	4	8	15	20	43
A. NOT OPERATED	222	5.8	39	1	1	4	8	13	18	40
B. OPERATED	709	5.5	62	1	1	3	6	13	19	40
TOTAL 65-69 YRS	201	4.5	53	<1	1	2	5	9	15	43
70-74	238	4.9	32	<1	1	3	6	12	17	32
75-79	214	4.9	42	1	1	3	6	12	17	36
80-84	156	7.6	100	1	1	4	10	17	23	48
85+	122	7.0	70	1	1	5	9	16	22	45
GRAND TOTAL	**931**	**5.5**	**56**	**1**	**1**	**3**	**7**	**13**	**19**	**39**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	6.0	15	1	1	6	9	10	10	10
70-74	6	4.7	11	1	1	4	5	10	11	11
75-79	4	2.0	1	<1	<1	2	3	3	3	3
80-84	1	14.0		14	14	14	14	14	14	14
85+	3	8.3	6	6	6	8	10	11	11	11
B. *Operated*										
65-69 YRS	196	4.3	11	1	1	3	6	8	12	16
70-74	109	5.2	37	1	1	4	6	10	13	37
75-79	59	5.5	28	1	2	4	7	11	16	32
80-84	19	6.3	53	1	2	5	6	9	23	35
85+	9	14.6	859	1	1	3	9	61	92	92
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	6.9	29	<1	<1	6	12	14	16	16
70-74	12	6.1	62	<1	1	4	6	15	28	30
75-79	19	7.1	42	1	1	5	8	15	23	28
80-84	12	10.8	104	2	3	7	13	25	37	39
85+	7	7.7	34	3	3	5	11	18	19	19
B. *Operated*										
65-69 YRS	438	5.2	34	1	1	3	6	10	15	29
70-74	277	5.8	40	1	2	4	7	11	18	30
75-79	143	6.8	38	1	2	4	9	15	21	28
80-84	41	7.4	102	1	2	4	8	15	20	62
85+	23	12.4	309	2	2	5	10	36	56	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.5	16	<1	1	4	8	11	13	14
B. *Operated*	392	5.0	43	1	1	4	6	10	13	30
2. MULTIPLE DX										
A. *Not Operated*	64	7.6	53	1	1	5	9	16	22	38
B. *Operated*	922	5.9	47	1	2	4	7	12	18	32
1. SINGLE DX	410	5.1	41	1	1	4	6	10	13	29
2. MULTIPLE DX	986	6.0	48	1	2	4	7	12	19	32
A. NOT OPERATED	82	7.2	45	<1	1	5	9	15	19	36
B. OPERATED	1314	5.6	46	1	2	4	7	11	16	32
TOTAL 65-69 YRS	652	5.0	27	1	1	3	6	10	14	27
70-74	404	5.6	39	1	2	4	7	10	16	30
75-79	225	6.4	35	1	2	4	8	14	19	29
80-84	73	7.8	88	2	2	5	8	15	21	57
85+	42	11.8	344	2	2	6	10	28	58	92
GRAND TOTAL	**1396**	**5.7**	**46**	**1**	**2**	**4**	**7**	**11**	**16**	**32**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	4.8	11	1	1	4	6	9	13	14
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	11	5.3	18	1	1	5	7	11	16	16
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	6	8.3	37	2	2	7	15	16	16	16
B. *Operated*										
65-69 YRS	54	7.7	62	1	2	5	11	17	22	40
70-74	37	5.4	29	1	1	3	8	15	22	99+
75-79	39	9.0	97	<1	1	5	12	25	28	44
80-84	16	10.1	88	1	2	7	18	23	27	29
85+	22	10.7	125	1	1	5	19	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	9.1	124	1	2	5	10	21	30	64
70-74	53	12.8	202	1	2	8	13	29	42	75
75-79	36	10.6	65	2	2	8	14	25	28	32
80-84	25	15.8	414	2	3	10	18	38	69	88
85+	34	10.5	124	2	2	7	11	24	28	57
B. *Operated*										
65-69 YRS	135	10.0	133	1	2	5	12	24	37	69
70-74	119	11.4	198	1	1	6	15	34	48	81
75-79	99	10.7	119	1	2	7	14	28	36	50
80-84	52	10.7	143	1	1	5	16	30	37	48
85+	39	16.4	264	2	3	14	21	33	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.4	17	1	1	5	7	13	16	16
B. *Operated*	168	8.1	75	1	1	4	11	23	28	43
2. MULTIPLE DX										
A. *Not Operated*	194	11.5	172	2	2	8	13	25	35	71
B. *Operated*	444	11.2	161	1	2	7	15	29	38	74
1. SINGLE DX	204	7.6	66	1	1	5	10	21	27	42
2. MULTIPLE DX	638	11.3	164	1	2	7	15	28	38	73
A. NOT OPERATED	230	10.5	153	1	2	7	12	23	32	66
B. OPERATED	612	10.4	139	1	1	6	14	27	35	72
TOTAL 65-69 YRS	249	9.1	110	1	2	5	11	22	29	64
70-74	211	10.7	173	1	1	7	13	26	44	85
75-79	185	10.0	99	1	1	6	13	25	31	46
80-84	96	11.7	203	1	1	6	16	29	38	76
85+	101	12.7	178	1	2	9	16	29	33	98
GRAND TOTAL	**842**	**10.4**	**143**	**1**	**2**	**6**	**14**	**26**	**35**	**71**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	3.9	7	<1	1	3	5	8	10	11
70-74	24	6.2	34	1	1	4	7	16	19	20
75-79	18	4.9	10	1	2	5	5	8	13	15
80-84	21	10.0	68	2	2	7	15	24	28	31
85+	12	5.3	8	2	2	5	6	10	12	12
B. *Operated*										
65-69 YRS	20	6.0	17	2	2	5	7	11	15	19
70-74	24	7.6	39	2	3	6	9	14	22	30
75-79	12	7.0	9	1	2	7	8	11	12	12
80-84	5	14.6	232	2	2	10	19	41	41	41
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	103	6.2	34	1	2	5	7	12	18	33
70-74	84	7.3	31	2	2	6	10	14	20	77
75-79	101	7.8	43	2	3	6	10	16	19	37
80-84	95	6.8	38	2	2	8	12	15	21	30
85+	93	8.9	64	1	3	7	10	17	28	42
B. *Operated*										
65-69 YRS	66	8.3	92	2	2	5	9	17	28	59
70-74	44	9.4	64	2	3	8	11	17	22	48
75-79	27	10.7	48	4	5	8	14	21	27	30
80-84	12	12.1	58	2	3	9	19	23	24	24
85+	16	16.7	223	3	4	10	21	46	49	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	6.1	31	1	1	5	7	15	18	28
B. *Operated*	61	7.5	42	2	2	6	8	13	18	40
2. MULTIPLE DX										
A. *Not Operated*	476	7.8	43	1	2	6	10	15	21	38
B. *Operated*	165	10.1	91	2	3	7	12	20	28	50
1. SINGLE DX	158	6.7	36	1	2	5	8	14	18	31
2. MULTIPLE DX	641	8.4	56	2	2	6	10	17	22	43
A. NOT OPERATED	573	7.5	41	1	2	5	10	15	20	35
B. OPERATED	226	9.4	79	2	3	7	11	19	27	48
TOTAL 65-69 YRS	211	6.6	49	1	2	5	7	13	18	36
70-74	176	7.7	41	2	2	6	10	15	20	44
75-79	158	7.9	40	2	3	6	10	15	20	30
80-84	133	9.5	52	2	2	8	12	19	25	33
85+	121	9.6	87	2	3	7	11	20	31	48
GRAND TOTAL	**799**	**8.0**	**53**	**2**	**2**	**6**	**10**	**16**	**22**	**41**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	219	7.3	21	2	3	6	10	13	15	24
70-74	132	7.1	22	2	3	6	9	13	17	24
75-79	89	7.0	25	2	3	6	8	13	15	29
80-84	56	9.4	112	2	2	7	11	15	22	61
85+	52	7.7	34	2	2	5	10	14	21	29
B. *Operated*										
65-69 YRS	14	11.2	36	2	3	10	17	18	22	23
70-74	2	7.5	41	3	3	7	12	12	12	12
75-79	3	8.0	13	4	4	9	10	11	11	11
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	835	8.1	27	2	3	7	10	14	17	27
70-74	763	8.3	31	2	3	7	10	14	18	30
75-79	648	8.4	27	2	3	7	10	15	18	28
80-84	477	9.6	49	3	3	8	13	18	23	33
85+	443	9.9	53	2	3	8	13	19	23	36
B. *Operated*										
65-69 YRS	75	13.2	60	4	5	11	17	24	29	38
70-74	49	14.3	93	4	5	12	16	26	38	49
75-79	42	19.2	129	7	8	16	25	32	38	64
80-84	35	16.2	100	5	7	14	18	31	41	49
85+	29	16.2	108	3	5	14	21	28	39	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	7.4	32	2	3	6	10	13	16	29
B. *Operated*	21	11.0	60	2	3	10	15	20	28	34
2. MULTIPLE DX										
A. *Not Operated*	3166	8.7	35	2	3	7	11	16	19	30
B. *Operated*	230	15.4	95	4	6	13	19	28	35	49
1. SINGLE DX	569	7.6	34	2	3	6	10	14	17	29
2. MULTIPLE DX	3396	9.1	42	2	3	8	11	17	21	34
A. NOT OPERATED	3714	8.5	35	2	3	7	11	15	19	30
B. OPERATED	251	15.0	93	4	5	13	19	27	34	49
TOTAL 65-69 YRS	1143	8.3	30	2	3	7	10	15	18	29
70-74	946	8.5	35	2	3	7	11	15	19	33
75-79	782	8.8	39	2	3	7	11	16	21	32
80-84	569	10.0	61	2	3	8	13	18	23	38
85+	525	10.1	58	2	3	8	13	19	24	37
GRAND TOTAL	**3965**	**8.9**	**41**	**2**	**3**	**7**	**11**	**16**	**20**	**33**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	123	6.6	19	2	2	6	9	13	16	20
70-74	84	6.1	12	2	2	5	8	11	12	16
75-79	61	5.6	11	1	2	5	7	10	12	15
80-84	47	7.6	18	2	3	7	10	15	16	17
85+	34	6.4	19	1	2	5	9	12	16	17
B. *Operated*										
65-69 YRS	10	10.8	56	2	3	10	13	22	28	28
70-74	5	5.8	5	3	3	6	8	8	8	8
75-79	4	17.8	173	3	3	16	26	35	35	35
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	690	7.4	28	2	2	6	9	14	17	27
70-74	537	7.1	26	1	2	6	9	13	17	25
75-79	472	8.3	39	2	3	7	11	16	21	30
80-84	367	8.3	39	2	2	7	11	15	20	29
85+	380	8.5	34	2	3	7	11	16	21	29
B. *Operated*										
65-69 YRS	54	12.9	69	2	3	11	18	25	31	33
70-74	39	13.5	91	5	6	10	16	25	29	56
75-79	36	18.0	188	2	3	14	23	39	44	64
80-84	25	16.4	115	3	4	14	19	34	39	41
85+	17	16.2	90	4	5	16	22	30	35	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	6.4	16	2	2	6	8	12	15	17
B. *Operated*	19	10.9	75	2	3	8	15	24	32	35
2. MULTIPLE DX										
A. *Not Operated*	2446	7.8	32	2	2	6	10	15	19	28
B. *Operated*	171	14.9	110	3	4	12	20	29	37	54
1. SINGLE DX	368	6.7	20	2	2	6	9	12	15	19
2. MULTIPLE DX	2617	8.3	40	2	2	7	11	16	21	32
A. NOT OPERATED	2795	7.7	30	2	2	6	10	14	18	28
B. OPERATED	190	14.5	107	3	4	12	19	28	35	52
TOTAL 65-69 YRS	877	7.7	31	2	2	6	10	14	19	30
70-74	665	7.4	30	2	2	6	9	14	17	26
75-79	573	8.7	53	2	2	7	11	17	23	37
80-84	439	8.7	44	2	2	7	12	16	21	35
85+	431	8.7	37	2	3	7	11	17	21	31
GRAND TOTAL	**2985**	**8.1**	**38**	**2**	**2**	**7**	**10**	**15**	**20**	**31**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	4.5	10	1	2	4	6	10	11	13
70-74	38	5.9	18	1	2	5	8	11	15	19
75-79	26	4.7	13	1	1	4	6	10	13	14
80-84	24	5.6	27	<1	<1	4	8	12	18	21
85+	26	5.2	11	1	2	4	8	9	13	13
B. *Operated*										
65-69 YRS	175	5.2	12	2	2	4	6	9	12	16
70-74	118	6.0	17	2	2	5	7	11	14	24
75-79	43	6.5	13	1	3	5	9	11	14	16
80-84	14	9.0	61	<1	2	7	16	21	26	27
85+	6	6.8	25	4	4	5	6	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	211	5.9	21	<1	1	5	8	12	15	22
70-74	218	6.2	27	<1	1	5	8	14	17	24
75-79	235	6.9	30	1	2	5	9	15	17	24
80-84	221	8.4	33	2	2	7	11	15	18	28
85+	276	8.5	50	1	2	7	11	16	23	36
B. *Operated*										
65-69 YRS	301	6.8	24	2	3	5	8	13	16	27
70-74	191	8.5	78	2	3	6	10	17	25	55
75-79	98	9.5	69	2	4	7	10	22	28	43
80-84	38	11.0	104	3	3	8	13	21	29	57
85+	21	11.6	110	2	3	8	14	22	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	5.2	15	1	1	4	7	10	13	19
B. *Operated*	356	5.8	16	2	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	1161	7.3	34	1	2	6	10	15	18	28
B. *Operated*	649	8.1	56	2	3	6	9	16	22	41
1. SINGLE DX	508	5.6	16	1	2	4	7	11	14	21
2. MULTIPLE DX	1810	7.6	42	1	2	6	10	15	19	31
A. NOT OPERATED	1313	7.0	33	1	2	5	9	14	18	27
B. OPERATED	1005	7.3	43	2	3	5	8	14	19	35
TOTAL 65-69 YRS	725	6.0	20	1	2	5	7	11	15	25
70-74	565	6.9	43	1	2	5	8	14	18	31
75-79	402	7.4	38	1	2	6	9	15	20	31
80-84	297	8.6	44	1	2	7	11	16	20	30
85+	329	8.4	52	1	2	6	11	16	22	38
GRAND TOTAL	**2318**	**7.1**	**37**	**1**	**2**	**5**	**9**	**14**	**18**	**29**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	2.7	6	1	1	2	3	6	8	12
70-74	47	3.3	13	<1	1	2	4	7	11	21
75-79	36	3.3	7	1	1	3	4	7	8	12
80-84	30	3.0	4	1	1	2	5	6	6	8
85+	19	5.8	141	1	1	2	4	8	34	54
B. *Operated*										
65-69 YRS										
70-74	1	20.0		20	20	20	20	20	20	20
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	611	5.5	27	1	1	4	7	11	14	30
70-74	543	6.0	42	1	1	4	8	12	17	30
75-79	571	6.6	44	1	1	5	8	15	20	31
80-84	470	8.2	79	1	1	6	10	17	28	60
85+	486	8.8	90	1	2	6	11	18	25	56
B. *Operated*										
65-69 YRS	167	9.0	116	1	1	5	10	24	33	53
70-74	177	9.4	139	1	1	5	12	22	37	62
75-79	153	10.5	121	1	2	7	12	24	33	46
80-84	122	12.7	184	1	2	9	16	28	46	82
85+	123	10.6	138	1	2	7	12	29	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.3	22	1	1	2	4	6	9	18
B. *Operated*	2	10.5	181	1	1	10	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	2681	6.9	56	1	1	5	9	15	20	39
B. *Operated*	742	10.3	138	1	2	6	12	26	36	67
1. SINGLE DX	182	3.4	23	1	1	2	4	6	9	21
2. MULTIPLE DX	3423	7.6	75	1	1	5	9	17	24	48
A. NOT OPERATED	2861	6.7	54	1	1	4	8	14	20	38
B. OPERATED	744	10.3	138	1	2	6	12	26	36	67
TOTAL 65-69 YRS	826	6.0	46	1	1	4	7	12	17	37
70-74	768	6.6	65	1	1	4	8	14	20	44
75-79	760	7.3	60	1	1	5	9	17	22	41
80-84	622	8.8	100	1	1	6	11	19	30	74
85+	629	9.1	101	1	2	6	11	20	29	62
GRAND TOTAL	**3605**	**7.4**	**74**	**1**	**1**	**5**	**9**	**16**	**23**	**48**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	6.5	39	<1	1	4	8	17	20	22
70-74	30	6.1	52	1	1	3	10	15	34	99+
75-79	31	6.0	23	1	1	5	10	13	15	17
80-84	34	5.5	24	<1	1	5	7	12	16	22
85+	25	6.9	53	1	1	4	9	21	24	27
B. *Operated*										
65-69 YRS	43	15.5	139	4	5	13	20	31	40	59
70-74	37	10.9	47	3	4	9	14	22	26	30
75-79	40	15.3	137	3	6	12	19	31	35	64
80-84	18	17.7	301	3	5	10	18	52	57	59
85+	17	15.9	84	4	6	15	22	30	32	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	296	7.8	85	1	1	5	9	18	27	39
70-74	282	7.5	93	1	1	5	9	15	22	63
75-79	277	8.9	87	1	1	6	11	22	32	46
80-84	266	12.0	184	2	2	8	15	27	41	87
85+	332	9.5	111	1	2	7	11	20	29	71
B. *Operated*										
65-69 YRS	189	21.9	395	2	3	15	30	51	61	96
70-74	196	22.2	413	2	3	17	31	55	78	99+
75-79	200	20.1	295	2	4	16	30	47	76	99+
80-84	150	19.7	263	2	3	16	28	39	58	90
85+	157	19.1	258	2	3	16	26	50	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	6.1	36	1	1	4	9	15	20	41
B. *Operated*	155	14.6	130	3	5	11	18	30	35	59
2. MULTIPLE DX										
A. *Not Operated*	1453	9.1	113	1	1	6	11	21	30	56
B. *Operated*	892	20.7	330	2	3	16	29	49	67	99+
1. SINGLE DX	295	10.6	104	1	1	8	14	23	30	59
2. MULTIPLE DX	2345	13.5	227	1	2	8	17	33	48	97
A. NOT OPERATED	1593	8.8	107	1	1	6	11	20	29	55
B. OPERATED	1047	19.8	305	2	3	15	27	47	65	99+
TOTAL 65-69 YRS	548	13.2	237	1	1	8	17	33	48	80
70-74	545	12.9	251	1	1	8	17	33	51	99+
75-79	548	13.3	192	1	2	9	18	33	45	99+
80-84	468	14.2	219	1	2	9	19	34	46	87
85+	531	12.4	170	1	2	8	16	28	47	99+
GRAND TOTAL	**2640**	**13.2**	**214**	**1**	**2**	**8**	**17**	**33**	**47**	**95**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.0	9	1	1	2	4	8	8	8
70-74	3	4.3	9	1	1	5	6	7	7	7
75-79	7	5.9	15	1	1	6	8	11	12	12
80-84	2	2.5	5	1	1	2	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	3	3.3	4	1	1	4	5	5	5	5
70-74	2	10.0	72	4	4	10	16	16	16	16
75-79	2	8.0		8	8	8	8	8	8	8
80-84	2	9.5	41	5	5	9	14	14	14	14
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	7.3	18	2	3	6	9	14	16	20
70-74	68	7.9	30	1	2	7	11	17	19	22
75-79	44	7.9	33	1	2	7	10	13	17	34
80-84	40	11.6	71	2	4	10	14	18	31	43
85+	35	11.7	140	1	2	8	17	25	33	59
B. *Operated*										
65-69 YRS	94	14.1	155	3	4	10	17	31	46	61
70-74	75	15.4	338	3	4	10	15	37	72	98
75-79	61	17.2	245	4	5	13	22	32	52	80
80-84	32	17.6	270	3	4	13	21	46	54	64
85+	44	18.6	360	4	5	13	21	35	57	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.4	11	1	1	4	7	9	11	12
B. *Operated*	9	7.2	24	1	2	5	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	270	8.8	50	2	2	7	11	17	19	38
B. *Operated*	306	16.0	258	3	4	11	19	35	49	92
1. SINGLE DX	26	5.3	17	1	1	5	8	12	14	16
2. MULTIPLE DX	576	12.6	173	2	3	9	14	26	38	79
A. NOT OPERATED	287	8.5	48	1	2	7	11	16	19	37
B. OPERATED	315	15.8	254	3	4	11	18	35	49	92
TOTAL 65-69 YRS	185	10.5	100	2	3	7	12	19	31	50
70-74	148	11.6	199	1	3	8	13	21	37	93
75-79	114	12.8	167	2	4	9	14	26	34	77
80-84	76	13.8	161	2	4	10	15	32	44	62
85+	79	15.5	272	2	3	12	18	33	40	94
GRAND TOTAL	**602**	**12.3**	**169**	**2**	**3**	**8**	**14**	**25**	**37**	**78**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	2	1	1	3	4	4	4	4
70-74	4	3.3	7	1	1	2	5	7	7	7
75-79	5	6.4	28	2	2	4	10	15	15	15
80-84	5	5.4	34	1	1	2	10	14	14	14
85+	4	9.0	162	1	1	3	16	28	28	28
B. *Operated*										
65-69 YRS	12	10.1	27	3	4	9	15	17	18	18
70-74	2	12.0		12	12	12	12	12	12	12
75-79	5	14.2	44	7	7	12	20	23	23	23
80-84	2	7.0	72	<1	<1	6	13	13	13	13
85+	5	11.6	133	3	3	7	17	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	53	6.8	24	1	1	6	10	13	15	28
70-74	52	8.0	57	2	2	5	11	16	20	36
75-79	50	6.7	36	2	2	5	8	15	20	29
80-84	38	12.6	171	3	3	8	15	27	43	67
85+	44	9.0	66	1	2	6	13	17	24	42
B. *Operated*										
65-69 YRS	108	16.6	181	4	7	13	20	38	47	86
70-74	79	21.3	379	3	4	16	27	54	67	90
75-79	63	17.9	251	3	4	13	22	37	51	76
80-84	41	15.4	98	3	5	14	21	29	44	99+
85+	30	16.4	286	1	3	12	19	42	51	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.4	41	1	1	3	7	14	20	28
B. *Operated*	26	11.1	47	2	3	11	13	19	25	31
2. MULTIPLE DX										
A. *Not Operated*	237	8.4	68	2	2	6	11	17	21	43
B. *Operated*	321	17.9	244	3	4	13	21	39	54	89
1. SINGLE DX	48	8.5	52	1	1	7	13	18	23	31
2. MULTIPLE DX	558	13.8	191	2	3	10	17	30	45	76
A. NOT OPERATED	259	8.1	66	1	2	6	11	16	21	41
B. OPERATED	347	17.3	232	3	4	13	21	36	53	89
TOTAL 65-69 YRS	177	13.0	141	2	3	10	15	26	43	75
70-74	137	15.6	285	2	3	11	18	35	56	89
75-79	123	12.7	175	2	2	8	16	29	37	75
80-84	86	13.4	130	2	3	10	17	27	43	88
85+	83	11.9	160	1	2	9	15	28	37	67
GRAND TOTAL	**606**	**13.4**	**182**	**2**	**2**	**10**	**17**	**29**	**44**	**75**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	4	4.0	9	1	1	4	6	7	7	7
75-79										
80-84	3	1.7	1	<1	<1	1	2	3	3	3
85+										
B. *Operated*										
65-69 YRS	16	3.8	4	1	1	4	5	6	7	8
70-74	14	3.2	13	1	1	2	4	5	13	15
75-79	7	3.9	11	1	1	2	7	9	9	9
80-84	18	5.2	52	1	1	3	5	10	24	32
85+	7	7.3	30	1	1	5	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	4.2	13	<1	<1	3	6	11	11	11
70-74	3	5.3	44	<1	<1	2	10	13	13	13
75-79	3	5.3	44	<1	<1	2	10	13	13	13
80-84	9	4.4	9	1	1	3	6	9	10	10
85+	8	7.3	54	1	1	5	8	19	24	24
B. *Operated*										
65-69 YRS	71	5.4	30	1	2	4	6	12	19	28
70-74	53	5.2	16	1	2	4	7	10	12	21
75-79	48	8.3	140	1	2	5	10	18	22	78
80-84	28	6.3	39	1	1	4	8	16	20	25
85+	39	7.8	79	<1	1	5	9	14	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.0	6	<1	<1	2	5	7	7	7
B. *Operated*	62	4.5	24	1	1	3	5	9	13	30
2. MULTIPLE DX										
A. *Not Operated*	36	5.1	24	<1	<1	3	8	11	13	24
B. *Operated*	239	6.4	59	1	1	4	8	14	20	31
1. SINGLE DX	69	4.3	22	1	1	3	5	9	12	29
2. MULTIPLE DX	275	6.3	54	1	1	4	8	13	20	28
A. NOT OPERATED	43	4.8	21	<1	<1	3	7	11	13	24
B. OPERATED	301	6.0	52	1	1	4	7	13	18	30
TOTAL 65-69 YRS	100	5.0	24	1	1	4	6	11	15	26
70-74	74	4.8	16	1	1	4	6	10	13	20
75-79	58	7.6	120	1	1	4	9	17	21	74
80-84	58	5.4	36	1	1	3	6	12	19	31
85+	54	7.6	67	1	1	5	9	15	23	49
GRAND TOTAL	**344**	**5.9**	**48**	**1**	**1**	**4**	**7**	**13**	**18**	**29**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	2.5	3	1	1	2	4	5	6	6
70-74	14	3.5	11	<1	1	2	4	10	11	11
75-79	9	2.3	3	1	1	2	4	5	5	5
80-84	6	2.8	5	1	1	3	4	6	6	6
85+	10	4.2	17	1	1	2	6	11	13	13
B. *Operated*										
65-69 YRS	16	2.6	6	<1	1	1	4	7	8	8
70-74	19	2.4	3	<1	<1	2	3	5	7	7
75-79	14	1.7	1	<1	1	2	2	3	3	3
80-84	7	6.9	30	<1	<1	5	13	14	14	14
85+	19	2.4	3	<1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	177	4.9	23	<1	1	3	6	11	14	26
70-74	215	5.8	34	1	1	4	7	12	17	32
75-79	215	5.9	33	1	1	4	8	13	18	29
80-84	226	7.3	77	1	2	5	9	15	19	47
85+	335	6.7	48	1	1	4	9	14	18	36
B. *Operated*										
65-69 YRS	338	7.3	129	<1	1	4	8	15	23	83
70-74	314	6.3	60	1	1	4	7	12	18	45
75-79	273	6.7	74	<1	1	4	8	14	18	51
80-84	270	7.5	97	1	1	5	8	15	26	69
85+	327	7.7	98	1	1	5	9	18	25	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.1	8	1	1	2	4	6	10	13
B. *Operated*	75	2.7	7	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1168	6.2	45	1	1	4	8	13	18	36
B. *Operated*	1522	7.1	93	1	1	4	8	14	22	62
1. SINGLE DX	124	2.9	7	<1	1	2	4	6	9	14
2. MULTIPLE DX	2690	6.7	72	1	1	4	8	14	19	48
A. NOT OPERATED	1217	6.1	44	1	1	4	8	13	18	36
B. OPERATED	1597	6.9	89	1	1	4	8	14	22	61
TOTAL 65-69 YRS	541	6.3	90	<1	1	4	7	12	19	64
70-74	562	5.9	47	1	1	4	7	12	17	38
75-79	511	6.1	54	1	1	4	8	13	18	36
80-84	509	7.4	86	1	1	5	9	14	22	57
85+	691	7.0	71	1	1	5	9	15	22	55
GRAND TOTAL	**2814**	**6.5**	**70**	**1**	**1**	**4**	**8**	**14**	**19**	**46**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.0	6	1	1	2	5	7	7	7
70-74	6	5.5	14	3	3	4	5	12	13	13
75-79	2	8.0	98	<1	<1	7	15	15	15	15
80-84	3	6.7	24	<1	<1	9	10	10	10	10
85+	3	10.0	81	1	1	10	17	19	19	19
B. *Operated*										
65-69 YRS	11	3.0	6	<1	<1	2	3	7	8	8
70-74	4	17.5	430	3	3	10	32	47	47	47
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+	3	5.7	1	5	5	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	6.3	26	1	2	4	10	14	16	22
70-74	22	5.0	16	1	1	4	8	8	13	19
75-79	32	9.2	66	1	2	7	12	23	24	35
80-84	20	8.3	61	1	2	5	10	21	28	29
85+	21	10.0	91	1	1	7	13	25	32	37
B. *Operated*										
65-69 YRS	66	10.5	143	1	2	7	13	29	43	93
70-74	37	9.8	119	1	2	7	12	20	22	62
75-79	21	14.0	123	2	3	9	21	31	37	39
80-84	15	12.4	73	1	1	13	18	26	27	27
85+	12	9.3	57	<1	1	7	13	22	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.6	26	<1	1	4	9	14	17	19
B. *Operated*	19	6.9	111	<1	1	3	7	15	33	47
2. MULTIPLE DX										
A. *Not Operated*	130	7.7	52	1	2	6	10	17	24	35
B. *Operated*	151	10.9	120	1	2	7	15	25	36	62
1. SINGLE DX	41	6.2	64	<1	1	3	7	14	18	47
2. MULTIPLE DX	281	9.4	91	1	2	7	13	21	28	56
A. NOT OPERATED	152	7.4	48	1	1	5	10	16	23	35
B. OPERATED	170	10.5	120	1	2	7	14	23	36	61
TOTAL 65-69 YRS	120	8.1	94	1	1	5	12	18	30	71
70-74	69	8.3	99	1	2	5	9	19	21	59
75-79	56	11.0	89	1	2	8	15	24	33	39
80-84	38	9.8	65	1	2	8	14	24	28	29
85+	39	9.5	70	1	1	7	13	22	27	37
GRAND TOTAL	**322**	**9.0**	**88**	**1**	**1**	**6**	**12**	**21**	**28**	**52**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	3.6	5	<1	<1	3	6	7	8	8
70-74	4	3.3	5	1	1	3	5	6	6	6
75-79	10	2.7	3	1	1	2	4	5	5	5
80-84	6	5.7	21	2	2	4	7	13	14	14
85+	4	4.8	19	1	1	3	7	11	11	11
B. Operated										
65-69 YRS	123	2.8	15	<1	1	1	3	5	9	22
70-74	69	2.5	5	1	1	2	3	5	6	13
75-79	45	3.0	28	<1	1	2	3	5	7	36
80-84	19	4.4	35	<1	<1	3	5	11	19	25
85+	18	3.8	9	<1	1	3	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	70	5.3	20	<1	1	4	7	9	14	23
70-74	58	5.8	36	<1	<1	4	8	12	21	27
75-79	50	6.9	26	2	2	6	9	13	20	24
80-84	47	7.3	134	<1	1	5	7	13	17	80
85+	64	7.6	59	1	2	6	9	16	22	46
B. Operated										
65-69 YRS	356	4.0	30	<1	1	2	4	8	13	34
70-74	248	4.0	36	<1	1	2	4	9	11	31
75-79	145	4.8	36	<1	1	3	6	12	15	22
80-84	121	6.3	77	<1	1	3	7	17	22	51
85+	104	7.3	75	<1	1	4	10	16	21	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.8	8	<1	1	3	5	7	9	14
B. Operated	274	2.9	15	<1	1	2	3	6	9	24
2. MULTIPLE DX										
A. Not Operated	289	6.5	51	<1	1	5	8	13	19	27
B. Operated	974	4.8	44	<1	1	2	5	11	16	35
1. SINGLE DX	315	3.1	15	<1	1	2	3	6	9	22
2. MULTIPLE DX	1263	5.2	46	<1	1	3	6	11	17	34
A. NOT OPERATED	330	6.2	47	<1	1	4	8	12	17	27
B. OPERATED	1248	4.4	39	<1	1	2	5	10	15	31
TOTAL 65-69 YRS	566	3.9	25	<1	1	2	4	8	13	27
70-74	379	4.0	31	<1	1	2	5	9	12	27
75-79	250	4.8	33	1	1	3	6	11	15	24
80-84	193	6.3	84	<1	1	3	7	14	22	55
85+	190	7.0	63	<1	1	4	10	15	20	46
GRAND TOTAL	**1578**	**4.7**	**41**	**<1**	**1**	**3**	**6**	**10**	**15**	**30**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.1	5	1	1	2	3	8	8	8
70-74	11	6.7	40	1	1	5	6	19	20	20
75-79	4	5.0	6	3	3	5	7	8	8	8
80-84	10	7.2	77	<1	1	4	8	20	31	31
85+	6	8.3	17	4	4	7	11	15	15	15
B. Operated										
65-69 YRS	57	8.4	85	1	1	5	12	22	29	37
70-74	31	11.2	93	1	2	8	17	26	31	41
75-79	34	8.7	74	1	1	5	12	22	26	36
80-84	16	9.3	41	1	2	6	13	20	20	20
85+	12	10.5	51	4	4	9	13	19	28	29
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	65	8.2	69	<1	1	6	10	19	23	46
70-74	79	8.5	39	2	2	7	11	17	21	30
75-79	85	9.4	83	1	2	7	13	16	22	56
80-84	61	11.9	176	2	3	8	11	24	51	59
85+	67	11.4	91	1	2	9	15	25	35	39
B. Operated										
65-69 YRS	144	10.2	104	1	1	6	15	23	34	64
70-74	99	12.1	134	1	2	9	19	26	30	62
75-79	101	12.8	121	1	2	10	19	28	36	46
80-84	68	18.0	244	2	3	13	25	38	60	96
85+	51	16.0	181	2	4	13	19	33	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	5.8	33	1	2	4	8	11	19	31
B. Operated	150	9.3	76	1	1	6	13	21	28	37
2. MULTIPLE DX										
A. Not Operated	357	9.8	89	1	2	7	12	19	30	57
B. Operated	463	12.9	149	1	2	9	19	30	37	79
1. SINGLE DX	194	8.5	68	1	2	5	12	20	27	37
2. MULTIPLE DX	820	11.6	125	1	2	8	16	25	35	62
A. NOT OPERATED	401	9.4	84	1	2	7	11	19	29	53
B. OPERATED	613	12.0	134	1	2	8	18	27	36	67
TOTAL 65-69 YRS	279	9.0	89	1	1	6	13	21	29	48
70-74	220	10.4	92	1	2	8	15	23	27	42
75-79	224	10.7	100	1	2	7	15	24	31	44
80-84	155	14.0	198	2	3	9	18	35	45	80
85+	136	12.9	122	1	3	10	17	30	36	78
GRAND TOTAL	**1014**	**11.0**	**116**	**1**	**2**	**8**	**15**	**25**	**33**	**59**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+	1	33.0		33	33	33	33	33	33	33
B. *Operated*										
65-69 YRS	6	2.8	5	1	1	2	3	7	7	7
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	3.0	5	1	1	3	5	5	5	5
70-74	6	12.2	143	1	1	9	13	33	35	35
75-79	5	11.2	105	1	1	13	17	26	26	26
80-84	7	10.9	114	1	1	6	18	28	30	30
85+	10	14.2	150	2	3	8	27	31	33	33
B. *Operated*										
65-69 YRS	11	11.3	152	1	2	8	15	30	42	43
70-74	9	27.2	838	1	1	13	50	69	70	70
75-79	3	21.7	996	1	1	6	45	58	58	58
80-84	2	3.0	8	1	1	3	5	5	5	5
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	20.0	338	7	7	20	33	33	33	33
B. *Operated*	8	2.9	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	32	11.2	115	1	1	6	17	29	33	35
B. *Operated*	26	17.1	485	1	1	6	22	57	68	70
1. SINGLE DX	10	6.3	92	1	1	3	7	20	33	33
2. MULTIPLE DX	58	13.9	284	1	1	6	19	40	53	70
A. NOT OPERATED	34	11.7	122	1	1	7	19	30	33	35
B. OPERATED	34	13.8	406	1	1	5	13	46	65	70
TOTAL 65-69 YRS	21	7.3	97	1	1	4	8	19	31	43
70-74	17	19.3	544	1	1	8	37	63	69	70
75-79	8	15.1	374	1	1	9	20	48	58	58
80-84	10	8.5	92	1	1	4	14	24	30	30
85+	12	15.0	162	2	3	8	28	33	33	33
GRAND TOTAL	**68**	**12.8**	**261**	**1**	**1**	**5**	**16**	**34**	**46**	**69**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	4.9	27	1	2	3	6	8	19	22
70-74	10	7.6	21	2	2	7	10	14	17	17
75-79	16	12.9	207	3	4	10	13	24	51	62
80-84	10	14.6	84	2	2	14	22	27	32	32
85+	11	9.2	141	<1	2	4	10	27	41	42
B. *Operated*										
65-69 YRS	48	4.9	23	1	1	3	6	13	16	22
70-74	38	7.3	35	2	2	5	11	16	20	23
75-79	23	10.1	69	<1	1	8	17	21	27	30
80-84	17	12.9	126	<1	1	11	18	34	35	35
85+	8	14.4	191	7	7	9	13	38	48	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	10.4	136	1	2	7	13	20	44	86
70-74	82	10.1	70	2	2	8	14	21	27	40
75-79	105	10.5	78	1	2	7	15	23	27	41
80-84	91	12.1	83	3	3	9	16	24	31	46
85+	91	12.7	157	2	3	9	17	28	33	94
B. *Operated*										
65-69 YRS	132	11.8	223	2	2	7	13	24	43	87
70-74	92	13.8	194	2	3	10	16	33	51	91
75-79	105	20.2	464	2	2	14	27	52	77	97
80-84	52	15.0	168	2	2	12	21	35	41	56
85+	36	15.3	114	3	3	14	20	32	40	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	9.8	110	2	2	6	12	22	28	60
B. *Operated*	134	8.0	64	1	2	5	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*	452	11.2	104	2	2	8	15	24	32	60
B. *Operated*	417	15.1	269	2	2	10	19	36	50	93
1. SINGLE DX	195	8.6	79	1	2	5	11	19	25	45
2. MULTIPLE DX	869	13.1	187	2	2	9	16	29	42	90
A. NOT OPERATED	513	11.0	105	2	2	8	15	23	32	60
B. OPERATED	551	13.4	228	2	2	8	16	32	47	91
TOTAL 65-69 YRS	277	9.8	159	1	2	6	12	20	36	80
70-74	222	11.1	119	2	2	8	14	23	35	62
75-79	249	14.7	268	1	2	10	18	31	49	92
80-84	170	13.2	113	2	3	11	18	29	35	49
85+	146	13.2	146	2	3	10	17	28	37	86
GRAND TOTAL	**1064**	**12.2**	**170**	**2**	**2**	**8**	**16**	**27**	**38**	**83**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.6	18	1	1	3	4	12	14	14
70-74	4	3.0	1	2	2	3	4	4	4	4
75-79	4	2.3	4	<1	<1	1	3	5	5	5
80-84	3	4.3	16	2	2	2	7	9	9	9
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	3	2.0	1	1	1	2	3	3	3	3
70-74	2	7.0	18	4	4	7	10	10	10	10
75-79	3	3.3	6	1	1	3	5	6	6	6
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	4.6	8	1	1	4	6	8	10	12
70-74	31	5.5	20	1	2	4	7	11	15	22
75-79	40	5.6	20	<1	1	4	6	12	14	23
80-84	31	6.0	32	2	2	5	7	12	18	28
85+	36	7.4	50	1	1	5	9	16	18	39
B. *Operated*										
65-69 YRS	8	6.0	57	<1	<1	3	7	19	23	23
70-74	8	8.8	37	3	3	6	15	17	17	17
75-79	7	5.0	8	2	2	4	7	9	10	10
80-84	7	6.9	22	2	2	5	10	14	15	15
85+	7	12.1	89	4	4	9	19	26	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.6	10	<1	1	3	4	7	11	14
B. *Operated*	11	3.5	7	<1	<1	3	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	163	5.9	27	1	2	5	7	12	16	27
B. *Operated*	37	7.7	45	1	2	4	11	17	22	28
1. SINGLE DX	31	3.5	8	<1	1	3	4	7	10	14
2. MULTIPLE DX	200	6.2	31	1	2	5	8	14	17	28
A. NOT OPERATED	183	5.6	26	1	1	4	7	12	15	26
B. OPERATED	48	6.8	39	1	1	4	9	17	20	28
TOTAL 65-69 YRS	43	4.7	18	<1	1	3	6	10	13	23
70-74	45	5.9	22	1	2	4	8	13	17	22
75-79	54	5.2	17	<1	1	4	6	10	14	23
80-84	42	5.9	28	1	2	4	8	12	17	28
85+	47	7.7	55	1	1	5	10	17	21	39
GRAND TOTAL	**231**	**5.9**	**29**	**1**	**1**	**4**	**7**	**13**	**17**	**28**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	127	3.9	11	1	1	3	5	8	9	18
70-74	136	4.9	20	1	1	3	7	9	14	23
75-79	151	4.9	23	1	1	3	6	12	16	21
80-84	126	5.6	21	1	1	5	7	11	15	23
85+	183	5.8	22	1	2	4	8	12	15	31
B. *Operated*										
65-69 YRS	43	6.7	67	<1	1	4	7	13	18	49
70-74	27	6.0	38	1	1	4	7	12	19	30
75-79	31	9.3	35	3	3	8	12	16	22	28
80-84	22	10.4	135	1	2	8	10	23	39	54
85+	15	7.2	59	2	3	4	8	13	28	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1404	6.3	36	1	1	5	8	13	16	30
70-74	1612	7.1	34	1	2	5	9	15	19	30
75-79	1870	7.8	51	1	2	6	10	16	21	38
80-84	1977	8.6	67	1	2	6	11	17	23	43
85+	2764	9.0	78	2	2	7	11	18	26	55
B. *Operated*										
65-69 YRS	220	10.8	108	1	2	8	14	25	31	58
70-74	217	12.0	107	1	3	9	16	26	37	52
75-79	197	14.6	129	1	4	12	19	29	34	61
80-84	194	14.8	133	2	3	12	20	30	38	69
85+	232	16.4	209	2	4	12	21	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	723	5.1	20	1	1	4	7	10	14	22
B. *Operated*	138	7.8	65	1	2	5	10	14	24	50
2. MULTIPLE DX										
A. *Not Operated*	9627	8.0	58	1	2	6	10	16	21	41
B. *Operated*	1060	13.7	142	2	3	11	18	30	38	71
1. SINGLE DX	861	5.5	28	1	1	4	7	11	15	28
2. MULTIPLE DX	10687	8.6	69	1	2	6	11	18	24	46
A. NOT OPERATED	10350	7.8	56	1	2	6	10	16	21	40
B. OPERATED	1198	13.0	137	2	2	10	17	28	37	69
TOTAL 65-69 YRS	1794	6.7	47	1	1	5	8	14	18	33
70-74	1992	7.5	44	1	2	6	10	16	21	35
75-79	2249	8.2	60	1	2	6	11	17	23	38
80-84	2319	9.0	74	1	2	7	11	18	25	45
85+	3194	9.4	88	2	2	7	11	19	28	61
GRAND TOTAL	**11548**	**8.3**	**67**	**1**	**2**	**6**	**11**	**17**	**23**	**44**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.7	1	1	1	1	3	3	3	3
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	2	12.0	18	9	9	12	15	15	15	15
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	9	4.1	42	<1	<1	2	3	15	21	21
70-74	6	4.5	12	1	1	3	7	10	10	10
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	11.8	200	1	2	8	15	18	48	61
70-74	14	4.3	4	1	2	4	5	7	8	8
75-79	14	6.7	25	1	2	5	8	17	17	17
80-84	8	6.9	8	3	3	7	8	11	12	12
85+	12	9.3	30	3	4	8	12	17	22	23
B. *Operated*										
65-69 YRS	24	8.2	278	<1	1	4	7	14	40	83
70-74	15	13.7	352	1	1	6	19	35	62	71
75-79	10	11.8	298	1	1	3	17	38	57	57
80-84	5	20.2	365	9	9	14	25	54	54	54
85+	3	10.7	142	1	1	7	20	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.6	25	1	1	2	7	13	15	15
B. *Operated*	21	3.7	21	<1	1	2	4	8	15	21
2. MULTIPLE DX										
A. *Not Operated*	64	7.9	67	2	3	6	9	16	17	56
B. *Operated*	57	11.5	294	1	1	4	14	24	56	82
1. SINGLE DX	29	4.0	21	1	1	2	4	10	15	21
2. MULTIPLE DX	121	9.6	176	1	1	5	11	18	29	74
A. NOT OPERATED	72	7.6	63	1	2	5	9	15	17	53
B. OPERATED	78	9.4	231	1	1	4	10	21	46	80
TOTAL 65-69 YRS	52	8.2	200	1	1	4	8	17	22	83
70-74	37	8.1	162	1	1	4	7	19	30	71
75-79	29	8.3	119	1	1	5	11	17	21	57
80-84	14	11.4	163	3	4	8	12	19	46	54
85+	18	8.2	46	1	1	7	12	20	24	24
GRAND TOTAL	**150**	**8.5**	**150**	**1**	**1**	**5**	**9**	**17**	**23**	**71**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	4	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	5	1.2		<1	<1	<1	1	2	2	2
A. NOT OPERATED	4	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	2	3.0	2	2	2	3	4	4	4	4
TOTAL 65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	3	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
GRAND TOTAL	**6**	**1.7**	**1**	**<1**	**<1**	**<1**	**2**	**4**	**4**	**4**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	94	2.0	2	<1	<1	1	2	3	5	10
70-74	93	2.2	21	<1	1	1	2	4	5	29
75-79	64	1.9	2	<1	1	1	2	4	5	9
80-84	50	1.7	1	<1	<1	1	2	4	4	5
85+	21	3.7	19	1	1	2	4	9	15	18
B. *Operated*										
65-69 YRS	18	2.9	8	1	1	2	5	6	9	11
70-74	26	4.5	97	<1	<1	2	3	9	18	51
75-79	13	3.1	9	<1	<1	2	4	8	10	10
80-84	7	3.4	4	1	1	4	4	6	7	7
85+	9	3.3	6	<1	<1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	212	4.1	29	1	1	2	4	9	14	28
70-74	215	3.8	15	1	1	2	5	8	12	20
75-79	160	3.4	14	<1	1	2	4	8	11	20
80-84	134	4.1	19	1	1	3	5	10	14	21
85+	159	5.6	37	1	1	4	7	13	20	26
B. *Operated*										
65-69 YRS	110	8.2	146	1	1	4	10	17	36	68
70-74	130	8.6	99	1	1	4	10	22	26	50
75-79	103	6.9	52	1	1	4	8	17	21	36
80-84	85	7.4	46	1	1	5	12	18	20	31
85+	61	6.6	43	1	1	3	9	18	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	2.1	9	<1	1	1	2	4	5	12
B. *Operated*	73	3.6	38	<1	1	2	4	8	10	42
2. MULTIPLE DX										
A. *Not Operated*	880	4.1	23	1	1	2	5	10	14	23
B. *Operated*	489	7.7	84	1	1	4	10	18	23	47
1. SINGLE DX	395	2.4	14	<1	1	1	2	4	7	13
2. MULTIPLE DX	1369	5.4	48	1	1	3	6	14	19	31
A. NOT OPERATED	1202	3.6	20	<1	1	2	4	8	13	22
B. OPERATED	562	7.1	79	1	1	4	9	17	22	48
TOTAL 65-69 YRS	434	4.6	57	<1	1	2	5	10	15	43
70-74	464	4.8	50	<1	1	2	5	11	18	42
75-79	340	4.2	27	<1	1	2	5	10	15	23
80-84	276	4.7	28	1	1	3	5	13	17	23
85+	250	5.6	36	1	1	3	7	14	20	25
GRAND TOTAL	**1764**	**4.7**	**42**	**1**	**1**	**2**	**5**	**11**	**17**	**30**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	16.0	130	5	5	14	24	33	33	33
70-74	2	11.5	25	8	8	11	15	15	15	15
75-79	3	11.7	33	5	5	15	15	15	15	15
80-84	1	13.0		13	13	13	13	13	13	13
85+	1	42.0		42	42	42	42	42	42	42
B. *Operated*										
65-69 YRS	15	17.7	340	2	2	10	30	36	59	67
70-74	13	14.8	114	3	4	11	24	28	35	37
75-79	18	19.9	149	4	8	17	27	40	41	41
80-84	11	13.3	82	2	4	9	18	28	32	32
85+	7	26.1	59	11	13	29	30	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	17.2	279	3	4	11	25	33	36	90
70-74	38	15.7	140	3	4	12	21	34	42	47
75-79	23	18.9	216	2	5	16	25	45	49	57
80-84	29	16.1	95	5	5	15	23	31	33	39
85+	12	26.9	360	6	10	20	33	62	63	63
B. *Operated*										
65-69 YRS	79	29.7	582	3	6	22	43	67	81	97
70-74	86	29.1	420	4	6	21	43	67	69	90
75-79	84	30.6	372	6	9	28	41	62	79	94
80-84	51	37.8	609	5	8	36	59	77	88	99+
85+	44	37.3	486	8	11	36	52	78	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	16.1	127	5	5	14	18	36	41	42
B. *Operated*	64	17.9	170	2	3	14	26	36	39	63
2. MULTIPLE DX										
A. *Not Operated*	134	17.7	199	3	5	14	25	35	45	67
B. *Operated*	344	31.9	488	5	7	28	46	68	81	99+
1. SINGLE DX	76	17.6	162	2	3	14	25	36	40	60
2. MULTIPLE DX	478	27.9	448	4	6	23	39	62	76	99
A. NOT OPERATED	146	17.6	192	3	5	14	24	35	44	64
B. OPERATED	408	29.7	464	4	6	26	42	65	78	99+
TOTAL 65-69 YRS	131	24.7	494	2	3	19	32	62	78	93
70-74	139	23.9	351	3	5	18	34	56	68	76
75-79	128	26.6	334	5	7	24	36	50	64	88
80-84	92	27.7	500	5	6	21	38	66	78	98
85+	64	34.2	425	8	11	32	47	71	85	99+
GRAND TOTAL	**554**	**26.5**	**421**	**3**	**5**	**21**	**37**	**61**	**72**	**99**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	8.1	105	<1	1	4	11	17	33	43
70-74	23	8.6	32	1	2	8	12	17	20	21
75-79	14	8.8	73	1	1	4	18	22	24	25
80-84	15	13.1	103	1	2	11	18	33	35	36
85+	10	6.6	21	<1	1	5	11	13	14	14
B. *Operated*										
65-69 YRS	7	6.0	24	1	1	5	9	14	15	15
70-74	8	12.8	61	3	4	9	20	24	25	25
75-79	8	13.0	105	4	4	9	20	29	29	29
80-84	1	29.0		29	29	29	29	29	29	29
85+	2	15.0	32	11	11	15	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	134	9.7	105	1	2	7	12	21	25	63
70-74	157	11.3	109	1	2	9	14	23	33	51
75-79	109	14.5	235	2	2	9	18	42	54	64
80-84	125	14.3	211	2	3	10	18	33	46	72
85+	88	14.3	106	3	4	11	19	27	33	55
B. *Operated*										
65-69 YRS	73	25.2	391	3	5	19	34	54	69	86
70-74	58	20.6	286	3	4	18	29	39	47	92
75-79	47	26.4	312	4	6	23	36	59	76	99+
80-84	32	27.3	272	6	8	27	43	61	92	99+
85+	34	30.9	408	5	8	28	43	70	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	9.1	68	1	1	7	12	19	23	41
B. *Operated*	26	11.8	76	2	3	9	19	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	613	12.6	154	2	2	9	16	26	40	64
B. *Operated*	244	25.4	342	4	5	23	35	57	70	99+
1. SINGLE DX	106	9.8	71	1	1	8	13	20	29	39
2. MULTIPLE DX	857	16.2	241	2	3	11	22	38	52	82
A. NOT OPERATED	693	12.2	145	1	2	9	15	25	38	63
B. OPERATED	270	24.1	332	3	5	21	33	54	69	99+
TOTAL 65-69 YRS	232	14.3	246	1	2	9	18	35	43	74
70-74	246	13.3	158	2	2	10	17	27	37	66
75-79	178	17.1	267	2	3	12	23	46	59	92
80-84	173	16.7	237	2	3	12	23	43	53	95
85+	134	17.9	234	3	4	14	23	38	55	84
GRAND TOTAL	**963**	**15.5**	**226**	**2**	**3**	**11**	**21**	**36**	**49**	**80**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.7	6	<1	<1	4	5	6	6	6
70-74	3	19.0	61	10	10	23	24	24	24	24
75-79	2	10.5	13	8	8	10	13	13	13	13
80-84	4	4.5	7	2	2	4	6	8	8	8
85+	4	9.3	74	2	2	8	16	19	19	19
B. *Operated*										
65-69 YRS	7	1.7	1	<1	<1	2	2	3	3	3
70-74	3	3.0	3	2	2	2	4	5	5	5
75-79	6	3.8	10	1	1	3	5	9	9	9
80-84	1	13.0		13	13	13	13	13	13	13
85+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	13.2	206	2	3	8	18	29	52	99+
70-74	33	10.5	137	1	2	8	13	22	58	99+
75-79	58	12.3	157	3	3	8	17	22	46	60
80-84	42	10.7	153	1	2	6	10	28	37	61
85+	39	13.2	172	3	3	11	15	26	32	78
B. *Operated*										
65-69 YRS	32	10.8	275	1	1	5	12	43	74	99+
70-74	20	15.6	446	1	1	6	22	47	70	78
75-79	18	9.3	318	1	1	3	7	22	55	76
80-84	14	26.1	292	3	9	23	43	62	90	99+
85+	3	13.3	69	4	4	16	19	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	9.0	57	<1	2	7	13	23	24	24
B. *Operated*	19	3.3	10	<1	1	2	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	221	12.1	165	2	3	8	15	24	40	87
B. *Operated*	87	14.1	339	1	1	6	20	45	76	99+
1. SINGLE DX	35	5.9	39	<1	1	3	8	14	22	24
2. MULTIPLE DX	308	12.6	214	1	2	8	16	31	54	99+
A. NOT OPERATED	237	11.9	158	2	3	8	15	23	38	84
B. OPERATED	106	12.2	297	1	1	5	17	40	64	99+
TOTAL 65-69 YRS	91	11.1	216	1	2	6	14	27	51	99+
70-74	59	12.3	236	1	2	7	15	28	63	98
75-79	84	11.0	179	1	2	7	13	21	40	71
80-84	61	13.9	216	1	2	8	20	37	53	95
85+	48	12.4	153	2	3	10	16	21	30	78
GRAND TOTAL	**343**	**12.0**	**200**	**1**	**2**	**7**	**16**	**29**	**48**	**99+**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	33	6.0	36	<1	1	4	8	14	17	28
70-74	30	4.3	14	<1	<1	3	6	10	13	15
75-79	27	4.9	14	1	2	3	7	10	14	15
80-84	23	4.6	11	1	1	4	6	10	12	12
85+	25	8.4	73	2	3	5	9	21	32	34
B. *Operated*										
65-69 YRS	20	6.4	52	1	2	3	8	15	23	30
70-74	19	7.8	130	<1	1	6	8	13	35	52
75-79	6	8.0	24	<1	<1	8	12	14	14	14
80-84	8	5.6	47	1	1	3	6	17	22	22
85+	3	12.0	21	8	8	11	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	6.2	26	1	1	5	8	13	17	24
70-74	261	7.8	55	1	2	6	10	15	22	39
75-79	259	8.7	47	1	2	7	12	17	22	31
80-84	249	9.1	65	2	2	7	11	18	23	42
85+	326	9.4	75	1	2	7	12	18	24	42
B. *Operated*										
65-69 YRS	85	13.4	221	1	2	8	17	36	57	91
70-74	70	17.8	308	2	2	12	26	47	70	95
75-79	51	17.2	315	4	4	13	19	28	61	87
80-84	42	20.5	315	3	4	16	30	38	79	99+
85+	39	20.1	205	2	5	17	24	47	55	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	5.6	31	<1	1	4	7	12	15	31
B. *Operated*	56	7.2	71	<1	1	5	9	15	20	51
2. MULTIPLE DX										
A. *Not Operated*	1319	8.3	56	1	2	6	11	17	22	38
B. *Operated*	287	17.1	274	2	3	13	23	40	56	95
1. SINGLE DX	194	6.1	43	<1	1	4	8	13	16	33
2. MULTIPLE DX	1606	9.9	106	1	2	7	13	21	29	59
A. NOT OPERATED	1457	8.1	55	1	2	6	11	16	22	35
B. OPERATED	343	15.5	254	1	2	11	20	36	55	89
TOTAL 65-69 YRS	362	7.9	83	1	1	5	10	17	23	58
70-74	380	9.3	118	1	1	6	12	22	31	66
75-79	343	9.6	94	1	2	7	13	19	25	46
80-84	322	10.2	110	2	2	7	12	23	30	84
85+	393	10.4	97	1	2	8	14	22	27	54
GRAND TOTAL	**1800**	**9.5**	**101**	**1**	**2**	**7**	**12**	**20**	**27**	**56**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	5.3	36	1	1	4	7	9	12	41
70-74	40	4.4	10	1	1	4	7	10	10	11
75-79	44	7.1	44	1	1	5	9	16	22	32
80-84	37	5.9	15	1	1	5	8	11	14	17
85+	30	6.9	42	1	1	4	9	18	22	24
B. *Operated*										
65-69 YRS	3	4.3	10	2	2	3	7	8	8	8
70-74	4	5.5	18	1	1	5	8	11	11	11
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1199	7.2	46	1	2	5	9	15	20	31
70-74	1278	7.5	41	2	2	6	9	15	20	33
75-79	1199	7.9	48	1	2	6	10	15	20	36
80-84	1019	8.2	50	2	2	6	10	15	20	39
85+	923	8.7	58	2	3	7	11	17	22	40
B. *Operated*										
65-69 YRS	100	15.8	186	3	5	12	19	36	50	84
70-74	103	14.9	146	3	3	11	21	29	33	68
75-79	96	15.4	126	3	5	12	19	31	34	63
80-84	69	14.8	97	6	7	11	18	30	35	91
85+	60	17.6	155	4	7	14	21	36	44	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	5.9	30	1	1	4	8	11	16	28
B. *Operated*	8	5.1	11	1	1	5	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	5618	7.8	48	1	2	6	10	15	20	35
B. *Operated*	428	15.6	144	3	5	12	20	31	40	68
1. SINGLE DX	210	5.8	29	1	1	4	8	11	16	27
2. MULTIPLE DX	6046	8.4	59	1	2	6	10	17	22	40
A. NOT OPERATED	5820	7.8	48	1	2	6	10	15	20	35
B. OPERATED	436	15.4	143	3	5	12	20	31	40	68
TOTAL 65-69 YRS	1353	7.7	61	1	2	6	9	16	22	42
70-74	1425	7.9	51	2	2	6	10	16	21	35
75-79	1339	8.4	57	1	2	6	11	16	22	36
80-84	1126	8.5	55	2	2	7	10	16	21	41
85+	1013	9.1	68	2	3	7	11	18	23	46
GRAND TOTAL	**6256**	**8.3**	**58**	**1**	**2**	**6**	**10**	**16**	**22**	**40**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	2.4	7	1	1	1	3	5	9	13
70-74	36	2.5	9	1	1	2	3	5	7	18
75-79	21	2.3	4	<1	1	2	3	4	7	10
80-84	15	2.3	3	1	1	2	3	4	6	7
85+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	21.0		21	21	21	21	21	21	21
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	232	4.1	22	<1	1	3	5	10	12	25
70-74	193	5.5	81	<1	1	3	6	11	16	46
75-79	145	6.0	100	1	1	3	7	13	20	51
80-84	82	6.9	69	<1	1	4	9	16	22	47
85+	85	9.1	235	1	1	4	9	20	36	86
B. *Operated*										
65-69 YRS	16	9.5	57	2	3	8	11	16	29	34
70-74	22	14.7	164	2	3	11	19	35	44	49
75-79	9	13.1	143	4	4	7	22	33	35	35
80-84	9	21.8	256	1	2	24	38	73	99+	99+
85+	5	23.8	588	3	3	16	38	63	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	2.4	7	1	1	2	3	4	8	14
B. *Operated*	2	13.5	113	6	6	13	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	737	5.7	84	<1	1	3	7	12	18	49
B. *Operated*	61	14.9	186	2	3	9	19	36	48	96
1. SINGLE DX	127	2.6	9	1	1	2	3	5	9	19
2. MULTIPLE DX	798	6.4	98	<1	1	3	7	15	23	52
A. NOT OPERATED	862	5.3	74	<1	1	3	6	11	17	48
B. OPERATED	63	14.8	182	2	3	9	20	35	48	95
TOTAL 65-69 YRS	299	4.1	23	<1	1	2	5	10	12	28
70-74	252	5.9	86	1	1	3	7	13	19	49
75-79	175	5.9	94	1	1	3	6	13	21	45
80-84	106	7.5	95	1	1	4	9	20	31	74
85+	93	9.7	253	1	1	4	9	26	46	85
GRAND TOTAL	**925**	**5.9**	**87**	**<1**	**1**	**3**	**7**	**13**	**21**	**49**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	116	3.4	10	<1	1	3	4	7	9	18
70-74	80	3.8	16	1	1	3	5	8	12	23
75-79	76	4.0	11	1	1	3	5	8	10	18
80-84	36	3.3	5	<1	1	3	5	7	8	8
85+	29	5.1	14	2	2	4	8	11	11	16
B. *Operated*										
65-69 YRS	6	10.5	57	<1	<1	11	15	20	21	21
70-74	3	3.7	4	2	2	3	5	6	6	6
75-79	5	9.8	107	2	2	7	15	27	27	27
80-84										
85+	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	916	6.4	41	1	2	5	8	13	19	30
70-74	955	6.7	26	1	2	6	9	13	17	27
75-79	886	7.7	39	1	2	6	10	15	19	33
80-84	751	8.0	47	1	2	6	10	16	21	33
85+	590	8.9	61	2	3	7	11	17	24	37
B. *Operated*										
65-69 YRS	132	14.3	204	2	3	9	17	31	39	76
70-74	121	16.1	229	3	5	11	21	31	48	90
75-79	113	16.7	239	2	4	12	22	36	55	99+
80-84	68	16.1	127	5	5	13	23	38	58	99+
85+	69	19.2	272	3	6	14	24	48	62	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	3.8	12	1	1	3	5	8	10	19
B. *Operated*	17	7.9	56	1	2	6	11	20	25	27
2. MULTIPLE DX										
A. *Not Operated*	4098	7.4	42	1	2	6	9	15	19	32
B. *Operated*	503	16.2	217	3	4	11	21	35	53	99+
1. SINGLE DX	354	4.0	14	1	1	3	5	8	11	21
2. MULTIPLE DX	4601	8.3	68	1	2	6	10	17	24	48
A. NOT OPERATED	4435	7.1	40	1	2	6	9	14	19	31
B. OPERATED	520	15.9	214	2	4	11	21	35	53	99+
TOTAL 65-69 YRS	1170	7.0	64	1	1	5	8	15	21	38
70-74	1159	7.5	55	1	2	6	9	15	20	35
75-79	1080	8.3	67	1	2	6	10	17	24	52
80-84	855	8.4	57	1	2	7	10	17	24	44
85+	691	9.8	90	2	3	7	12	19	27	61
GRAND TOTAL	**4955**	**8.0**	**66**	**1**	**2**	**6**	**10**	**16**	**23**	**44**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	76	6.6	31	1	1	5	9	16	20	23
70-74	72	7.1	62	<1	1	4	9	19	28	33
75-79	69	8.1	76	1	1	5	10	21	31	39
80-84	65	6.5	43	1	1	4	8	13	23	31
85+	55	7.2	56	<1	1	5	8	15	19	40
B. *Operated*										
65-69 YRS	866	9.8	94	1	2	7	14	21	28	49
70-74	825	9.3	94	1	2	6	13	20	26	48
75-79	757	9.3	90	1	2	6	13	21	27	43
80-84	532	9.9	127	1	2	6	13	23	32	52
85+	410	8.8	73	1	2	6	13	20	25	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	296	8.5	74	1	2	6	11	19	28	40
70-74	312	9.1	89	1	2	6	11	18	27	44
75-79	302	8.6	85	1	2	6	10	16	24	47
80-84	226	10.1	146	1	2	7	13	20	28	70
85+	228	8.9	102	1	1	6	11	21	29	68
B. *Operated*										
65-69 YRS	2699	12.3	165	2	2	8	16	28	38	73
70-74	2558	12.8	174	1	2	9	17	29	39	83
75-79	2242	13.2	184	2	2	9	18	30	43	75
80-84	1419	12.7	163	2	2	9	17	30	39	76
85+	1162	12.2	141	2	2	8	16	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	7.1	53	1	1	5	8	16	23	34
B. *Operated*	3390	9.4	96	1	2	6	13	21	27	48
2. MULTIPLE DX										
A. *Not Operated*	1364	9.0	96	1	2	6	11	19	28	49
B. *Operated*	10080	12.7	169	2	2	9	17	29	39	76
1. SINGLE DX	3727	9.2	92	1	2	6	13	21	27	47
2. MULTIPLE DX	11444	12.2	161	2	2	8	16	28	38	73
A. NOT OPERATED	1701	8.6	88	1	2	6	11	18	27	44
B. OPERATED	13470	11.9	152	2	2	8	16	27	36	69
TOTAL 65-69 YRS	3937	11.3	142	1	2	8	15	26	35	62
70-74	3767	11.6	151	1	2	8	16	26	36	77
75-79	3370	11.8	156	1	2	8	16	27	37	65
80-84	2242	11.6	152	2	2	7	15	27	36	66
85+	1855	10.9	122	2	2	7	15	25	33	59
GRAND TOTAL	**15171**	**11.5**	**146**	**1**	**2**	**8**	**15**	**26**	**36**	**66**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	231	3.9	5	1	1	4	5	7	8	10
70-74	219	4.0	8	1	1	4	5	7	8	16
75-79	142	4.2	11	1	2	4	5	7	9	16
80-84	76	4.7	13	1	2	4	5	10	14	18
85+	49	3.7	4	1	2	3	5	7	7	9
B. *Operated*										
65-69 YRS	80	4.3	10	1	1	4	5	9	11	15
70-74	87	5.6	23	1	1	4	8	13	15	23
75-79	44	7.1	40	2	2	5	7	14	27	28
80-84	28	6.3	22	2	2	5	9	11	14	24
85+	16	4.1	6	1	1	3	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	325	4.9	20	1	2	4	6	8	10	22
70-74	300	4.9	14	1	1	4	6	9	11	21
75-79	222	5.0	12	1	2	4	6	9	11	19
80-84	155	5.3	13	1	2	5	7	9	12	20
85+	101	5.8	21	1	2	5	7	12	16	22
B. *Operated*										
65-69 YRS	189	7.9	50	1	2	6	10	18	22	36
70-74	151	7.3	50	1	2	5	9	15	18	42
75-79	132	8.3	61	1	2	6	10	17	23	47
80-84	75	9.3	94	1	2	6	12	19	28	54
85+	51	8.5	43	1	2	7	11	19	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	4.1	8	1	1	4	5	7	8	15
B. *Operated*	255	5.4	22	1	1	4	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	1103	5.0	16	1	2	4	6	9	12	21
B. *Operated*	598	8.1	57	1	2	6	10	17	22	42
1. SINGLE DX	972	4.4	12	1	1	4	5	8	10	18
2. MULTIPLE DX	1701	6.1	33	1	2	5	7	12	17	28
A. NOT OPERATED	1820	4.7	13	1	1	4	6	8	10	19
B. OPERATED	853	7.3	48	1	2	5	9	15	20	37
TOTAL 65-69 YRS	825	5.2	24	1	1	4	6	9	14	25
70-74	757	5.2	22	1	1	4	6	10	14	23
75-79	540	5.8	29	1	2	4	7	11	15	27
80-84	334	6.2	34	2	2	5	7	12	17	28
85+	217	5.9	24	1	2	4	7	12	17	23
GRAND TOTAL	**2673**	**5.5**	**26**	**1**	**2**	**4**	**7**	**10**	**15**	**25**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	113669	6.5	42	1	2	4	9	14	18	31
70-74	97427	6.7	44	1	2	4	9	15	19	32
75-79	73882	7.0	53	1	2	4	9	16	21	35
80-84	45126	7.5	63	1	2	5	10	17	22	39
85+	30857	8.3	73	2	2	5	11	19	24	42
2. MULTIPLE DX										
65-69 YRS	341737	10.7	105	2	2	8	14	22	30	57
70-74	333526	11.4	114	2	3	8	14	23	32	60
75-79	285830	12.1	125	2	3	9	15	25	34	63
80-84	203521	12.8	134	2	3	10	16	26	36	69
85+	165880	13.6	142	2	3	10	17	28	37	75
TOT. SINGLE DX	360961	7.0	51	1	2	5	9	15	20	35
" MULTIPLE DX	1330494	11.9	121	2	3	9	15	24	33	63
TOTAL 65-69 YRS	455406	9.7	92	2	2	7	12	20	27	52
70-74	430953	10.3	102	2	2	7	13	21	29	55
75-79	359712	11.1	114	2	2	8	14	23	31	59
80-84	248647	11.9	126	2	2	9	15	25	34	65
85+	196737	12.7	135	2	3	10	16	26	36	71
GRAND TOTAL	**1691455**	**10.8**	**110**	**2**	**2**	**8**	**14**	**23**	**31**	**58**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	9.2	67	2	3	7	10	22	24	45
70-74	91	9.2	35	2	2	8	12	18	20	30
75-79	57	9.3	64	3	3	7	10	18	27	45
80-84	35	9.3	37	3	4	7	11	17	20	32
85+	22	9.9	70	2	3	7	11	18	28	41
B. *Operated*										
65-69 YRS	95	11.1	119	1	2	8	14	21	40	54
70-74	66	11.6	115	1	2	9	16	27	36	46
75-79	52	13.0	96	3	3	10	19	27	35	46
80-84	21	10.3	85	2	3	8	12	20	32	42
85+	20	11.9	130	2	3	8	14	30	38	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	294	10.8	72	2	4	8	13	22	27	45
70-74	258	10.7	58	3	4	9	14	19	25	44
75-79	159	12.1	78	3	4	10	15	21	30	48
80-84	112	12.7	101	4	5	10	15	27	35	79
85+	78	14.0	226	2	3	10	17	25	38	91
B. *Operated*										
65-69 YRS	364	16.2	226	2	3	11	22	35	50	92
70-74	266	17.5	192	3	4	14	23	37	51	78
75-79	181	15.9	162	3	5	13	21	34	42	71
80-84	88	19.4	181	3	5	16	28	45	50	99+
85+	65	21.8	454	4	5	15	26	56	88	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	9.3	52	2	3	8	11	18	23	37
B. *Operated*	254	11.6	110	2	2	9	15	25	36	49
2. MULTIPLE DX										
A. *Not Operated*	901	11.5	87	3	4	9	14	22	28	49
B. *Operated*	964	17.2	217	3	4	13	23	37	51	93
1. SINGLE DX	549	10.4	80	2	3	8	12	21	30	46
2. MULTIPLE DX	1865	14.4	162	3	4	11	18	30	41	80
A. NOT OPERATED	1196	11.0	79	3	4	9	14	21	28	48
B. OPERATED	1218	16.0	200	2	4	12	21	35	48	88
TOTAL 65-69 YRS	843	13.0	151	2	3	9	16	28	38	69
70-74	681	13.3	124	2	4	10	16	28	37	61
75-79	449	13.4	117	3	4	10	17	27	38	59
80-84	256	14.4	132	3	4	11	19	31	42	97
85+	185	16.0	294	2	3	11	18	30	54	94
GRAND TOTAL	**2414**	**13.5**	**146**	**2**	**4**	**10**	**17**	**29**	**38**	**70**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	103	5.1	15	<1	1	4	6	10	13	19
70-74	62	6.2	32	1	1	5	7	11	22	26
75-79	53	7.5	42	1	2	6	11	14	16	40
80-84	30	5.1	11	1	1	4	7	10	12	14
85+	12	6.3	23	1	2	6	9	12	17	18
B. *Operated*										
65-69 YRS	204	6.8	66	1	1	4	8	16	22	35
70-74	158	7.2	52	<1	1	4	11	17	22	31
75-79	116	8.5	114	<1	1	4	11	20	32	52
80-84	64	5.9	45	1	1	3	7	14	20	36
85+	40	8.2	88	<1	1	4	12	19	31	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	385	9.3	79	1	2	7	12	18	24	52
70-74	345	7.9	62	1	2	6	10	16	20	49
75-79	273	8.5	60	1	2	7	11	18	26	40
80-84	162	11.5	136	1	2	8	15	27	33	71
85+	96	8.9	43	2	2	7	12	18	22	31
B. *Operated*										
65-69 YRS	734	13.7	219	2	2	9	17	33	48	88
70-74	615	13.9	211	2	2	9	18	34	47	86
75-79	413	12.6	156	1	2	9	16	29	34	65
80-84	290	13.0	167	1	2	9	19	32	42	80
85+	166	11.3	152	1	2	7	15	25	37	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	5.9	25	1	1	5	8	12	15	24
B. *Operated*	582	7.3	71	<1	1	4	10	17	25	40
2. MULTIPLE DX										
A. *Not Operated*	1261	9.0	76	1	2	7	11	18	25	50
B. *Operated*	2218	13.3	193	1	2	9	18	31	43	87
1. SINGLE DX	842	6.8	57	1	1	4	9	16	21	37
2. MULTIPLE DX	3479	11.7	155	1	2	8	15	27	38	74
A. NOT OPERATED	1521	8.5	69	1	2	6	11	17	23	47
B. OPERATED	2800	12.0	174	1	2	8	16	29	40	80
TOTAL 65-69 YRS	1426	10.9	154	1	2	7	14	24	36	76
70-74	1180	10.9	147	1	2	7	14	25	37	63
75-79	855	10.4	117	1	2	7	14	24	32	50
80-84	546	11.3	142	1	2	7	15	27	37	69
85+	314	10.0	107	1	2	7	13	21	28	60
GRAND TOTAL	**4321**	**10.8**	**140**	**1**	**2**	**7**	**14**	**24**	**35**	**66**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	5.2	32	1	1	3	6	15	19	19
70-74	6	3.3	7	1	1	3	4	8	8	8
75-79	3	5.3	9	2	2	6	7	8	8	8
80-84	2	8.0	18	5	5	8	11	11	11	11
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	2	7.0	50	2	2	7	12	12	12	12
80-84										
85+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	5.7	49	1	1	3	8	14	22	33
70-74	43	5.4	49	1	1	3	6	11	24	31
75-79	33	6.9	50	1	1	4	12	17	24	27
80-84	21	4.4	16	1	1	3	5	11	13	15
85+	23	3.8	8	<1	1	3	6	7	9	12
B. *Operated*										
65-69 YRS	19	19.1	344	4	6	14	18	53	68	71
70-74	12	13.3	319	1	1	7	17	34	61	66
75-79	11	8.1	58	1	1	6	11	20	26	27
80-84	3	19.7	2	18	18	20	21	21	21	21
85+	4	13.3	144	3	3	11	23	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.9	18	1	1	3	7	9	15	19
B. *Operated*	7	6.4	45	1	1	3	10	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	158	5.4	39	1	1	3	6	13	18	31
B. *Operated*	49	14.8	243	1	2	11	18	28	64	71
1. SINGLE DX	28	5.3	24	1	1	3	7	12	19	19
2. MULTIPLE DX	207	7.6	102	1	1	4	9	18	27	65
A. NOT OPERATED	179	5.4	36	1	1	3	6	13	18	31
B. OPERATED	56	13.7	225	1	2	10	18	26	56	71
TOTAL 65-69 YRS	68	9.3	162	1	1	5	13	19	33	70
70-74	63	6.7	101	1	1	3	7	18	24	61
75-79	49	7.1	47	1	1	4	11	16	25	27
80-84	26	6.5	38	1	1	4	11	18	20	21
85+	29	5.6	39	1	1	3	6	16	19	28
GRAND TOTAL	**235**	**7.3**	**93**	**1**	**1**	**4**	**9**	**18**	**24**	**64**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	3.5	4	<1	<1	3	5	6	6	6
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85+	6	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	2.8	6	<1	<1	2	4	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+	3	1.7		1	1	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	16	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	9	2.2	4	<1	<1	2	2	5	7	7
1. SINGLE DX	16	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX	9	2.2	4	<1	<1	2	2	5	7	7
A. NOT OPERATED										
B. OPERATED	25	2.3	3	<1	<1	2	3	5	6	7
TOTAL 65-69 YRS	9	3.1	5	<1	<1	3	4	7	7	7
70-74	4	1.8	1	1	1	2	2	3	3	3
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85+	9	1.4		<1	<1	1	2	2	2	2
GRAND TOTAL	**25**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.0	9	<1	<1	2	3	8	9	9
70-74	3	2.7	2	1	1	3	4	4	4	4
75-79										
80-84	4	3.0	3	1	1	3	4	5	5	5
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	379	3.9	17	1	1	3	4	7	10	22
70-74	324	4.1	28	<1	1	3	5	7	11	32
75-79	190	5.1	23	1	1	3	6	10	15	26
80-84	125	5.5	24	1	2	4	7	12	15	27
85+	105	6.6	52	1	2	4	8	15	18	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	3.8	39	<1	<1	1	5	15	15	15
70-74	9	9.3	193	1	1	4	24	70	99+	99+
75-79	4	3.0	11	1	1	2	5	8	8	8
80-84	7	6.7	35	1	1	5	9	16	18	18
85+	5	17.0	165	2	2	25	26	28	28	28
B. *Operated*										
65-69 YRS	183	6.9	51	1	2	4	8	15	21	37
70-74	170	8.8	96	2	2	6	9	18	34	51
75-79	162	10.5	112	2	2	7	13	22	35	53
80-84	111	10.1	78	2	3	7	13	23	29	46
85+	94	12.1	95	2	3	9	16	26	33	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.0	5	<1	<1	3	4	5	8	9
B. *Operated*	1123	4.6	26	1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	30	8.2	111	1	1	4	14	27	40	99+
B. *Operated*	720	9.3	88	2	2	6	12	20	30	48
1. SINGLE DX	1137	4.6	26	1	1	3	5	9	13	25
2. MULTIPLE DX	750	9.3	89	2	2	6	12	21	30	49
A. NOT OPERATED	44	6.6	82	<1	1	3	7	25	31	99+
B. OPERATED	1843	6.4	55	1	2	4	7	14	20	40
TOTAL 65-69 YRS	573	4.8	30	1	1	3	5	10	15	33
70-74	506	5.8	58	1	1	3	6	12	18	50
75-79	356	7.5	71	1	2	4	9	16	22	51
80-84	247	7.6	54	1	2	5	9	16	23	35
85+	205	9.4	82	2	2	6	13	22	28	45
GRAND TOTAL	**1887**	**6.4**	**56**	**1**	**2**	**4**	**7**	**14**	**20**	**41**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.0		<1	<1	1	1	1	1	1
70-74	4	1.8		<1	<1	2	2	2	2	2
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	10	1.1		<1	<1	<1	<1	1	2	2
70-74	7	2.4	14	<1	<1	<1	<1	9	11	11
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	253	1.8	1	1	1	2	2	3	3	7
70-74	160	1.8	2	1	1	2	2	2	4	9
75-79	115	2.2	2	1	1	2	2	3	4	11
80-84	67	1.7	4	1	1	1	2	3	3	15
85+	18	1.7	4	1	1	1	2	2	6	9
B. *Operated*										
65-69 YRS	45	3.8	35	<1	<1	<1	4	9	13	34
70-74	36	4.7	37	<1	<1	3	5	12	17	31
75-79	11	4.9	12	<1	1	4	7	10	12	12
80-84	3	4.7	9	2	2	4	7	8	8	8
85+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.5		<1	<1	1	2	2	2	2
B. *Operated*	18	1.6	6	<1	<1	<1	<1	2	7	11
2. MULTIPLE DX										
A. *Not Operated*	613	1.9	2	1	1	2	2	3	3	9
B. *Operated*	96	4.3	32	<1	<1	2	5	9	16	33
1. SINGLE DX	26	1.6	4	<1	<1	<1	1	2	4	11
2. MULTIPLE DX	709	2.2	7	<1	1	2	2	3	5	13
A. NOT OPERATED	621	1.9	2	1	1	2	2	3	3	9
B. OPERATED	114	3.9	29	<1	<1	2	4	9	13	32
TOTAL 65-69 YRS	311	2.1	7	<1	<1	2	2	3	4	11
70-74	207	2.3	9	<1	1	2	2	4	7	17
75-79	126	2.4	3	1	1	2	2	4	6	12
80-84	72	1.8	5	1	1	1	2	3	4	14
85+	19	1.7	3	1	1	1	2	3	6	9
GRAND TOTAL	**735**	**2.2**	**7**	**<1**	**1**	**2**	**2**	**3**	**5**	**12**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1141	3.1	17	<1	<1	2	4	6	9	23
70-74	897	3.5	26	<1	<1	2	4	7	11	28
75-79	536	5.7	120	<1	<1	2	5	13	27	79
80-84	325	6.5	138	<1	<1	3	7	17	38	99+
85+	250	8.1	220	<1	<1	3	8	22	64	99+
B. *Operated*										
65-69 YRS	1137	4.5	27	1	1	2	6	11	14	25
70-74	932	4.3	19	1	1	2	6	11	13	19
75-79	702	4.3	23	1	1	2	5	11	13	20
80-84	349	4.5	26	1	1	2	6	11	14	28
85+	206	5.0	57	<1	1	2	6	12	17	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8674	4.9	49	1	1	3	5	9	16	39
70-74	6659	5.4	64	1	1	3	5	12	20	45
75-79	3977	6.5	79	1	1	4	7	14	24	49
80-84	1826	8.2	105	1	1	5	10	20	30	59
85+	1080	11.0	192	1	2	6	14	28	45	99+
B. *Operated*										
65-69 YRS	3685	7.0	88	1	1	3	9	15	24	55
70-74	3126	7.4	102	1	1	3	10	17	25	60
75-79	2096	7.5	109	1	1	3	9	17	25	59
80-84	1120	8.1	116	1	1	4	10	18	27	56
85+	619	8.0	107	1	1	4	11	19	28	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3149	4.4	68	<1	<1	2	4	9	16	68
B. *Operated*	3326	4.4	26	1	1	2	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	22216	5.9	73	1	1	3	6	13	21	49
B. *Operated*	10646	7.4	100	1	1	4	9	17	25	58
1. SINGLE DX	6475	4.4	46	<1	<1	2	5	10	14	42
2. MULTIPLE DX	32862	6.4	82	1	1	3	7	15	23	52
A. NOT OPERATED	25365	5.7	72	1	1	3	6	13	21	50
B. OPERATED	13972	6.7	84	1	1	3	9	15	22	53
TOTAL 65-69 YRS	14637	5.2	56	1	1	3	6	11	17	44
70-74	11614	5.7	69	1	1	3	6	13	20	48
75-79	7311	6.5	86	1	1	3	7	15	23	52
80-84	3620	7.7	105	1	1	4	9	18	28	62
85+	2155	9.3	162	1	1	5	11	22	39	99+
GRAND TOTAL	**39337**	**6.1**	**77**	**1**	**1**	**3**	**7**	**14**	**21**	**51**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	260	18.1	147	5	8	15	22	33	40	71
70-74	186	17.4	161	4	6	14	21	35	44	65
75-79	115	20.6	219	5	7	17	27	40	53	86
80-84	61	17.5	155	6	7	15	21	29	39	70
85+	46	15.5	89	5	7	12	20	32	36	38
2. MULTIPLE DX										
65-69 YRS	577	28.6	348	8	10	24	40	60	77	99+
70-74	432	29.5	361	8	10	25	38	62	77	99+
75-79	327	29.0	349	8	10	25	41	67	83	99+
80-84	183	27.9	334	8	9	23	37	55	66	96
85+	109	27.4	264	10	12	23	38	56	73	99+
TOT. SINGLE DX	668	18.1	161	5	7	14	22	35	41	70
" MULTIPLE DX	1628	28.8	345	8	10	25	39	61	77	99+
TOTAL 65-69 YRS	837	25.4	309	7	9	20	34	56	71	99+
70-74	618	25.9	332	6	8	21	35	55	70	99+
75-79	442	26.8	329	7	9	23	37	59	79	99+
80-84	244	25.3	309	7	8	20	33	52	65	93
85+	155	23.9	241	7	9	19	33	50	66	99+
GRAND TOTAL	2296	25.7	315	7	9	21	35	55	71	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	113	16.7	150	5	6	14	20	35	50	74
70-74	91	16.0	80	6	7	14	21	29	36	40
75-79	75	17.8	162	6	7	14	22	35	44	62
80-84	31	21.2	352	3	5	15	34	55	70	99+
85+	30	17.4	97	6	9	15	21	34	37	46
2. MULTIPLE DX										
65-69 YRS	249	26.3	361	6	8	21	35	53	64	98
70-74	191	27.2	351	7	8	22	39	58	69	98
75-79	211	26.1	308	7	9	22	33	52	68	98
80-84	130	25.2	288	8	9	21	33	46	65	92
85+	88	26.6	291	8	11	22	36	55	78	99+
TOT. SINGLE DX	340	17.2	148	5	6	14	21	35	45	64
" MULTIPLE DX	869	26.3	327	7	9	22	35	53	68	99+
TOTAL 65-69 YRS	362	23.3	315	5	7	18	31	50	60	98
70-74	282	23.6	290	7	8	19	30	49	64	89
75-79	286	23.9	283	7	8	19	31	49	63	92
80-84	161	24.5	301	6	8	20	33	48	66	98
85+	118	24.3	257	8	10	20	33	48	68	99+
GRAND TOTAL	1209	23.8	293	6	8	19	31	49	63	98

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	14	6.8	17	2	3	5	9	14	15	15
70-74	10	9.7	46	2	2	9	12	19	26	26
75-79	4	10.0	11	5	5	11	12	12	12	12
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	25	14.4	202	4	6	9	17	54	66	99+
70-74	11	27.7	505	3	6	16	42	60	76	77
75-79	7	23.6	508	6	6	9	42	59	62	62
80-84	5	17.2	225	3	3	12	27	41	41	41
85+	3	17.7	30	12	12	18	22	23	23	23
TOT. SINGLE DX	28	8.3	28	2	3	8	12	14	16	26
" MULTIPLE DX	51	19.0	309	3	6	12	24	51	62	99+
TOTAL 65-69 YRS	39	11.7	148	3	3	8	13	25	57	99+
70-74	21	19.1	359	2	3	12	27	46	62	77
75-79	11	18.6	355	5	6	11	20	54	61	62
80-84	5	17.2	226	3	3	12	27	41	41	41
85+	3	17.7	30	12	12	18	22	23	23	23
GRAND TOTAL	79	15.2	234	3	3	10	16	42	57	93

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	45	18.9	196	6	7	16	23	34	46	78
70-74	45	15.7	89	5	8	12	19	28	37	44
75-79	35	20.7	230	5	6	16	28	47	51	69
80-84	16	22.1	177	7	8	23	27	42	51	54
85+	4	13.0	36	8	8	12	18	20	20	20
2. MULTIPLE DX										
65-69 YRS	115	29.3	430	7	10	24	42	70	93	99+
70-74	142	29.3	319	8	11	26	39	58	70	99+
75-79	124	31.0	301	9	13	28	43	62	99	99+
80-84	57	31.2	310	8	11	29	43	56	63	79
85+	18	30.0	131	14	16	28	35	40	55	65
TOT. SINGLE DX	145	18.5	167	6	7	15	24	34	45	69
" MULTIPLE DX	456	30.0	333	8	11	26	41	61	85	99+
TOTAL 65-69 YRS	160	26.4	385	7	8	21	36	66	82	99+
70-74	187	26.0	298	7	8	23	35	50	67	99+
75-79	159	28.8	303	7	10	26	41	56	95	99+
80-84	73	29.2	293	8	9	26	40	53	60	78
85+	22	26.9	157	8	12	26	33	39	50	65
GRAND TOTAL	601	27.2	317	7	9	24	38	56	72	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	9.5	53	1	2	8	10	23	26	27
70-74	25	11.4	97	1	1	8	15	27	30	39
75-79	12	20.9	772	2	3	8	30	56	93	99
80-84	5	20.0	90	12	12	16	25	36	36	36
85+	2	10.5	113	3	3	10	18	18	18	18
2. MULTIPLE DX										
65-69 YRS	107	24.5	396	3	5	18	31	61	69	96
70-74	72	23.2	332	3	6	18	30	46	62	86
75-79	52	26.0	368	4	6	23	30	50	68	99
80-84	23	26.0	376	7	8	21	40	59	87	99+
85+	18	27.3	324	6	8	27	31	54	64	70
TOT. SINGLE DX	63	13.3	219	1	2	9	17	27	38	91
" MULTIPLE DX	272	24.8	364	4	7	19	31	55	68	98
TOTAL 65-69 YRS	126	22.2	373	3	4	16	28	59	68	95
70-74	97	20.2	297	2	3	15	26	42	58	84
75-79	64	25.1	437	3	4	21	30	49	72	99
80-84	28	24.9	325	7	8	20	35	56	83	99+
85+	20	25.7	323	4	6	23	30	52	63	70
GRAND TOTAL	**335**	**22.6**	**356**	**3**	**4**	**17**	**29**	**50**	**67**	**99**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	402	14.1	65	6	7	12	17	24	31	44
70-74	236	15.1	81	6	7	13	18	27	33	48
75-79	158	17.0	139	6	8	13	20	29	39	71
80-84	55	17.1	56	9	10	14	21	29	32	38
85+	17	22.2	171	10	10	16	33	44	46	46
2. MULTIPLE DX										
65-69 YRS	813	19.1	169	6	8	16	24	36	48	87
70-74	679	21.3	202	7	8	17	27	41	56	87
75-79	434	26.0	322	9	10	21	34	50	68	98
80-84	146	27.5	352	8	10	23	35	63	77	99+
85+	48	29.1	353	9	12	21	40	53	61	96
TOT. SINGLE DX	868	15.3	87	6	7	12	19	27	34	49
" MULTIPLE DX	2120	22.0	238	7	8	17	28	43	58	97
TOTAL 65-69 YRS	1215	17.5	141	6	7	14	22	33	41	76
70-74	915	19.7	179	7	8	16	25	38	51	79
75-79	592	23.6	289	8	9	18	30	46	61	97
80-84	201	24.6	292	9	10	20	32	50	75	99+
85+	65	27.3	312	9	10	20	38	52	59	93
GRAND TOTAL	**2988**	**20.1**	**203**	**7**	**8**	**16**	**25**	**39**	**52**	**91**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	65	13.5	168	2	2	12	16	24	34	75
70-74	26	15.8	114	2	5	13	20	33	38	45
75-79	24	14.4	257	1	1	11	21	32	54	68
80-84	10	17.9	106	3	3	18	28	29	30	30
85+	4	10.3	80	4	4	7	16	23	23	23
2. MULTIPLE DX										
65-69 YRS	190	22.3	394	3	4	17	30	52	63	99+
70-74	129	20.6	290	2	4	16	27	43	56	81
75-79	60	22.9	358	3	5	18	34	55	73	99+
80-84	48	28.4	279	4	7	29	38	53	74	99+
85+	16	19.4	80	4	10	19	24	32	35	37
TOT. SINGLE DX	129	14.4	164	2	2	12	19	28	36	70
" MULTIPLE DX	443	22.5	338	3	4	17	31	51	62	99+
TOTAL 65-69 YRS	255	20.1	351	2	3	14	26	48	61	98
70-74	155	19.8	264	2	5	15	26	42	51	78
75-79	84	20.5	341	2	2	14	28	52	66	99+
80-84	58	26.6	263	3	5	26	35	49	67	98
85+	20	17.6	90	3	4	18	23	31	34	37
GRAND TOTAL	**572**	**20.6**	**310**	**2**	**4**	**16**	**28**	**46**	**60**	**97**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	331	3.3	9	<1	1	3	3	5	8	19
70-74	226	4.1	24	<1	1	3	4	8	11	29
75-79	123	4.4	17	1	1	3	5	9	12	21
80-84	61	5.6	17	2	2	4	7	12	15	20
85+	39	3.8	8	1	1	3	6	9	10	12
2. MULTIPLE DX										
65-69 YRS	265	6.5	46	2	2	4	8	17	22	44
70-74	196	8.1	106	1	2	4	9	20	28	70
75-79	111	8.5	74	1	2	5	11	24	31	63
80-84	43	10.8	150	2	2	5	14	28	41	51
85+	19	10.7	76	2	3	9	13	26	31	33
TOT. SINGLE DX	780	3.9	16	1	1	3	4	8	11	20
" MULTIPLE DX	634	7.8	79	1	2	4	9	20	28	53
TOTAL 65-69 YRS	596	4.7	29	1	2	3	5	12	17	32
70-74	422	5.9	66	1	1	3	6	12	21	50
75-79	234	6.3	49	1	2	4	8	15	24	36
80-84	104	7.8	79	2	2	5	8	18	26	48
85+	58	6.1	40	1	1	4	8	12	21	33
GRAND TOTAL	**1414**	**5.6**	**48**	**1**	**2**	**3**	**6**	**13**	**20**	**39**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1155	2.6	4	<1	1	2	3	4	6	11
70-74	865	2.7	6	<1	1	2	3	4	6	13
75-79	607	2.8	7	1	1	2	3	5	6	13
80-84	335	2.8	5	1	1	2	3	4	6	12
85+	166	2.7	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
65-69 YRS	913	5.2	45	1	1	3	5	11	16	33
70-74	806	5.5	47	1	1	3	6	12	16	39
75-79	567	5.2	30	1	2	3	6	13	17	25
80-84	309	6.6	67	1	2	4	8	15	25	44
85+	161	7.2	76	1	2	4	9	17	23	52
TOT. SINGLE DX	3128	2.7	6	<1	1	2	3	4	6	12
" MULTIPLE DX	2756	5.5	48	1	1	3	6	12	18	33
TOTAL 65-69 YRS	2068	3.7	24	1	1	2	4	8	11	26
70-74	1671	4.0	28	1	1	2	4	9	13	26
75-79	1174	4.0	20	1	1	2	4	9	13	23
80-84	644	4.6	39	1	1	3	4	10	15	32
85+	327	4.9	44	1	1	3	5	11	17	31
GRAND TOTAL	**5884**	**4.0**	**27**	**1**	**1**	**2**	**4**	**8**	**13**	**27**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	61	11.5	46	4	5	10	14	21	23	41
70-74	47	11.3	41	4	5	9	13	21	29	30
75-79	36	11.4	25	5	6	11	14	17	22	24
80-84	22	13.5	30	4	6	13	16	21	22	23
85+	14	19.0	203	2	6	15	22	38	54	58
2. MULTIPLE DX										
65-69 YRS	260	17.5	158	5	7	15	21	33	45	99
70-74	287	18.4	191	5	7	15	23	35	50	96
75-79	219	18.8	177	7	8	15	22	32	43	83
80-84	133	22.7	275	7	8	18	27	43	50	87
85+	65	23.5	215	6	8	21	28	51	56	96
TOT. SINGLE DX	180	12.2	54	4	5	10	15	21	24	41
" MULTIPLE DX	964	19.2	196	6	7	15	23	36	49	91
TOTAL 65-69 YRS	321	16.3	142	5	6	13	20	32	41	93
70-74	334	17.4	176	5	6	14	21	33	45	92
75-79	255	17.8	163	6	8	14	21	30	40	80
80-84	155	21.4	251	7	8	16	25	41	49	85
85+	79	22.7	213	6	8	20	27	49	56	93
GRAND TOTAL	**1144**	**18.1**	**180**	**5**	**7**	**14**	**22**	**34**	**46**	**90**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	6.1	25	1	2	5	8	10	15	26
70-74	21	6.6	21	1	1	6	10	12	15	18
75-79	13	5.6	12	<1	1	5	8	11	13	13
80-84	3	9.3	4	7	7	10	11	11	11	11
85+	4	4.5	8	1	1	4	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	74	13.6	120	2	3	11	17	28	35	54
70-74	61	14.4	85	2	3	12	19	28	30	49
75-79	44	12.2	89	1	1	9	21	24	27	38
80-84	21	13.7	177	1	2	8	18	33	44	50
85+	14	11.3	69	2	3	9	18	24	25	26
TOT. SINGLE DX	65	6.2	20	1	2	5	9	11	13	25
" MULTIPLE DX	214	13.4	105	2	3	11	19	26	30	50
TOTAL 65-69 YRS	98	11.8	107	2	3	9	14	26	30	53
70-74	82	12.4	80	2	2	11	17	23	29	46
75-79	57	10.7	79	1	1	8	18	23	26	37
80-84	24	13.2	157	1	2	8	16	30	43	50
85+	18	9.8	63	1	2	7	15	23	25	26
GRAND TOTAL	**279**	**11.7**	**94**	**1**	**2**	**9**	**16**	**25**	**29**	**50**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	487	5.0	7	3	3	4	6	7	9	17
70-74	322	5.6	12	3	3	5	6	9	12	19
75-79	171	6.1	19	3	3	5	7	11	14	25
80-84	78	7.3	94	3	3	5	7	12	18	67
85+	14	7.6	60	3	3	5	8	13	29	33
2. MULTIPLE DX										
65-69 YRS	576	7.9	50	3	3	6	9	15	20	35
70-74	384	9.5	60	3	4	7	12	19	26	38
75-79	236	10.0	87	3	3	7	12	20	27	43
80-84	89	10.7	57	3	4	8	13	23	26	37
85+	46	12.3	78	3	4	10	15	23	32	44
TOT. SINGLE DX	1072	5.5	18	3	3	5	6	8	12	22
" MULTIPLE DX	1331	9.1	62	3	4	6	11	18	24	37
TOTAL 65-69 YRS	1063	6.6	33	3	3	5	7	12	16	31
70-74	706	7.7	42	3	3	5	9	15	20	35
75-79	407	8.4	62	3	3	5	10	16	22	38
80-84	167	9.1	77	3	4	6	9	19	26	39
85+	60	11.2	77	3	3	8	13	23	32	43
GRAND TOTAL	**2403**	**7.5**	**46**	**3**	**3**	**5**	**8**	**14**	**20**	**34**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	89	7.1	68	2	3	5	8	12	16	55
70-74	74	6.3	32	2	2	5	7	10	15	38
75-79	39	6.4	24	1	2	5	8	13	18	25
80-84	17	14.5	249	1	1	9	19	39	54	60
85+	9	6.6	11	3	3	6	8	12	12	12
2. MULTIPLE DX										
65-69 YRS	245	11.3	119	3	4	7	13	26	32	60
70-74	197	13.8	148	3	4	10	18	28	41	52
75-79	112	14.7	216	4	4	10	20	30	40	97
80-84	57	13.9	134	3	4	10	19	29	39	56
85+	40	13.6	166	3	4	11	17	22	30	80
TOT. SINGLE DX	228	7.2	64	2	2	5	8	13	18	48
" MULTIPLE DX	651	13.0	150	3	4	9	16	28	40	63
TOTAL 65-69 YRS	334	10.1	109	3	3	6	11	24	30	61
70-74	271	11.7	128	2	3	7	14	26	38	49
75-79	151	12.5	180	3	4	8	15	27	39	95
80-84	74	14.0	158	3	4	10	19	29	42	59
85+	49	12.3	145	3	4	10	15	21	27	80
GRAND TOTAL	**879**	**11.5**	**134**	**3**	**3**	**7**	**14**	**26**	**33**	**60**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	36	13.5	81	4	5	11	17	22	33	46
70-74	28	16.0	147	3	4	12	19	39	43	50
75-79	6	13.0	96	2	3	9	22	27	28	28
80-84	6	20.0	195	9	9	13	34	40	41	41
85+										
2. MULTIPLE DX										
65-69 YRS	104	20.5	203	5	8	17	27	37	48	75
70-74	67	19.6	131	6	8	17	26	37	45	92
75-79	31	23.7	252	6	9	21	27	55	67	99+
80-84	11	24.3	440	7	7	14	38	57	69	70
85+	2	24.0	162	15	15	24	33	33	33	33
TOT. SINGLE DX	76	14.9	114	4	4	11	18	33	41	49
" MULTIPLE DX	215	20.9	198	5	8	17	27	41	51	91
TOTAL 65-69 YRS	140	18.7	181	4	6	16	23	35	46	67
70-74	95	18.5	137	4	8	16	24	37	44	79
75-79	37	21.9	240	5	8	20	27	51	67	99+
80-84	17	22.8	340	7	8	14	36	47	63	70
85+	2	24.0	162	15	15	24	33	33	33	33
GRAND TOTAL	**291**	**19.3**	**182**	**4**	**7**	**16**	**25**	**38**	**48**	**80**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	135	2.1	1	<1	<1	2	2	4	4	7
70-74	142	2.0	1	<1	<1	2	2	3	5	7
75-79	110	2.3	5	<1	<1	2	2	3	5	15
80-84	83	2.1	1	<1	1	2	2	3	5	6
85+	68	2.9	10	<1	1	2	3	6	9	20
2. MULTIPLE DX										
65-69 YRS	169	4.6	18	<1	1	3	6	10	16	21
70-74	156	6.0	73	<1	1	3	7	13	20	46
75-79	133	5.9	52	<1	1	3	8	14	22	38
80-84	124	6.5	62	1	1	3	8	17	21	40
85+	90	6.3	70	1	2	3	7	15	20	80
TOT. SINGLE DX	538	2.2	4	<1	<1	2	2	3	5	10
" MULTIPLE DX	672	5.7	53	<1	1	3	7	13	19	42
TOTAL 65-69 YRS	304	3.5	13	<1	1	2	4	8	11	19
70-74	298	4.1	43	<1	<1	2	4	9	14	40
75-79	243	4.3	34	<1	1	2	4	11	16	30
80-84	207	4.7	42	<1	1	2	5	12	19	35
85+	158	4.8	47	1	1	2	5	11	18	52
GRAND TOTAL	**1210**	**4.2**	**34**	**<1**	**1**	**2**	**4**	**9**	**15**	**32**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	396	2.0	2	<1	<1	2	2	3	4	8
70-74	392	2.1	5	<1	1	2	2	3	4	6
75-79	354	2.0	1	<1	1	2	2	3	4	7
80-84	243	2.0	1	<1	<1	2	2	3	4	6
85+	165	2.2	4	<1	1	2	2	3	5	13
2. MULTIPLE DX										
65-69 YRS	615	4.1	30	1	1	2	4	9	13	32
70-74	560	4.6	50	1	1	2	4	10	17	41
75-79	512	5.2	58	1	1	2	5	13	20	35
80-84	387	5.2	59	1	1	3	5	12	19	74
85+	353	6.2	50	1	1	3	9	15	22	40
TOT. SINGLE DX	1550	2.1	3	<1	<1	2	2	3	4	7
" MULTIPLE DX	2427	4.9	49	1	1	2	5	12	18	38
TOTAL 65-69 YRS	1011	3.3	20	<1	1	2	3	6	11	28
70-74	952	3.6	33	<1	1	2	3	6	13	30
75-79	866	3.9	37	<1	1	2	3	8	14	30
80-84	630	4.0	39	<1	1	2	4	9	14	41
85+	518	4.9	39	1	1	2	6	12	20	35
GRAND TOTAL	**3977**	**3.8**	**33**	**<1**	**1**	**2**	**3**	**8**	**13**	**31**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	81	2.6	1	1	2	2	3	4	5	7
70-74	94	2.5	2	1	1	2	3	3	4	10
75-79	77	2.6	1	1	2	2	3	4	5	8
80-84	47	2.8	1	1	1	3	3	4	5	7
85+	27	3.2	2	1	2	3	4	6	6	7
2. MULTIPLE DX										
65-69 YRS	86	3.5	17	1	2	3	3	6	7	29
70-74	96	3.3	4	2	2	3	3	5	7	14
75-79	96	2.9	2	1	2	3	3	4	6	10
80-84	58	4.0	35	1	2	2	3	6	13	42
85+	48	6.2	113	2	2	3	6	12	18	73
TOT. SINGLE DX	326	2.6	2	1	2	2	3	4	5	8
" MULTIPLE DX	384	3.7	26	1	2	3	3	6	9	24
TOTAL 65-69 YRS	167	3.1	10	1	2	2	3	5	6	24
70-74	190	2.9	4	1	2	2	3	4	6	12
75-79	173	2.8	2	1	2	2	3	4	5	8
80-84	105	3.4	21	1	2	3	3	5	7	28
85+	75	5.1	75	2	2	3	4	8	13	59
GRAND TOTAL	**710**	**3.2**	**15**	**1**	**2**	**3**	**3**	**5**	**7**	**15**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	16	2.3	2	<1	1	2	3	4	5	6
70-74	20	3.3	17	<1	<1	2	3	7	14	19
75-79	11	1.7		<1	<1	2	2	3	3	3
80-84	7	1.9		<1	<1	2	2	3	3	3
85+	7	2.0		<1	<1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	27	5.5	48	1	2	2	6	14	20	33
70-74	17	2.6	9	<1	<1	2	3	4	11	14
75-79	22	9.0	135	1	1	4	11	31	39	40
80-84	12	4.2	11	1	1	3	8	9	9	9
85+	18	3.1	4	1	1	2	5	7	7	7
TOT. SINGLE DX	61	2.4	7	<1	<1	2	3	4	5	18
" MULTIPLE DX	96	5.2	52	1	1	2	6	11	17	40
TOTAL 65-69 YRS	43	4.3	33	1	1	2	5	9	16	33
70-74	37	3.0	14	<1	<1	2	3	5	13	19
75-79	33	6.5	101	<1	1	3	6	18	37	40
80-84	19	3.3	8	<1	1	2	4	9	9	9
85+	25	2.8	3	<1	1	2	3	6	7	7
GRAND TOTAL	**157**	**4.1**	**36**	**<1**	**1**	**2**	**4**	**9**	**15**	**39**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	120	3.4	2	1	1	3	4	5	7	9
70-74	161	4.1	7	1	2	4	5	7	8	17
75-79	161	3.8	4	1	2	4	5	6	7	9
80-84	111	3.8	2	2	2	4	5	6	6	8
85+	60	4.7	6	2	2	4	6	8	9	15
2. MULTIPLE DX										
65-69 YRS	211	4.3	6	1	2	4	5	7	8	15
70-74	265	4.6	13	1	2	4	5	7	10	20
75-79	264	4.8	15	1	2	4	5	7	11	23
80-84	158	5.7	60	2	2	4	6	8	13	57
85+	121	5.3	16	2	2	5	6	8	10	23
TOT. SINGLE DX	613	3.9	5	1	2	4	5	6	7	12
" MULTIPLE DX	1019	4.9	20	2	2	4	6	7	11	23
TOTAL 65-69 YRS	331	4.0	5	1	2	4	5	6	8	15
70-74	426	4.4	11	1	2	4	5	7	9	18
75-79	425	4.4	11	1	2	4	5	7	8	19
80-84	269	4.9	37	2	2	4	5	7	9	44
85+	181	5.1	13	2	2	4	6	8	9	16
GRAND TOTAL	**1632**	**4.5**	**15**	**1**	**2**	**4**	**5**	**7**	**8**	**18**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	2.0	1	<1	<1	2	2	4	5	8
70-74	86	2.1	2	<1	<1	2	2	3	5	9
75-79	63	2.0	1	<1	<1	2	2	3	4	8
80-84	38	3.9	29	<1	1	3	4	6	13	32
85+	21	2.8	6	<1	1	2	3	6	9	12
2. MULTIPLE DX										
65-69 YRS	96	4.1	15	1	1	3	5	11	13	19
70-74	120	4.7	31	1	1	2	5	12	18	27
75-79	100	3.9	21	1	1	2	4	8	10	27
80-84	75	4.7	41	1	1	2	4	11	16	37
85+	47	4.8	43	1	1	2	5	11	16	38
TOT. SINGLE DX	312	2.3	6	<1	<1	2	2	4	5	11
" MULTIPLE DX	438	4.4	28	1	1	2	5	10	15	28
TOTAL 65-69 YRS	200	3.0	9	<1	1	2	3	6	10	17
70-74	206	3.6	21	<1	1	2	3	8	14	26
75-79	163	3.2	14	<1	1	2	3	6	9	17
80-84	113	4.4	37	1	1	2	4	10	16	35
85+	68	4.2	33	1	1	2	4	9	13	35
GRAND TOTAL	**750**	**3.5**	**20**	**<1**	**1**	**2**	**3**	**8**	**11**	**25**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	361	3.0	3	1	1	3	3	5	7	11
70-74	374	3.3	6	1	2	3	4	5	7	15
75-79	299	3.5	7	1	1	3	4	6	8	15
80-84	179	3.9	12	1	1	3	5	7	10	22
85+	65	3.4	6	1	1	3	4	7	11	11
2. MULTIPLE DX										
65-69 YRS	292	4.5	13	1	2	3	6	9	11	19
70-74	304	5.0	39	1	2	3	6	9	13	31
75-79	321	4.7	16	1	2	3	5	9	14	22
80-84	180	5.1	24	2	2	3	6	11	16	27
85+	107	4.4	17	1	2	3	4	9	13	25
TOT. SINGLE DX	1278	3.3	7	1	1	3	4	6	8	14
" MULTIPLE DX	1204	4.8	23	1	2	3	5	9	13	24
TOTAL 65-69 YRS	653	3.7	9	1	2	3	4	7	9	16
70-74	678	4.1	22	1	2	3	4	7	11	22
75-79	620	4.1	13	1	2	3	5	8	11	20
80-84	359	4.5	19	1	2	3	5	9	13	23
85+	172	4.0	14	1	1	3	4	8	11	20
GRAND TOTAL	**2482**	**4.0**	**15**	**1**	**2**	**3**	**4**	**8**	**11**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	279	2.9	11	1	1	2	3	5	6	12
70-74	246	3.0	5	1	1	2	4	6	7	13
75-79	209	3.4	10	1	1	2	4	7	9	18
80-84	106	3.5	9	1	1	3	4	7	10	16
85+	73	3.8	14	<1	1	2	5	7	10	24
2. MULTIPLE DX										
65-69 YRS	256	5.0	35	1	2	3	6	9	16	35
70-74	262	5.0	65	1	1	3	5	10	13	42
75-79	235	5.5	52	1	1	3	6	11	17	32
80-84	173	5.3	43	1	1	3	5	12	15	41
85+	133	4.2	11	1	1	3	6	8	11	19
TOT. SINGLE DX	913	3.2	10	1	1	2	4	6	8	15
" MULTIPLE DX	1059	5.1	45	1	1	3	6	10	14	34
TOTAL 65-69 YRS	535	3.9	24	1	1	2	4	7	10	30
70-74	508	4.1	37	1	1	3	4	8	10	22
75-79	444	4.5	33	1	1	3	5	9	13	27
80-84	279	4.6	31	1	1	3	5	10	14	32
85+	206	4.0	13	1	1	3	5	8	10	21
GRAND TOTAL	**1972**	**4.2**	**30**	**1**	**1**	**3**	**4**	**8**	**11**	**27**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6722	2.7	1	2	2	2	3	4	4	7
70-74	8277	2.7	1	2	2	3	3	4	4	8
75-79	8344	2.8	1	2	2	3	3	4	5	8
80-84	5995	2.9	2	2	2	3	3	4	5	9
85+	4092	2.9	2	2	2	3	3	4	5	9
2. MULTIPLE DX										
65-69 YRS	6017	3.6	14	2	2	3	4	6	9	21
70-74	7633	3.7	14	2	2	3	4	6	9	18
75-79	8089	3.7	13	2	2	3	4	6	9	20
80-84	6270	4.0	21	2	2	3	4	6	10	23
85+	4344	4.6	39	2	2	3	4	8	12	35
TOT. SINGLE DX	33430	2.8	2	2	2	3	3	4	5	8
" MULTIPLE DX	32353	3.9	19	2	2	3	4	6	10	22
TOTAL 65-69 YRS	12739	3.2	8	2	2	3	3	4	6	14
70-74	15910	3.2	8	2	2	3	3	5	6	14
75-79	16433	3.2	8	2	2	3	3	5	6	15
80-84	12265	3.4	12	2	2	3	4	5	7	17
85+	8436	3.8	22	2	2	3	4	6	9	21
GRAND TOTAL	**65783**	**3.3**	**11**	**2**	**2**	**3**	**3**	**5**	**7**	**16**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5807	2.2		1	1	2	3	3	4	5
70-74	7164	2.3	1	1	1	2	3	3	4	6
75-79	6943	2.3	1	1	1	2	3	3	4	6
80-84	4749	2.3	1	1	2	2	3	3	4	6
85+	2932	2.4	1	1	2	2	3	3	4	7
2. MULTIPLE DX										
65-69 YRS	4098	2.9	10	1	2	2	3	4	6	16
70-74	5062	2.9	7	1	2	2	3	4	6	14
75-79	5057	3.0	8	1	2	2	3	4	6	15
80-84	3907	3.2	10	1	2	2	3	5	8	17
85+	2496	3.4	13	2	2	2	3	6	8	20
TOT. SINGLE DX	27595	2.3	1	1	1	2	3	3	4	6
" MULTIPLE DX	20620	3.0	10	1	2	2	3	4	7	16
TOTAL 65-69 YRS	9905	2.5	5	1	2	2	3	3	4	10
70-74	12226	2.5	4	1	2	2	3	4	4	10
75-79	12000	2.6	4	1	2	2	3	4	5	10
80-84	8656	2.7	5	1	2	2	3	4	5	12
85+	5428	2.9	7	1	2	2	3	4	6	15
GRAND TOTAL	**48215**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	969	2.3	1	1	1	2	3	3	4	6
70-74	1152	2.4	1	1	1	2	3	4	4	6
75-79	1048	2.4		1	1	2	3	4	4	5
80-84	688	2.5	1	1	1	2	3	4	4	8
85+	402	2.6	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
65-69 YRS	666	3.1	10	1	2	2	3	4	8	19
70-74	846	3.2	9	1	2	2	3	5	8	16
75-79	824	3.2	16	1	2	2	3	5	7	16
80-84	597	3.7	16	1	2	3	4	6	9	24
85+	374	3.7	17	1	2	3	4	6	10	22
TOT. SINGLE DX	4259	2.4	1	1	1	2	3	4	4	6
" MULTIPLE DX	3307	3.3	14	1	2	2	3	5	8	21
TOTAL 65-69 YRS	1635	2.7	5	1	1	2	3	4	5	14
70-74	1998	2.7	5	1	2	2	3	4	5	12
75-79	1872	2.7	8	1	2	2	3	4	5	10
80-84	1285	3.0	9	1	2	2	3	4	6	17
85+	776	3.1	9	1	2	2	3	4	6	17
GRAND TOTAL	**7566**	**2.8**	**7**	**1**	**2**	**2**	**3**	**4**	**5**	**13**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	676	4.9	7	2	2	4	6	8	10	16
70-74	505	4.9	7	1	2	4	6	8	10	16
75-79	294	5.1	7	2	2	5	6	8	10	14
80-84	145	5.3	9	2	2	5	6	9	13	17
85+	62	4.9	4	2	3	4	6	7	9	13
2. MULTIPLE DX										
65-69 YRS	701	5.5	11	2	2	5	7	10	12	18
70-74	560	5.5	12	2	2	5	7	9	11	16
75-79	383	6.0	17	2	2	5	7	10	13	23
80-84	172	6.7	27	2	3	5	8	13	17	24
85+	71	6.3	12	2	3	5	8	11	13	18
TOT. SINGLE DX	1682	5.0	8	2	2	4	6	8	10	16
" MULTIPLE DX	1887	5.7	15	2	2	5	7	10	12	20
TOTAL 65-69 YRS	1377	5.2	10	2	2	5	6	9	11	17
70-74	1065	5.2	10	2	2	4	6	9	10	16
75-79	677	5.6	13	2	2	5	7	9	11	20
80-84	317	6.0	19	2	2	5	7	11	14	22
85+	133	5.6	9	2	3	5	7	9	12	18
GRAND TOTAL	**3569**	**5.4**	**11**	**2**	**2**	**5**	**7**	**9**	**11**	**18**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	138	3.4	4	1	1	3	4	6	7	11
70-74	173	3.5	7	1	1	3	4	6	9	16
75-79	103	3.4	8	1	1	2	4	6	8	18
80-84	97	3.2	3	1	2	3	4	6	7	11
85+	40	3.6	5	1	2	3	4	7	8	11
2. MULTIPLE DX										
65-69 YRS	284	5.1	56	1	2	3	5	8	12	44
70-74	308	4.2	8	1	2	3	5	8	9	16
75-79	281	5.3	39	1	2	4	6	10	14	35
80-84	129	4.5	15	1	2	3	5	9	11	23
85+	92	5.8	58	2	2	3	6	12	19	46
TOT. SINGLE DX	551	3.4	6	1	1	3	4	6	8	13
" MULTIPLE DX	1094	4.9	34	1	2	3	5	9	12	32
TOTAL 65-69 YRS	422	4.5	40	1	2	3	5	8	10	34
70-74	481	3.9	8	1	1	3	5	7	9	17
75-79	384	4.8	31	1	2	3	5	9	13	34
80-84	226	3.9	11	1	2	3	5	7	10	17
85+	132	5.1	43	2	2	3	5	10	14	36
GRAND TOTAL	**1645**	**4.4**	**25**	**1**	**2**	**3**	**5**	**8**	**11**	**25**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	72	2.0		1	1	2	2	3	3	5
70-74	50	1.9		<1	1	2	2	3	3	5
75-79	36	1.9		<1	1	2	2	3	3	4
80-84	19	2.2		1	1	2	2	3	4	5
85+	9	2.6	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
65-69 YRS	64	2.3		1	2	2	3	3	4	5
70-74	42	2.2		<1	1	2	3	3	3	4
75-79	29	4.2	60	1	2	2	3	6	10	44
80-84	15	2.4		2	2	2	3	3	3	3
85+	11	4.5	26	2	2	2	4	12	18	19
TOT. SINGLE DX	186	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	161	2.8	13	1	2	2	3	4	5	18
TOTAL 65-69 YRS	136	2.1		1	2	2	2	3	3	5
70-74	92	2.0	1	<1	1	2	2	3	3	5
75-79	65	2.9	28	1	1	2	3	4	5	39
80-84	34	2.3	1	1	2	2	3	3	3	5
85+	20	3.6	17	1	1	2	4	7	13	19
GRAND TOTAL	**347**	**2.4**	**7**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74										
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	3	6.3	21	1	1	9	9	9	9	9
75-79	2	4.0	18	<1	<1	3	7	7	7	7
80-84										
85+	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	7	1.4		1	1	1	2	2	2	2
" MULTIPLE DX	8	5.5	14	<1	<1	5	9	10	10	10
TOTAL 65-69 YRS	5	2.2	2	1	1	2	3	4	4	4
70-74	3	6.3	21	1	1	9	9	9	9	9
75-79	4	2.8	8	<1	<1	1	4	7	7	7
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	6.0	32	2	2	6	10	10	10	10
GRAND TOTAL	**15**	**3.6**	**11**	**<1**	**1**	**2**	**6**	**9**	**10**	**10**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	4.0	22	1	2	2	4	8	12	28
70-74	123	3.5	11	1	1	3	4	6	10	20
75-79	114	3.6	10	1	1	2	4	7	9	20
80-84	82	3.8	8	1	1	3	4	9	11	13
85+	49	3.4	6	1	1	3	4	6	10	12
2. MULTIPLE DX										
65-69 YRS	197	5.1	38	1	2	3	5	11	16	32
70-74	211	5.9	37	1	2	4	7	13	19	37
75-79	160	6.2	51	1	1	3	7	16	22	38
80-84	129	5.6	30	2	2	4	6	13	17	31
85+	117	7.1	62	1	2	5	9	14	20	66
TOT. SINGLE DX	482	3.7	13	1	1	3	4	7	10	21
" MULTIPLE DX	814	5.9	43	1	2	4	7	14	19	38
TOTAL 65-69 YRS	311	4.7	33	1	2	3	5	10	15	29
70-74	334	5.0	29	1	2	3	6	11	16	28
75-79	274	5.1	36	1	1	3	5	12	18	35
80-84	211	4.9	22	1	2	3	6	11	15	27
85+	166	6.0	48	1	2	4	8	13	15	50
GRAND TOTAL	**1296**	**5.1**	**33**	**1**	**2**	**3**	**6**	**11**	**16**	**31**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	111	2.7	7	<1	<1	2	3	5	7	15
70-74	104	3.6	21	<1	1	2	4	8	13	26
75-79	96	3.4	21	<1	1	2	3	5	14	27
80-84	75	3.5	16	<1	1	2	4	6	13	25
85+	63	4.0	22	<1	1	2	4	8	19	21
2. MULTIPLE DX										
65-69 YRS	174	8.3	66	1	1	5	12	20	28	46
70-74	167	9.1	152	1	1	5	10	22	30	65
75-79	145	8.5	118	1	2	5	10	19	29	54
80-84	115	10.9	121	1	2	7	15	23	33	61
85+	144	9.4	120	1	2	6	12	19	30	47
TOT. SINGLE DX	449	3.4	17	<1	1	2	3	6	11	21
" MULTIPLE DX	745	9.1	115	1	2	6	12	21	29	59
TOTAL 65-69 YRS	285	6.1	51	<1	1	3	8	14	23	35
70-74	271	7.0	109	<1	1	3	8	16	27	62
75-79	241	6.5	86	1	1	3	7	15	24	44
80-84	190	8.0	93	1	1	4	10	18	26	53
85+	207	7.7	97	1	1	4	11	18	22	43
GRAND TOTAL	1194	7.0	86	1	1	3	9	17	24	47

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	335	2.5	1	1	1	2	3	4	5	6
70-74	199	2.6	1	1	1	2	3	4	5	8
75-79	76	2.3		1	1	2	3	3	4	6
80-84	21	2.1		1	1	2	2	3	3	3
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	115	3.0	2	2	2	3	3	4	5	11
70-74	85	2.8	1	1	2	3	3	4	5	10
75-79	44	3.1	3	1	2	3	3	4	6	14
80-84	15	2.9		1	2	3	3	4	5	5
85+	9	2.9	1	2	2	3	3	5	5	5
TOT. SINGLE DX	632	2.5	1	1	1	2	3	4	4	7
" MULTIPLE DX	268	2.9	3	1	2	3	3	4	5	12
TOTAL 65-69 YRS	450	2.6	2	1	1	2	3	4	5	9
70-74	284	2.6	2	1	1	2	3	4	5	8
75-79	120	2.6	2	1	1	3	3	3	4	9
80-84	36	2.5	1	1	2	2	3	3	4	5
85+	10	2.8	1	2	2	3	3	4	5	5
GRAND TOTAL	900	2.6	2	1	1	2	3	4	5	8

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	232	2.1		1	1	2	3	3	3	5
70-74	102	2.1		1	1	2	3	3	4	6
75-79	41	2.2	1	<1	1	2	3	4	4	8
80-84	18	2.5	2	<1	1	2	2	5	7	8
85+	11	1.5		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	271	3.0	5	1	2	3	3	4	6	16
70-74	150	3.1	11	1	2	2	3	4	7	20
75-79	74	2.7	3	1	2	2	3	4	4	14
80-84	21	5.0	57	1	1	3	4	9	22	36
85+	4	3.3	3	2	2	3	4	6	6	6
TOT. SINGLE DX	404	2.1	1	1	1	2	2	3	4	6
" MULTIPLE DX	520	3.0	9	1	2	2	3	4	7	17
TOTAL 65-69 YRS	503	2.6	4	1	1	2	3	4	5	12
70-74	252	2.7	7	1	1	2	3	4	5	16
75-79	115	2.5	3	1	1	2	3	4	4	11
80-84	39	3.8	33	1	1	2	3	8	10	36
85+	15	2.0	2	<1	1	2	2	3	5	6
GRAND TOTAL	924	2.6	6	1	1	2	3	4	5	15

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	58	2.0	4	<1	<1	2	2	2	4	15
70-74	51	2.1	8	<1	<1	1	2	3	4	20
75-79	28	3.6	98	<1	<1	1	2	5	10	54
80-84	14	1.4		<1	1	1	2	2	3	3
85+	16	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
65-69 YRS	92	7.3	116	1	1	3	8	19	30	59
70-74	57	9.0	178	1	2	3	11	21	28	86
75-79	46	9.0	194	1	1	5	9	18	27	85
80-84	22	12.5	202	1	1	9	16	26	44	64
85+	9	6.0	23	<1	<1	7	10	12	13	13
TOT. SINGLE DX	167	2.2	21	<1	<1	1	2	3	4	19
" MULTIPLE DX	226	8.5	153	1	1	4	10	21	29	77
TOTAL 65-69 YRS	150	5.2	80	<1	1	2	4	13	22	38
70-74	108	5.8	109	<1	<1	2	5	17	21	55
75-79	74	6.9	163	<1	1	2	8	16	23	78
80-84	36	8.2	152	<1	1	2	11	23	28	64
85+	25	2.9	13	<1	<1	1	2	10	11	13
GRAND TOTAL	**393**	**5.8**	**106**	**<1**	**1**	**2**	**6**	**15**	**23**	**60**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	82	3.4	5	2	2	3	3	6	9	14
70-74	59	3.5	5	2	2	3	4	7	8	15
75-79	16	2.6		1	2	2	3	4	5	5
80-84	9	8.0	141	2	2	3	6	27	39	39
85+	4	3.8	1	3	3	4	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	174	4.3	23	2	2	3	4	7	10	27
70-74	85	7.0	107	1	2	4	8	18	26	92
75-79	46	9.0	157	2	2	4	7	27	43	52
80-84	22	5.6	30	2	2	3	4	16	19	22
85+	11	9.5	71	2	2	5	16	21	27	28
TOT. SINGLE DX	170	3.6	13	2	2	3	3	6	9	16
" MULTIPLE DX	338	5.8	68	2	2	3	5	11	23	50
TOTAL 65-69 YRS	256	4.0	18	2	2	3	4	7	10	25
70-74	144	5.6	68	1	2	3	5	10	23	80
75-79	62	7.3	124	2	2	3	6	16	40	52
80-84	31	6.3	60	2	2	3	5	16	22	39
85+	15	8.0	59	2	3	4	14	17	25	28
GRAND TOTAL	**508**	**5.1**	**50**	**2**	**2**	**3**	**4**	**9**	**16**	**43**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	126	3.3	8	1	1	3	4	6	8	18
70-74	70	3.0	3	1	1	2	3	5	7	12
75-79	26	2.5	1	1	1	2	3	4	5	6
80-84	5	4.2	11	1	1	4	7	9	9	9
85+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	100	5.3	82	1	1	3	5	10	14	58
70-74	62	4.6	23	1	1	3	5	10	20	90
75-79	31	6.8	33	1	1	4	12	15	17	23
80-84	14	13.0	245	2	2	8	16	36	53	58
85+	5	8.2	19	1	1	10	11	12	12	12
TOT. SINGLE DX	229	3.1	7	1	1	3	4	6	8	14
" MULTIPLE DX	212	5.9	70	1	1	3	6	13	18	62
TOTAL 65-69 YRS	226	4.2	42	1	1	3	4	8	11	37
70-74	132	3.8	14	1	1	3	4	7	11	37
75-79	57	4.8	23	1	1	3	5	13	16	23
80-84	19	10.7	196	1	1	5	13	27	47	58
85+	7	6.6	22	1	1	7	11	12	12	12
GRAND TOTAL	**441**	**4.5**	**39**	**1**	**1**	**3**	**4**	**9**	**13**	**35**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	60	3.3	17	1	1	3	3	5	6	31
70-74	30	3.3	10	2	2	2	3	4	9	19
75-79	17	2.7	1	1	2	2	3	5	6	6
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	170	3.7	6	1	2	3	4	7	9	17
70-74	91	3.8	14	1	2	3	4	7	8	26
75-79	37	4.5	19	2	2	3	4	9	17	21
80-84	8	4.3	13	1	1	3	4	10	13	13
85+	9	6.8	24	2	2	4	11	13	15	15
TOT. SINGLE DX	111	3.3	13	1	2	3	3	5	6	25
" MULTIPLE DX	315	3.9	11	1	2	3	4	7	10	19
TOTAL 65-69 YRS	230	3.6	9	1	2	3	4	6	9	20
70-74	121	3.7	14	1	2	3	4	7	8	23
75-79	54	3.9	15	2	2	3	4	6	15	21
80-84	10	4.1	11	1	1	3	4	9	13	13
85+	11	6.7	21	2	2	4	11	13	15	15
GRAND TOTAL	**426**	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	**19**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	189	2.5	1	1	1	2	3	4	4	8
70-74	95	2.4	1	1	1	2	3	4	5	7
75-79	47	3.4	12	1	1	2	4	7	9	19
80-84	14	3.7	5	<1	1	3	5	7	9	10
85+	13	6.5	42	2	2	4	7	15	24	26
2. MULTIPLE DX										
65-69 YRS	460	3.6	10	1	1	3	4	6	9	20
70-74	257	4.2	14	1	1	3	5	8	12	19
75-79	142	5.2	35	1	1	3	5	12	15	35
80-84	54	7.6	146	1	1	3	9	16	25	79
85+	39	8.5	99	2	2	5	10	20	25	56
TOT. SINGLE DX	358	2.8	5	1	1	2	3	4	6	12
" MULTIPLE DX	952	4.4	28	1	1	3	5	9	14	25
TOTAL 65-69 YRS	649	3.2	8	1	1	3	3	5	8	18
70-74	352	3.7	11	1	1	3	4	7	11	18
75-79	189	4.8	30	1	1	3	5	10	14	33
80-84	68	6.8	119	1	1	3	7	14	23	72
85+	52	8.0	85	2	2	5	9	18	25	55
GRAND TOTAL	**1310**	**4.0**	**22**	**1**	**1**	**3**	**4**	**7**	**12**	**24**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	345	2.7	6	<1	1	2	3	5	7	14
70-74	307	2.4	2	<1	1	2	3	4	6	8
75-79	216	2.7	4	<1	1	2	3	5	6	13
80-84	139	4.0	67	<1	1	2	4	7	11	56
85+	80	3.9	13	<1	1	3	5	8	12	19
2. MULTIPLE DX										
65-69 YRS	501	4.7	32	1	1	3	5	10	15	30
70-74	438	6.0	49	1	2	3	7	14	18	41
75-79	350	6.5	59	1	2	4	8	14	26	98
80-84	229	7.9	80	1	2	4	10	18	26	46
85+	195	8.9	86	1	2	7	11	20	28	63
TOT. SINGLE DX	1087	2.9	14	<1	1	2	3	5	7	15
" MULTIPLE DX	1713	6.3	57	1	2	3	8	14	22	46
TOTAL 65-69 YRS	846	3.9	23	1	1	2	4	8	12	27
70-74	745	4.5	33	1	1	3	5	10	15	31
75-79	566	5.1	42	1	1	3	5	11	20	46
80-84	368	6.5	80	1	1	3	7	15	21	51
85+	275	7.4	70	1	2	5	10	16	24	56
GRAND TOTAL	**2800**	**5.0**	**43**	**1**	**1**	**3**	**5**	**11**	**16**	**39**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	139	5.1	11	1	1	5	6	9	12	17
70-74	95	5.1	14	1	2	4	7	9	13	20
75-79	68	4.7	9	1	1	4	6	11	11	13
80-84	44	4.7	12	<1	1	4	6	11	12	14
85+	31	4.2	17	1	1	3	6	10	15	17
2. MULTIPLE DX										
65-69 YRS	315	7.1	51	1	2	5	8	14	19	51
70-74	283	7.2	32	1	2	6	9	14	18	29
75-79	251	7.3	57	1	2	5	9	13	20	49
80-84	191	8.4	84	1	2	6	10	17	23	49
85+	149	8.6	77	2	2	6	10	16	26	59
TOT. SINGLE DX	377	4.9	12	1	1	4	6	10	12	17
" MULTIPLE DX	1189	7.5	57	1	2	6	9	14	20	46
TOTAL 65-69 YRS	454	6.5	40	1	2	5	8	12	16	41
70-74	378	6.6	29	1	2	5	8	13	18	25
75-79	319	6.7	48	1	2	5	8	12	17	45
80-84	235	7.7	73	1	2	5	9	14	21	48
85+	180	7.8	70	1	2	6	9	15	22	54
GRAND TOTAL	**1566**	**6.9**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**42**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	113	3.7	10	1	2	3	4	6	8	20
70-74	90	3.8	7	1	2	3	5	7	9	17
75-79	42	4.1	5	1	2	4	5	7	9	11
80-84	17	4.8	9	2	2	4	5	10	11	12
85+	3	3.3	1	2	2	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	198	6.9	87	2	2	4	7	16	20	60
70-74	116	6.3	54	1	2	4	6	13	18	42
75-79	61	6.7	59	1	2	4	7	16	29	34
80-84	24	6.1	17	1	2	4	10	12	14	14
85+	10	14.3	76	3	5	13	16	29	30	30
TOT. SINGLE DX	265	3.9	9	1	2	3	4	7	9	13
" MULTIPLE DX	409	6.8	71	1	2	4	7	15	20	44
TOTAL 65-69 YRS	311	5.7	62	1	2	3	6	12	18	46
70-74	206	5.2	35	1	2	3	6	10	14	35
75-79	103	5.6	39	1	2	4	6	11	18	33
80-84	41	5.6	14	2	2	4	9	11	13	14
85+	13	11.8	81	2	3	9	15	28	30	30
GRAND TOTAL	**674**	**5.7**	**48**	**1**	**2**	**3**	**6**	**12**	**17**	**34**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	102	3.9	17	1	1	3	4	7	13	24
70-74	70	4.2	14	1	1	3	5	8	10	24
75-79	41	4.0	11	1	1	3	5	10	12	14
80-84	14	4.7	10	2	2	3	7	10	11	11
85+	7	4.6	9	1	1	4	6	9	10	10
2. MULTIPLE DX										
65-69 YRS	204	5.8	33	1	1	4	8	14	17	31
70-74	163	7.9	117	2	2	4	9	17	27	70
75-79	66	8.4	59	2	2	5	12	21	25	33
80-84	56	9.6	89	1	2	6	12	24	29	46
85+	19	9.4	53	1	2	8	14	21	25	27
TOT. SINGLE DX	234	4.1	15	1	1	3	5	9	11	24
" MULTIPLE DX	508	7.3	72	1	2	4	9	17	24	41
TOTAL 65-69 YRS	306	5.2	29	1	1	3	6	12	15	27
70-74	233	6.8	90	2	2	4	7	13	24	62
75-79	107	6.7	45	1	1	4	9	16	21	32
80-84	70	8.6	77	2	2	5	11	22	28	43
85+	26	8.1	46	1	1	6	11	19	23	27
GRAND TOTAL	**742**	**6.3**	**56**	**1**	**2**	**4**	**8**	**14**	**21**	**35**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	169	2.8	16	<1	1	2	2	3	5	30
70-74	105	2.5	3	<1	1	2	3	4	5	13
75-79	96	3.8	93	1	2	2	3	5	8	62
80-84	58	3.5	40	1	1	2	3	6	32	99+
85+	39	3.0	5	1	1	2	3	4	8	14
2. MULTIPLE DX										
65-69 YRS	883	6.1	71	1	2	3	7	15	22	51
70-74	767	6.7	82	1	2	3	8	17	25	57
75-79	592	7.7	122	1	2	3	9	20	31	62
80-84	377	8.5	137	1	2	3	11	21	34	90
85+	313	7.7	91	2	2	4	10	19	31	99+
TOT. SINGLE DX	467	3.0	31	1	1	2	3	4	7	31
" MULTIPLE DX	2932	7.0	96	1	2	3	8	18	27	72
TOTAL 65-69 YRS	1052	5.6	64	1	2	3	5	14	22	49
70-74	872	6.2	75	1	2	3	6	16	24	52
75-79	688	7.1	120	1	2	3	7	18	28	62
80-84	435	7.8	128	1	2	3	10	21	34	99+
85+	352	7.2	85	2	2	4	9	18	30	99+
GRAND TOTAL	**3399**	**6.5**	**89**	**1**	**2**	**3**	**7**	**16**	**25**	**69**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	2.4	2	1	1	2	2	5	5	5
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79	6	3.3	11	<1	<1	2	3	9	10	10
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	13	5.5	63	<1	1	2	4	19	26	28
70-74	11	15.4	363	2	3	5	20	52	54	54
75-79	4	5.0	45	<1	<1	2	9	15	15	15
80-84	1	27.0		27	27	27	27	27	27	27
85+	1	20.0		20	20	20	20	20	20	20
TOT. SINGLE DX	20	2.6	4	<1	1	2	3	5	8	10
" MULTIPLE DX	30	10.3	193	<1	1	4	15	27	50	54
TOTAL 65-69 YRS	23	4.2	38	<1	1	2	3	8	21	28
70-74	14	12.5	312	1	2	4	11	50	53	54
75-79	10	4.0	22	<1	<1	2	3	12	15	15
80-84	2	14.5	313	2	2	14	27	27	27	27
85+	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	**50**	**7.2**	**130**	**<1**	**1**	**3**	**5**	**21**	**28**	**54**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	96	3.1	3	1	1	3	4	5	6	11
70-74	43	3.7	11	1	1	3	4	6	11	18
75-79	23	5.0	24	1	2	3	6	13	18	20
80-84	10	2.6	3	<1	<1	2	3	6	7	7
85+	8	4.9	6	2	2	4	7	8	9	9
2. MULTIPLE DX										
65-69 YRS	123	5.2	62	2	2	3	4	8	20	52
70-74	67	5.4	56	1	2	3	5	11	23	42
75-79	51	8.8	238	2	2	4	8	17	37	83
80-84	25	7.2	45	1	2	5	9	15	23	30
85+	23	10.9	199	1	1	4	15	31	44	56
TOT. SINGLE DX	180	3.5	8	1	1	3	4	6	8	18
" MULTIPLE DX	289	6.5	104	1	2	3	6	14	23	58
TOTAL 65-69 YRS	219	4.3	38	1	2	3	4	6	11	37
70-74	110	4.7	39	1	2	3	4	9	16	38
75-79	74	7.6	174	2	2	4	7	15	22	80
80-84	35	5.9	38	1	1	4	7	13	19	30
85+	31	9.3	155	1	1	4	9	25	38	56
GRAND TOTAL	**469**	**5.3**	**69**	**1**	**2**	**3**	**5**	**10**	**19**	**48**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	435	4.1	5	2	2	4	5	7	8	12
70-74	340	4.7	13	2	2	4	5	7	10	22
75-79	194	4.6	10	1	2	4	5	9	11	19
80-84	94	5.5	19	2	2	4	7	10	12	27
85+	56	5.6	12	1	2	5	8	11	12	14
2. MULTIPLE DX										
65-69 YRS	428	6.1	36	2	2	4	6	12	17	27
70-74	327	7.2	54	2	3	5	8	15	19	48
75-79	232	8.7	90	2	2	5	10	18	25	58
80-84	149	7.5	49	2	2	5	9	15	19	33
85+	94	10.4	83	2	3	8	12	22	33	45
TOT. SINGLE DX	1119	4.6	11	2	2	4	5	8	10	18
" MULTIPLE DX	1230	7.4	58	2	3	5	9	15	21	45
TOTAL 65-69 YRS	863	5.1	22	2	2	4	5	9	12	22
70-74	667	5.9	35	2	2	4	6	11	16	30
75-79	426	6.8	58	2	2	4	7	15	20	46
80-84	243	6.7	39	2	2	5	8	13	17	33
85+	150	8.6	62	2	2	6	11	17	27	37
GRAND TOTAL	**2349**	**6.0**	**38**	**2**	**2**	**4**	**7**	**11**	**17**	**33**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	9	10.9	192	2	2	5	13	36	42	42
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84	3	8.0	28	2	2	10	11	12	12	12
85+										
TOT. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
" MULTIPLE DX	13	9.6	138	2	2	5	10	29	40	42
TOTAL 65-69 YRS	10	10.0	179	2	2	4	9	34	42	42
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	3	8.0	28	2	2	10	11	12	12	12
85+										
GRAND TOTAL	**15**	**8.7**	**125**	**2**	**2**	**4**	**10**	**26**	**38**	**42**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	434	4.5	41	<1	1	3	4	9	15	37
70-74	313	4.7	53	<1	1	3	4	9	15	36
75-79	234	4.4	15	1	1	3	5	10	13	20
80-84	137	4.2	19	1	1	3	4	9	13	24
85+	102	5.1	23	1	1	3	7	10	13	26
2. MULTIPLE DX										
65-69 YRS	659	8.9	95	1	2	5	11	21	31	49
70-74	557	9.1	129	1	2	5	11	20	31	68
75-79	412	10.1	138	2	2	6	12	22	33	62
80-84	253	9.7	99	1	2	6	13	21	30	55
85+	192	12.0	191	2	2	7	16	26	37	84
TOT. SINGLE DX	1220	4.5	36	1	1	3	5	10	14	29
" MULTIPLE DX	2073	9.6	123	1	2	6	12	21	32	64
TOTAL 65-69 YRS	1093	7.1	79	1	1	4	9	17	28	43
70-74	870	7.5	106	1	2	4	9	17	26	64
75-79	646	8.0	101	1	2	4	10	18	27	52
80-84	390	7.7	78	1	2	4	10	18	26	48
85+	294	9.6	144	1	2	6	12	22	33	81
GRAND TOTAL	**3293**	**7.7**	**97**	**1**	**2**	**4**	**9**	**17**	**28**	**53**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	38	3.0	11	1	1	2	3	6	8	21
70-74	23	3.7	14	1	1	2	4	7	13	19
75-79	7	5.6	81	1	1	2	3	21	26	26
80-84	6	8.0	78	2	2	3	13	23	24	24
85+	15	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	31	8.8	199	1	1	3	8	24	52	59
70-74	17	7.6	130	1	1	3	9	21	38	46
75-79	16	9.2	72	2	2	7	11	24	30	32
80-84	6	14.3	351	2	2	6	20	47	50	50
85+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	89	3.5	21	1	1	2	3	6	13	25
" MULTIPLE DX	71	9.0	160	1	2	3	10	24	45	58
TOTAL 65-69 YRS	69	5.6	103	1	1	2	4	12	22	58
70-74	40	5.4	65	1	1	3	4	11	21	46
75-79	23	8.1	75	1	2	4	11	25	28	32
80-84	12	11.2	206	2	2	4	16	32	47	50
85+	16	1.9		1	1	2	2	3	3	3
GRAND TOTAL	**160**	**6.0**	**89**	**1**	**1**	**2**	**5**	**13**	**24**	**53**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12	1.8		1	1	2	2	3	3	3
70-74	5	1.8		1	1	2	2	2	2	2
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	4	3.0	4	2	2	2	4	6	6	6
85+	7	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	4	3.0	11	<1	<1	1	5	8	8	8
75-79	4	1.5		1	1	1	2	2	2	2
80-84	2	4.5	13	2	2	4	7	7	7	7
85+	4	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	30	1.9	1	1	1	2	2	3	3	6
" MULTIPLE DX	18	2.3	4	<1	1	2	2	6	8	8
TOTAL 65-69 YRS	16	1.8		1	1	2	2	2	3	3
70-74	9	2.3	5	<1	<1	2	2	6	8	8
75-79	6	1.5		1	1	1	2	2	2	2
80-84	6	3.5	6	2	2	2	6	7	7	7
85+	11	1.6		1	1	2	2	3	3	3
GRAND TOTAL	**48**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**6**	**8**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	3	4.0	7	2	2	3	6	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
" MULTIPLE DX	6	2.8	5	<1	<1	2	3	7	7	7
TOTAL 65-69 YRS	4	3.3	7	1	1	2	5	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**8**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**6**	**7**	**7**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	151	3.9	22	<1	1	2	4	7	12	29
70-74	119	5.5	70	1	1	3	6	12	17	59
75-79	56	4.2	14	1	1	3	5	11	13	18
80-84	35	5.5	17	2	2	4	8	10	12	22
85+	22	8.7	172	<1	1	4	9	24	44	55
2. MULTIPLE DX										
65-69 YRS	208	9.5	111	1	2	6	14	19	26	61
70-74	156	10.2	187	1	2	5	12	22	34	88
75-79	103	9.7	155	2	2	6	12	20	41	67
80-84	53	11.3	190	1	2	8	14	24	27	88
85+	22	16.9	453	2	2	10	19	42	74	88
TOT. SINGLE DX	383	4.9	45	1	1	3	5	10	14	36
" MULTIPLE DX	542	10.3	164	1	2	6	14	22	29	85
TOTAL 65-69 YRS	359	7.2	82	1	1	4	10	17	22	35
70-74	275	8.2	142	1	1	4	9	19	25	81
75-79	159	7.8	113	1	2	4	9	16	24	58
80-84	88	9.0	129	1	2	6	11	21	24	71
85+	44	12.8	323	1	1	6	13	32	58	88
GRAND TOTAL	**925**	**8.0**	**122**	**1**	**2**	**4**	**10**	**18**	**25**	**65**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	78	4.0	8	1	1	3	6	8	9	14
70-74	56	4.2	12	1	1	3	5	7	11	20
75-79	53	3.6	5	1	1	3	4	7	8	11
80-84	46	4.1	22	1	1	3	5	8	12	28
85+	33	3.4	6	<1	1	3	4	6	8	14
2. MULTIPLE DX										
65-69 YRS	163	6.1	40	1	1	4	7	13	15	37
70-74	167	6.1	30	1	1	5	8	13	16	26
75-79	127	7.1	59	1	2	5	8	13	23	44
80-84	103	7.4	110	2	2	4	9	15	18	96
85+	85	7.8	66	1	2	5	10	17	22	46
TOT. SINGLE DX	266	3.9	11	1	1	3	5	8	9	18
" MULTIPLE DX	645	6.7	57	1	2	5	8	14	17	42
TOTAL 65-69 YRS	241	5.4	31	1	1	4	7	11	15	22
70-74	223	5.6	27	1	1	4	7	11	15	26
75-79	180	6.0	46	1	1	4	7	11	15	40
80-84	149	6.4	86	1	2	4	7	13	17	92
85+	118	6.6	54	1	2	4	7	14	20	40
GRAND TOTAL	**911**	**5.9**	**45**	**1**	**1**	**4**	**7**	**12**	**16**	**38**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	679	2.5	17	1	1	2	2	3	5	20
70-74	428	2.4	14	<1	1	2	2	3	4	11
75-79	223	2.9	36	<1	1	2	2	4	6	18
80-84	104	2.7	11	1	1	2	2	4	6	23
85+	52	2.1		1	1	2	2	3	4	6
2. MULTIPLE DX										
65-69 YRS	588	5.9	78	1	1	2	6	14	21	54
70-74	396	6.1	87	1	1	2	7	15	21	44
75-79	271	7.6	133	1	1	2	9	20	27	65
80-84	98	10.0	171	1	1	4	16	25	32	87
85+	53	8.5	167	2	2	3	10	19	29	73
TOT. SINGLE DX	1486	2.5	19	1	1	2	2	3	5	17
" MULTIPLE DX	1406	6.7	103	1	1	2	8	17	24	60
TOTAL 65-69 YRS	1267	4.1	49	1	1	2	3	9	15	44
70-74	824	4.2	53	1	1	2	3	9	15	31
75-79	494	5.5	95	1	1	2	4	13	22	61
80-84	202	6.3	102	1	1	2	6	19	26	73
85+	105	5.3	95	1	2	2	4	11	19	62
GRAND TOTAL	**2892**	**4.5**	**64**	**1**	**1**	**2**	**3**	**10**	**18**	**47**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	57	8.9	69	1	1	8	13	20	23	44
70-74	41	9.1	38	2	2	9	13	16	19	28
75-79	20	10.0	158	1	2	4	12	25	40	53
80-84	5	12.6	104	1	1	18	21	21	21	21
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
65-69 YRS	77	15.3	190	2	2	13	22	32	42	96
70-74	66	15.7	178	2	2	13	22	32	48	94
75-79	43	21.4	435	1	2	13	40	54	62	72
80-84	9	27.7	856	5	5	17	65	94	99+	99+
85+	6	19.0	10	15	15	19	20	24	24	24
TOT. SINGLE DX	124	9.4	73	1	2	8	13	20	24	47
" MULTIPLE DX	201	17.4	267	2	2	14	24	43	61	99+
TOTAL 65-69 YRS	134	12.6	148	1	2	10	18	28	33	89
70-74	107	13.2	134	2	2	12	18	27	39	79
75-79	63	17.8	372	1	2	11	26	52	60	71
80-84	14	22.3	615	1	2	18	27	88	97	99+
85+	7	18.7	9	15	15	19	20	23	24	24
GRAND TOTAL	**325**	**14.3**	**208**	**2**	**2**	**11**	**19**	**32**	**46**	**91**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	75	19.5	83	9	12	17	25	30	37	51
70-74	40	16.9	55	9	10	15	18	26	35	43
75-79	23	19.9	94	7	10	17	24	35	41	44
80-84	5	16.8	60	8	8	16	23	27	27	27
85+	3	36.7	16	32	32	39	39	39	39	39
2. MULTIPLE DX										
65-69 YRS	173	23.9	190	10	12	20	30	46	66	99+
70-74	139	24.0	252	10	12	20	28	55	95	99+
75-79	60	30.3	475	11	13	24	36	80	95	99+
80-84	24	28.6	199	13	14	25	37	47	59	62
85+	14	28.1	88	14	17	27	35	37	46	49
TOT. SINGLE DX	146	19.1	82	9	10	16	23	31	39	50
" MULTIPLE DX	410	25.3	254	11	12	21	31	50	78	99+
TOTAL 65-69 YRS	248	22.6	162	10	12	19	28	43	55	99+
70-74	179	22.4	217	10	11	18	27	47	90	99+
75-79	83	27.4	389	11	12	22	32	71	86	99+
80-84	29	26.6	193	11	12	24	32	46	58	62
85+	17	29.6	86	14	17	32	35	39	46	49
GRAND TOTAL	**556**	**23.7**	**216**	**10**	**12**	**19**	**29**	**45**	**67**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	16.2	295	4	4	11	42	90	99+	99+
70-74	3	18.7	52	14	14	21	63	99+	99+	99+
75-79	5	16.2	158	7	7	7	30	30	30	30
80-84	3	22.7	412	9	9	13	38	46	46	46
85+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
65-69 YRS	52	33.4	504	4	10	34	59	99+	99+	99+
70-74	45	32.1	485	5	6	30	46	82	99+	99+
75-79	22	30.0	546	8	11	38	90	99+	99+	99+
80-84	14	35.7	658	3	7	34	56	85	96	99+
85+	4	38.8	1153	14	14	27	62	87	87	87
TOT. SINGLE DX	18	17.9	185	5	6	14	30	75	99+	99+
" MULTIPLE DX	137	33.8	522	5	9	33	59	99+	99+	99+
TOTAL 65-69 YRS	58	31.6	505	4	7	31	56	99+	99+	99+
70-74	48	31.3	468	5	7	29	46	86	99+	99+
75-79	27	32.3	527	7	7	32	87	99+	99+	99+
80-84	17	33.4	613	4	8	31	51	82	94	99+
85+	5	35.0	935	14	14	20	50	87	87	87
GRAND TOTAL	**155**	**31.9**	**508**	**5**	**7**	**30**	**52**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	66	10.5	232	1	2	5	13	25	40	90
70-74	49	8.9	218	1	1	4	11	28	86	99+
75-79	33	12.3	223	1	2	4	21	32	44	61
80-84	15	11.5	249	<1	1	2	14	38	48	52
85+	9	13.4	170	2	2	10	18	35	37	37
2. MULTIPLE DX										
65-69 YRS	346	32.4	651	2	3	32	61	99+	99+	99+
70-74	285	33.5	681	2	3	36	63	99+	99+	99+
75-79	200	39.8	726	2	4	41	67	97	99+	99+
80-84	101	39.9	773	5	8	41	76	99+	99+	99+
85+	52	36.4	526	3	10	33	58	94	99+	99+
TOT. SINGLE DX	172	10.6	222	1	1	4	14	29	44	99
" MULTIPLE DX	984	35.2	689	2	4	36	64	99+	99+	99+
TOTAL 65-69 YRS	412	28.9	649	2	2	26	55	93	99+	99+
70-74	334	29.9	688	1	2	30	59	99+	99+	99+
75-79	233	35.9	747	2	3	35	60	93	99+	99+
80-84	116	36.2	795	2	3	38	72	99	99+	99+
85+	61	33.0	538	2	4	32	55	90	99+	99+
GRAND TOTAL	**1156**	**31.6**	**696**	**2**	**2**	**30**	**59**	**95**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	817	8.2	65	1	2	6	11	17	23	42
70-74	682	8.6	65	1	2	7	11	18	23	47
75-79	455	9.1	82	1	2	7	12	19	28	38
80-84	248	9.6	81	1	2	7	12	21	25	45
85+	79	11.7	114	2	2	9	15	22	36	54
2. MULTIPLE DX										
65-69 YRS	3104	13.5	144	2	3	10	17	28	36	72
70-74	2715	14.2	135	2	3	11	19	28	38	60
75-79	1956	14.9	144	2	3	12	20	30	38	59
80-84	1084	16.0	171	2	4	13	21	33	42	84
85+	498	18.3	214	3	5	14	24	37	49	84
TOT. SINGLE DX	2281	8.8	73	1	2	7	11	19	24	45
" MULTIPLE DX	9357	14.5	150	2	3	11	19	29	39	66
TOTAL 65-69 YRS	3921	12.4	133	2	2	9	16	25	34	64
70-74	3397	13.0	126	2	3	10	17	26	36	58
75-79	2411	13.8	138	2	3	11	18	28	36	58
80-84	1332	14.8	161	2	3	12	20	30	41	78
85+	577	17.4	206	3	5	14	22	35	47	79
GRAND TOTAL	**11638**	**13.4**	**140**	**2**	**3**	**10**	**17**	**27**	**36**	**64**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	8.0	63	2	2	5	14	17	17	17
70-74										
75-79	1	24.0		24	24	24	24	24	24	24
80-84										
85+	2	16.5	85	10	10	16	23	23	23	23
TOT. SINGLE DX										
" MULTIPLE DX	6	13.5	86	2	2	13	23	24	24	24
TOTAL 65-69 YRS	3	8.0	63	2	2	5	14	17	17	17
70-74										
75-79	1	24.0		24	24	24	24	24	24	24
80-84										
85+	2	16.5	85	10	10	16	23	23	23	23
GRAND TOTAL	**6**	**13.5**	**86**	**2**	**2**	**13**	**23**	**24**	**24**	**24**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	473	11.5	65	2	2	10	15	20	24	37
70-74	354	11.7	87	1	2	10	16	23	30	49
75-79	213	12.1	69	1	2	11	18	24	28	40
80-84	90	10.7	75	2	2	9	14	21	24	51
85+	26	13.6	117	1	2	10	21	27	37	39
2. MULTIPLE DX										
65-69 YRS	1489	16.5	145	3	4	14	22	33	42	62
70-74	1308	16.2	139	2	4	14	21	31	38	63
75-79	820	17.0	158	2	4	15	22	33	43	72
80-84	403	15.6	110	2	4	14	21	29	35	53
85+	146	15.6	121	2	4	13	21	29	36	55
TOT. SINGLE DX	1156	11.7	75	1	2	10	16	22	27	40
" MULTIPLE DX	4166	16.4	142	3	4	14	22	31	39	63
TOTAL 65-69 YRS	1962	15.3	131	2	4	13	20	30	38	60
70-74	1662	15.3	132	2	4	13	20	30	37	62
75-79	1033	16.0	144	2	4	14	21	30	39	68
80-84	493	14.7	107	2	4	12	21	28	33	53
85+	172	15.3	120	2	3	13	21	29	36	53
GRAND TOTAL	**5322**	**15.4**	**131**	**2**	**4**	**13**	**20**	**29**	**37**	**60**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	283	14.7	47	7	8	13	18	24	29	37
70-74	196	16.5	45	8	9	15	20	24	30	38
75-79	104	17.5	77	8	9	16	21	27	31	56
80-84	25	20.8	69	10	11	18	24	33	37	42
85+	6	23.7	83	8	9	25	28	34	35	35
2. MULTIPLE DX										
65-69 YRS	818	19.8	126	8	10	17	24	33	41	63
70-74	586	21.2	149	9	10	18	26	36	49	71
75-79	263	22.7	177	10	11	19	27	38	50	89
80-84	69	23.4	129	10	11	20	29	39	44	66
85+	12	21.8	91	10	13	20	26	39	41	41
TOT. SINGLE DX	614	16.1	56	8	9	14	20	25	30	41
" MULTIPLE DX	1748	20.9	143	9	10	18	25	36	44	70
TOTAL 65-69 YRS	1101	18.5	111	8	9	16	22	31	39	57
70-74	782	20.0	127	8	10	17	24	34	42	68
75-79	367	21.2	154	9	10	18	25	36	46	85
80-84	94	22.7	114	10	11	20	28	38	43	60
85+	18	22.4	85	9	11	21	27	37	40	41
GRAND TOTAL	**2362**	**19.6**	**125**	**8**	**10**	**17**	**24**	**33**	**41**	**64**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	707	7.5	56	1	1	5	10	16	22	34
70-74	555	7.9	58	1	1	5	10	19	24	35
75-79	336	8.9	109	1	2	6	12	19	24	50
80-84	170	9.4	72	1	2	7	12	20	24	44
85+	80	10.1	97	1	2	8	14	19	30	55
2. MULTIPLE DX										
65-69 YRS	2693	13.2	135	2	3	10	18	27	36	65
70-74	2517	13.8	146	2	3	11	19	28	38	69
75-79	1760	15.1	177	2	3	11	20	31	42	82
80-84	992	14.9	131	3	4	12	20	30	38	70
85+	518	18.1	175	3	5	15	24	35	43	92
TOT. SINGLE DX	1848	8.1	71	1	2	5	11	18	23	37
" MULTIPLE DX	8480	14.3	151	2	3	11	19	29	39	71
TOTAL 65-69 YRS	3400	12.0	124	2	2	9	16	25	33	62
70-74	3072	12.8	136	2	2	9	17	27	36	64
75-79	2096	14.1	172	2	3	10	19	29	41	80
80-84	1162	14.1	126	2	3	11	19	29	38	62
85+	598	17.1	173	2	4	14	23	34	41	86
GRAND TOTAL	**10328**	**13.2**	**142**	**2**	**2**	**10**	**18**	**28**	**37**	**68**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	12.2	152	2	3	8	16	28	42	52
70-74	31	10.2	66	2	2	9	13	21	26	38
75-79	10	8.8	34	2	2	7	14	17	19	19
80-84	8	4.6	5	2	2	5	6	8	8	8
85+	3	4.3		4	4	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	117	17.6	249	2	3	14	24	38	51	94
70-74	98	14.1	149	2	3	10	21	34	44	99+
75-79	63	17.2	197	3	4	14	22	30	49	69
80-84	41	13.5	100	2	3	11	20	28	35	40
85+	23	14.1	63	3	3	15	20	26	27	27
TOT. SINGLE DX	71	9.6	79	2	2	7	12	20	26	49
" MULTIPLE DX	342	15.8	182	2	3	13	22	33	42	91
TOTAL 65-69 YRS	136	16.8	238	2	3	13	22	38	51	92
70-74	129	13.2	131	2	3	9	20	32	42	99+
75-79	73	16.0	183	3	3	14	20	29	39	68
80-84	49	12.1	96	2	2	9	17	27	31	40
85+	26	13.0	66	3	3	14	19	25	27	27
GRAND TOTAL	**413**	**14.7**	**170**	**2**	**3**	**11**	**20**	**31**	**40**	**88**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	178	12.1	73	3	4	10	15	23	28	58
70-74	126	13.5	78	4	5	11	19	25	32	45
75-79	70	13.6	98	3	4	11	18	28	36	45
80-84	36	12.1	69	3	4	9	16	23	29	35
85+	25	11.0	44	2	3	10	15	21	25	27
2. MULTIPLE DX										
65-69 YRS	1087	16.6	191	4	5	13	21	33	44	81
70-74	905	16.7	160	4	5	13	22	33	43	76
75-79	713	18.3	195	4	6	15	24	35	45	83
80-84	393	16.9	175	4	5	13	22	34	46	81
85+	277	19.0	188	4	6	15	25	39	46	73
TOT. SINGLE DX	435	12.7	77	3	4	10	17	24	30	44
" MULTIPLE DX	3375	17.2	183	4	5	14	22	34	44	81
TOTAL 65-69 YRS	1265	16.0	177	4	5	12	20	31	41	78
70-74	1031	16.3	152	4	5	13	22	32	41	72
75-79	783	17.9	189	4	5	14	23	35	44	82
80-84	429	16.5	168	4	5	13	22	33	45	79
85+	302	18.3	181	4	6	14	23	37	45	72
GRAND TOTAL	**3810**	**16.7**	**173**	**4**	**5**	**13**	**22**	**34**	**43**	**78**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	234	10.9	115	2	2	8	14	23	34	60
70-74	159	9.5	58	1	2	8	13	20	23	34
75-79	105	10.7	100	1	2	7	16	22	30	49
80-84	47	11.3	104	2	2	9	16	22	34	52
85+	25	12.4	149	2	2	9	14	35	40	52
2. MULTIPLE DX										
65-69 YRS	927	15.2	161	2	3	12	20	31	40	75
70-74	788	14.7	140	2	3	12	19	29	36	65
75-79	575	16.2	167	2	4	13	22	31	44	79
80-84	346	16.7	166	3	4	13	22	32	43	62
85+	236	17.3	159	4	5	14	22	34	42	61
TOT. SINGLE DX	570	10.6	97	1	2	8	14	22	30	52
" MULTIPLE DX	2872	15.6	158	2	4	12	21	31	40	69
TOTAL 65-69 YRS	1161	14.3	155	2	3	11	19	31	39	67
70-74	947	13.8	130	2	3	11	18	27	34	61
75-79	680	15.4	161	2	3	12	21	31	42	70
80-84	393	16.0	162	3	4	13	21	32	42	61
85+	261	16.8	160	3	5	13	21	34	42	61
GRAND TOTAL	**3442**	**14.8**	**151**	**2**	**3**	**12**	**19**	**31**	**39**	**64**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	152	16.0	54	9	10	14	18	23	28	49
70-74	71	16.2	48	10	10	14	18	26	34	38
75-79	41	17.3	61	9	10	15	19	25	36	46
80-84	10	16.5	44	7	7	17	23	24	25	25
85+	2	11.5	5	10	10	11	13	13	13	13
2. MULTIPLE DX										
65-69 YRS	878	21.2	151	10	11	17	25	36	47	75
70-74	649	23.0	183	10	11	19	28	41	53	79
75-79	316	23.7	191	11	12	19	28	42	57	86
80-84	73	27.1	232	10	13	23	35	43	55	90
85+	14	20.6	127	6	10	16	26	42	44	44
TOT. SINGLE DX	276	16.2	53	9	10	14	18	24	32	45
" MULTIPLE DX	1930	22.4	173	10	11	18	27	39	52	80
TOTAL 65-69 YRS	1030	20.4	140	10	11	17	24	35	43	72
70-74	720	22.3	175	10	11	18	27	39	53	78
75-79	357	23.0	181	10	12	19	27	40	56	86
80-84	83	25.8	221	9	11	22	33	42	55	87
85+	16	19.5	120	6	10	15	25	41	43	44
GRAND TOTAL	**2206**	**21.7**	**162**	**10**	**11**	**18**	**26**	**37**	**50**	**76**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	922	13.3	31	8	9	12	15	20	24	35
70-74	481	14.1	34	8	9	13	16	21	25	34
75-79	133	14.8	43	8	9	13	17	22	31	39
80-84	18	16.4	12	11	12	16	18	22	24	24
85+	5	12.2	9	7	7	13	14	15	15	15
2. MULTIPLE DX										
65-69 YRS	4610	16.9	85	9	10	14	20	28	35	58
70-74	2471	18.9	120	9	10	16	22	31	40	71
75-79	813	20.6	133	9	10	17	25	35	44	67
80-84	114	22.7	136	10	11	20	29	37	43	66
85+	18	24.7	117	10	11	28	35	73	99+	99+
TOT. SINGLE DX	1559	13.7	34	8	9	12	16	21	24	35
" MULTIPLE DX	8026	18.0	104	9	10	15	21	30	38	64
TOTAL 65-69 YRS	5532	16.3	78	9	9	14	19	27	33	54
70-74	2952	18.2	110	9	10	15	21	30	38	66
75-79	946	19.8	125	9	10	16	23	34	43	67
80-84	132	21.8	124	11	11	18	27	37	42	63
85+	23	22.0	121	9	11	20	31	46	99+	99+
GRAND TOTAL	**9585**	**17.3**	**95**	**9**	**9**	**14**	**20**	**29**	**36**	**61**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2242	3.7	15	1	2	2	3	8	12	20
70-74	948	3.9	15	1	2	2	4	10	12	20
75-79	301	5.1	29	2	2	3	6	13	17	27
80-84	42	7.0	47	1	2	3	13	16	22	26
85+	25	4.5	37	1	2	2	3	11	16	30
2. MULTIPLE DX										
65-69 YRS	9136	6.0	42	2	2	3	8	14	18	31
70-74	4906	6.9	52	2	2	4	9	15	21	34
75-79	1808	8.5	77	2	2	6	12	18	25	41
80-84	380	10.9	120	2	2	8	14	25	32	52
85+	89	13.1	142	2	2	9	17	30	45	82
TOT. SINGLE DX	3558	3.9	17	1	2	2	4	9	13	20
" MULTIPLE DX	16319	6.7	53	2	2	4	9	15	20	35
TOTAL 65-69 YRS	11378	5.6	38	2	2	3	7	13	17	30
70-74	5854	6.4	47	2	2	3	9	15	20	32
75-79	2109	8.0	72	2	2	5	11	18	24	39
80-84	422	10.5	115	2	2	7	14	24	31	51
85+	114	11.2	132	2	2	7	15	29	40	70
GRAND TOTAL	**19877**	**6.2**	**48**	**2**	**2**	**3**	**8**	**14**	**19**	**33**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	579	7.5	34	2	2	6	10	14	19	26
70-74	794	7.2	27	2	2	6	9	14	18	26
75-79	870	7.3	35	2	2	6	9	14	18	29
80-84	722	7.3	34	2	2	6	9	14	18	30
85+	629	7.2	27	2	2	6	9	14	17	24
2. MULTIPLE DX										
65-69 YRS	3630	12.6	92	3	4	10	16	24	30	49
70-74	5051	13.1	95	3	4	11	17	25	31	50
75-79	5790	13.4	106	3	4	11	17	26	33	57
80-84	5000	13.7	111	3	4	11	17	26	34	61
85+	4309	13.9	116	3	4	11	18	27	35	60
TOT. SINGLE DX	3594	7.3	32	2	2	6	9	14	18	27
" MULTIPLE DX	23780	13.4	105	3	4	11	17	26	33	55
TOTAL 65-69 YRS	4209	11.9	87	2	3	10	16	23	28	47
70-74	5845	12.3	90	3	3	10	16	24	30	48
75-79	6660	12.6	101	3	3	10	16	25	32	54
80-84	5722	12.9	106	3	4	10	17	24	33	57
85+	4938	13.1	110	3	4	10	16	26	33	57
GRAND TOTAL	**27374**	**12.6**	**100**	**3**	**4**	**10**	**16**	**24**	**31**	**52**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	90	7.9	68	2	2	4	11	17	22	45
70-74	50	7.3	32	2	2	5	11	16	18	23
75-79	16	8.9	47	1	3	7	13	18	23	25
80-84	4	16.0	55	9	9	14	21	26	26	26
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	387	14.9	206	2	3	11	19	32	45	78
70-74	256	16.4	166	2	3	14	21	35	43	64
75-79	106	18.7	234	3	5	15	26	39	47	81
80-84	40	18.7	154	4	6	15	24	39	47	52
85+	26	13.5	89	3	4	11	17	28	36	40
TOT. SINGLE DX	161	8.0	55	2	2	5	12	17	22	38
" MULTIPLE DX	815	16.0	193	3	3	12	21	34	44	73
TOTAL 65-69 YRS	477	13.6	188	2	3	10	17	30	42	74
70-74	306	14.9	156	2	3	12	20	32	41	60
75-79	122	17.5	220	3	3	13	23	36	45	76
80-84	44	18.4	145	4	7	15	24	39	47	52
85+	27	13.6	86	3	4	11	16	28	36	40
GRAND TOTAL	**976**	**14.7**	**179**	**2**	**3**	**11**	**19**	**32**	**42**	**68**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	403	5.3	47	1	1	2	7	14	20	30
70-74	364	5.3	43	1	1	2	7	13	19	35
75-79	220	5.9	47	1	1	3	8	15	19	33
80-84	129	7.2	77	1	1	4	10	15	22	66
85+	97	9.3	112	1	2	5	13	21	30	56
2. MULTIPLE DX										
65-69 YRS	1870	12.3	136	2	2	9	16	25	36	58
70-74	2017	13.0	126	2	2	10	17	27	34	55
75-79	1697	13.9	144	2	3	11	18	29	39	70
80-84	1385	15.5	149	2	3	13	20	31	40	66
85+	1341	15.9	143	3	4	13	21	30	40	75
TOT. SINGLE DX	1213	5.9	56	1	1	3	7	14	21	38
" MULTIPLE DX	8310	13.9	141	2	3	11	18	29	38	65
TOTAL 65-69 YRS	2273	11.0	128	1	2	8	15	24	34	55
70-74	2381	11.8	122	1	2	9	16	25	32	53
75-79	1917	13.0	140	2	2	10	17	28	38	68
80-84	1514	14.8	149	2	3	12	19	30	39	66
85+	1438	15.5	144	2	4	13	20	30	39	74
GRAND TOTAL	**9523**	**12.9**	**137**	**2**	**2**	**10**	**17**	**27**	**36**	**62**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	417	5.5	12	2	3	5	7	9	13	21
70-74	227	5.9	19	2	3	4	7	11	14	26
75-79	106	7.3	48	2	2	5	8	18	27	30
80-84	33	11.5	82	3	3	8	15	26	29	39
85+	8	14.0	497	4	4	6	8	51	69	69
2. MULTIPLE DX										
65-69 YRS	428	9.2	78	2	3	6	11	19	26	40
70-74	254	10.4	94	3	4	7	13	20	28	54
75-79	145	13.7	176	3	4	10	16	27	36	74
80-84	57	17.2	148	3	5	15	22	36	40	54
85+	31	17.0	147	3	5	13	23	40	43	44
TOT. SINGLE DX	791	6.2	29	2	3	5	7	11	15	29
" MULTIPLE DX	915	11.0	111	3	3	8	.14	22	32	54
TOTAL 65-69 YRS	845	7.4	49	2	3	5	9	14	20	36
70-74	481	8.3	64	3	3	5	10	17	22	48
75-79	251	11.0	132	2	3	7	13	24	31	62
80-84	90	15.1	131	3	3	13	20	34	37	51
85+	39	16.4	210	3	4	10	22	41	44	69
GRAND TOTAL	**1706**	**8.8**	**79**	**2**	**3**	**6**	**10**	**18**	**25**	**44**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	741	12.4	67	3	5	11	15	19	24	47
70-74	603	12.7	68	3	6	11	15	20	26	56
75-79	304	13.8	92	3	6	12	16	23	29	59
80-84	153	14.4	53	4	6	14	17	26	31	97
85+	56	14.3	51	3	7	14	18	26	28	30
2. MULTIPLE DX										
65-69 YRS	3040	18.6	181	5	7	15	22	36	48	86
70-74	2632	19.9	199	6	8	16	24	39	52	92
75-79	1663	21.5	204	6	9	18	27	42	52	91
80-84	746	23.7	232	8	9	20	30	46	58	99+
85+	375	25.0	265	9	11	21	32	49	65	99+
TOT. SINGLE DX	1857	12.9	71	3	6	11	15	21	27	53
" MULTIPLE DX	8456	20.3	203	6	8	16	25	40	52	92
TOTAL 65-69 YRS	3781	17.3	165	5	7	14	21	33	44	82
70-74	3235	18.5	183	6	7	15	22	36	48	82
75-79	1967	20.3	195	6	8	17	25	39	51	86
80-84	899	22.1	214	7	9	18	28	43	56	99+
85+	431	23.6	251	8	10	19	30	45	62	99+
GRAND TOTAL	**10313**	**19.0**	**187**	**5**	**7**	**15**	**23**	**37**	**49**	**87**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	1	18.0		18	18	18	18	18	18	18
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	16	24.3	256	4	8	20	32	39	62	71
70-74	3	16.3	44	12	12	13	21	24	24	24
75-79	1	19.0		19	19	19	19	19	19	19
80-84										
85+										
TOT. SINGLE DX	2	16.5	5	15	15	16	18	18	18	18
" MULTIPLE DX	20	22.9	216	5	10	20	28	37	55	71
TOTAL 65-69 YRS	17	23.8	245	5	9	20	32	39	60	71
70-74	4	16.8	30	12	12	15	21	24	24	24
75-79	1	19.0		19	19	19	19	19	19	19
80-84										
85+										
GRAND TOTAL	**22**	**22.3**	**199**	**6**	**11**	**19**	**26**	**36**	**52**	**71**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	4.8	20	<1	<1	3	8	12	13	21
70-74	57	8.4	97	<1	<1	6	11	19	27	49
75-79	16	10.3	55	1	2	8	14	22	26	28
80-84	5	5.6	12	<1	<1	5	8	10	10	10
85+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	1287	8.9	95	1	2	6	11	19	27	55
70-74	964	9.6	102	2	2	6	12	20	28	61
75-79	523	9.7	100	2	2	7	12	21	28	74
80-84	200	11.9	147	2	2	8	14	27	38	56
85+	52	10.5	102	2	3	7	13	20	31	55
TOT. SINGLE DX	147	6.9	58	<1	<1	5	9	15	20	45
" MULTIPLE DX	3026	9.5	103	1	2	6	12	20	28	57
TOTAL 65-69 YRS	1355	8.7	93	<1	2	6	11	18	27	54
70-74	1021	9.5	102	1	2	6	12	20	28	58
75-79	539	9.7	99	2	2	7	12	21	28	73
80-84	205	11.8	145	2	2	8	14	27	38	56
85+	53	10.6	102	2	3	7	13	20	31	55
GRAND TOTAL	**3173**	**9.4**	**101**	**1**	**2**	**6**	**12**	**20**	**28**	**57**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2173	9.4	49	2	3	8	12	17	22	34
70-74	1932	9.8	43	3	3	8	12	17	22	33
75-79	1252	10.6	71	3	4	9	13	19	24	42
80-84	500	10.7	58	2	3	9	14	19	25	42
85+	222	11.4	79	2	3	10	15	21	26	39
2. MULTIPLE DX										
65-69 YRS	8163	14.7	150	3	4	11	18	28	39	73
70-74	7461	15.4	158	3	4	12	19	30	41	73
75-79	5155	16.6	182	3	5	13	21	33	44	82
80-84	2540	18.0	190	4	5	14	23	36	49	86
85+	1344	19.2	223	3	6	15	25	40	52	95
TOT. SINGLE DX	6079	10.0	54	2	3	8	13	18	22	37
" MULTIPLE DX	24663	15.9	169	3	5	12	20	31	43	78
TOTAL 65-69 YRS	10336	13.6	134	3	4	11	17	26	35	70
70-74	9393	14.2	140	3	4	11	18	28	38	69
75-79	6407	15.4	166	3	4	12	19	30	41	78
80-84	3040	16.8	176	3	5	13	21	34	46	82
85+	1566	18.1	210	3	5	14	24	37	49	89
GRAND TOTAL	**30742**	**14.7**	**152**	**3**	**4**	**11**	**18**	**29**	**39**	**73**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	517	7.3	51	1	2	5	10	16	22	33
70-74	438	7.0	38	1	2	5	9	14	20	31
75-79	230	7.4	51	1	2	5	10	14	18	37
80-84	96	8.3	43	1	2	7	13	17	21	31
85+	71	12.1	119	1	3	9	16	27	41	48
2. MULTIPLE DX										
65-69 YRS	1321	11.9	113	2	2	9	16	24	32	54
70-74	1077	12.4	107	2	3	10	15	25	33	50
75-79	828	12.9	137	2	2	9	17	28	36	60
80-84	421	13.9	119	2	3	11	18	29	34	50
85+	256	15.1	240	2	3	11	19	31	44	96
TOT. SINGLE DX	1352	7.6	51	1	2	5	10	16	21	35
" MULTIPLE DX	3903	12.7	127	2	2	10	17	26	34	57
TOTAL 65-69 YRS	1838	10.6	100	2	2	8	15	23	29	49
70-74	1515	10.8	94	2	2	8	14	22	30	47
75-79	1058	11.7	124	2	2	8	15	26	34	59
80-84	517	12.9	110	2	3	10	17	26	32	49
85+	327	14.5	215	2	3	10	18	30	42	95
GRAND TOTAL	**5255**	**11.4**	**112**	**2**	**2**	**9**	**15**	**24**	**32**	**53**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	116	10.0	39	2	3	8	13	19	23	30
70-74	90	11.0	96	2	3	8	14	21	25	62
75-79	53	7.7	15	3	3	8	10	12	15	22
80-84	15	11.1	94	2	2	9	12	20	35	40
85+	11	16.6	215	2	3	10	27	40	46	47
2. MULTIPLE DX										
65-69 YRS	354	12.6	122	4	4	9	15	24	32	58
70-74	260	13.2	124	3	4	9	17	28	36	47
75-79	156	13.1	100	4	5	10	16	25	35	66
80-84	66	12.8	171	4	4	10	15	21	38	97
85+	55	14.2	235	3	4	9	18	32	57	99+
TOT. SINGLE DX	285	10.2	65	2	3	8	12	20	24	45
" MULTIPLE DX	891	12.9	129	4	4	9	16	25	35	75
TOTAL 65-69 YRS	470	11.9	103	3	4	9	14	22	30	54
70-74	350	12.6	118	3	4	9	16	26	34	53
75-79	209	11.7	84	3	4	9	14	23	32	56
80-84	81	12.5	156	4	4	10	14	21	35	95
85+	66	14.6	229	3	4	9	19	34	50	99
GRAND TOTAL	**1176**	**12.3**	**115**	**3**	**4**	**9**	**15**	**24**	**33**	**66**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	1	9.0		9	9	9	9	9	9	9
75-79	2	14.0	200	4	4	14	24	24	24	24
80-84	1	34.0		34	34	34	34	34	34	34
85+										
TOT. SINGLE DX	1	8.0		8	8	8	8	8	8	8
" MULTIPLE DX	5	16.8	147	4	4	13	26	34	34	34
TOTAL 65-69 YRS	2	10.5	13	8	8	10	13	13	13	13
70-74	1	9.0		9	9	9	9	9	9	9
75-79	2	14.0	200	4	4	14	24	24	24	24
80-84	1	34.0		34	34	34	34	34	34	34
85+										
GRAND TOTAL	**6**	**15.3**	**130**	**4**	**4**	**11**	**24**	**33**	**34**	**34**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84	1	16.0		16	16	16	16	16	16	16
85+										
TOT. SINGLE DX										
" MULTIPLE DX	2	12.0	32	8	8	12	16	16	16	16
TOTAL 65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-34	1	16.0		16	16	16	16	16	16	16
85+										
GRAND TOTAL	**2**	**12.0**	**32**	**8**	**8**	**12**	**16**	**16**	**16**	**16**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	585	10.3	93	2	3	7	12	22	32	50
70-74	530	10.6	88	2	3	8	13	22	27	50
75-79	423	11.2	114	2	2	8	14	23	32	58
80-84	279	10.4	74	2	3	8	14	21	30	48
85+	168	10.8	77	2	3	8	13	23	30	44
2. MULTIPLE DX										
65-69 YRS	3725	14.5	149	3	4	11	18	29	39	69
70-74	4133	14.2	131	3	4	11	17	28	38	62
75-79	3997	15.2	153	3	5	12	18	30	41	76
80-84	2784	15.5	154	4	5	12	19	29	42	83
85+	2205	15.9	150	4	5	13	20	31	42	75
TOT. SINGLE DX	1985	10.6	92	2	3	8	13	22	30	50
" MULTIPLE DX	16844	14.9	147	3	4	12	18	29	40	71
TOTAL 65-69 YRS	4310	13.9	144	3	4	10	17	29	38	65
70-74	4663	13.7	128	3	4	11	17	27	37	61
75-79	4420	14.8	151	3	4	11	18	29	40	75
80-84	3063	15.0	149	3	4	12	19	29	40	81
85+	2373	15.5	147	4	5	12	19	31	41	74
GRAND TOTAL	**18829**	**14.5**	**143**	**3**	**4**	**11**	**18**	**29**	**39**	**69**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	12.7	164	2	2	7	15	33	39	61
70-74	45	12.8	173	2	2	9	17	29	40	62
75-79	32	15.3	164	3	3	14	20	27	32	70
80-84	6	19.3	320	4	4	11	33	47	49	49
85+	14	12.4	83	2	3	11	16	27	31	32
2. MULTIPLE DX										
65-69 YRS	524	19.7	314	2	3	15	28	42	55	86
70-74	393	20.1	344	2	3	14	28	48	62	97
75-79	260	21.0	266	4	5	17	29	42	51	87
80-84	172	24.8	301	4	6	20	34	50	63	92
85+	153	21.2	230	4	6	19	28	41	51	72
TOT. SINGLE DX	165	13.4	163	2	2	9	18	30	38	65
" MULTIPLE DX	1502	20.8	306	3	4	16	29	45	57	89
TOTAL 65-69 YRS	592	18.9	302	2	3	14	26	41	54	85
70-74	438	19.3	331	2	3	14	27	47	60	94
75-79	292	20.3	258	3	4	16	27	41	50	82
80-84	178	24.7	301	4	6	20	34	49	62	91
85+	167	20.5	224	3	6	18	28	39	50	71
GRAND TOTAL	**1667**	**20.0**	**296**	**2**	**4**	**15**	**28**	**43**	**56**	**88**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	300	6.5	48	1	1	4	8	16	21	36
70-74	279	7.3	68	<1	1	4	9	17	24	45
75-79	211	7.7	71	1	1	5	10	17	21	57
80-84	144	6.3	35	1	1	4	9	15	19	26
85+	97	7.7	78	<1	1	5	10	17	21	52
2. MULTIPLE DX										
65-69 YRS	1447	11.5	124	2	2	8	15	25	35	66
70-74	1465	12.0	167	2	3	8	14	25	37	78
75-79	1185	12.5	147	2	3	9	16	26	35	73
80-84	845	12.5	122	2	2	9	16	26	35	57
85+	591	12.9	136	2	3	9	17	27	39	60
TOT. SINGLE DX	1031	7.1	60	1	1	4	9	16	21	38
" MULTIPLE DX	5533	12.1	142	2	3	9	15	26	36	69
TOTAL 65-69 YRS	1747	10.6	115	1	2	7	13	23	33	63
70-74	1744	11.2	154	2	2	8	14	24	34	72
75-79	1396	11.8	139	2	2	8	15	25	33	69
80-84	989	11.6	115	2	2	9	15	24	32	55
85+	688	12.1	131	2	2	9	16	26	35	60
GRAND TOTAL	**6564**	**11.3**	**132**	**2**	**2**	**8**	**14**	**24**	**33**	**66**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	33.0	999	13	13	19	51	80	80	80
70-74	8	12.4	46	3	5	10	15	23	26	26
75-79	5	14.2	18	10	10	14	18	19	19	19
80-84	5	25.2	90	14	14	28	32	37	37	37
85+	3	20.3	672	2	2	9	40	50	50	50
2. MULTIPLE DX										
65-69 YRS	32	20.9	98	7	10	20	26	35	39	45
70-74	46	22.7	205	7	9	18	30	42	52	75
75-79	33	24.8	291	6	8	20	32	48	66	75
80-84	36	22.8	177	6	10	19	31	42	49	62
85+	16	27.5	367	6	8	26	46	71	92	99+
TOT. SINGLE DX	25	19.6	273	3	9	15	24	37	57	80
" MULTIPLE DX	163	23.3	210	7	9	19	31	45	53	77
TOTAL 65-69 YRS	36	22.2	187	8	10	20	26	37	43	80
70-74	54	21.1	194	6	9	17	26	40	50	74
75-79	38	23.4	268	6	8	18	31	44	64	75
80-84	41	23.1	165	7	10	20	31	40	48	62
85+	19	26.4	388	3	6	23	46	63	88	99+
GRAND TOTAL	**188**	**22.8**	**218**	**6**	**9**	**18**	**30**	**44**	**51**	**79**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	21.3	380	5	7	14	25	47	52	95
70-74	30	19.3	208	4	5	15	23	37	58	63
75-79	32	26.5	488	5	7	22	34	52	81	99
80-84	21	16.8	118	3	5	16	24	39	66	99+
85+	23	21.6	465	3	5	14	35	62	92	99+
2. MULTIPLE DX										
65-69 YRS	278	27.0	375	7	9	22	39	65	96	99+
70-74	370	27.0	310	6	9	23	39	60	92	99+
75-79	380	28.0	390	6	8	23	40	64	92	99+
80-84	385	27.7	355	6	8	24	38	63	84	99+
85+	491	25.8	344	5	8	22	36	59	81	99+
TOT. SINGLE DX	136	21.4	342	4	5	16	25	47	63	99+
" MULTIPLE DX	1904	27.0	354	6	8	23	38	62	88	99+
TOTAL 65-69 YRS	308	26.5	378	6	8	22	38	63	94	99+
70-74	400	26.4	306	5	9	22	38	59	88	99+
75-79	412	27.9	397	6	8	23	39	64	91	99+
80-84	406	27.2	348	6	8	23	38	61	84	99+
85+	514	25.6	350	5	7	21	36	59	84	99+
GRAND TOTAL	**2040**	**26.7**	**355**	**6**	**8**	**22**	**38**	**61**	**87**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	336	7.6	45	<1	2	6	10	16	20	28
70-74	329	6.9	24	1	2	6	9	13	16	24
75-79	263	8.4	49	<1	2	7	11	16	21	39
80-84	173	8.6	44	1	2	7	10	18	24	33
85+	115	11.1	131	1	3	8	13	22	30	67
2. MULTIPLE DX										
65-69 YRS	2617	11.1	83	3	4	9	14	21	28	50
70-74	2731	11.9	90	3	4	9	15	23	30	52
75-79	2521	12.5	94	3	4	10	15	24	31	56
80-84	1774	13.4	112	3	5	11	16	26	36	62
85+	1254	14.8	146	4	5	12	17	27	36	76
TOT. SINGLE DX	1216	8.1	50	1	2	6	10	16	21	34
" MULTIPLE DX	10897	12.4	101	3	4	10	15	24	31	56
TOTAL 65-69 YRS	2953	10.7	80	2	3	8	13	20	27	49
70-74	3060	11.4	86	2	4	9	14	22	29	51
75-79	2784	12.1	92	3	4	10	15	23	30	53
80-84	1947	13.0	108	3	4	10	16	25	35	59
85+	1369	14.5	146	4	5	12	17	27	36	76
GRAND TOTAL	**12113**	**12.0**	**98**	**3**	**4**	**9**	**15**	**23**	**31**	**55**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	202	16.1	47	8	9	14	19	25	29	39
70-74	163	16.7	60	8	9	15	20	26	29	52
75-79	117	18.0	74	8	9	17	22	27	34	49
80-84	69	19.4	84	10	11	16	23	33	39	49
85+	38	22.9	96	11	12	20	30	37	42	53
2. MULTIPLE DX										
65-69 YRS	728	22.3	201	9	10	18	27	40	52	93
70-74	665	24.3	207	10	11	20	29	45	54	85
75-79	575	24.1	206	10	11	20	29	44	58	99+
80-84	373	28.8	285	11	13	24	35	53	70	88
85+	204	28.5	245	13	14	24	34	50	60	89
TOT. SINGLE DX	589	17.5	67	8	10	15	21	27	33	48
" MULTIPLE DX	2545	24.7	225	10	11	20	30	45	58	92
TOTAL 65-69 YRS	930	21.0	175	9	10	17	25	36	49	83
70-74	828	22.8	188	10	10	19	27	41	52	83
75-79	692	23.0	189	9	11	19	28	42	57	99
80-84	442	27.3	266	11	12	23	34	48	67	86
85+	242	27.6	226	12	14	24	34	47	57	86
GRAND TOTAL	**3134**	**23.3**	**203**	**9**	**11**	**19**	**28**	**43**	**54**	**85**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	19.9	93	10	11	16	27	31	43	47
70-74	30	21.8	84	11	13	18	30	35	37	46
75-79	14	23.7	175	10	11	23	28	38	56	61
80-84	7	32.4	49	26	26	29	39	43	43	43
85+	2	18.5	1	18	18	18	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	129	25.5	256	11	12	22	31	47	70	99+
70-74	105	28.5	323	11	14	24	34	59	85	99+
75-79	87	25.2	139	12	14	23	30	40	52	68
80-84	42	29.6	249	13	15	25	33	54	67	77
85+	12	39.3	522	16	17	37	53	70	86	89
TOT. SINGLE DX	88	22.1	106	11	12	19	29	35	43	56
" MULTIPLE DX	375	27.2	260	11	13	23	32	48	69	99
TOTAL 65-69 YRS	164	24.3	226	11	12	20	30	45	55	99+
70-74	135	27.0	277	11	14	23	32	47	81	99+
75-79	101	25.0	143	12	13	23	29	39	52	67
80-84	49	30.0	220	13	16	27	34	49	62	77
85+	14	36.4	499	16	17	26	47	65	84	89
GRAND TOTAL	**463**	**26.2**	**235**	**11**	**13**	**23**	**31**	**46**	**61**	**98**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	13.4	40	7	8	12	16	22	27	38
70-74	53	16.0	48	8	9	14	21	26	28	35
75-79	31	18.7	71	10	10	16	22	31	39	42
80-84	25	21.5	78	9	11	22	29	32	34	39
85+	11	16.9	46	9	10	15	19	28	33	33
2. MULTIPLE DX										
65-69 YRS	224	19.4	170	8	9	16	23	34	45	86
70-74	207	23.0	224	10	10	19	27	40	55	86
75-79	131	23.0	214	9	10	19	28	46	55	82
80-84	94	25.8	254	10	11	20	34	47	56	81
85+	59	24.1	101	11	12	22	34	38	41	47
TOT. SINGLE DX	188	16.3	60	8	9	14	20	27	32	39
" MULTIPLE DX	715	22.3	203	9	10	18	27	41	52	85
TOTAL 65-69 YRS	292	18.0	146	8	9	14	21	31	41	82
70-74	260	21.6	196	9	10	18	26	37	50	85
75-79	162	22.2	190	9	10	18	27	44	53	78
80-84	119	24.9	220	10	11	20	31	44	56	76
85+	70	23.0	99	11	12	21	30	36	40	47
GRAND TOTAL	**903**	**21.1**	**179**	**9**	**10**	**17**	**26**	**38**	**47**	**82**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	143	12.5	46	6	7	10	15	22	28	38
70-74	139	14.2	71	5	7	11	17	26	31	44
75-79	98	15.4	75	7	8	13	19	28	31	49
80-84	68	15.6	116	4	7	12	19	27	35	66
85+	71	15.4	71	7	8	13	18	25	36	47
2. MULTIPLE DX										
65-69 YRS	645	19.6	179	7	8	15	25	38	50	82
70-74	642	22.3	249	8	9	18	27	44	60	99+
75-79	515	24.0	228	8	9	20	30	44	58	79
80-84	394	23.0	211	9	10	19	28	42	55	99
85+	296	23.5	236	9	10	19	29	43	59	99+
TOT. SINGLE DX	519	14.3	72	6	7	11	17	26	31	45
" MULTIPLE DX	2492	22.2	222	8	9	18	28	42	55	97
TOTAL 65-69 YRS	788	18.3	163	7	8	14	23	35	47	79
70-74	781	20.8	227	7	8	16	25	40	56	99
75-79	613	22.6	214	8	9	19	29	42	54	77
80-84	462	21.9	205	9	9	18	27	41	54	97
85+	367	21.9	215	8	10	18	27	41	54	98
GRAND TOTAL	**3011**	**20.8**	**205**	**7**	**9**	**17**	**26**	**40**	**53**	**92**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1005	4.5	35	<1	1	2	6	11	14	27
70-74	834	4.7	32	1	1	2	6	11	15	27
75-79	628	5.2	36	1	1	2	7	13	18	28
80-84	321	5.8	49	1	1	3	8	13	17	32
85+	159	6.6	47	1	2	4	9	17	21	43
2. MULTIPLE DX										
65-69 YRS	3370	9.9	86	1	2	8	13	21	28	49
70-74	3430	10.6	99	1	2	8	14	21	29	50
75-79	2847	11.9	124	2	2	9	15	24	33	63
80-84	1865	12.6	122	2	2	10	16	25	34	59
85+	1168	13.4	109	2	3	11	18	27	36	62
TOT. SINGLE DX	2947	5.0	37	1	1	2	6	11	16	28
" MULTIPLE DX	12680	11.3	107	1	2	9	15	23	31	56
TOTAL 65-69 YRS	4375	8.7	80	1	1	6	11	19	25	46
70-74	4264	9.5	92	1	2	7	13	20	27	48
75-79	3475	10.7	115	1	2	8	14	22	31	59
80-84	2186	11.6	118	1	2	9	15	24	32	57
85+	1327	12.6	107	2	2	10	17	25	35	61
GRAND TOTAL	**15627**	**10.1**	**100**	**1**	**2**	**8**	**13**	**21**	**29**	**53**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	100	16.5	66	8	9	14	19	27	37	45
70-74	78	15.8	77	8	8	15	18	26	35	89
75-79	54	17.6	112	8	8	14	21	29	34	60
80-84	49	17.9	47	9	10	17	22	29	32	35
85+	33	15.9	40	9	10	14	17	25	32	35
2. MULTIPLE DX										
65-69 YRS	559	22.8	260	8	9	18	27	46	61	94
70-74	530	22.5	254	9	10	18	27	45	60	97
75-79	491	23.7	215	8	10	20	30	46	56	95
80-84	359	23.7	214	8	10	19	30	46	56	99+
85+	264	23.5	226	9	10	20	30	39	60	94
TOT. SINGLE DX	314	16.7	71	8	9	15	19	27	34	57
" MULTIPLE DX	2203	23.2	237	8	10	19	28	45	58	97
TOTAL 65-69 YRS	659	21.8	236	8	9	17	26	43	55	94
70-74	608	21.7	237	8	9	17	25	43	58	97
75-79	545	23.1	209	8	10	19	29	44	55	90
80-84	408	23.0	198	9	10	18	28	44	55	99+
85+	297	22.6	211	9	10	18	29	39	54	92
GRAND TOTAL	**2517**	**22.4**	**221**	**8**	**10**	**18**	**27**	**43**	**56**	**95**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1147	14.3	42	8	9	13	17	21	25	38
70-74	1054	14.6	36	8	9	13	17	22	25	36
75-79	842	15.7	46	8	9	14	18	23	28	41
80-84	460	17.4	70	9	10	15	20	27	35	53
85+	301	19.8	86	9	11	18	24	31	36	58
2. MULTIPLE DX										
65-69 YRS	4138	19.2	123	9	10	16	23	33	40	65
70-74	4463	20.2	141	9	10	17	24	34	44	77
75-79	4008	21.5	157	9	11	18	25	37	48	89
80-84	2752	23.2	165	10	11	20	28	40	49	83
85+	1803	25.1	191	11	12	22	30	44	56	97
TOT. SINGLE DX	3804	15.5	51	8	9	14	18	23	29	44
" MULTIPLE DX	17164	21.3	154	9	10	18	25	37	47	81
TOTAL 65-69 YRS	5285	18.1	110	9	9	15	21	30	38	62
70-74	5517	19.1	126	9	10	16	22	32	41	73
75-79	4850	20.5	143	9	10	17	24	35	46	84
80-84	3212	22.4	156	10	11	19	27	38	48	81
85+	2104	24.4	180	11	12	21	29	42	55	92
GRAND TOTAL	**20968**	**20.2**	**140**	**9**	**10**	**17**	**24**	**35**	**45**	**77**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	44	13.6	114	5	6	11	14	22	33	68
70-74	38	16.1	140	6	7	12	19	29	37	67
75-79	33	13.4	49	7	3	11	16	22	26	40
80-84	23	16.3	48	7	8	15	22	27	28	29
85+	17	16.3	93	8	9	14	17	22	40	50
2. MULTIPLE DX										
65-69 YRS	203	22.0	225	8	9	17	26	42	55	72
70-74	242	22.7	232	7	8	20	29	41	54	88
75-79	184	23.7	211	8	10	20	31	47	58	94
80-84	149	24.9	243	9	11	20	29	46	64	87
85+	134	24.1	188	10	11	20	29	43	52	65
TOT. SINGLE DX	155	14.8	94	6	7	12	18	26	32	66
" MULTIPLE DX	912	23.3	222	8	10	19	28	43	55	87
TOTAL 65-69 YRS	247	20.5	216	7	9	16	25	40	54	71
70-74	280	21.8	225	7	8	18	27	39	52	88
75-79	217	22.1	200	8	9	18	27	45	54	89
80-84	172	23.8	226	9	10	20	28	42	56	86
85+	151	23.2	183	9	11	19	28	43	51	59
GRAND TOTAL	**1067**	**22.1**	**213**	**8**	**9**	**18**	**27**	**41**	**54**	**84**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	323	10.7	35	3	5	10	12	16	20	39
70-74	254	11.0	30	5	6	10	12	18	21	34
75-79	210	11.3	35	4	6	10	13	18	25	32
80-84	121	12.3	87	5	6	10	15	17	20	67
85+	86	14.6	176	4	4	12	17	25	28	91
2. MULTIPLE DX										
65-69 YRS	969	16.5	142	6	7	13	19	32	42	77
70-74	961	16.8	139	7	8	13	19	33	42	81
75-79	725	17.6	144	6	8	14	21	33	40	73
80-84	483	18.6	182	5	8	15	23	35	44	79
85+	286	19.2	163	6	8	16	23	36	47	76
TOT. SINGLE DX	994	11.4	54	4	5	10	13	18	22	38
" MULTIPLE DX	3424	17.3	150	6	7	14	20	33	43	76
TOTAL 65-69 YRS	1292	15.0	122	5	6	12	17	28	39	60
70-74	1215	15.6	122	6	7	12	17	29	40	74
75-79	935	16.2	127	6	7	13	19	30	38	68
80-84	604	17.4	169	5	7	14	21	32	43	76
85+	372	18.2	170	5	8	15	21	33	46	81
GRAND TOTAL	**4418**	**16.0**	**135**	**5**	**7**	**13**	**18**	**30**	**40**	**71**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	84	19.4	144	6	8	17	24	31	46	67
70-74	69	21.2	146	8	10	18	27	35	43	67
75-79	59	20.7	205	7	9	17	26	31	51	84
80-84	58	25.2	285	10	11	20	28	58	75	98
85+	33	18.8	68	8	10	17	24	33	34	37
2. MULTIPLE DX										
65-69 YRS	538	24.7	231	10	11	20	31	45	58	91
70-74	545	26.2	229	9	11	23	33	46	56	94
75-79	479	26.7	233	9	12	23	34	50	70	99+
80-84	398	26.5	232	10	12	23	35	50	61	99+
85+	341	29.0	280	10	12	25	37	53	74	99+
TOT. SINGLE DX	303	21.1	178	8	9	18	26	34	51	81
" MULTIPLE DX	2301	26.4	240	10	12	23	34	49	61	99+
TOTAL 65-69 YRS	622	24.0	222	9	10	20	30	43	56	85
70-74	614	25.6	223	9	11	22	32	45	56	89
75-79	538	26.0	233	9	11	23	33	49	69	99+
80-84	456	26.3	239	10	12	22	34	51	62	99+
85+	374	28.1	270	10	12	24	36	51	72	99+
GRAND TOTAL	**2604**	**25.8**	**236**	**9**	**11**	**22**	**32**	**48**	**60**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	470	7.8	17	3	4	7	10	13	16	21
70-74	308	8.0	15	3	4	7	10	13	15	22
75-79	186	8.6	19	3	4	8	11	14	15	24
80-84	86	10.8	57	5	6	9	11	18	22	44
85+	66	9.9	35	3	3	9	12	18	23	28
2. MULTIPLE DX										
65-69 YRS	632	12.7	90	4	5	10	15	23	30	54
70-74	493	12.9	76	4	5	11	15	23	28	50
75-79	351	15.1	111	5	6	13	18	26	35	64
80-84	191	16.3	104	6	7	13	21	29	37	53
85+	160	16.8	118	6	7	14	20	31	44	51
TOT. SINGLE DX	1116	8.4	22	3	4	7	10	14	16	24
" MULTIPLE DX	1827	14.0	97	5	6	11	17	25	32	55
TOTAL 65-69 YRS	1102	10.6	66	4	4	9	13	19	24	45
70-74	801	11.0	59	4	5	9	13	19	25	41
75-79	537	12.8	89	4	5	10	15	22	30	59
80-84	277	14.6	96	5	6	11	19	27	37	49
85+	226	14.8	104	4	6	12	17	28	37	50
GRAND TOTAL	**2943**	**11.8**	**76**	**4**	**5**	**10**	**14**	**21**	**28**	**49**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	8.4	25	4	4	7	9	17	19	19
70-74	2	10.5	1	10	10	10	11	11	11	11
75-79										
80-84	1	16.0		16	16	16	16	16	16	16
85+	2	18.0	18	15	15	18	21	21	21	21
2. MULTIPLE DX										
65-69 YRS	13	13.8	60	5	7	11	22	40	87	99+
70-74	13	13.7	51	5	6	11	18	24	27	28
75-79	5	15.2	49	8	8	16	21	23	23	23
80-84	3	18.3	105	7	7	21	25	27	27	27
85+	4	11.0	16	7	7	11	14	15	15	15
TOT. SINGLE DX	12	11.0	31	4	5	10	15	20	21	21
" MULTIPLE DX	38	14.0	52	6	7	11	21	26	31	99+
TOTAL 65-69 YRS	20	11.9	53	5	5	10	16	27	63	99+
70-74	15	13.3	46	5	7	11	17	23	27	28
75-79	5	15.2	50	8	8	16	21	23	23	23
80-84	4	17.8	72	7	7	18	24	27	27	27
85+	6	13.3	27	7	7	14	15	20	21	21
GRAND TOTAL	**50**	**13.3**	**48**	**5**	**6**	**11**	**19**	**23**	**28**	**99**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	10.0	9	8	8	8	12	15	15	15
70-74	8	15.6	94	6	6	14	21	30	34	34
75-79	1	18.0		18	18	18	18	18	18	18
80-84	2	13.5	25	10	10	13	17	17	17	17
85+	5	13.0	34	6	6	12	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	14	21.9	161	7	9	17	28	40	50	53
70-74	10	20.9	158	11	12	16	21	42	53	53
75-79	6	12.8	65	2	3	13	15	25	26	26
80-84	6	24.8	475	7	7	18	28	62	66	66
85+	1	11.0		11	11	11	11	11	11	11
TOT. SINGLE DX	21	13.6	49	6	7	11	18	21	27	34
" MULTIPLE DX	37	20.4	189	7	8	15	26	38	53	66
TOTAL 65-69 YRS	19	18.8	148	7	8	15	25	36	47	53
70-74	18	18.6	130	6	7	16	21	33	45	53
75-79	7	13.6	58	2	3	15	17	24	26	26
80-84	8	22.0	371	7	8	14	26	55	66	66
85+	6	12.7	28	6	6	11	19	19	19	19
GRAND TOTAL	**58**	**17.9**	**148**	**6**	**7**	**15**	**21**	**32**	**47**	**65**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	326	5.2	37	1	1	3	6	11	16	35
70-74	310	5.5	28	1	2	4	7	12	16	27
75-79	284	5.2	19	1	2	4	6	11	15	20
80-84	213	5.9	33	1	2	4	7	12	16	32
85+	145	6.4	20	2	2	5	8	13	16	21
2. MULTIPLE DX										
65-69 YRS	881	9.6	89	2	2	7	12	19	26	47
70-74	927	10.5	108	2	2	7	13	22	30	55
75-79	788	11.1	101	2	3	8	14	24	32	63
80-84	653	11.8	102	2	3	9	15	23	34	53
85+	512	12.2	110	2	3	9	16	24	30	56
TOT. SINGLE DX	1278	5.5	29	1	2	4	7	12	16	27
" MULTIPLE DX	3761	10.9	103	2	3	8	14	22	30	54
TOTAL 65-69 YRS	1207	8.4	79	1	2	6	11	17	25	45
70-74	1237	9.3	95	2	2	6	12	20	27	49
75-79	1072	9.5	87	2	2	7	12	20	28	54
80-84	866	10.4	92	2	2	8	13	21	30	50
85+	657	10.9	96	2	3	8	14	22	29	54
GRAND TOTAL	**5039**	**9.5**	**89**	**2**	**2**	**7**	**12**	**20**	**27**	**49**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	57	4.8	10	1	1	4	6	9	11	16
70-74	50	5.2	36	1	1	4	7	10	14	39
75-79	19	5.8	34	1	2	5	7	11	20	27
80-84	11	11.6	166	2	4	7	12	29	47	49
85+	8	5.0	5	1	2	5	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	140	9.2	86	2	3	6	11	19	27	52
70-74	80	11.6	186	3	3	8	14	20	26	90
75-79	55	10.7	125	3	3	5	11	25	31	58
80-84	26	15.9	251	3	3	11	22	36	57	63
85+	14	14.1	71	4	6	12	17	28	33	35
TOT. SINGLE DX	145	5.6	36	1	2	4	7	10	14	39
" MULTIPLE DX	315	10.8	134	3	3	7	13	23	29	65
TOTAL 65-69 YRS	197	7.9	68	2	2	5	9	17	24	45
70-74	130	9.1	137	2	2	6	11	17	23	79
75-79	74	9.4	106	2	3	6	11	23	29	56
80-84	37	14.6	225	2	3	8	20	35	54	63
85+	22	10.8	66	2	3	8	13	22	30	35
GRAND TOTAL	**460**	**9.2**	**108**	**2**	**2**	**6**	**11**	**20**	**27**	**59**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	335	16.8	63	8	10	15	19	25	30	51
70-74	327	17.2	52	9	10	16	20	27	30	43
75-79	204	19.5	89	9	10	18	24	29	37	59
80-84	109	19.5	106	7	11	18	24	29	37	70
85+	54	22.5	168	10	11	19	26	34	43	80
2. MULTIPLE DX										
65-69 YRS	935	21.1	126	10	11	19	25	33	42	72
70-74	920	22.6	160	10	11	20	27	39	50	78
75-79	743	24.3	187	10	12	21	30	41	52	81
80-84	429	25.9	221	10	12	22	32	48	62	90
85+	268	25.0	182	10	11	22	32	44	51	99+
TOT. SINGLE DX	1029	18.1	77	9	10	16	21	28	32	55
" MULTIPLE DX	3295	23.2	169	10	11	20	28	40	50	83
TOTAL 65-69 YRS	1270	20.0	113	10	11	18	24	31	37	70
70-74	1247	21.2	138	9	11	18	25	36	45	73
75-79	947	23.3	170	9	11	20	28	39	49	79
80-84	538	24.6	205	10	12	21	30	44	58	86
85+	322	24.6	180	10	11	21	31	43	51	99+
GRAND TOTAL	**4324**	**22.0**	**152**	**10**	**11**	**19**	**27**	**37**	**47**	**77**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	971	5.9	25	1	1	5	8	11	16	24
70-74	832	6.8	42	1	1	6	9	13	17	27
75-79	631	7.0	35	1	2	6	9	13	17	28
80-84	377	7.6	44	1	2	6	9	14	21	33
85+	241	8.0	43	1	2	6	11	17	21	32
2. MULTIPLE DX										
65-69 YRS	6111	9.5	61	2	3	8	12	18	23	43
70-74	5918	10.2	77	2	3	8	12	19	26	47
75-79	5081	10.7	77	2	3	8	13	20	28	50
80-84	3556	11.8	92	3	4	9	15	23	30	58
85+	2551	12.6	99	3	4	10	16	24	32	58
TOT. SINGLE DX	3052	6.8	37	1	1	5	9	13	17	30
" MULTIPLE DX	23217	10.6	79	2	3	8	13	20	27	49
TOTAL 65-69 YRS	7082	9.0	58	2	3	7	11	17	23	41
70-74	6750	9.8	74	2	3	8	12	18	25	46
75-79	5712	10.3	75	2	3	8	13	19	26	49
80-84	3933	11.4	90	2	3	9	14	22	29	55
85+	2792	12.2	96	2	4	10	15	23	31	57
GRAND TOTAL	**26269**	**10.2**	**76**	**2**	**3**	**8**	**13**	**20**	**26**	**47**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	144	4.0	11	2	2	3	5	6	8	14
70-74	84	4.0	3	1	2	4	5	6	7	12
75-79	38	4.1	2	2	3	4	5	5	7	9
80-84	12	5.1	14	3	3	4	5	10	15	16
85+	10	5.7	7	2	3	5	7	10	12	12
2. MULTIPLE DX										
65-69 YRS	265	5.6	16	2	3	4	7	11	14	23
70-74	160	7.5	73	2	3	5	9	13	18	49
75-79	71	8.6	68	2	3	6	11	16	23	46
80-84	33	13.2	241	2	3	8	14	28	42	81
85+	21	10.9	89	2	3	9	15	29	66	99+
TOT. SINGLE DX	288	4.1	8	2	2	4	5	6	8	13
" MULTIPLE DX	550	7.2	60	2	3	5	8	14	19	48
TOTAL 65-69 YRS	409	5.1	16	2	2	4	6	9	12	22
70-74	244	6.3	52	2	2	4	7	12	14	48
75-79	109	7.0	50	2	3	4	8	14	17	45
80-84	45	11.1	193	2	3	6	14	23	38	81
85+	31	9.2	68	2	3	7	12	21	41	99+
GRAND TOTAL	**838**	**6.2**	**44**	**2**	**2**	**4**	**7**	**12**	**15**	**43**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	4.1	6	1	1	4	5	7	10	14
70-74	67	5.2	24	2	2	4	6	9	11	34
75-79	41	4.3	9	1	2	3	5	8	11	16
80-84	20	5.3	11	<1	1	5	7	9	13	15
85+	15	8.3	180	2	2	4	6	21	46	54
2. MULTIPLE DX										
65-69 YRS	283	6.6	30	2	3	5	7	13	18	31
70-74	204	7.1	38	2	3	5	8	13	21	33
75-79	126	9.5	85	2	3	6	13	21	32	99+
80-84	79	10.1	81	2	3	7	13	22	28	48
85+	62	10.9	119	2	4	8	12	18	25	76
TOT. SINGLE DX	247	4.8	23	1	2	4	5	8	11	21
" MULTIPLE DX	754	8.0	56	2	3	6	9	17	23	35
TOTAL 65-69 YRS	387	5.9	25	2	2	5	7	11	16	29
70-74	271	6.7	35	2	3	5	7	12	19	33
75-79	167	8.2	72	2	2	5	10	19	26	92
80-84	99	9.1	71	2	3	6	12	20	26	44
85+	77	10.4	130	2	3	7	12	18	25	74
GRAND TOTAL	**1001**	**7.2**	**50**	**2**	**2**	**5**	**8**	**15**	**21**	**35**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	324	5.5	8	3	3	5	6	9	10	14
70-74	170	5.9	10	3	3	5	7	10	13	19
75-79	89	6.4	13	3	3	6	8	10	12	23
80-84	44	6.7	7	3	3	6	9	10	11	15
85+	25	7.3	8	3	4	7	9	11	13	13
2. MULTIPLE DX										
65-69 YRS	1742	7.1	25	3	3	6	8	12	16	29
70-74	1071	7.8	31	3	3	6	9	14	19	31
75-79	606	8.7	33	3	4	7	10	16	20	30
80-84	287	11.0	90	3	4	8	14	21	29	49
85+	149	11.7	70	4	4	10	15	21	23	54
TOT. SINGLE DX	652	5.9	10	3	3	5	7	9	11	17
" MULTIPLE DX	3855	8.0	37	3	4	6	9	15	19	33
TOTAL 65-69 YRS	2066	6.9	23	3	3	6	8	12	15	28
70-74	1241	7.6	29	3	3	6	9	14	18	29
75-79	695	8.4	31	3	4	7	10	15	20	29
80-84	331	10.4	82	3	4	7	13	19	27	46
85+	174	11.1	64	4	4	9	14	20	22	49
GRAND TOTAL	**4507**	**7.7**	**33**	**3**	**3**	**6**	**9**	**14**	**18**	**32**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	163	4.7	11	1	2	4	6	10	11	17
70-74	124	5.1	16	1	2	4	6	8	14	23
75-79	72	5.3	18	1	2	4	7	10	13	25
80-84	41	6.4	17	2	2	5	7	14	15	19
85+	39	7.1	66	1	2	4	7	15	18	49
2. MULTIPLE DX										
65-69 YRS	307	8.2	86	2	2	5	9	16	25	59
70-74	237	9.7	91	2	3	6	11	22	30	49
75-79	175	9.9	66	2	3	7	13	20	26	40
80-84	114	11.9	143	3	3	9	15	27	40	99+
85+	116	12.9	109	2	4	10	16	26	34	53
TOT. SINGLE DX	439	5.3	20	1	2	4	6	10	14	21
" MULTIPLE DX	949	9.9	96	2	3	7	12	22	30	65
TOTAL 65-69 YRS	470	7.0	63	1	2	5	8	13	20	47
70-74	361	8.1	70	2	2	5	8	18	25	44
75-79	247	8.6	56	2	2	6	11	18	24	36
80-84	155	10.4	116	2	3	7	13	20	33	98
85+	155	11.4	104	2	3	8	15	24	32	49
GRAND TOTAL	**1388**	**8.4**	**76**	**2**	**2**	**6**	**10**	**18**	**25**	**48**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	11.5	98	2	2	7	19	27	28	28
70-74	10	12.7	91	2	2	11	20	26	28	28
75-79	6	12.3	122	1	1	11	19	29	30	30
80-84	3	12.7	70	3	3	17	18	18	18	18
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	44	20.5	171	4	5	18	25	40	52	56
70-74	43	23.1	385	3	5	16	30	52	70	85
75-79	30	19.5	275	2	3	16	29	41	44	72
80-84	17	25.6	213	10	10	23	33	51	54	54
85+	9	29.1	664	7	7	23	36	69	90	90
TOT. SINGLE DX	26	12.3	83	1	2	10	19	27	29	30
" MULTIPLE DX	143	22.2	291	3	5	17	29	44	54	85
TOTAL 65-69 YRS	50	19.4	169	3	5	17	24	36	51	56
70-74	53	21.1	344	2	4	16	29	49	66	85
75-79	36	18.3	253	2	2	15	27	40	44	72
80-84	20	23.7	210	6	10	20	30	47	53	54
85+	10	27.4	620	7	7	19	36	63	90	90
GRAND TOTAL	**169**	**20.7**	**271**	**2**	**4**	**17**	**28**	**42**	**53**	**83**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	325	6.8	52	1	1	4	9	16	23	30
70-74	231	8.5	85	1	1	5	13	20	25	44
75-79	135	10.7	157	1	1	7	14	20	32	65
80-84	65	10.3	76	1	1	9	16	22	26	36
85+	24	11.0	69	2	3	9	15	27	29	30
2. MULTIPLE DX										
65-69 YRS	1642	12.9	110	2	2	11	17	26	32	50
70-74	1333	14.9	132	2	3	12	20	30	37	58
75-79	899	15.4	141	2	4	13	20	29	38	63
80-84	417	16.6	132	3	5	14	22	33	41	99+
85+	217	18.7	173	4	7	16	23	34	50	63
TOT. SINGLE DX	780	8.4	85	1	1	5	12	19	24	45
" MULTIPLE DX	4508	14.6	130	2	3	12	19	28	36	60
TOTAL 65-69 YRS	1967	11.9	106	1	2	10	16	25	31	49
70-74	1564	13.9	130	1	2	12	19	28	36	57
75-79	1034	14.8	146	2	3	12	19	28	37	62
80-84	482	15.7	129	2	3	14	22	32	38	89
85+	241	17.9	168	3	5	15	23	33	45	63
GRAND TOTAL	**5288**	**13.7**	**129**	**1**	**2**	**11**	**18**	**28**	**35**	**59**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3247	9.1	17	5	6	8	10	14	16	23
70-74	2334	10.0	19	5	6	9	12	15	18	25
75-79	1417	11.1	29	6	6	10	13	17	21	32
80-84	626	12.5	30	6	7	11	15	20	23	30
85+	357	13.9	46	6	7	12	17	23	26	38
2. MULTIPLE DX										
65-69 YRS	7774	13.6	71	6	7	11	16	23	29	49
70-74	6621	14.8	82	6	7	12	18	25	32	50
75-79	4958	16.2	95	7	8	14	19	28	35	56
80-84	2897	18.3	114	8	9	16	22	31	39	69
85+	1836	20.8	143	9	10	18	25	37	47	72
TOT. SINGLE DX	7981	10.2	24	5	6	9	12	16	19	28
" MULTIPLE DX	24086	15.6	95	6	7	13	19	27	34	57
TOTAL 65-69 YRS	11021	12.2	60	5	6	10	14	21	26	45
70-74	8955	13.5	70	6	7	11	16	23	29	47
75-79	6375	15.1	86	6	7	13	18	26	33	52
80-84	3523	17.3	105	7	8	15	21	29	37	67
85+	2193	19.7	134	8	9	17	24	35	44	68
GRAND TOTAL	**32067**	**14.2**	**83**	**6**	**7**	**12**	**17**	**25**	**31**	**52**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	183	13.5	100	2	3	12	17	25	32	55
70-74	158	14.1	99	2	3	12	18	25	31	54
75-79	162	15.3	108	2	3	14	21	28	34	42
80-84	110	14.9	86	2	3	13	20	29	32	40
85+	79	16.2	122	2	3	15	22	31	34	57
2. MULTIPLE DX										
65-69 YRS	574	19.1	168	3	6	16	24	34	44	76
70-74	648	20.2	156	5	8	18	26	35	47	74
75-79	594	21.3	157	5	8	19	27	37	46	68
80-84	478	22.3	158	8	10	20	28	39	50	76
85+	376	24.1	232	7	10	21	29	43	56	94
TOT. SINGLE DX	692	14.6	103	2	3	13	19	27	33	50
" MULTIPLE DX	2670	21.1	173	5	8	18	27	37	47	77
TOTAL 65-69 YRS	757	17.8	158	3	5	15	23	32	40	74
70-74	806	19.0	151	4	7	16	24	33	44	73
75-79	756	20.1	153	3	6	18	26	35	44	68
80-84	588	20.9	153	4	9	18	27	37	45	71
85+	455	22.7	222	5	8	20	28	40	51	93
GRAND TOTAL	**3362**	**19.8**	**165**	**3**	**7**	**17**	**25**	**35**	**45**	**74**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	166	10.2	116	1	1	7	15	22	29	48
70-74	145	10.8	103	1	2	8	14	26	31	47
75-79	102	10.9	95	1	2	8	17	23	31	45
80-84	64	10.5	109	2	2	6	14	27	32	50
85+	27	9.4	42	1	2	8	14	19	21	25
2. MULTIPLE DX										
65-69 YRS	550	18.5	259	2	3	14	25	38	53	85
70-74	568	16.4	197	2	3	12	23	33	45	81
75-79	387	18.2	264	2	3	14	24	38	57	85
80-84	247	17.6	220	2	4	13	26	37	48	78
85+	132	18.3	241	3	5	15	22	35	50	88
TOT. SINGLE DX	504	10.5	103	1	2	7	15	23	30	48
" MULTIPLE DX	1884	17.6	236	2	3	14	24	36	51	85
TOTAL 65-69 YRS	716	16.6	238	2	2	12	22	36	50	83
70-74	713	15.2	183	2	2	11	22	32	41	77
75-79	489	16.7	238	2	3	12	22	35	54	81
80-84	311	16.1	205	2	3	12	22	34	45	72
85+	159	16.8	218	2	3	13	20	33	44	87
GRAND TOTAL	**2388**	**16.1**	**216**	**2**	**3**	**12**	**22**	**34**	**47**	**79**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1542	5.3	28	1	1	4	7	11	14	24
70-74	1462	5.6	31	1	1	4	7	11	14	25
75-79	1111	6.1	37	1	1	4	8	13	17	30
80-84	740	6.5	41	1	2	5	8	13	16	30
85+	532	7.4	42	1	2	6	9	14	19	31
2. MULTIPLE DX										
65-69 YRS	8222	8.5	56	2	2	7	10	16	22	42
70-74	9029	8.9	61	2	3	7	11	17	23	41
75-79	8233	9.6	70	2	3	7	12	18	25	45
80-84	6224	10.2	75	2	3	8	12	20	26	49
85+	4799	11.0	92	3	3	8	13	21	29	55
TOT. SINGLE DX	5387	5.9	35	1	1	4	8	12	16	27
" MULTIPLE DX	36507	9.4	70	2	3	7	11	18	25	46
TOTAL 65-69 YRS	9764	8.0	54	1	2	6	10	15	21	39
70-74	10491	8.4	59	2	2	7	10	16	22	40
75-79	9344	9.2	68	2	2	7	11	18	24	43
80-84	6964	9.8	73	2	3	8	12	19	26	48
85+	5331	10.6	88	2	3	8	13	20	28	53
GRAND TOTAL	**41894**	**9.0**	**66**	**2**	**2**	**7**	**11**	**17**	**24**	**44**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4704	4.2	4	2	2	4	5	7	8	11
70-74	3787	4.5	4	2	2	4	5	7	8	12
75-79	2674	5.0	6	2	2	4	6	8	9	14
80-84	1336	5.4	9	2	3	5	7	9	10	17
85+	712	6.1	11	2	3	6	8	10	12	18
2. MULTIPLE DX										
65-69 YRS	4876	6.3	24	2	3	5	7	11	15	25
70-74	4515	7.1	34	2	3	5	8	13	16	32
75-79	3565	7.8	43	2	3	6	9	14	19	37
80-84	2115	9.2	63	3	3	7	11	18	24	49
85+	1387	10.4	73	3	4	8	12	20	26	45
TOT. SINGLE DX	13213	4.7	6	2	2	4	6	7	9	13
" MULTIPLE DX	16458	7.6	42	2	3	6	9	14	19	36
TOTAL 65-69 YRS	9580	5.3	16	2	2	4	6	9	12	21
70-74	8302	5.9	23	2	3	5	7	10	13	24
75-79	6239	6.6	30	2	3	5	8	12	15	29
80-84	3451	7.7	46	2	3	6	9	14	20	40
85+	2099	8.9	57	3	3	7	10	17	22	39
GRAND TOTAL	**29671**	**6.3**	**28**	**2**	**3**	**5**	**7**	**11**	**15**	**28**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	620	4.7	4	2	3	4	6	7	8	12
70-74	475	5.0	5	2	3	5	6	8	9	13
75-79	319	5.8	16	3	3	5	7	9	10	13
80-84	157	6.1	9	2	3	5	7	10	12	18
85+	78	6.8	8	3	3	6	9	11	13	15
2. MULTIPLE DX										
65-69 YRS	802	6.7	18	3	3	5	8	12	15	25
70-74	678	7.7	32	3	3	6	9	14	18	31
75-79	504	8.4	33	3	4	7	10	14	19	31
80-84	267	11.1	104	3	4	8	13	21	26	69
85+	147	10.8	60	4	4	8	12	21	25	39
TOT. SINGLE DX	1649	5.3	8	2	3	5	6	8	10	13
" MULTIPLE DX	2398	8.1	40	3	3	6	9	14	19	33
TOTAL 65-69 YRS	1422	5.8	13	2	3	5	7	9	12	22
70-74	1153	6.6	23	3	3	5	7	12	15	26
75-79	823	7.4	28	3	3	6	9	12	16	28
80-84	424	9.3	75	3	3	7	11	17	22	50
85+	225	9.4	46	3	4	8	11	17	23	35
GRAND TOTAL	**4047**	**6.9**	**29**	**3**	**3**	**6**	**8**	**12**	**16**	**27**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	231	5.6	9	2	3	5	7	9	12	17
70-74	238	5.5	12	2	3	5	7	9	11	22
75-79	166	6.5	15	2	3	6	8	10	14	25
80-84	126	7.3	22	2	3	7	9	12	14	31
85+	96	7.5	23	2	3	7	9	14	17	28
2. MULTIPLE DX										
65-69 YRS	245	8.5	41	3	3	6	10	18	23	31
70-74	288	9.7	85	3	4	7	11	18	24	54
75-79	310	10.4	77	3	4	8	12	19	24	69
80-84	265	11.8	83	4	4	9	14	22	30	45
85+	228	13.4	122	3	5	10	17	28	36	99+
TOT. SINGLE DX	857	6.2	15	2	3	5	8	10	13	22
" MULTIPLE DX	1336	10.7	84	3	4	8	13	20	28	61
TOTAL 65-69 YRS	476	7.1	28	2	3	5	8	12	19	26
70-74	526	7.8	57	2	3	6	9	14	20	45
75-79	476	9.0	59	3	3	7	10	17	22	40
80-84	391	10.3	68	3	4	8	12	18	27	41
85+	324	11.6	101	3	4	9	14	21	32	91
GRAND TOTAL	**2193**	**8.9**	**62**	**3**	**3**	**7**	**10**	**17**	**23**	**42**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	219	4.8	8	1	2	4	6	8	10	17
70-74	165	5.0	8	1	2	4	7	8	10	15
75-79	76	4.8	5	1	2	5	6	8	10	12
80-84	46	7.0	34	2	3	5	8	11	22	30
85+	21	6.0	14	1	2	5	8	12	13	14
2. MULTIPLE DX										
65-69 YRS	407	7.7	28	2	3	6	9	15	18	31
70-74	337	9.4	57	2	3	8	11	17	23	43
75-79	199	11.0	111	3	3	8	13	21	28	50
80-84	107	13.1	96	3	4	11	17	27	31	99+
85+	88	11.6	80	3	4	10	14	24	29	83
TOT. SINGLE DX	527	5.1	11	1	2	4	6	9	11	18
" MULTIPLE DX	1138	9.6	65	3	3	7	12	18	24	48
TOTAL 65-69 YRS	626	6.7	23	2	2	5	8	12	16	26
70-74	502	8.0	46	2	3	6	10	15	19	40
75-79	275	9.3	90	2	3	7	11	18	23	47
80-84	153	11.3	86	3	3	9	14	25	29	98
85+	109	10.5	73	2	3	9	13	20	28	74
GRAND TOTAL	**1665**	**8.2**	**52**	**2**	**3**	**6**	**10**	**16**	**21**	**42**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	833	6.5	11	3	3	6	8	10	12	18
70-74	706	6.8	11	3	3	6	8	11	13	18
75-79	373	7.2	14	3	3	7	9	11	14	21
80-84	179	8.1	16	3	4	8	10	13	16	24
85+	91	9.1	53	3	3	8	11	14	18	48
2. MULTIPLE DX										
65-69 YRS	1422	10.3	63	3	4	8	12	19	25	45
70-74	1145	10.7	66	3	4	9	13	19	24	47
75-79	768	11.9	82	4	5	9	14	22	28	44
80-84	373	13.6	107	4	6	11	17	24	30	71
85+	211	14.5	136	5	6	12	17	27	34	72
TOT. SINGLE DX	2182	6.9	15	3	3	6	8	11	13	21
" MULTIPLE DX	3919	11.3	78	3	4	9	13	20	27	47
TOTAL 65-69 YRS	2255	8.9	48	3	3	7	10	16	21	39
70-74	1851	9.2	49	3	4	8	11	16	20	37
75-79	1141	10.3	65	3	4	8	12	19	26	41
80-84	552	11.8	85	3	4	10	14	21	26	50
85+	302	12.9	117	4	5	10	15	23	32	56
GRAND TOTAL	**6101**	**9.7**	**60**	**3**	**4**	**8**	**11**	**17**	**23**	**41**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	63	10.2	31	4	4	10	13	17	20	32
70-74	49	11.9	69	3	4	10	15	23	30	38
75-79	43	12.7	72	5	6	12	15	18	23	57
80-84	21	12.6	36	6	7	11	16	21	25	29
85+	14	16.4	193	3	4	13	23	28	51	57
2. MULTIPLE DX										
65-69 YRS	323	13.6	76	5	6	11	17	24	28	65
70-74	249	15.1	108	6	7	12	18	27	33	68
75-79	175	17.4	130	6	7	14	21	31	45	61
80-84	86	19.7	127	6	8	17	26	37	44	52
85+	60	20.0	169	6	8	16	25	38	45	65
TOT. SINGLE DX	190	11.9	64	4	4	10	15	20	25	49
" MULTIPLE DX	893	15.8	112	6	7	13	19	28	37	61
TOTAL 65-69 YRS	386	13.0	71	4	6	11	16	23	28	51
70-74	298	14.6	103	5	6	12	18	27	33	65
75-79	218	16.5	122	6	7	13	19	29	40	61
80-84	107	18.3	117	6	8	16	24	34	41	51
85+	74	19.3	174	4	7	16	24	38	46	65
GRAND TOTAL	**1083**	**15.1**	**105**	**5**	**6**	**12**	**18**	**27**	**36**	**60**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	340	9.9	100	1	2	7	13	21	25	48
70-74	246	10.1	78	1	2	8	13	21	27	48
75-79	176	10.5	65	1	2	8	14	23	27	36
80-84	98	10.8	78	2	2	8	16	21	31	43
85+	62	12.5	82	2	3	11	17	21	27	53
2. MULTIPLE DX										
65-69 YRS	1554	15.0	141	2	3	12	20	30	39	58
70-74	1350	16.3	186	3	4	13	21	32	42	75
75-79	1079	16.3	167	2	4	13	21	34	44	71
80-84	626	17.6	175	3	4	15	22	33	43	74
85+	357	18.6	149	3	5	16	25	35	43	71
TOT. SINGLE DX	922	10.3	84	1	2	8	14	21	27	45
" MULTIPLE DX	4966	16.2	165	2	4	13	21	32	41	70
TOTAL 65-69 YRS	1894	14.1	138	2	3	11	19	28	38	56
70-74	1596	15.3	174	2	3	12	20	31	41	72
75-79	1255	15.5	157	2	3	12	21	31	42	65
80-84	724	16.7	168	3	4	14	21	33	40	73
85+	419	17.7	144	3	5	16	24	34	41	70
GRAND TOTAL	**5888**	**15.3**	**157**	**2**	**3**	**12**	**20**	**31**	**40**	**67**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	229	12.8	54	4	6	11	16	23	27	46
70-74	185	14.5	80	5	7	12	18	24	32	52
75-79	130	14.7	79	6	7	13	18	24	29	57
80-84	86	16.6	97	7	8	13	22	27	31	60
85+	70	14.9	67	4	6	13	20	27	29	39
2. MULTIPLE DX										
65-69 YRS	932	19.2	174	6	7	16	24	36	46	88
70-74	792	21.1	210	7	8	17	27	41	50	94
75-79	655	22.1	232	7	9	18	27	41	58	92
80-84	434	22.5	228	7	9	19	28	44	54	94
85+	283	23.0	212	9	10	19	28	43	54	86
TOT. SINGLE DX	700	14.3	74	5	6	12	18	25	30	54
" MULTIPLE DX	3096	21.1	209	7	8	17	26	40	51	92
TOTAL 65-69 YRS	1161	17.9	157	6	7	15	22	33	43	87
70-74	977	19.9	192	6	8	16	25	39	48	90
75-79	785	20.9	215	7	8	17	26	38	54	90
80-84	520	21.6	211	7	9	18	26	41	52	92
85+	353	21.3	194	7	10	18	26	40	48	77
GRAND TOTAL	**3796**	**19.8**	**191**	**6**	**8**	**16**	**25**	**37**	**48**	**90**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	42	5.6	49	<1	1	2	7	17	20	35
70-74	32	7.0	48	2	2	4	10	15	20	33
75-79	12	4.3	25	1	1	2	4	13	16	17
80-84	7	8.4	54	2	2	5	11	21	23	23
85+	8	11.5	158	1	1	9	12	32	41	41
2. MULTIPLE DX										
65-69 YRS	92	11.9	172	1	2	8	15	27	38	71
70-74	82	12.5	141	2	2	9	17	23	41	60
75-79	52	12.5	126	2	2	10	17	30	36	52
80-84	19	14.3	138	1	2	12	27	32	35	37
85+	12	19.8	420	2	3	10	30	52	66	68
TOT. SINGLE DX	101	6.6	56	1	1	3	10	16	21	38
" MULTIPLE DX	257	12.7	162	2	2	9	17	30	38	62
TOTAL 65-69 YRS	134	9.9	142	1	2	5	14	22	34	59
70-74	114	10.9	120	2	2	8	15	23	32	58
75-79	64	11.0	117	1	2	7	15	26	33	50
80-84	26	12.7	120	1	2	10	20	30	34	37
85+	20	16.5	319	1	2	10	26	43	56	68
GRAND TOTAL	**358**	**11.0**	**139**	**1**	**2**	**7**	**15**	**24**	**36**	**56**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	288	12.2	73	3	4	11	15	19	28	52
70-74	267	12.6	62	4	6	11	15	20	24	47
75-79	175	14.2	70	6	7	12	18	25	30	40
80-84	111	13.7	43	5	8	13	17	20	24	43
85+	85	16.3	92	7	9	14	18	28	34	59
2. MULTIPLE DX										
65-69 YRS	1086	17.3	171	5	6	14	22	33	43	89
70-74	940	19.6	182	6	8	16	24	39	50	83
75-79	718	20.0	182	7	9	16	24	38	52	96
80-84	473	21.9	215	8	9	17	27	42	55	98
85+	361	21.7	165	8	10	19	27	40	53	99+
TOT. SINGLE DX	926	13.2	69	4	6	11	16	22	28	48
" MULTIPLE DX	3578	19.5	184	6	8	16	24	38	49	97
TOTAL 65-69 YRS	1374	16.3	156	4	6	13	20	31	42	83
70-74	1207	18.1	164	6	7	14	22	36	47	78
75-79	893	18.9	165	6	8	15	23	34	47	91
80-84	584	20.4	193	8	9	16	25	40	48	94
85+	446	20.7	156	8	10	17	25	37	49	99+
GRAND TOTAL	**4504**	**18.2**	**167**	**5**	**7**	**15**	**22**	**35**	**45**	**85**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	209	13.8	37	8	8	12	16	21	26	34
70-74	168	13.9	47	7	8	12	16	23	29	38
75-79	97	15.1	53	8	9	14	18	21	27	50
80-84	61	15.7	51	8	9	14	18	25	31	40
85+	21	16.6	37	9	10	14	24	43	99+	99+
2. MULTIPLE DX										
65-69 YRS	684	19.3	156	8	9	16	23	35	46	70
70-74	592	18.5	118	8	9	16	22	31	40	66
75-79	454	19.9	127	8	10	17	24	34	42	67
80-84	231	21.5	146	9	10	18	25	36	45	67
85+	117	21.4	120	9	10	17	28	35	42	62
TOT. SINGLE DX	556	14.4	45	8	8	12	17	23	28	44
" MULTIPLE DX	2078	19.6	137	8	9	16	23	34	43	66
TOTAL 65-69 YRS	893	18.0	134	8	9	15	21	31	42	64
70-74	760	17.5	107	8	9	15	21	30	38	61
75-79	551	19.0	117	8	9	16	22	33	42	63
80-84	292	20.3	132	9	10	17	24	34	41	61
85+	138	20.7	110	9	10	17	27	35	44	99+
GRAND TOTAL	**2634**	**18.5**	**122**	**8**	**9**	**16**	**22**	**32**	**41**	**63**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	303	10.2	42	2	2	9	13	17	21	40
70-74	190	10.0	32	2	3	9	12	16	19	33
75-79	98	10.8	46	2	3	10	12	18	25	39
80-84	32	13.2	153	<1	1	10	16	26	44	57
85+	22	13.1	115	1	1	10	19	25	35	48
2. MULTIPLE DX										
65-69 YRS	782	14.8	152	2	3	12	18	28	37	72
70-74	638	15.5	138	2	5	12	19	30	40	59
75-79	411	17.2	160	3	6	14	22	30	43	79
80-84	148	18.8	193	3	4	15	25	36	43	69
85+	92	17.5	196	2	4	15	23	36	69	99+
TOT. SINGLE DX	645	10.5	49	2	2	9	13	17	22	41
" MULTIPLE DX	2071	15.9	156	2	4	13	20	30	41	77
TOTAL 65-69 YRS	1085	13.5	126	2	3	11	16	25	34	65
70-74	828	14.3	119	2	4	11	17	27	35	52
75-79	509	16.0	145	3	5	13	20	29	41	77
80-84	180	17.8	190	2	3	14	23	35	44	68
85+	114	16.6	183	2	4	14	22	34	48	99+
GRAND TOTAL	**2716**	**14.6**	**136**	**2**	**4**	**11**	**18**	**28**	**37**	**69**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	277	10.0	22	4	5	9	12	16	17	21
70-74	168	9.6	20	3	5	9	11	15	20	26
75-79	88	10.1	17	2	4	10	13	16	16	18
80-84	28	11.1	26	4	5	10	15	18	20	22
85+	14	10.6	28	2	2	10	14	18	20	21
2. MULTIPLE DX										
65-69 YRS	481	13.8	79	4	6	11	17	24	29	51
70-74	339	14.3	98	4	6	12	18	26	34	59
75-79	239	16.4	155	3	6	13	21	32	41	63
80-84	117	14.8	76	4	5	12	20	27	31	42
85+	56	19.1	226	3	5	15	24	43	48	79
TOT. SINGLE DX	575	9.9	21	3	5	9	12	16	18	23
" MULTIPLE DX	1232	14.8	107	4	6	12	18	27	34	59
TOTAL 65-69 YRS	758	12.4	62	4	6	10	15	21	26	47
70-74	507	12.8	77	4	5	10	15	22	28	57
75-79	327	14.7	126	3	5	12	17	27	36	61
80-84	145	14.1	68	4	5	12	19	25	31	39
85+	70	17.4	198	3	5	14	21	39	48	75
GRAND TOTAL	**1807**	**13.3**	**85**	**3**	**5**	**11**	**16**	**23**	**30**	**55**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	37	15.9	32	8	10	15	20	24	28	30
70-74	16	18.3	42	10	10	18	22	30	31	31
75-79	9	20.6	50	12	12	20	25	31	34	34
80-84	5	16.2	33	12	12	13	19	26	26	26
85+	2	13.5	1	13	13	13	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	117	21.6	193	6	8	18	29	39	51	82
70-74	99	21.7	270	8	9	17	25	37	74	99+
75-79	54	22.9	185	7	10	20	29	41	49	65
80-84	28	25.8	164	7	10	25	35	45	48	52
85+	13	21.5	216	5	6	15	32	43	48	49
TOT. SINGLE DX	69	17.0	38	10	11	16	21	26	30	33
" MULTIPLE DX	311	22.2	214	6	9	18	29	41	52	99
TOTAL 65-69 YRS	154	20.2	160	6	9	16	26	37	49	73
70-74	115	21.2	239	8	9	17	24	36	62	99+
75-79	63	22.5	166	8	10	20	28	40	48	65
80-84	33	24.3	155	7	11	22	33	42	47	52
85+	15	20.4	194	5	6	14	30	41	47	49
GRAND TOTAL	**380**	**21.3**	**185**	**7**	**9**	**17**	**27**	**37**	**50**	**96**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	282	5.4	13	2	2	5	7	10	12	17
70-74	150	6.0	26	2	2	5	7	11	16	26
75-79	98	7.7	35	2	3	6	9	15	20	32
80-84	36	5.6	21	1	2	4	8	14	16	17
85+	14	11.2	169	3	4	7	12	18	47	55
2. MULTIPLE DX										
65-69 YRS	385	9.3	63	2	3	7	11	17	25	43
70-74	292	10.5	90	2	3	8	13	20	28	53
75-79	180	10.8	68	2	3	8	15	23	28	37
80-84	103	13.2	108	3	4	11	17	25	32	56
85+	54	14.6	209	3	3	10	18	30	47	69
TOT. SINGLE DX	580	6.1	26	2	2	5	8	11	15	24
" MULTIPLE DX	1014	10.6	86	2	3	8	13	21	28	46
TOTAL 65-69 YRS	667	7.7	46	2	2	6	9	15	20	39
70-74	442	9.0	73	2	2	6	11	18	25	45
75-79	278	9.7	59	2	3	7	13	21	25	37
80-84	139	11.2	97	2	3	8	15	22	29	44
85+	68	13.9	200	3	3	10	15	27	49	69
GRAND TOTAL	**1594**	**9.0**	**69**	**2**	**2**	**7**	**11**	**18**	**24**	**43**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2414	4.1	18	1	1	3	5	9	12	22
70-74	2192	4.2	18	1	1	3	5	9	12	19
75-79	1574	4.9	26	1	1	3	6	10	14	25
80-84	920	5.5	35	1	1	3	7	12	16	31
85+	582	6.3	52	1	1	4	8	13	17	34
2. MULTIPLE DX										
65-69 YRS	7580	8.5	85	1	2	6	11	18	25	50
70-74	8092	9.3	91	1	2	7	12	20	28	52
75-79	7003	10.8	112	1	2	8	14	23	32	60
80-84	4841	12.0	144	2	2	9	15	26	36	81
85+	3815	12.7	127	2	3	10	17	27	37	82
TOT. SINGLE DX	7682	4.6	25	1	1	3	6	10	13	24
" MULTIPLE DX	31331	10.3	110	1	2	7	13	22	31	61
TOTAL 65-69 YRS	9994	7.5	73	1	1	5	10	16	23	45
70-74	10284	8.2	80	1	2	5	11	18	25	48
75-79	8577	9.7	102	1	2	7	13	21	29	57
80-84	5761	11.0	133	1	2	8	14	24	34	75
85+	4397	11.9	123	2	2	9	16	25	35	73
GRAND TOTAL	**39013**	**9.2**	**98**	**1**	**2**	**6**	**12**	**20**	**28**	**57**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1870	4.3	13	1	2	3	5	8	10	17
70-74	1799	4.4	12	1	2	3	5	8	10	17
75-79	1580	4.6	12	1	2	4	6	8	11	18
80-84	1021	5.4	19	2	2	4	7	10	13	21
85+	685	5.9	21	2	2	4	7	12	15	25
2. MULTIPLE DX										
65-69 YRS	2955	6.9	52	1	2	5	8	14	19	37
70-74	3260	7.3	53	2	2	5	9	15	21	38
75-79	2973	8.3	75	2	2	6	10	17	24	46
80-84	2119	9.5	83	2	2	7	11	20	27	49
85+	1604	11.0	110	2	3	8	13	23	31	60
TOT. SINGLE DX	6955	4.7	15	1	2	4	6	9	11	20
" MULTIPLE DX	12911	8.3	72	2	2	6	10	17	24	46
TOTAL 65-69 YRS	4825	5.9	39	1	2	4	7	12	16	32
70-74	5059	6.3	41	1	2	4	8	13	18	36
75-79	4553	7.0	57	2	2	5	8	14	20	38
80-84	3140	8.1	66	2	2	6	10	17	24	44
85+	2289	9.5	90	2	2	7	12	20	28	55
GRAND TOTAL	**19866**	**7.0**	**55**	**2**	**2**	**5**	**8**	**14**	**20**	**39**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	527	7.5	53	1	2	4	11	17	21	33
70-74	497	7.4	50	1	2	5	11	16	22	31
75-79	362	8.4	72	1	2	5	11	21	26	37
80-84	193	8.1	49	2	2	5	11	19	22	31
85+	126	7.7	39	2	2	5	11	17	20	29
2. MULTIPLE DX										
65-69 YRS	1347	12.0	118	2	2	9	16	26	34	56
70-74	1444	13.6	164	2	2	10	18	29	39	74
75-79	1309	13.8	173	2	3	10	18	29	40	84
80-84	902	14.4	165	2	3	11	19	31	39	79
85+	740	15.5	181	3	3	12	20	31	44	77
TOT. SINGLE DX	1705	7.7	55	1	2	5	11	17	22	33
" MULTIPLE DX	5742	13.6	159	2	3	10	18	29	39	74
TOTAL 65-69 YRS	1874	10.7	105	2	2	8	15	24	31	52
70-74	1941	12.0	143	2	2	9	16	26	36	64
75-79	1671	12.6	156	2	2	9	17	28	37	79
80-84	1095	13.3	150	2	3	10	17	28	37	67
85+	866	14.3	168	2	3	11	19	29	41	75
GRAND TOTAL	**7447**	**12.3**	**141**	**2**	**2**	**9**	**16**	**26**	**35**	**66**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12	2.9	4	1	1	2	3	7	8	8
70-74	18	3.8	8	<1	1	3	5	9	10	10
75-79	8	3.4	4	1	1	3	5	6	7	7
80-84	3	3.7	9	<1	<1	3	6	7	7	7
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	56	6.1	23	2	2	5	8	12	16	28
70-74	51	7.5	38	2	2	5	10	19	22	26
75-79	37	7.5	68	2	2	5	9	16	21	45
80-84	18	6.5	19	2	2	5	8	13	16	18
85+	17	20.1	509	1	2	15	25	51	76	88
TOT. SINGLE DX	43	3.3	6	<1	1	3	4	7	9	10
" MULTIPLE DX	179	8.2	95	2	2	5	9	18	23	52
TOTAL 65-69 YRS	68	5.5	22	1	2	5	7	11	14	27
70-74	69	6.6	33	1	2	5	9	14	20	25
75-79	45	6.8	59	1	2	4	8	14	20	45
80-84	21	6.1	19	1	2	5	8	13	16	18
85+	19	18.2	487	1	1	12	22	47	73	88
GRAND TOTAL	**222**	**7.2**	**82**	**1**	**2**	**5**	**8**	**15**	**21**	**48**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	156	4.7	15	1	2	3	6	10	13	18
70-74	148	4.7	13	1	2	3	5	10	14	18
75-79	116	5.6	24	2	2	4	6	11	17	26
80-84	55	4.9	10	1	2	4	6	10	12	15
85+	37	5.4	16	1	2	4	6	9	15	20
2. MULTIPLE DX										
65-69 YRS	306	7.0	49	2	2	5	9	15	22	42
70-74	293	8.5	100	2	2	5	10	16	25	58
75-79	243	8.7	76	2	2	6	11	18	25	44
80-84	165	10.1	82	2	3	6	13	22	32	44
85+	112	12.1	181	2	3	7	14	28	39	78
TOT. SINGLE DX	512	5.0	16	1	2	4	6	10	15	20
" MULTIPLE DX	1119	8.7	89	2	2	6	10	18	27	50
TOTAL 65-69 YRS	462	6.2	39	1	2	4	8	12	19	35
70-74	441	7.2	75	2	2	4	9	15	19	50
75-79	359	7.7	62	2	2	5	9	16	22	39
80-84	220	8.8	70	2	2	6	11	18	27	42
85+	149	10.4	148	2	2	6	12	25	32	77
GRAND TOTAL	**1631**	**7.5**	**69**	**2**	**2**	**5**	**9**	**16**	**22**	**46**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	219	3.8	9	<1	1	3	5	7	10	15
70-74	196	3.7	11	1	1	2	5	7	10	17
75-79	173	3.9	8	1	1	3	5	8	10	14
80-84	107	5.1	22	1	1	3	7	10	12	28
85+	64	5.8	20	1	2	4	8	12	17	19
2. MULTIPLE DX										
65-69 YRS	1241	8.1	65	1	2	6	11	17	22	46
70-74	1289	9.1	84	1	2	7	12	19	25	46
75-79	1159	10.2	99	2	2	7	13	21	29	57
80-84	889	11.0	94	2	2	8	14	23	31	47
85+	617	12.5	130	2	3	10	16	25	35	72
TOT. SINGLE DX	759	4.1	13	1	1	3	5	9	11	18
" MULTIPLE DX	5195	9.8	92	2	2	7	13	20	28	52
TOTAL 65-69 YRS	1460	7.5	60	1	2	5	10	16	21	40
70-74	1485	8.4	78	1	2	6	11	18	24	45
75-79	1332	9.3	92	1	2	7	12	20	28	57
80-84	996	10.3	90	2	2	7	14	22	30	46
85+	681	11.9	124	2	3	9	15	25	34	71
GRAND TOTAL	**5954**	**9.1**	**86**	**1**	**2**	**7**	**12**	**19**	**27**	**48**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	195	4.6	7	1	2	4	6	9	10	14
70-74	167	5.0	10	2	2	4	6	9	12	17
75-79	131	4.7	17	1	2	4	6	8	14	23
80-84	77	4.7	9	2	2	4	6	9	11	14
85+	46	5.7	12	2	3	5	7	9	12	21
2. MULTIPLE DX										
65-69 YRS	483	7.5	55	2	2	5	9	16	20	42
70-74	481	7.9	48	2	2	6	11	16	21	36
75-79	387	8.5	82	2	3	5	10	19	24	54
80-84	242	10.3	149	2	3	7	12	19	27	75
85+	165	10.4	71	3	3	8	14	21	26	43
TOT. SINGLE DX	616	4.8	11	1	2	4	6	9	11	17
" MULTIPLE DX	1758	8.5	75	2	2	6	10	17	24	44
TOTAL 65-69 YRS	678	6.6	43	2	2	5	8	13	17	36
70-74	648	7.2	41	2	2	5	9	15	19	36
75-79	518	7.6	69	2	2	5	8	16	22	49
80-84	319	8.9	121	2	2	6	10	17	24	73
85+	211	9.3	62	2	3	7	12	19	25	39
GRAND TOTAL	**2374**	**7.5**	**61**	**2**	**2**	**5**	**9**	**15**	**21**	**39**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	240	9.2	11	5	6	9	10	13	15	21
70-74	160	10.0	13	6	7	9	11	14	16	25
75-79	92	10.0	14	6	6	9	11	15	17	24
80-84	34	10.9	18	5	6	10	13	16	20	23
85+	7	10.1	8	6	6	11	11	14	15	15
2. MULTIPLE DX										
65-69 YRS	403	11.4	40	6	6	9	13	19	23	36
70-74	300	12.0	34	6	7	10	14	19	25	30
75-79	187	13.3	70	6	7	11	15	22	29	51
80-84	63	15.5	91	7	7	13	17	31	38	49
85+	22	16.5	103	5	7	14	23	32	38	40
TOT. SINGLE DX	533	9.7	13	5	6	9	11	14	16	23
" MULTIPLE DX	975	12.3	51	6	7	10	14	21	26	40
TOTAL 65-69 YRS	643	10.5	31	6	6	9	12	16	21	30
70-74	460	11.3	28	6	7	10	13	18	22	30
75-79	279	12.2	54	6	7	10	14	21	26	47
80-84	97	13.9	71	6	7	12	15	23	35	45
85+	29	14.9	87	6	6	11	21	29	36	40
GRAND TOTAL	**1508**	**11.4**	**39**	**6**	**6**	**10**	**13**	**18**	**23**	**36**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	8.1	11	4	4	8	10	13	15	18
70-74	61	7.9	11	3	4	8	9	12	16	19
75-79	35	8.2	6	5	5	8	10	11	13	14
80-84	17	8.2	20	2	3	7	10	14	19	21
85+	5	8.2	21	4	4	7	10	16	16	16
2. MULTIPLE DX										
65-69 YRS	115	10.5	61	3	4	8	12	20	22	43
70-74	102	10.4	31	4	5	9	12	18	22	31
75-79	87	11.2	64	4	6	9	12	17	25	52
80-84	35	11.9	28	6	7	11	15	20	22	28
85+	9	14.9	164	5	5	10	16	35	47	47
TOT. SINGLE DX	187	8.1	11	4	5	8	10	12	15	19
" MULTIPLE DX	348	10.9	53	4	5	9	13	19	23	34
TOTAL 65-69 YRS	184	9.6	44	4	4	8	11	17	20	34
70-74	163	9.5	26	4	5	8	11	15	19	30
75-79	122	10.4	50	4	5	9	12	16	22	41
80-84	52	10.7	29	4	6	9	13	19	21	28
85+	14	12.5	119	4	5	9	16	21	41	47
GRAND TOTAL	**535**	**9.9**	**40**	**4**	**5**	**8**	**11**	**17**	**21**	**33**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	8.3	44	1	2	6	12	17	22	24
70-74	7	5.1	14	1	1	3	9	10	10	10
75-79	10	6.5	27	2	2	4	11	14	17	17
80-84	5	4.0	12	2	2	2	5	10	10	10
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	85	9.7	97	1	2	8	13	20	22	59
70-74	73	11.2	144	1	2	7	13	27	37	62
75-79	43	9.2	68	1	2	6	12	23	29	32
80-84	26	11.2	102	2	3	9	13	23	32	50
85+	16	10.1	146	1	2	5	15	35	38	39
TOT. SINGLE DX	47	6.9	33	1	2	4	10	16	18	24
" MULTIPLE DX	243	10.3	109	1	2	7	13	22	31	56
TOTAL 65-69 YRS	109	9.3	85	1	2	8	13	20	22	58
70-74	80	10.7	136	1	2	7	12	26	37	60
75-79	53	8.7	61	2	2	6	11	20	28	32
80-84	31	10.1	94	2	2	9	12	21	27	50
85+	17	9.8	139	1	2	5	14	33	38	39
GRAND TOTAL	**290**	**9.7**	**98**	**1**	**2**	**7**	**12**	**21**	**29**	**54**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	8	7.8	5	4	5	8	9	11	11	11
70-74	11	8.8	37	1	2	7	11	19	21	21
75-79	3	7.0	13	3	3	8	9	10	10	10
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	42	18.0	342	2	3	13	19	37	69	84
70-74	43	16.7	168	2	3	14	20	32	43	69
75-79	24	14.8	114	3	4	10	24	31	33	36
80-84	15	15.9	111	3	5	14	20	32	39	42
85+	17	17.5	262	3	4	8	23	47	53	55
TOT. SINGLE DX	25	7.8	21	1	3	7	10	11	19	21
" MULTIPLE DX	141	16.8	212	3	3	13	21	32	46	80
TOTAL 65-69 YRS	50	16.4	302	3	4	11	18	29	62	84
70-74	54	15.1	151	2	3	12	20	29	40	68
75-79	27	14.0	108	3	3	10	24	31	33	36
80-84	16	15.3	109	4	5	14	19	31	39	42
85+	19	16.0	254	2	3	8	22	45	52	55
GRAND TOTAL	**166**	**15.4**	**193**	**3**	**3**	**11**	**20**	**31**	**43**	**78**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
8C-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4650	6.9	11	4	4	6	8	10	12	19
70-74	4388	7.1	10	4	4	6	8	10	13	19
75-79	3135	7.7	17	4	4	7	9	12	14	23
80-84	1679	8.4	19	4	5	7	10	14	17	25
85+	873	9.5	26	4	5	8	11	16	20	30
2. MULTIPLE DX										
65-69 YRS	10178	9.8	52	4	5	8	11	17	23	41
70-74	11061	10.8	70	4	5	8	13	19	26	48
75-79	9559	11.9	77	4	5	9	14	22	29	50
80-84	6027	13.4	103	5	5	10	16	25	33	61
85+	3766	15.3	120	5	6	12	19	28	37	69
TOT. SINGLE DX	14725	7.4	15	4	4	7	9	11	14	21
" MULTIPLE DX	40591	11.6	80	4	5	9	14	21	28	52
TOTAL 65-69 YRS	14828	8.9	41	4	4	7	10	15	20	36
70-74	15449	9.7	56	4	5	8	11	17	23	42
75-79	12694	10.9	66	4	5	8	13	20	26	47
80-84	7706	12.3	89	4	5	9	15	23	30	56
85+	4639	14.2	108	5	6	11	17	27	34	64
GRAND TOTAL	**55316**	**10.5**	**66**	**4**	**5**	**8**	**12**	**19**	**25**	**47**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	522	12.8	28	7	8	12	15	18	22	32
70-74	400	12.1	24	6	7	11	15	18	21	29
75-79	270	12.4	24	7	7	11	15	18	22	32
80-84	99	14.1	38	6	8	13	17	23	26	36
85+	48	13.9	49	3	6	13	16	21	28	39
2. MULTIPLE DX										
65-69 YRS	1147	14.6	67	7	8	13	17	23	28	47
70-74	1140	14.9	57	7	8	13	18	24	29	45
75-79	879	16.6	91	7	8	15	19	27	35	60
80-84	445	18.5	112	8	9	16	22	31	39	60
85+	250	20.4	150	9	10	17	22	34	44	77
TOT. SINGLE DX	1339	12.6	28	6	7	12	15	19	22	32
" MULTIPLE DX	3861	16.0	83	7	8	14	19	26	32	55
TOTAL 65-69 YRS	1669	14.1	56	7	8	12	16	22	27	43
70-74	1540	14.2	51	7	8	12	17	23	27	43
75-79	1149	15.6	79	7	8	14	18	26	32	55
80-84	544	17.7	102	7	9	15	21	29	38	58
85+	298	19.3	140	7	9	17	22	33	41	75
GRAND TOTAL	**5200**	**15.1**	**71**	**7**	**8**	**13**	**17**	**24**	**30**	**49**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1015	3.1	7	1	1	2	3	6	9	15
70-74	873	3.5	11	1	1	2	4	7	9	19
75-79	563	3.7	11	1	1	3	4	7	9	18
80-84	205	4.6	25	1	2	3	6	10	12	23
85+	96	6.4	45	1	1	3	8	16	20	34
2. MULTIPLE DX										
65-69 YRS	1372	6.6	44	1	2	4	9	15	19	37
70-74	1345	7.5	58	1	2	5	10	16	23	37
75-79	1066	8.5	62	2	2	6	12	18	24	39
80-84	551	11.1	113	2	2	8	15	23	30	50
85+	347	14.3	165	2	4	10	18	29	38	81
TOT. SINGLE DX	2752	3.6	13	1	[illegible]	2	4	7	10	19
" MULTIPLE DX	4681	8.4	74	2	2	5	11	18	24	43
TOTAL 65-69 YRS	2387	5.1	32	1	1	3	6	12	16	28
70-74	2218	5.9	43	1	2	3	7	13	19	33
75-79	1629	6.8	50	1	2	4	9	15	21	36
80-84	756	9.3	98	2	2	6	12	21	28	50
85+	443	12.6	150	2	2	9	17	25	36	57
GRAND TOTAL	**7433**	**6.6**	**57**	**1**	**2**	**4**	**8**	**15**	**21**	**37**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	107	4.4	25	1	2	3	5	7	9	36
70-74	60	4.6	29	1	1	3	4	7	15	36
75-79	35	4.1	6	1	2	3	5	7	8	14
80-84	21	4.8	9	2	2	4	6	11	11	11
85+	6	9.0	38	1	2	7	13	18	19	19
2. MULTIPLE DX										
65-69 YRS	156	8.7	87	2	2	5	10	17	26	50
70-74	127	10.4	108	2	3	7	13	23	35	47
75-79	105	11.1	137	2	3	8	12	23	36	64
80-84	49	10.6	104	1	2	7	12	32	34	40
85+	37	9.9	42	2	3	7	15	20	22	25
TOT. SINGLE DX	229	4.6	23	1	2	3	5	8	12	34
" MULTIPLE DX	474	10.0	103	2	3	7	11	22	33	49
TOTAL 65-69 YRS	263	7.0	67	2	2	4	8	13	24	46
70-74	187	8.6	90	2	2	5	10	20	31	43
75-79	140	9.3	114	2	2	6	10	21	29	58
80-84	70	8.9	83	2	2	6	11	22	33	39
85+	43	9.8	41	2	3	7	14	19	22	25
GRAND TOTAL	**703**	**8.2**	**83**	**2**	**2**	**5**	**9**	**18**	**27**	**45**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	266	5.7	28	2	2	4	7	11	16	30
70-74	279	5.5	19	2	2	4	7	11	14	20
75-79	238	6.2	36	1	2	4	8	12	15	31
80-84	143	5.6	19	1	2	4	7	12	15	20
85+	62	8.6	105	1	2	6	9	18	26	66
2. MULTIPLE DX										
65-69 YRS	558	10.1	105	2	2	7	13	22	30	53
70-74	745	9.7	82	2	2	7	13	21	28	47
75-79	647	10.6	84	2	3	8	14	23	30	46
80-84	418	12.4	106	2	3	10	16	25	32	56
85+	263	14.3	161	2	3	11	19	27	36	64
TOT. SINGLE DX	988	5.9	32	2	2	4	8	12	15	29
" MULTIPLE DX	2631	10.9	102	2	3	8	14	23	31	53
TOTAL 65-69 YRS	824	8.7	85	2	2	5	11	18	26	49
70-74	1024	8.6	69	2	2	6	11	19	25	40
75-79	885	9.4	75	2	2	7	12	20	26	46
80-84	561	10.7	93	2	2	8	15	23	30	53
85+	325	13.2	156	2	3	10	18	26	34	66
GRAND TOTAL	**3619**	**9.5**	**87**	**2**	**2**	**6**	**12**	**20**	**28**	**49**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	4.3	7	2	2	3	6	8	8	8
70-74	2	5.0	32	1	1	5	9	9	9	9
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	4	4.5	6	2	2	4	6	8	8	8
70-74										
75-79	2	16.5	365	3	3	16	30	30	30	30
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	5.5	13	3	3	5	8	8	8	8
TOT. SINGLE DX	7	4.4	9	1	1	4	7	9	9	9
" MULTIPLE DX	9	7.8	75	2	2	4	8	21	30	30
TOTAL 65-69 YRS	8	4.4	6	2	2	4	6	8	8	8
70-74	2	5.0	32	1	1	5	9	9	9	9
75-79	3	12.3	234	3	3	4	23	30	30	30
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	5.5	13	3	3	5	8	8	8	8
GRAND TOTAL	**16**	**6.3**	**47**	**1**	**2**	**4**	**8**	**9**	**24**	**30**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	4.0	4	1	1	3	6	7	7	7
70-74	1	6.0		6	6	6	6	6	6	6
75-79	3	4.3	10	2	2	3	7	8	8	8
80-84	3	8.7	96	3	3	3	16	20	20	20
85+	3	6.3		6	6	6	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	22	7.7	41	1	2	6	8	17	22	29
70-74	9	10.2	81	2	2	7	16	25	26	26
75-79	9	9.9	18	3	4	11	13	15	15	15
80-84	4	35.3	1419	2	2	25	61	88	88	88
85+	6	10.0	39	2	2	9	11	20	21	21
TOT. SINGLE DX	20	5.2	16	1	2	4	7	8	14	20
" MULTIPLE DX	50	11.0	178	2	2	8	14	22	29	88
TOTAL 65-69 YRS	32	6.6	33	1	2	5	8	15	18	29
70-74	10	9.8	74	2	2	6	14	24	26	26
75-79	12	8.5	21	2	3	9	12	14	15	15
80-84	7	23.9	944	2	2	16	31	77	88	88
85+	9	8.8	28	2	3	7	10	17	21	21
GRAND TOTAL	**70**	**9.4**	**138**	**2**	**2**	**6**	**11**	**19**	**26**	**77**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	8.1	14	2	3	8	11	12	13	13
70-74	8	6.4	7	2	3	6	8	10	11	11
75-79	7	7.4	2	6	6	7	8	10	10	10
80-84	3	16.0	181	5	5	12	26	31	31	31
85+	3	6.7	25	2	2	6	10	12	12	12
2. MULTIPLE DX										
65-69 YRS	32	10.5	38	3	3	9	14	20	22	28
70-74	42	15.7	222	4	5	11	20	30	35	90
75-79	29	10.4	32	2	4	10	12	19	21	25
80-84	21	16.2	127	6	7	13	20	34	42	47
85+	10	14.1	60	5	6	13	14	26	33	33
TOT. SINGLE DX	31	8.1	28	2	3	7	11	12	13	31
" MULTIPLE DX	134	13.3	114	3	5	11	15	26	31	54
TOTAL 65-69 YRS	42	9.9	33	2	3	9	13	17	21	28
70-74	50	14.2	199	4	5	9	15	29	34	90
75-79	36	9.8	28	3	4	9	12	18	21	25
80-84	24	16.2	126	6	6	12	22	32	41	47
85+	13	12.4	60	2	4	13	14	22	31	33
GRAND TOTAL	**165**	**12.3**	**102**	**3**	**5**	**10**	**14**	**25**	**30**	**46**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	361	3.4	3	1	2	3	4	5	6	12
70-74	229	3.5	3	2	2	3	4	5	6	13
75-79	129	3.7	3	2	2	3	4	6	7	12
80-84	47	3.4	2	1	2	3	5	5	6	9
85+	13	3.8	1	2	2	4	5	5	6	6
2. MULTIPLE DX										
65-69 YRS	444	5.2	16	2	2	4	6	9	13	20
70-74	320	6.0	26	2	2	4	6	12	20	28
75-79	188	6.5	27	2	2	5	8	14	16	27
80-84	81	8.6	72	1	2	6	10	17	23	53
85+	38	9.4	69	2	2	6	13	19	29	36
TOT. SINGLE DX	779	3.5	4	2	2	3	4	5	6	12
" MULTIPLE DX	1071	6.1	29	2	2	4	7	12	17	27
TOTAL 65-69 YRS	805	4.4	12	2	2	3	5	8	11	18
70-74	549	5.0	18	2	2	4	5	9	14	26
75-79	317	5.4	20	2	2	4	6	10	15	22
80-84	128	6.7	53	2	2	5	8	13	21	35
85+	51	7.9	58	2	2	5	11	18	20	36
GRAND TOTAL	**1850**	**5.0**	**20**	**2**	**2**	**4**	**6**	**9**	**14**	**23**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	106	2.0		<1	1	2	2	3	4	5
70-74	87	2.3	1	1	1	2	2	4	4	10
75-79	56	2.9	4	1	1	2	3	7	8	11
80-84	24	3.2	6	<1	1	2	3	8	10	10
85+	20	2.9	3	1	1	2	3	6	7	9
2. MULTIPLE DX										
65-69 YRS	268	5.2	32	1	2	3	6	13	17	29
70-74	224	5.4	43	1	2	3	6	12	18	28
75-79	176	7.1	52	2	2	5	9	14	20	42
80-84	95	8.4	78	1	2	5	10	24	29	39
85+	89	9.1	56	1	2	7	12	19	24	38
TOT. SINGLE DX	395	2.4	2	<1	1	2	3	4	5	10
" MULTIPLE DX	1071	6.5	60	1	2	3	8	15	22	39
TOTAL 65-69 YRS	476	4.5	38	1	1	2	4	10	16	31
70-74	393	4.4	32	1	1	2	4	9	15	28
75-79	288	6.0	44	1	2	3	8	12	20	39
80-84	163	7.6	106	1	2	4	9	19	28	39
85+	146	7.7	52	1	2	5	10	18	23	34
GRAND TOTAL	**1466**	**5.4**	**48**	**1**	**1**	**3**	**6**	**12**	**19**	**34**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	180	5.5	46	1	2	4	6	10	12	21
70-74	91	4.9	8	1	2	4	6	9	11	15
75-79	56	6.2	29	2	2	4	9	11	18	29
80-84	19	7.5	41	1	1	4	12	17	22	24
85+	14	7.5	38	2	3	5	10	18	21	22
2. MULTIPLE DX										
65-69 YRS	339	6.7	46	2	2	5	8	11	17	44
70-74	164	7.1	41	2	2	5	8	15	23	37
75-79	76	8.1	76	1	2	5	9	21	26	49
80-84	39	8.5	81	1	2	6	12	23	37	99+
85+	27	13.5	108	3	4	13	19	25	58	99+
TOT. SINGLE DX	360	5.6	34	1	2	4	7	10	13	22
" MULTIPLE DX	645	7.3	55	2	2	5	9	15	22	55
TOTAL 65-69 YRS	519	6.3	47	2	2	5	7	10	15	39
70-74	255	6.3	31	2	2	5	8	12	17	36
75-79	132	7.3	57	1	2	5	9	18	22	35
80-84	58	8.2	68	1	2	5	12	19	30	95
85+	41	11.4	91	2	3	9	16	23	36	99+
GRAND TOTAL	**1005**	**6.7**	**48**	**2**	**2**	**5**	**8**	**13**	**20**	**41**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	27	10.3	41	4	4	8	13	20	22	30
70-74	19	13.2	83	4	5	10	17	26	35	40
75-79	9	10.3	20	3	3	11	13	16	17	17
80-84	7	13.6	54	8	8	10	15	27	29	29
85+	7	19.1	111	5	6	19	24	35	37	37
2. MULTIPLE DX										
65-69 YRS	73	14.3	104	6	7	11	16	28	39	56
70-74	78	17.8	90	8	9	14	22	30	37	49
75-79	48	17.6	107	7	8	15	22	28	43	56
80-84	34	19.7	129	8	10	16	23	33	40	64
85+	35	24.0	263	7	10	19	26	46	66	76
TOT. SINGLE DX	69	12.3	62	4	5	10	17	21	30	39
" MULTIPLE DX	268	17.9	132	7	8	14	22	30	43	63
TOTAL 65-69 YRS	100	13.2	90	5	6	10	16	22	33	53
70-74	97	16.9	92	7	8	14	22	30	37	49
75-79	57	16.4	100	5	7	14	20	26	38	56
80-84	41	18.7	120	8	9	16	21	32	39	64
85+	42	23.2	238	7	9	19	26	44	62	76
GRAND TOTAL	**337**	**16.7**	**122**	**6**	**7**	**13**	**20**	**30**	**40**	**60**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	50	10.3	33	4	5	9	13	19	21	30
70-74	47	11.9	70	6	6	9	13	20	22	59
75-79	19	8.3	10	4	5	8	9	13	16	16
80-84	18	15.4	87	6	7	13	18	30	38	40
85+	8	9.1	23	4	4	8	11	17	19	19
2. MULTIPLE DX										
65-69 YRS	143	14.9	111	6	7	12	16	27	37	69
70-74	143	16.7	156	6	7	13	20	31	39	70
75-79	89	19.5	243	7	8	14	23	37	42	93
80-84	62	19.0	116	8	9	17	23	34	48	95
85+	38	20.6	168	7	8	18	25	33	48	72
TOT. SINGLE DX	142	11.2	52	5	6	9	13	19	22	42
" MULTIPLE DX	475	17.3	158	6	7	14	21	31	41	72
TOTAL 65-69 YRS	193	13.7	95	5	6	11	15	25	32	59
70-74	190	15.5	139	6	7	12	18	28	36	64
75-79	108	17.5	220	6	7	13	21	32	40	93
80-84	80	18.2	111	7	8	16	22	34	42	87
85+	46	18.6	161	6	6	15	23	32	47	72
GRAND TOTAL	617	15.9	140	6	6	12	19	30	37	70

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	79	10.2	29	6	6	8	11	17	21	34
70-74	45	10.1	31	6	6	9	12	16	19	38
75-79	31	12.5	50	5	7	11	15	21	27	39
80-84	12	10.5	27	4	4	10	13	18	21	22
85+	8	12.1	57	6	6	8	16	25	27	27
2. MULTIPLE DX										
65-69 YRS	227	13.9	104	5	6	11	16	24	33	58
70-74	172	15.4	109	6	7	12	19	25	37	60
75-79	121	15.8	116	6	7	13	19	26	34	60
80-84	80	16.8	89	7	9	14	20	29	39	49
85+	36	18.7	105	6	7	18	22	35	40	44
TOT. SINGLE DX	175	10.7	35	6	6	9	13	17	22	38
" MULTIPLE DX	636	15.3	107	6	7	12	18	26	35	51
TOTAL 65-69 YRS	306	13.0	87	5	6	10	15	22	31	52
70-74	217	14.3	98	6	6	11	17	24	35	54
75-79	152	15.1	104	6	7	12	18	26	33	50
80-84	92	15.9	86	6	8	13	19	28	38	49
85+	44	17.5	102	6	7	16	22	33	38	44
GRAND TOTAL	811	14.3	95	6	7	11	17	24	34	49

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	12.0	50	7	7	12	17	17	17	17
70-74	3	15.3	57	10	10	12	21	24	24	24
75-79	3	5.7	6	3	3	6	7	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	6	10.8	17	5	5	11	14	16	16	16
70-74	5	10.4	8	6	6	11	12	14	14	14
75-79	4	13.8	63	6	6	13	20	22	22	22
80-84	2	31.0	968	9	9	31	53	53	53	53
85+	4	15.8	195	4	4	11	24	36	36	36
TOT. SINGLE DX	9	9.9	49	2	2	8	13	21	24	24
" MULTIPLE DX	21	14.1	129	5	5	11	15	28	44	53
TOTAL 65-69 YRS	8	11.1	20	5	6	11	15	17	17	17
70-74	8	12.3	28	6	7	11	13	21	24	24
75-79	7	10.3	52	3	4	8	16	21	22	22
80-84	3	21.3	764	2	2	9	42	53	53	53
85+	4	15.8	195	4	4	11	24	36	36	36
GRAND TOTAL	30	12.9	106	3	4	10	14	23	36	53

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	5.0	18	2	2	5	8	8	8	8
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	2	9.5	145	1	1	9	18	18	18	18
2. MULTIPLE DX										
65-69 YRS	5	12.4	44	7	7	11	16	23	23	23
70-74	6	24.7	155	12	12	21	34	43	44	44
75-79	2	7.5	13	5	5	7	10	10	10	10
80-84	2	11.5	1	11	11	11	12	12	12	12
85+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	7	6.0	34	1	1	5	7	16	18	18
" MULTIPLE DX	16	15.9	116	5	7	12	20	33	41	44
TOTAL 65-69 YRS	7	10.3	45	2	3	8	13	21	23	23
70-74	8	19.4	207	2	3	16	30	41	44	44
75-79	3	7.0	7	5	5	6	9	10	10	10
80-84	2	11.5	1	11	11	11	12	12	12	12
85+	3	8.7	74	1	1	7	15	18	18	18
GRAND TOTAL	**23**	**12.9**	**111**	**1**	**2**	**11**	**16**	**28**	**37**	**44**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	74	2.7	4	<1	1	2	3	4	7	13
70-74	49	3.0	4	<1	1	3	3	6	9	9
75-79	24	3.3	3	1	1	3	4	6	7	8
80-84	11	3.0	1	<1	1	3	4	5	5	5
85+	6	2.5	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	92	4.6	24	1	1	3	5	10	17	24
70-74	73	4.9	23	1	1	3	6	12	13	25
75-79	42	7.0	35	2	2	4	9	17	19	27
80-84	25	6.7	100	1	1	3	5	25	35	37
85+	4	7.8	17	4	4	7	11	13	13	13
TOT. SINGLE DX	164	2.9	4	<1	1	2	3	5	7	10
" MULTIPLE DX	236	5.4	34	1	2	3	6	12	18	28
TOTAL 65-69 YRS	166	3.8	17	1	1	2	4	9	12	23
70-74	122	4.1	17	1	1	3	4	10	12	22
75-79	66	5.7	27	1	2	4	7	14	18	26
80-84	36	5.6	72	1	1	3	4	9	32	37
85+	10	4.6	14	<1	1	3	5	11	13	13
GRAND TOTAL	**400**	**4.4**	**23**	**1**	**1**	**3**	**4**	**10**	**14**	**26**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	205	3.5	14	1	1	2	4	7	9	24
70-74	145	4.4	14	1	1	3	7	10	13	16
75-79	100	6.0	98	1	1	4	8	10	12	63
80-84	39	5.6	12	1	2	6	8	10	11	15
85+	22	6.9	47	1	2	5	8	21	23	24
2. MULTIPLE DX										
65-69 YRS	484	6.4	55	1	2	4	8	14	18	39
70-74	371	7.4	81	2	2	5	9	15	23	42
75-79	289	7.5	50	2	2	6	9	15	19	38
80-84	145	10.3	129	2	2	8	12	21	27	98
85+	94	10.8	95	2	2	8	15	22	36	76
TOT. SINGLE DX	511	4.6	33	1	1	2	6	9	12	24
" MULTIPLE DX	1383	7.6	73	2	2	5	9	16	22	46
TOTAL 65-69 YRS	689	5.6	45	1	2	3	7	12	16	36
70-74	516	6.5	64	1	2	4	8	13	18	36
75-79	389	7.2	63	1	2	5	9	15	18	38
80-84	184	9.3	108	2	2	7	11	19	24	86
85+	116	10.0	88	2	2	7	13	22	33	65
GRAND TOTAL	**1894**	**6.8**	**64**	**1**	**2**	**4**	**8**	**15**	**20**	**41**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	3	4.0	12	2	2	2	7	8	8	8
70-74	2	8.0		8	8	8	8	8	8	8
75-79										
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	2	6.5	25	3	3	6	10	10	10	10
" MULTIPLE DX	7	5.7	16	1	1	8	8	10	11	11
TOTAL 65-69 YRS	3	4.0	12	2	2	2	7	8	8	8
70-74	2	8.0		8	8	8	8	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	11.0		11	11	11	11	11	11	11
85+	2	5.5	41	1	1	5	10	10	10	10
GRAND TOTAL	**9**	**5.9**	**15**	**1**	**1**	**8**	**9**	**11**	**11**	**11**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	33	3.5	15	1	1	2	3	9	10	21
70-74	16	2.7	1	2	2	2	3	4	5	5
75-79	11	5.5	60	<1	<1	2	6	17	26	27
80-84	8	4.3	17	2	2	2	5	12	14	14
85+	4	10.0	40	2	2	11	15	16	16	16
2. MULTIPLE DX										
65-69 YRS	62	9.4	121	1	2	7	12	20	34	96
70-74	56	8.0	66	1	2	5	11	18	23	41
75-79	45	10.6	133	1	2	4	16	23	35	55
80-84	35	14.9	276	2	2	10	21	37	49	79
85+	24	10.3	84	1	2	7	12	26	32	33
TOT. SINGLE DX	72	4.1	22	1	1	2	4	9	14	26
" MULTIPLE DX	222	10.2	133	1	2	7	14	23	34	74
TOTAL 65-69 YRS	95	7.4	92	1	1	4	10	19	22	87
70-74	72	6.8	56	1	2	4	9	16	23	40
75-79	56	9.6	122	1	1	4	15	23	33	54
80-84	43	12.9	244	2	2	6	18	29	45	79
85+	28	10.3	76	1	2	8	14	25	31	33
GRAND TOTAL	**294**	**8.7**	**112**	**1**	**2**	**4**	**11**	**23**	**30**	**64**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	632	8.9	15	5	6	8	10	12	16	23
70-74	402	9.4	15	6	6	8	10	14	16	26
75-79	222	10.5	22	6	6	9	12	16	21	27
80-84	101	10.7	19	6	7	10	12	15	19	29
85+	43	10.8	12	6	7	10	13	16	18	21
2. MULTIPLE DX										
65-69 YRS	2234	11.2	51	6	6	9	13	18	23	42
70-74	1676	12.0	58	6	6	10	14	20	26	45
75-79	930	14.1	84	6	7	11	17	24	33	55
80-84	406	14.7	87	7	7	12	17	25	31	57
85+	206	17.4	169	6	7	14	21	29	39	87
TOT. SINGLE DX	1400	9.5	17	6	6	8	10	14	17	26
" MULTIPLE DX	5452	12.4	69	6	6	10	14	21	27	47
TOTAL 65-69 YRS	2866	10.7	44	6	6	9	12	17	22	38
70-74	2078	11.5	51	6	6	9	13	19	25	41
75-79	1152	13.4	75	6	7	11	16	23	31	50
80-84	507	13.9	76	7	7	12	16	22	29	55
85+	249	16.3	149	6	7	13	18	28	35	84
GRAND TOTAL	**6852**	**11.8**	**60**	**6**	**6**	**9**	**14**	**20**	**25**	**45**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	525	8.2	7	5	6	8	9	12	13	18
70-74	397	8.6	8	6	6	8	9	12	14	18
75-79	217	8.9	9	5	6	8	10	13	15	18
80-84	77	9.1	6	5	6	9	11	13	14	16
85+	27	10.1	7	7	7	9	11	15	15	16
2. MULTIPLE DX										
65-69 YRS	1525	8.9	12	5	6	8	10	12	15	22
70-74	1157	9.6	15	6	6	9	11	14	17	25
75-79	722	10.2	26	6	6	9	11	15	19	33
80-84	290	11.3	43	6	7	9	13	18	22	39
85+	116	13.0	52	6	7	11	15	22	26	47
TOT. SINGLE DX	1243	8.5	8	5	6	8	10	12	14	18
" MULTIPLE DX	3810	9.6	21	5	6	8	11	14	18	28
TOTAL 65-69 YRS	2050	8.7	11	5	6	8	10	12	15	21
70-74	1554	9.3	14	6	6	8	10	14	17	24
75-79	939	9.9	23	6	6	9	11	15	18	31
80-84	367	10.9	37	6	7	9	12	17	20	32
85+	143	12.5	46	6	7	10	14	21	25	47
GRAND TOTAL	**5053**	**9.4**	**18**	**5**	**6**	**8**	**10**	**14**	**17**	**26**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12	19.3	162	10	11	15	22	37	52	55
70-74	13	17.1	32	10	11	14	21	27	27	27
75-79	7	17.9	45	8	9	18	24	25	25	25
80-84	3	17.7	56	10	10	18	23	25	25	25
85+										
2. MULTIPLE DX										
65-69 YRS	44	21.1	168	7	9	17	25	45	49	65
70-74	28	21.3	154	8	8	19	28	41	46	55
75-79	22	22.1	125	9	11	19	29	39	43	47
80-84	6	17.8	131	8	8	15	21	37	39	39
85+	4	21.3	31	13	13	23	24	25	25	25
TOT. SINGLE DX	35	18.1	76	10	10	16	23	27	29	55
" MULTIPLE DX	104	21.2	145	8	9	18	26	39	46	60
TOTAL 65-69 YRS	56	20.7	165	8	10	17	25	44	51	64
70-74	41	19.9	118	8	9	18	25	33	44	55
75-79	29	21.1	108	8	11	19	25	38	41	47
80-84	9	17.8	96	8	8	17	22	33	39	39
85+	4	21.3	31	13	13	23	24	25	25	25
GRAND TOTAL	**139**	**20.4**	**129**	**8**	**9**	**18**	**25**	**37**	**46**	**56**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1077	2.5	6	<1	1	2	2	4	7	14
70-74	734	2.8	7	<1	1	2	3	5	8	16
75-79	422	3.0	7	1	1	2	3	6	8	14
80-84	217	3.8	18	1	1	2	4	8	12	26
85+	122	4.6	13	1	1	3	6	10	13	16
2. MULTIPLE DX										
65-69 YRS	1930	4.4	35	1	1	2	5	10	15	27
70-74	1426	5.2	45	1	1	3	5	12	18	36
75-79	916	6.6	86	1	2	3	8	15	23	51
80-84	523	6.6	58	1	2	4	8	15	20	44
85+	298	8.2	85	2	2	5	10	18	24	57
TOT. SINGLE DX	2572	2.9	9	<1	1	2	3	5	9	16
" MULTIPLE DX	5093	5.5	54	1	1	3	6	12	18	39
TOTAL 65-69 YRS	3007	3.8	26	<1	1	2	3	8	12	25
70-74	2160	4.4	34	1	1	2	4	10	15	32
75-79	1338	5.5	64	1	1	3	6	12	19	47
80-84	740	5.8	49	1	2	3	7	13	18	34
85+	420	7.2	67	1	2	5	9	15	22	51
GRAND TOTAL	**7665**	**4.6**	**40**	**1**	**1**	**2**	**5**	**10**	**16**	**32**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	2.0	2	1	1	2	3	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	3	2.3		2	2	2	3	3	3	3
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	11	7.8	105	<1	1	2	15	25	29	29
70-74	6	11.5	108	1	1	10	17	28	29	29
75-79	5	7.2	16	3	3	7	10	13	13	13
80-84	4	18.3	143	5	5	17	26	34	34	34
85+	3	19.7	212	6	6	18	31	35	35	35
TOT. SINGLE DX	9	2.3	1	1	1	2	3	4	4	4
" MULTIPLE DX	29	11.1	112	1	1	7	18	29	34	35
TOTAL 65-69 YRS	15	6.3	83	<1	1	2	4	22	27	29
70-74	7	10.1	103	1	1	9	15	27	29	29
75-79	8	5.4	16	2	2	4	8	12	13	13
80-84	5	15.4	148	4	4	16	22	34	34	34
85+	3	19.7	212	6	6	18	31	35	35	35
GRAND TOTAL	**38**	**9.1**	**99**	**1**	**1**	**4**	**16**	**27**	**32**	**35**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	8	9.6	5	6	6	10	11	13	13	13
70-74	6	7.0	8	4	4	6	8	12	12	12
75-79	4	11.5	3	9	9	12	13	13	13	13
80-84	2	6.0	2	5	5	6	7	7	7	7
85+										
2. MULTIPLE DX										
65-69 YRS	14	8.7	19	1	4	8	10	15	19	20
70-74	11	12.7	65	5	5	12	15	25	32	33
75-79	8	8.6	2	7	7	8	10	11	11	11
80-84	7	14.0	97	7	7	11	17	31	34	34
85+	6	20.5	485	6	6	13	15	60	65	65
TOT. SINGLE DX	20	8.9	9	4	5	9	11	13	13	13
" MULTIPLE DX	46	12.0	103	5	6	9	13	19	33	65
TOTAL 65-69 YRS	22	9.0	14	3	5	9	11	13	16	20
70-74	17	10.7	52	4	5	8	13	18	28	33
75-79	12	9.6	4	7	7	9	11	13	13	13
80-84	9	12.2	85	5	6	7	14	28	34	34
85+	6	20.5	485	6	6	13	15	60	65	65
GRAND TOTAL	**66**	**11.0**	**76**	**5**	**5**	**9**	**12**	**16**	**23**	**60**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	36	3.9	3	2	2	4	4	5	7	12
70-74	35	4.0	1	2	3	4	4	6	7	7
75-79	18	4.3	4	2	3	4	5	6	9	11
80-84	7	11.3	372	2	2	4	5	45	55	55
85+	2	20.0	512	4	4	20	36	36	36	36
2. MULTIPLE DX										
65-69 YRS	74	4.6	8	2	3	4	5	7	12	16
70-74	61	6.2	40	2	2	4	5	14	20	37
75-79	39	5.2	15	2	3	4	5	10	13	22
80-84	30	5.1	13	3	3	4	5	10	16	17
85+	20	5.6	23	2	2	4	5	14	18	19
TOT. SINGLE DX	98	4.9	39	2	3	4	4	6	7	46
" MULTIPLE DX	224	5.3	20	2	3	4	5	11	15	22
TOTAL 65-69 YRS	110	4.4	7	2	2	4	4	7	12	15
70-74	96	5.4	27	2	3	4	5	9	16	31
75-79	57	4.9	12	2	3	4	5	9	12	21
80-84	37	6.3	79	3	3	4	5	10	17	55
85+	22	6.9	63	2	2	4	5	18	26	36
GRAND TOTAL	**322**	**5.2**	**26**	**2**	**3**	**4**	**5**	**9**	**14**	**26**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	561	7.1	8	4	4	7	8	10	12	16
70-74	434	7.4	8	4	5	7	9	11	12	19
75-79	226	7.8	9	4	5	7	9	12	13	21
80-84	80	8.4	72	4	5	7	9	11	11	61
85+	21	9.5	37	3	5	9	10	15	24	32
2. MULTIPLE DX										
65-69 YRS	1015	8.7	15	4	5	8	10	14	17	22
70-74	720	9.3	24	5	5	8	11	14	17	29
75-79	487	9.9	26	5	5	8	11	17	20	34
80-84	205	10.2	23	4	5	9	12	17	20	26
85+	75	12.5	62	6	6	10	15	22	30	43
TOT. SINGLE DX	1322	7.4	13	4	4	7	9	11	12	19
" MULTIPLE DX	2502	9.4	23	4	5	8	11	15	18	28
TOTAL 65-69 YRS	1576	8.2	13	4	5	7	10	13	15	21
70-74	1154	8.6	19	4	5	8	10	13	16	26
75-79	713	9.2	22	4	5	8	10	15	18	27
80-84	285	9.7	37	4	5	9	11	15	19	26
85+	96	11.8	58	5	6	9	14	21	30	41
GRAND TOTAL	**3824**	**8.7**	**20**	**4**	**5**	**8**	**10**	**14**	**17**	**26**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	6.7	22	1	1	6	9	12	14	25
70-74	24	9.9	95	2	4	7	11	16	30	51
75-79	11	8.1	18	2	2	9	12	13	14	14
80-84	5	9.0	22	4	4	8	12	16	16	16
85+	6	5.3	4	3	3	5	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	113	11.3	167	2	3	8	12	18	26	86
70-74	85	10.2	54	2	3	8	11	19	27	39
75-79	42	10.4	42	2	5	9	14	18	26	29
80-84	13	8.8	29	1	2	9	11	14	21	23
85+	19	19.1	276	4	5	9	29	45	52	57
TOT. SINGLE DX	81	7.9	43	1	2	7	10	13	15	43
" MULTIPLE DX	272	11.2	117	2	4	8	12	21	29	60
TOTAL 65-69 YRS	148	10.2	136	2	2	8	11	16	25	85
70-74	109	10.1	63	2	3	8	11	18	27	45
75-79	53	9.9	38	2	3	9	12	17	24	29
80-84	18	8.9	26	1	3	9	11	15	20	23
85+	25	15.8	244	4	4	6	24	45	48	57
GRAND TOTAL	**353**	**10.4**	**102**	**2**	**3**	**8**	**11**	**19**	**28**	**57**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	168	5.2	22	1	2	4	7	9	14	26
70-74	134	5.8	38	1	2	5	7	9	12	38
75-79	100	5.9	24	2	2	5	7	10	13	30
80-84	54	7.2	58	2	3	5	8	12	17	54
85+	34	7.3	16	3	4	6	10	14	15	18
2. MULTIPLE DX										
65-69 YRS	328	9.1	80	2	2	6	10	20	28	48
70-74	316	9.9	91	2	3	7	11	19	31	53
75-79	279	10.1	81	2	2	8	13	21	27	57
80-84	173	12.0	106	2	3	10	15	23	32	56
85+	90	10.2	62	3	3	7	12	21	29	38
TOT. SINGLE DX	490	5.9	31	1	2	5	7	10	14	32
" MULTIPLE DX	1186	10.0	87	2	2	7	12	21	29	53
TOTAL 65-69 YRS	496	7.8	64	1	2	6	8	16	25	44
70-74	450	8.7	79	2	2	6	10	18	27	51
75-79	379	9.0	70	2	2	7	11	18	25	49
80-84	227	10.8	99	2	3	8	13	22	32	55
85+	124	9.4	51	3	4	7	11	18	26	37
GRAND TOTAL	**1676**	**8.8**	**74**	**2**	**2**	**6**	**10**	**18**	**26**	**49**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	3.7	24	<1	1	2	4	7	11	29
70-74	123	3.4	7	<1	1	2	4	6	10	16
75-79	59	4.0	26	<1	1	2	4	9	10	34
80-84	46	6.0	158	1	2	3	6	9	12	87
85+	38	6.3	61	<1	1	4	6	16	22	41
2. MULTIPLE DX										
65-69 YRS	186	7.6	98	1	2	4	9	16	24	54
70-74	160	8.1	93	1	2	5	10	16	25	52
75-79	151	9.4	110	2	2	6	12	21	31	55
80-84	68	8.6	72	2	2	5	10	19	27	42
85+	83	11.4	97	2	3	8	16	25	31	50
TOT. SINGLE DX	402	4.2	39	<1	1	3	4	8	11	31
" MULTIPLE DX	648	8.7	98	1	2	5	11	18	28	52
TOTAL 65-69 YRS	322	5.9	71	<1	1	3	7	13	19	45
70-74	283	6.1	62	1	2	3	7	12	17	50
75-79	210	7.9	92	1	2	4	10	17	25	51
80-84	114	7.6	108	2	2	5	8	16	24	59
85+	121	9.8	91	1	2	6	14	21	29	45
GRAND TOTAL	**1050**	**7.0**	**80**	**1**	**2**	**4**	**8**	**16**	**22**	**48**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	12.0	69	3	3	10	16	26	29	34
70-74	33	11.0	67	3	3	10	14	21	33	34
75-79	21	8.4	68	2	2	5	11	23	26	28
80-84	22	8.6	28	3	3	7	13	17	19	21
85+	20	10.4	40	4	4	8	15	21	22	23
2. MULTIPLE DX										
65-69 YRS	42	16.2	112	4	4	15	23	31	46	99+
70-74	56	14.6	122	2	3	11	24	32	39	96
75-79	57	17.8	200	3	4	14	24	43	54	96
80-84	53	16.8	145	2	4	13	25	35	41	46
85+	37	18.3	253	3	4	14	23	35	41	90
TOT. SINGLE DX	126	10.3	57	2	3	8	14	21	27	34
" MULTIPLE DX	245	16.6	163	3	4	14	24	34	44	99+
TOTAL 65-69 YRS	72	14.5	97	3	4	13	19	29	34	88
70-74	89	13.2	104	2	3	10	19	30	34	76
75-79	78	15.2	181	2	3	11	24	36	52	87
80-84	75	14.4	124	3	3	11	20	32	37	45
85+	57	15.5	191	3	4	12	21	31	35	87
GRAND TOTAL	**371**	**14.5**	**136**	**3**	**3**	**11**	**21**	**31**	**38**	**82**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	5.6	12	1	1	5	9	10	11	11
70-74	7	5.9	9	2	2	6	8	10	11	11
75-79	10	5.0	14	1	1	3	7	11	13	13
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	12	6.8	30	1	1	5	9	15	19	20
70-74	13	8.1	20	2	2	8	10	16	16	16
75-79	8	9.6	38	2	3	10	14	18	19	19
80-84	2	34.0	1682	5	5	34	63	63	63	63
85+	3	11.7	32	7	7	10	16	18	18	18
TOT. SINGLE DX	26	5.4	12	1	2	5	8	11	12	13
" MULTIPLE DX	38	9.6	106	1	2	8	11	18	20	63
TOTAL 65-69 YRS	21	6.2	22	1	1	5	9	12	16	20
70-74	20	7.3	17	2	2	7	9	14	16	16
75-79	18	7.1	29	1	2	5	10	16	18	19
80-84	2	34.0	1682	5	5	34	63	63	63	63
85+	3	11.7	32	7	7	10	16	18	18	18
GRAND TOTAL	**64**	**7.9**	**71**	**1**	**2**	**6**	**10**	**16**	**18**	**57**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	2.8	6	1	1	2	4	7	7	7
70-74	2	2.0		2	2	2	2	2	2	2
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	9	10.9	338	1	1	5	9	40	59	59
70-74	7	9.6	34	4	4	10	12	18	20	20
75-79	1	10.0		10	10	10	10	10	10	10
80-84	3	25.0	292	9	9	23	38	43	43	43
85+	4	19.5	208	4	4	19	31	35	35	35
TOT. SINGLE DX	9	3.2	5	1	1	2	5	7	7	7
" MULTIPLE DX	24	13.7	211	1	2	9	16	36	48	59
TOTAL 65-69 YRS	14	8.0	226	1	1	3	7	17	50	59
70-74	9	7.9	37	2	2	5	12	17	20	20
75-79	2	7.0	18	4	4	7	10	10	10	10
80-84	3	25.0	292	9	9	23	38	43	43	43
85+	5	17.0	188	4	4	11	30	35	35	35
GRAND TOTAL	**33**	**10.8**	**175**	**1**	**2**	**7**	**12**	**29**	**42**	**59**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	56	4.9	24	1	2	3	6	11	17	26
70-74	38	7.7	68	2	2	4	9	20	28	34
75-79	23	4.2	6	1	2	3	6	9	10	10
80-84	15	7.7	21	3	4	6	8	17	17	17
85+	4	7.0	46	2	2	4	11	17	17	17
2. MULTIPLE DX										
65-69 YRS	93	10.3	119	2	2	6	15	26	32	54
70-74	75	12.2	185	2	2	6	19	39	48	99+
75-79	39	12.6	145	2	2	10	18	35	80	99+
80-84	18	16.9	292	2	3	10	25	59	83	99+
85+	22	14.9	263	2	2	9	20	34	55	69
TOT. SINGLE DX	136	5.9	35	2	2	4	7	14	18	29
" MULTIPLE DX	247	12.1	169	2	2	8	17	31	49	99+
TOTAL 65-69 YRS	149	8.3	90	2	2	4	11	19	29	50
70-74	113	10.7	150	2	2	5	15	29	42	99+
75-79	62	9.5	110	2	2	6	13	23	46	99+
80-84	33	12.7	187	2	4	8	17	31	61	99+
85+	26	13.7	235	2	2	9	17	29	51	69
GRAND TOTAL	**383**	**9.9**	**130**	**2**	**2**	**5**	**14**	**26**	**38**	**99+**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	21	5.1	40	1	2	3	4	12	22	29
70-74	16	4.8	12	1	2	4	5	11	13	14
75-79	6	3.3	2	2	2	3	4	6	6	6
80-84	5	9.6	59	1	1	7	15	21	21	21
85+	5	7.8	54	4	4	5	9	21	21	21
2. MULTIPLE DX										
65-69 YRS	39	7.6	68	2	2	4	8	23	25	37
70-74	26	7.8	89	2	2	4	7	31	46	99+
75-79	10	13.9	265	2	2	7	19	39	56	56
80-84	5	8.4	37	2	2	10	13	15	15	15
85+	2	2.5	1	2	2	2	3	3	3	3
TOT. SINGLE DX	53	5.5	31	1	2	4	5	13	20	29
" MULTIPLE DX	82	8.4	96	2	2	4	11	24	34	85
TOTAL 65-69 YRS	60	6.8	59	2	2	3	7	19	25	36
70-74	42	6.7	61	2	2	4	7	18	34	99+
75-79	16	9.9	188	2	2	5	9	23	46	56
80-84	10	9.0	43	1	1	8	13	18	21	21
85+	7	6.3	43	2	2	4	5	18	21	21
GRAND TOTAL	**135**	**7.2**	**72**	**2**	**2**	**4**	**7**	**21**	**26**	**62**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	4.0	2	2	2	4	5	7	7	7
70-74	4	4.5	12	1	1	4	7	8	8	8
75-79	4	6.0	22	3	3	4	9	13	13	13
80-84	5	9.4	124	3	3	4	13	29	29	29
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	40	10.8	107	2	2	7	13	28	34	44
70-74	27	9.3	45	2	3	7	12	20	25	26
75-79	28	9.6	76	2	2	7	11	22	33	37
80-84	19	10.2	22	2	4	10	13	16	19	20
85+	12	10.9	147	1	2	7	14	29	42	44
TOT. SINGLE DX	21	6.1	37	1	2	4	7	12	20	29
" MULTIPLE DX	126	10.1	76	2	2	7	12	22	31	44
TOTAL 65-69 YRS	47	9.7	98	2	2	6	10	25	33	44
70-74	31	8.6	43	2	2	7	11	19	25	26
75-79	32	9.1	70	2	2	6	11	19	32	37
80-84	24	10.0	39	2	3	9	13	17	23	29
85+	13	11.0	135	1	2	8	14	26	41	44
GRAND TOTAL	**147**	**9.5**	**72**	**2**	**2**	**7**	**12**	**22**	**29**	**44**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	20	5.0	16	1	1	3	6	9	14	19
70-74	13	6.4	62	1	1	3	7	19	26	28
75-79	10	7.0	42	2	2	3	13	17	20	20
80-84	11	8.5	35	2	2	6	14	17	19	19
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	83	9.8	145	2	2	6	10	20	37	63
70-74	69	11.6	75	3	3	10	15	22	27	45
75-79	49	11.5	58	2	4	9	15	21	24	39
80-84	32	11.7	80	2	4	9	13	22	26	48
85+	19	15.9	155	5	6	10	19	38	43	45
TOT. SINGLE DX	55	6.4	35	1	2	4	8	15	19	28
" MULTIPLE DX	252	11.3	103	2	3	9	14	23	35	48
TOTAL 65-69 YRS	103	8.9	124	1	2	6	9	18	35	62
70-74	82	10.7	76	2	2	9	15	22	27	45
75-79	59	10.7	58	2	3	9	15	20	24	38
80-84	43	10.9	70	2	3	9	14	20	25	48
85+	20	15.4	154	4	5	10	18	38	42	45
GRAND TOTAL	**307**	**10.4**	**94**	**2**	**2**	**8**	**13**	**21**	**29**	**48**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	11	3.7	4	1	1	3	6	7	7	7
70-74	11	4.1	2	2	2	4	5	6	7	7
75-79	4	4.5	3	2	2	5	6	6	6	6
80-84	2	1.0		1	1	1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	20	9.7	89	2	2	5	16	21	30	38
70-74	10	9.9	162	1	1	5	13	29	44	44
75-79	8	10.9	68	2	3	12	22	69	99+	99+
80-84	7	4.7	7	1	1	5	7	9	9	9
85+	3	8.7	4	7	7	8	10	11	11	11
TOT. SINGLE DX	29	3.7	4	1	1	4	5	6	7	7
" MULTIPLE DX	48	9.1	82	2	2	5	13	22	38	99+
TOTAL 65-69 YRS	31	7.5	66	2	2	4	10	19	22	38
70-74	21	6.9	83	1	2	4	6	13	27	44
75-79	12	8.8	54	2	2	6	16	38	88	99+
80-84	9	3.9	8	1	1	3	6	8	9	9
85+	4	6.8	18	1	1	7	9	11	11	11
GRAND TOTAL	**77**	**7.1**	**59**	**1**	**2**	**5**	**8**	**17**	**23**	**84**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	247	7.4	17	3	3	7	9	12	15	18
70-74	146	8.6	38	2	3	7	10	16	20	37
75-79	79	9.6	41	2	3	8	11	21	24	28
80-84	34	12.9	108	2	2	14	16	21	38	49
85+	19	13.6	55	4	5	11	20	25	26	26
2. MULTIPLE DX										
65-69 YRS	372	9.9	112	2	3	7	12	20	33	96
70-74	247	12.8	159	2	3	9	16	30	40	96
75-79	158	16.6	223	3	4	13	21	36	51	91
80-84	68	23.8	465	3	4	19	30	65	75	99+
85+	63	27.7	454	4	8	20	36	59	83	99+
TOT. SINGLE DX	525	8.7	37	2	3	7	10	16	20	31
" MULTIPLE DX	908	14.1	222	2	3	9	18	33	51	99
TOTAL 65-69 YRS	619	8.9	76	2	3	7	10	16	24	72
70-74	393	11.2	118	2	3	8	13	24	34	63
75-79	237	14.3	173	3	3	11	18	30	42	74
80-84	102	20.2	371	2	4	15	25	50	69	99+
85+	82	24.4	396	4	5	19	30	54	74	99
GRAND TOTAL	**1433**	**12.1**	**161**	**2**	**3**	**8**	**14**	**27**	**38**	**87**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	551	4.5	4	2	2	4	5	7	8	11
70-74	325	4.6	5	2	2	4	6	8	9	11
75-79	141	5.7	19	2	2	5	7	9	11	29
80-84	64	4.8	5	1	2	4	6	9	9	12
85+	24	4.6	9	2	2	4	5	7	10	17
2. MULTIPLE DX										
65-69 YRS	1953	5.5	18	2	3	5	6	9	12	26
70-74	1115	5.9	25	2	3	5	7	10	13	27
75-79	570	6.8	38	2	3	5	7	11	17	35
80-84	224	7.6	44	2	3	6	9	14	19	36
85+	82	9.1	136	2	2	6	10	18	31	94
TOT. SINGLE DX	1105	4.7	7	2	2	4	6	8	9	13
" MULTIPLE DX	3944	6.0	28	2	3	5	7	10	13	30
TOTAL 65-69 YRS	2504	5.2	16	2	2	4	6	8	11	22
70-74	1440	5.6	21	2	2	5	6	9	12	23
75-79	711	6.6	35	2	3	5	7	10	15	35
80-84	288	7.0	38	2	2	5	8	12	16	34
85+	106	8.1	111	2	2	5	9	17	26	90
GRAND TOTAL	**5049**	**5.7**	**24**	**2**	**3**	**5**	**6**	**9**	**12**	**27**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	748	6.0	40	1	2	4	7	13	18	31
70-74	478	7.7	92	1	2	4	9	18	26	57
75-79	315	7.8	72	1	2	5	10	18	24	43
80-84	145	8.6	58	1	2	6	13	18	23	37
85+	65	11.3	98	2	2	9	15	25	34	45
2. MULTIPLE DX										
65-69 YRS	1488	12.8	212	2	2	8	16	31	49	83
70-74	1180	13.5	184	2	2	9	18	31	42	85
75-79	823	15.4	221	2	3	11	20	37	50	99+
80-84	480	17.3	265	2	3	13	23	40	56	99
85+	262	19.7	268	3	4	16	28	44	58	99+
TOT. SINGLE DX	1751	7.2	65	1	2	4	9	16	22	45
" MULTIPLE DX	4233	14.4	220	2	2	10	19	34	49	90
TOTAL 65-69 YRS	2236	10.5	165	1	2	6	13	26	38	70
70-74	1658	11.8	165	2	2	7	16	28	38	78
75-79	1138	13.3	192	2	2	9	18	32	44	85
80-84	625	15.3	231	2	3	11	20	37	50	97
85+	327	18.0	245	2	3	14	24	40	51	99+
GRAND TOTAL	**5984**	**12.3**	**186**	**2**	**2**	**8**	**16**	**30**	**42**	**81**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	132	11.7	99	2	3	10	15	21	28	54
70-74	152	14.3	101	2	3	12	19	27	35	49
75-79	130	15.3	109	3	4	14	19	27	40	65
80-84	125	19.1	204	5	8	15	22	30	48	86
85+	165	17.5	106	5	8	16	22	27	35	79
2. MULTIPLE DX										
65-69 YRS	342	17.1	196	3	4	14	22	39	53	99+
70-74	434	19.3	150	5	7	16	25	38	46	99+
75-79	461	19.9	174	6	8	17	24	38	52	84
80-84	486	19.8	169	7	9	17	24	38	49	99+
85+	620	20.7	173	7	9	18	25	41	54	99+
TOT. SINGLE DX	704	15.6	128	3	4	14	19	27	37	65
" MULTIPLE DX	2343	19.6	173	6	8	16	24	39	51	99+
TOTAL 65-69 YRS	474	15.6	175	3	4	13	19	34	46	99+
70-74	586	18.0	142	3	6	15	23	36	45	76
75-79	591	18.9	164	5	7	16	23	36	50	79
80-84	611	19.7	176	7	8	16	23	37	49	99+
85+	785	20.1	161	7	9	17	24	37	53	99+
GRAND TOTAL	**3047**	**18.7**	**165**	**4**	**7**	**16**	**23**	**36**	**49**	**99+**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	506	5.2	39	1	1	3	5	11	17	36
70-74	461	5.6	46	<1	1	3	6	12	17	39
75-79	293	7.0	50	1	2	5	9	16	21	31
80-84	223	8.1	99	1	2	5	10	16	24	49
85+	181	9.2	93	1	2	5	14	21	26	50
2. MULTIPLE DX										
65-69 YRS	480	11.4	174	2	2	6	14	28	40	71
70-74	455	13.1	200	2	2	8	16	29	40	74
75-79	476	15.4	294	2	3	10	19	36	56	96
80-84	367	15.1	192	2	3	11	19	34	42	82
85+	378	18.5	235	2	4	15	25	38	49	84
TOT. SINGLE DX	1664	6.4	59	1	2	4	8	15	21	37
" MULTIPLE DX	2156	14.5	226	2	3	10	19	33	46	84
TOTAL 65-69 YRS	986	8.2	115	1	2	4	9	21	30	55
70-74	916	9.3	137	1	2	5	11	23	34	70
75-79	769	12.2	218	2	2	8	15	27	39	93
80-84	590	12.4	169	2	2	8	16	28	39	79
85+	559	15.5	208	2	3	11	21	31	43	78
GRAND TOTAL	**3820**	**11.0**	**169**	**1**	**2**	**6**	**14**	**26**	**37**	**74**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	87	16.9	155	6	8	13	19	37	51	88
70-74	108	15.4	46	7	8	14	19	24	29	38
75-79	176	17.1	99	7	9	15	19	26	29	71
80-84	171	18.3	150	7	9	15	20	28	44	89
85+	214	19.1	102	8	10	17	22	30	39	63
2. MULTIPLE DX										
65-69 YRS	347	19.6	211	6	7	16	22	35	49	93
70-74	439	20.4	162	7	9	17	25	37	51	71
75-79	604	20.4	145	8	10	17	24	37	51	99+
80-84	722	21.0	150	9	10	18	25	37	52	99+
85+	1118	21.0	164	8	10	18	25	37	50	97
TOT. SINGLE DX	756	17.7	112	7	9	15	20	28	36	69
" MULTIPLE DX	3230	20.7	163	8	10	17	25	37	51	99+
TOTAL 65-69 YRS	434	19.1	201	6	8	15	22	35	50	93
70-74	547	19.4	144	7	9	16	23	34	47	68
75-79	780	19.7	137	8	10	17	23	34	48	99+
80-84	893	20.5	152	8	10	18	24	36	51	99+
85+	1332	20.7	155	8	10	18	24	35	49	91
GRAND TOTAL	**3986**	**20.1**	**154**	**8**	**10**	**17**	**24**	**35**	**49**	**98**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	505	16.0	64	7	8	15	19	25	31	70
70-74	695	18.3	95	8	9	16	22	29	38	64
75-79	870	18.9	108	8	10	16	22	31	40	63
80-84	1016	19.4	125	9	11	17	22	31	37	90
85+	1449	19.2	104	8	10	17	22	32	41	73
2. MULTIPLE DX										
65-69 YRS	1901	20.8	183	8	9	17	25	38	51	88
70-74	2893	21.7	176	9	10	18	26	39	52	99+
75-79	4011	22.3	179	9	11	19	27	40	53	91
80-84	4600	22.6	194	9	11	19	27	41	56	99+
85+	6977	22.2	187	9	11	18	26	40	57	99+
TOT. SINGLE DX	4535	18.7	105	8	10	16	22	30	39	74
" MULTIPLE DX	20382	22.1	186	9	10	18	26	40	54	99+
TOTAL 65-69 YRS	2406	19.8	162	7	9	16	23	35	46	87
70-74	3588	21.0	163	8	10	18	25	37	50	99+
75-79	4881	21.7	169	9	10	18	26	38	51	88
80-84	5616	22.0	183	9	11	18	26	39	53	99+
85+	8426	21.7	175	9	10	18	26	39	53	99+
GRAND TOTAL	**24917**	**21.5**	**173**	**9**	**10**	**18**	**25**	**38**	**52**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	25	27.7	621	7	7	17	38	77	95	99+
70-74	30	21.5	505	2	3	13	38	54	67	87
75-79	33	16.8	299	1	3	12	18	39	48	89
80-84	35	19.1	266	5	6	15	23	28	63	75
85+	69	18.8	253	5	5	14	23	36	59	80
2. MULTIPLE DX										
65-69 YRS	89	22.0	284	3	5	17	34	54	62	99+
70-74	117	25.0	468	5	8	18	29	62	85	9[illegible]
75-79	144	24.1	355	5	7	18	34	55	79	99+
80-84	129	22.5	279	3	6	18	30	46	61	86
85+	190	20.8	304	4	5	15	27	48	67	99+
TOT. SINGLE DX	192	20.1	353	4	5	14	23	48	67	92
" MULTIPLE DX	669	22.7	337	4	6	17	31	53	72	99+
TOTAL 65-69 YRS	114	23.2	359	4	6	17	35	60	75	99+
70-74	147	24.3	475	4	6	16	29	59	82	98
75-79	177	22.8	352	4	6	17	31	54	77	99+
80-84	164	21.8	277	3	6	18	28	45	62	82
85+	259	20.3	290	4	5	15	26	44	66	99+
GRAND TOTAL	**861**	**22.1**	**341**	**4**	**6**	**17**	**29**	**52**	**70**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	147	6.1	93	1	1	3	6	11	23	57
70-74	130	5.4	44	1	1	3	6	12	17	34
75-79	109	7.0	72	1	1	4	8	17	20	45
80-84	45	7.6	47	1	2	6	12	14	19	39
85+	32	8.8	102	1	2	6	11	14	19	58
2. MULTIPLE DX										
65-69 YRS	307	9.3	157	1	2	5	11	19	28	72
70-74	281	9.7	137	1	2	6	11	23	37	55
75-79	213	11.5	182	2	2	7	15	27	37	87
80-84	161	14.7	253	1	2	10	17	40	52	77
85+	122	14.4	159	1	2	11	21	32	38	57
TOT. SINGLE DX	463	6.4	71	1	1	4	7	13	20	49
" MULTIPLE DX	1084	11.2	176	1	2	6	14	27	42	66
TOTAL 65-69 YRS	454	8.3	139	1	1	4	9	18	28	68
70-74	411	8.3	112	1	2	4	10	19	30	51
75-79	322	10.0	149	1	2	5	13	23	34	72
80-84	206	13.2	217	1	2	8	16	28	48	71
85+	154	13.2	152	1	2	9	18	29	38	58
GRAND TOTAL	**1547**	**9.8**	**149**	**1**	**2**	**5**	**12**	**23**	**36**	**61**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	646	7.7	31	2	3	6	10	14	18	26
70-74	472	8.3	33	2	3	7	10	15	19	30
75-79	313	8.7	30	2	4	7	12	16	21	26
80-84	180	10.6	52	3	3	8	14	22	24	33
85+	107	12.0	99	2	3	10	15	25	31	54
2. MULTIPLE DX										
65-69 YRS	1611	10.5	96	2	3	8	13	21	29	53
70-74	1326	12.2	125	3	4	9	15	24	34	68
75-79	972	13.6	136	3	4	10	17	27	36	82
80-84	641	15.6	154	3	4	13	19	32	42	74
85+	463	16.8	172	3	5	14	22	34	46	99+
TOT. SINGLE DX	1718	8.6	40	2	3	7	11	16	21	30
" MULTIPLE DX	5013	12.8	130	2	3	10	16	26	35	68
TOTAL 65-69 YRS	2257	9.7	80	2	3	7	12	20	25	49
70-74	1798	11.1	104	2	3	8	13	22	29	60
75-79	1285	12.4	115	3	4	9	16	25	34	59
80-84	821	14.5	136	3	4	12	18	28	38	71
85+	570	15.9	163	3	4	13	21	32	44	99
GRAND TOTAL	**6731**	**11.7**	**111**	**2**	**3**	**9**	**15**	**24**	**32**	**59**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	634	4.7	26	1	1	3	6	11	14	27
70-74	499	5.0	32	1	1	3	6	11	16	26
75-79	417	5.4	22	1	1	4	7	12	15	22
80-84	295	6.9	68	1	1	4	8	17	23	51
85+	245	6.4	43	1	1	4	8	16	20	28
2. MULTIPLE DX										
65-69 YRS	1365	9.0	127	1	1	5	11	19	30	61
70-74	1309	9.7	142	1	1	6	12	22	33	71
75-79	1256	10.5	128	1	2	7	14	24	33	65
80-84	992	11.5	160	1	2	7	15	27	42	74
85+	854	11.8	137	1	2	8	16	26	35	70
TOT. SINGLE DX	2090	5.4	36	1	1	3	7	12	17	29
" MULTIPLE DX	5776	10.3	139	1	2	6	13	23	34	70
TOTAL 65-69 YRS	1999	7.6	100	1	1	4	9	16	24	52
70-74	1808	8.4	116	1	1	5	10	19	28	63
75-79	1673	9.2	107	1	1	6	12	21	29	55
80-84	1287	10.4	143	1	2	6	13	24	37	72
85+	1099	10.6	122	1	2	7	14	23	31	62
GRAND TOTAL	**7866**	**9.0**	**116**	**1**	**1**	**5**	**11**	**20**	**29**	**61**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	141	5.4	87	1	1	2	6	13	19	56
70-74	143	4.9	45	<1	1	3	6	11	15	29
75-79	118	6.3	58	1	1	3	7	15	24	36
80-84	72	6.6	79	<1	1	3	7	15	24	48
85+	64	7.1	66	<1	1	3	9	21	28	32
2. MULTIPLE DX										
65-69 YRS	252	8.1	104	1	1	5	10	19	28	64
70-74	290	9.4	134	1	1	5	11	24	37	62
75-79	289	10.2	162	1	1	6	13	27	36	70
80-84	229	11.5	133	1	1	8	16	29	40	99+
85+	160	15.1	304	1	2	10	18	38	55	95
TOT. SINGLE DX	538	5.8	67	1	1	3	7	14	22	36
" MULTIPLE DX	1220	10.5	161	1	1	6	13	26	38	70
TOTAL 65-69 YRS	393	7.2	100	1	1	4	8	16	25	60
70-74	433	7.9	109	1	1	4	10	19	33	53
75-79	407	9.1	135	1	1	5	11	24	33	70
80-84	301	10.3	124	1	1	6	14	28	38	78
85+	224	12.8	249	1	1	8	16	28	46	81
GRAND TOTAL	**1758**	**9.0**	**136**	**1**	**1**	**5**	**11**	**23**	**35**	**69**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	54	7.0	11	1	3	7	9	10	15	16
70-74	32	9.8	47	2	3	7	15	19	24	29
75-79	36	12.2	121	2	4	8	16	23	26	63
80-84	19	12.5	100	3	4	10	16	21	35	46
85+	19	19.5	105	5	9	19	24	32	42	48
2. MULTIPLE DX										
65-69 YRS	102	11.9	100	2	2	9	17	26	37	70
70-74	71	16.4	281	2	2	12	20	42	60	96
75-79	84	15.1	154	2	3	12	19	30	36	70
80-84	65	27.0	338	7	9	22	38	58	84	99+
85+	56	19.6	170	9	9	16	23	31	46	78
TOT. SINGLE DX	160	10.9	78	2	3	8	15	21	26	48
" MULTIPLE DX	378	17.2	222	2	3	14	22	38	51	95
TOTAL 65-69 YRS	156	10.2	75	1	2	8	13	22	31	44
70-74	103	14.4	217	2	2	11	17	37	46	91
75-79	120	14.2	145	2	3	11	18	29	35	66
80-84	84	23.8	320	4	6	18	34	53	70	99+
85+	75	19.6	152	9	9	17	23	31	44	75
GRAND TOTAL	**538**	**15.3**	**187**	**2**	**3**	**12**	**20**	**33**	**45**	**84**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	195	9.3	115	1	2	5	12	24	33	53
70-74	109	11.8	167	2	2	7	15	33	40	92
75-79	92	13.6	201	2	2	10	18	29	43	72
80-84	63	18.6	243	2	3	15	27	43	49	72
85+	32	18.0	221	3	6	13	23	41	57	58
2. MULTIPLE DX										
65-69 YRS	394	17.2	305	2	3	11	26	46	57	99+
70-74	334	19.6	322	2	3	15	28	52	70	99+
75-79	279	20.0	303	3	4	16	29	51	68	99+
80-84	178	23.6	313	3	5	20	32	51	64	95
85+	121	21.0	234	4	5	19	29	43	53	99+
TOT. SINGLE DX	491	12.4	176	2	2	8	16	30	42	68
" MULTIPLE DX	1306	19.6	307	2	3	15	29	49	63	99+
TOTAL 65-69 YRS	589	14.6	256	2	2	8	20	39	52	94
70-74	443	17.7	295	2	3	13	24	47	63	99+
75-79	371	18.4	285	2	3	14	26	45	63	99+
80-84	241	22.3	299	3	4	18	31	49	59	86
85+	153	20.4	232	4	6	17	28	42	56	99+
GRAND TOTAL	**1797**	**17.7**	**281**	**2**	**3**	**13**	**25**	**44**	**58**	**99+**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	917	13.0	54	5	6	11	16	21	27	42
70-74	438	14.0	69	6	6	12	17	25	30	39
75-79	209	14.8	65	6	7	12	19	24	29	45
80-84	46	17.8	109	5	7	16	25	30	45	99+
85+	21	18.5	95	7	8	18	23	35	38	41
2. MULTIPLE DX										
65-69 YRS	1251	17.5	129	6	7	14	22	31	40	67
70-74	865	19.4	155	7	8	16	24	36	45	71
75-79	463	22.9	222	7	9	20	28	41	53	81
80-84	137	22.7	159	9	11	20	27	43	54	76
85+	34	25.9	287	9	12	23	31	41	61	92
TOT. SINGLE DX	1631	13.7	63	5	6	12	17	23	29	44
" MULTIPLE DX	2750	19.4	161	7	8	16	24	35	44	75
TOTAL 65-69 YRS	2168	15.6	102	6	7	13	19	28	35	56
70-74	1303	17.6	133	6	7	14	22	32	40	67
75-79	672	20.4	187	7	8	17	26	36	48	75
80-84	183	21.5	151	7	9	20	25	39	52	90
85+	55	23.1	224	8	9	19	30	40	43	91
GRAND TOTAL	**4381**	**17.3**	**132**	**6**	**7**	**14**	**21**	**31**	**40**	**68**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	394	3.9	10	1	1	3	5	7	11	17
70-74	239	4.4	13	1	2	3	5	9	13	19
75-79	106	4.3	10	1	2	3	5	8	11	17
80-84	39	4.9	14	2	2	4	5	9	15	19
85+	17	3.6	7	1	1	3	5	8	10	11
2. MULTIPLE DX										
65-69 YRS	964	4.8	22	1	1	3	5	10	14	28
70-74	590	5.5	42	1	2	4	7	10	15	31
75-79	322	5.2	21	1	2	4	6	11	14	21
80-84	82	6.2	32	2	2	4	7	14	17	32
85+	34	6.9	67	2	2	4	8	21	26	36
TOT. SINGLE DX	795	4.2	11	1	1	3	5	8	12	17
" MULTIPLE DX	1992	5.2	30	1	2	3	6	10	15	28
TOTAL 65-69 YRS	1358	4.6	19	1	1	3	5	9	14	24
70-74	829	5.2	34	1	2	3	6	10	14	27
75-79	428	4.9	19	1	2	4	6	10	14	20
80-84	121	5.8	27	2	2	4	6	13	16	26
85+	51	5.8	50	1	2	3	6	12	26	36
GRAND TOTAL	**2787**	**4.9**	**25**	**1**	**2**	**3**	**6**	**10**	**14**	**24**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	550	4.3	22	1	1	3	5	8	14	23
70-74	338	5.2	43	1	2	3	5	11	16	39
75-79	222	5.7	32	1	2	4	7	13	19	29
80-84	76	8.1	115	1	2	4	7	22	32	58
85+	25	5.5	16	1	2	4	7	12	14	16
2. MULTIPLE DX										
65-69 YRS	739	7.6	100	1	2	4	8	18	26	54
70-74	493	8.4	103	1	2	5	10	20	30	53
75-79	339	10.0	115	2	2	6	13	22	31	58
80-84	171	11.3	149	2	2	7	15	26	37	80
85+	87	14.8	291	2	3	9	22	29	50	90
TOT. SINGLE DX	1211	5.1	36	1	2	3	5	11	17	32
" MULTIPLE DX	1829	8.9	121	1	2	5	11	21	30	59
TOTAL 65-69 YRS	1289	6.2	70	1	2	3	6	14	22	44
70-74	831	7.1	81	1	2	4	8	16	25	48
75-79	561	8.3	87	1	2	5	11	19	26	52
80-84	247	10.3	141	1	2	5	15	25	34	65
85+	112	12.7	244	2	2	7	16	28	35	85
GRAND TOTAL	**3040**	**7.4**	**91**	**1**	**2**	**4**	**8**	**17**	**25**	**50**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	55	10.7	33	5	5	9	13	18	22	35
70-74	28	13.3	39	6	6	13	17	21	25	30
75-79	14	16.9	197	5	6	13	23	30	52	58
80-84	6	13.7	31	6	6	13	18	21	21	21
85+	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	123	20.7	207	6	7	16	28	46	57	99+
70-74	90	21.0	253	5	7	16	27	47	72	99+
75-79	37	27.4	385	10	10	19	32	60	73	78
80-84	20	29.5	538	5	8	20	43	68	80	85
85+	5	20.8	69	10	10	24	27	29	29	29
TOT. SINGLE DX	105	12.4	58	5	6	10	16	21	25	46
" MULTIPLE DX	275	22.3	272	6	8	17	29	49	65	99+
TOTAL 65-69 YRS	178	17.6	174	5	6	13	22	40	50	99+
70-74	118	19.2	213	5	7	16	24	44	64	99+
75-79	51	24.5	352	7	7	17	28	59	66	78
80-84	26	25.8	461	5	8	18	33	59	78	85
85+	7	18.6	61	10	10	14	26	29	29	29
GRAND TOTAL	**380**	**19.6**	**233**	**5**	**7**	**15**	**24**	**46**	**60**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	277	5.6	32	<1	1	4	6	11	18	28
70-74	174	5.9	58	1	1	3	6	12	21	47
75-79	113	6.0	57	1	2	4	6	12	20	41
80-84	56	9.5	174	2	2	4	12	20	42	69
85+	26	13.3	231	1	1	5	18	40	49	53
2. MULTIPLE DX										
65-69 YRS	342	8.8	120	2	2	5	11	19	28	76
70-74	253	8.5	83	2	2	5	10	17	34	60
75-79	178	11.6	192	2	2	7	13	31	43	78
80-84	70	9.9	122	1	2	6	12	19	28	64
85+	36	15.1	149	2	3	11	21	33	44	48
TOT. SINGLE DX	646	6.4	67	1	1	4	7	15	21	48
" MULTIPLE DX	879	9.6	128	2	2	6	11	21	33	76
TOTAL 65-69 YRS	619	7.4	84	1	2	5	8	16	23	59
70-74	427	7.4	75	1	2	5	8	16	27	51
75-79	291	9.4	147	2	2	5	10	21	33	76
80-84	126	9.7	144	1	2	5	12	20	33	68
85+	62	14.4	182	1	2	10	20	36	47	52
GRAND TOTAL	1525	8.3	105	1	2	5	9	18	29	61

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1415	15.3	34	9	10	14	17	22	25	39
70-74	1367	16.0	46	8	10	15	18	23	27	44
75-79	1060	17.0	49	9	10	16	19	25	29	43
80-84	533	18.5	53	10	11	17	21	27	33	47
85+	219	19.0	77	9	11	17	22	30	34	56
2. MULTIPLE DX										
65-69 YRS	1817	18.8	113	9	10	16	22	30	38	76
70-74	1966	19.6	109	10	11	17	22	31	39	70
75-79	1818	21.5	146	10	12	18	25	37	48	83
80-84	1108	22.3	140	11	12	19	26	37	45	70
85+	716	22.7	142	10	12	20	27	38	47	99+
TOT. SINGLE DX	4594	16.4	47	9	10	15	19	24	28	43
" MULTIPLE DX	7425	20.6	130	10	11	17	24	34	44	78
TOTAL 65-69 YRS	3232	17.3	82	9	10	15	19	26	33	62
70-74	3333	18.1	87	9	10	16	20	28	35	59
75-79	2878	19.8	116	10	11	17	22	32	41	70
80-84	1641	21.1	115	10	12	18	24	34	42	64
85+	935	21.8	129	10	12	19	26	36	45	90
GRAND TOTAL	12019	19.0	102	9	11	16	22	30	38	65

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	425	16.3	60	9	10	15	18	24	29	48
70-74	560	16.8	59	8	10	15	19	25	32	50
75-79	682	17.8	67	9	10	16	20	27	32	51
80-84	650	18.6	91	10	11	17	21	27	33	55
85+	802	19.2	103	9	10	17	22	30	37	61
2. MULTIPLE DX										
65-69 YRS	1212	19.8	130	8	10	17	24	34	43	75
70-74	1872	21.0	160	9	10	17	25	37	48	93
75-79	2565	21.5	160	9	11	18	26	37	49	95
80-84	2828	21.6	151	9	11	18	25	37	49	99
85+	3534	22.0	162	9	11	19	26	37	50	91
TOT. SINGLE DX	3119	17.9	80	9	10	16	21	27	33	53
" MULTIPLE DX	12011	21.4	156	9	11	18	25	37	49	93
TOTAL 65-69 YRS	1637	18.9	115	8	10	16	22	32	40	71
70-74	2432	20.1	140	9	10	17	23	34	45	87
75-79	3247	20.7	143	9	11	18	24	35	46	89
80-84	3478	21.0	141	9	11	18	25	35	46	93
85+	4336	21.5	153	9	11	18	25	36	49	87
GRAND TOTAL	15130	20.7	142	9	11	18	24	35	46	87

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1268	15.8	54	7	9	15	18	23	29	45
70-74	1217	16.5	64	6	9	16	19	24	30	45
75-79	1024	17.4	56	8	10	16	20	25	31	44
80-84	439	18.6	59	9	11	17	22	29	34	43
85+	149	17.5	80	6	10	16	21	25	30	36
2. MULTIPLE DX										
65-69 YRS	1523	17.9	91	6	9	16	21	29	36	60
70-74	1597	19.0	110	7	10	17	22	31	38	66
75-79	1453	20.1	113	9	11	18	24	33	41	67
80-84	660	21.3	123	9	11	18	25	35	46	74
85+	220	23.4	152	9	12	21	29	39	51	92
TOT. SINGLE DX	4097	16.8	60	7	9	16	20	25	30	44
" MULTIPLE DX	5453	19.4	111	8	10	17	23	31	39	66
TOTAL 65-69 YRS	2791	16.9	76	6	9	16	20	26	32	52
70-74	2814	17.9	92	7	10	16	21	28	34	59
75-79	2477	19.0	92	9	10	17	22	29	37	61
80-84	1099	20.2	100	9	11	18	24	33	41	64
85+	369	21.0	131	8	11	19	25	34	41	85
GRAND TOTAL	9550	18.3	91	8	10	16	21	29	36	60

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	468	6.1	28	2	2	4	7	12	17	25
70-74	277	6.6	32	2	2	5	8	13	17	29
75-79	137	7.4	39	1	2	6	9	14	19	31
80-84	60	7.0	26	1	1	6	9	14	18	23
85+	15	7.4	46	1	1	7	10	20	23	24
2. MULTIPLE DX										
65-69 YRS	620	7.4	66	2	2	5	8	15	20	35
70-74	458	7.9	49	2	3	6	10	16	21	37
75-79	260	9.9	87	2	3	7	12	21	27	50
80-84	121	12.0	100	1	3	9	17	26	30	46
85+	54	17.9	151	3	3	15	24	36	39	52
TOT. SINGLE DX	957	6.5	31	2	2	5	8	13	17	29
" MULTIPLE DX	1513	8.8	75	2	3	6	10	18	25	41
TOTAL 65-69 YRS	1088	6.9	50	2	2	5	8	14	18	32
70-74	735	7.4	43	2	2	5	9	15	20	34
75-79	397	9.1	72	2	2	6	11	19	25	40
80-84	181	10.4	81	1	2	8	14	23	28	39
85+	69	15.6	147	2	2	13	23	35	38	52
GRAND TOTAL	**2470**	**7.9**	**59**	**2**	**2**	**5**	**10**	**17**	**22**	**38**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	233	3.3	17	<1	<1	2	3	7	12	21
70-74	118	3.3	15	<1	<1	2	4	7	11	21
75-79	71	4.1	39	<1	<1	2	4	7	16	38
80-84	32	5.5	41	<1	1	3	6	19	22	23
85+	21	6.5	50	<1	<1	3	12	16	22	27
2. MULTIPLE DX										
65-69 YRS	232	9.5	133	1	2	5	12	21	33	80
70-74	190	12.1	226	1	1	6	16	32	46	89
75-79	129	13.4	184	1	2	10	19	32	48	86
80-84	67	12.2	112	2	2	9	19	30	41	99+
85+	52	19.3	262	2	3	16	25	51	62	99
TOT. SINGLE DX	475	3.7	24	<1	<1	2	4	8	13	26
" MULTIPLE DX	670	12.0	183	1	2	7	16	30	44	99+
TOTAL 65-69 YRS	465	6.4	85	<1	<1	3	8	15	22	67
70-74	308	8.7	164	<1	1	4	11	23	36	73
75-79	200	10.1	152	<1	1	5	13	25	35	69
80-84	99	10.0	99	<1	1	5	16	28	32	99+
85+	73	15.6	234	<1	2	13	23	34	55	93
GRAND TOTAL	**1145**	**8.6**	**134**	**<1**	**1**	**4**	**11**	**22**	**33**	**71**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	385	3.8	18	<1	1	2	4	8	12	24
70-74	268	4.3	15	<1	1	3	5	10	13	19
75-79	134	5.1	26	<1	1	3	7	12	19	22
80-84	61	6.7	182	1	2	2	6	11	29	88
85+	47	5.2	17	1	1	4	7	12	13	16
2. MULTIPLE DX										
65-69 YRS	537	10.1	146	1	2	6	12	24	32	62
70-74	391	11.5	167	2	2	7	15	28	39	96
75-79	255	11.9	164	2	2	8	15	29	42	84
80-84	144	13.8	161	2	3	10	19	32	45	69
85+	91	13.9	151	2	2	12	19	31	54	99+
TOT. SINGLE DX	895	4.4	30	<1	1	3	5	9	13	23
" MULTIPLE DX	1418	11.4	158	2	2	7	15	28	38	79
TOTAL 65-69 YRS	922	7.5	103	<1	1	4	8	18	26	55
70-74	659	8.5	118	1	2	5	11	20	29	77
75-79	389	9.6	127	1	2	6	13	23	31	73
80-84	205	11.7	177	1	2	7	15	28	42	79
85+	138	10.9	123	1	2	8	14	28	31	99+
GRAND TOTAL	**2313**	**8.7**	**121**	**1**	**1**	**5**	**11**	**21**	**30**	**67**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	483	2.4	1	<1	1	2	3	4	5	8
70-74	262	2.5	2	1	1	2	3	4	5	8
75-79	158	2.6	3	1	1	2	3	4	5	12
80-84	42	2.5	2	<1	1	2	3	4	6	10
85+	13	1.9		<1	1	2	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	275	4.1	17	1	2	2	4	8	14	21
70-74	190	4.1	19	1	1	3	4	8	12	23
75-79	100	5.3	38	1	1	3	5	14	18	31
80-84	33	4.6	27	1	2	3	5	9	11	30
85+	11	9.1	23	2	3	8	13	16	17	17
TOT. SINGLE DX	958	2.5	2	<1	1	2	3	4	5	10
" MULTIPLE DX	609	4.4	22	1	2	3	5	9	15	27
TOTAL 65-69 YRS	758	3.0	8	1	1	2	3	5	8	16
70-74	452	3.2	10	1	1	2	3	5	8	17
75-79	258	3.7	18	1	1	2	3	7	12	26
80-84	75	3.4	15	<1	1	2	3	6	10	25
85+	24	5.2	24	<1	1	3	7	13	16	17
GRAND TOTAL	**1567**	**3.2**	**11**	**1**	**1**	**2**	**3**	**5**	**9**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	81	2.4	3	<1	1	2	3	4	6	9
70-74	51	2.3	1	1	1	2	3	4	5	5
75-79	26	2.4	2	1	1	2	3	5	6	7
80-84	11	4.4	41	<1	<1	2	5	13	22	23
85+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	120	3.9	19	1	1	3	5	8	11	24
70-74	88	4.5	58	1	1	2	4	7	16	49
75-79	44	4.1	16	1	1	3	4	9	10	25
80-84	28	4.1	20	1	1	3	5	7	14	23
85+	15	6.2	71	1	1	3	6	15	29	34
TOT. SINGLE DX	172	2.5	5	<1	1	2	3	4	5	10
" MULTIPLE DX	295	4.2	33	1	1	3	4	8	12	37
TOTAL 65-69 YRS	201	3.3	13	<1	1	2	4	7	9	15
70-74	139	3.7	39	1	1	2	4	6	8	43
75-79	70	3.5	12	1	1	3	4	7	10	22
80-84	39	4.2	25	1	1	3	5	7	18	23
85+	18	5.5	62	1	1	3	4	13	26	34
GRAND TOTAL	467	3.6	23	1	1	2	4	7	9	25

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	278	4.4	11	1	2	4	5	8	11	19
70-74	189	5.3	31	1	2	4	6	10	14	30
75-79	102	4.7	10	1	2	4	6	9	11	17
80-84	27	7.0	40	1	2	4	9	19	21	24
85+	19	4.9	14	<1	1	4	5	10	14	17
2. MULTIPLE DX										
65-69 YRS	381	7.3	66	1	2	5	8	14	23	41
70-74	262	8.1	82	2	2	5	10	16	22	62
75-79	159	9.6	142	2	2	6	11	21	29	79
80-84	68	11.5	130	2	2	8	12	29	36	48
85+	31	14.5	333	1	3	10	15	29	49	95
TOT. SINGLE DX	615	4.9	19	1	2	4	6	9	12	21
" MULTIPLE DX	901	8.5	101	2	2	5	10	17	27	56
TOTAL 65-69 YRS	659	6.1	45	1	2	4	7	11	17	36
70-74	451	6.9	63	1	2	5	8	14	19	55
75-79	261	7.7	96	1	2	5	9	15	24	41
80-84	95	10.2	108	2	2	7	12	27	34	48
85+	50	10.8	231	1	2	5	12	22	32	95
GRAND TOTAL	1516	7.0	71	1	2	5	8	14	21	44

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	98	6.7	69	1	2	4	7	14	19	50
70-74	73	7.0	36	2	2	5	8	14	21	30
75-79	26	9.7	227	2	3	5	9	18	31	80
80-84	21	6.8	42	<1	<1	4	9	16	21	27
85+	3	7.3	10	5	5	6	10	11	11	11
2. MULTIPLE DX										
65-69 YRS	156	8.9	93	2	2	6	10	19	24	51
70-74	106	12.5	250	2	3	7	14	27	55	99
75-79	71	11.4	101	2	3	8	17	23	31	54
80-84	28	14.9	162	2	3	12	20	30	33	63
85+	17	12.5	105	3	5	7	19	24	37	43
TOT. SINGLE DX	221	7.2	73	1	2	5	8	15	19	42
" MULTIPLE DX	378	11.0	147	2	2	7	14	23	31	76
TOTAL 65-69 YRS	254	8.1	85	1	2	5	10	16	22	52
70-74	179	10.3	170	2	3	6	11	22	35	93
75-79	97	11.0	134	2	3	7	15	22	31	70
80-84	49	11.4	125	<1	1	8	15	26	30	63
85+	20	11.7	93	3	5	7	15	23	34	43
GRAND TOTAL	599	9.6	123	2	2	6	11	20	28	66

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	51	3.0	17	<1	1	2	3	5	10	26
70-74	33	3.6	17	<1	1	2	4	7	12	22
75-79	21	3.0	7	1	1	2	3	[illegible]	10	13
80-84	14	3.9	8	1	1	3	5	7	11	12
85+	16	5.6	20	<1	1	4	8	13	14	15
2. MULTIPLE DX										
65-69 YRS	116	7.3	116	1	1	3	9	17	27	61
70-74	101	8.4	199	1	1	3	8	26	47	87
75-79	63	13.3	310	1	1	7	17	40	55	99
80-84	35	9.1	143	1	1	4	13	21	42	51
85+	29	8.6	146	1	1	5	10	20	26	63
TOT. SINGLE DX	135	3.5	16	<1	1	2	4	7	12	23
" MULTIPLE DX	344	9.0	184	1	1	3	10	23	42	77
TOTAL 65-69 YRS	167	6.0	90	1	1	2	6	15	22	56
70-74	134	7.2	158	1	1	2	7	21	39	80
75-79	84	10.7	254	1	1	4	13	37	53	98
80-84	49	7.6	110	1	1	4	8	20	24	51
85+	45	7.5	102	1	1	4	10	15	22	63
GRAND TOTAL	479	7.5	142	1	1	3	8	18	35	71

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	7.3	40	1	1	6	9	18	21	21
70-74	2	24.0	288	12	12	24	36	36	36	36
75-79	4	8.3	81	1	1	5	14	21	21	21
80-84	2	13.0	2	12	12	13	14	14	14	14
85+	4	11.5	133	1	1	8	18	28	28	28
2. MULTIPLE DX										
65-69 YRS	23	30.7	650	3	5	26	54	72	92	99+
70-74	17	14.8	155	1	2	11	21	34	41	44
75-79	7	26.7	157	18	18	22	44	85	99+	99+
80-84	13	21.8	271	1	3	18	29	49	55	57
85+	11	20.8	231	2	5	17	27	44	54	55
TOT. SINGLE DX	21	10.4	87	1	1	8	13	24	32	36
" MULTIPLE DX	71	23.3	371	2	4	18	34	55	70	99+
TOTAL 65-69 YRS	32	24.1	586	2	2	14	36	69	86	99+
70-74	19	15.7	162	1	2	12	26	36	40	44
75-79	11	20.0	205	1	2	19	31	65	95	99+
80-84	15	20.7	242	2	4	16	26	47	54	57
85+	15	18.3	212	1	2	15	27	37	50	55
GRAND TOTAL	92	20.4	334	1	2	15	28	54	69	99+

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	87	11.6	178	1	2	6	16	26	37	68
70-74	83	11.0	163	1	2	7	13	23	32	73
75-79	79	11.3	116	2	2	8	15	28	36	49
80-84	52	8.2	71	1	2	5	11	20	35	98
85+	49	11.8	152	2	3	8	15	22	43	62
2. MULTIPLE DX										
65-69 YRS	700	21.2	307	3	5	17	28	47	60	95
70-74	701	21.2	272	3	4	18	29	44	55	90
75-79	478	23.2	345	3	5	18	32	53	65	93
80-84	331	21.5	279	3	5	17	30	48	57	96
85+	271	21.9	329	3	4	18	29	48	70	99+
TOT. SINGLE DX	350	10.9	141	2	2	7	13	24	36	62
" MULTIPLE DX	2481	21.7	304	3	5	17	29	48	60	95
TOTAL 65-69 YRS	787	20.1	302	3	4	15	27	44	59	93
70-74	784	20.1	270	3	4	16	28	43	53	88
75-79	557	21.5	330	2	4	17	29	49	61	90
80-84	383	19.7	272	3	4	15	27	45	56	98
85+	320	20.3	315	3	4	16	26	45	68	99+
GRAND TOTAL	2831	20.4	296	3	4	16	28	45	58	93

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	49	21.1	133	5	9	21	28	35	56	99+
70-74	57	20.7	202	6	7	17	25	50	57	97
75-79	51	21.5	257	9	10	18	28	36	77	99+
80-84	28	21.9	195	8	9	19	28	38	60	60
85+	55	19.3	165	6	7	14	26	36	48	64
2. MULTIPLE DX										
65-69 YRS	768	31.8	392	9	12	27	42	68	84	99+
70-74	827	32.4	410	9	11	28	47	70	91	99+
75-79	800	32.2	393	9	12	28	44	70	93	99+
80-84	523	32.2	411	10	12	27	45	67	86	99+
85+	490	27.2	319	8	10	22	36	58	73	99+
TOT. SINGLE DX	240	20.8	188	7	8	17	27	37	53	99+
" MULTIPLE DX	3408	31.4	392	9	11	27	43	67	88	99+
TOTAL 65-69 YRS	817	31.2	383	9	11	26	41	68	84	99+
70-74	884	31.7	405	8	11	27	46	69	90	99+
75-79	851	31.5	392	9	12	27	43	69	92	99+
80-84	551	31.6	406	9	12	26	44	66	85	99+
85+	545	26.4	309	8	9	22	35	56	71	99+
GRAND TOTAL	3648	30.7	386	9	11	26	42	66	86	99+

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	45	18.2	77	7	9	16	22	32	35	46
70-74	47	19.0	120	6	7	17	24	33	39	56
75-79	37	21.4	243	6	9	17	27	33	61	74
80-84	45	17.6	139	3	6	15	24	36	42	50
85+	79	20.8	238	7	8	17	26	50	61	99+
2. MULTIPLE DX										
65-69 YRS	535	30.0	393	8	10	24	40	64	82	99+
70-74	676	27.7	364	8	10	22	39	[illegible]	90	99+
75-79	706	27.7	394	8	9	22	38	63	86	99+
80-84	708	26.2	312	8	9	22	35	58	78	99+
85+	924	22.4	259	6	8	18	29	49	69	99+
TOT. SINGLE DX	253	19.5	171	6	8	16	25	35	50	84
" MULTIPLE DX	3549	26.4	344	7	9	21	36	59	81	99+
TOTAL 65-69 YRS	580	29.1	378	8	10	24	39	62	80	99+
70-74	723	27.1	353	8	10	21	38	61	86	99+
75-79	743	27.4	388	8	9	22	37	62	86	99+
80-84	753	25.7	306	7	9	21	35	58	76	99+
85+	1003	22.3	258	6	8	18	28	50	69	99+
GRAND TOTAL	3802	25.9	335	7	9	21	35	58	80	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	16	21.6	249	6	7	14	32	44	54	59
70-74	13	21.3	148	4	5	18	28	39	46	48
75-79	7	20.1	156	6	7	17	32	36	37	37
80-84	8	20.4	360	2	5	15	20	52	65	65
85+	5	26.6	535	6	6	13	47	59	59	59
2. MULTIPLE DX										
65-69 YRS	205	29.5	310	8	11	27	40	61	77	99+
70-74	192	31.9	426	9	11	27	45	66	83	99+
75-79	141	31.8	418	6	11	27	45	66	81	99+
80-84	100	34.5	395	10	13	33	52	71	99+	99+
85+	79	26.9	338	5	10	23	35	65	89	99+
TOT. SINGLE DX	49	21.6	235	5	6	17	28	44	59	65
" MULTIPLE DX	717	31.0	380	9	11	27	43	65	83	99+
TOTAL 65-69 YRS	221	28.9	309	8	10	26	39	59	76	99+
70-74	205	31.2	414	9	11	26	44	65	82	99+
75-79	148	31.3	411	6	11	27	43	65	81	99+
80-84	108	33.4	403	9	12	31	52	71	98	99+
85+	84	26.9	343	5	10	23	36	65	88	99+
GRAND TOTAL	766	30.4	375	8	11	26	42	64	82	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	6.8	35	1	1	5	10	15	15	15
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	7	9.3	88	3	3	6	9	26	30	30
70-74	5	3.8	2	2	2	5	5	5	5	5
75-79	5	10.0	65	2	2	11	14	22	22	22
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	94.0		94	94	94	94	94	94	94
TOT. SINGLE DX	6	5.2	27	1	1	4	6	14	15	15
" MULTIPLE DX	19	12.5	441	2	2	6	11	27	65	94
TOTAL 65-69 YRS	11	8.4	65	1	2	6	9	21	29	30
70-74	6	3.5	3	2	2	3	5	5	5	5
75-79	6	8.7	63	2	2	7	12	21	22	22
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	94.0		94	94	94	94	94	94	94
GRAND TOTAL	25	10.7	347	1	2	5	10	22	46	94

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	43	9.9	146	1	2	6	14	24	25	72
70-74	37	11.1	101	1	1	10	16	30	31	32
75-79	28	10.8	102	2	2	9	13	26	31	45
80-84	13	12.1	116	<1	2	8	17	29	35	37
85+	14	7.3	30	<1	1	7	9	15	20	21
2. MULTIPLE DX										
65-69 YRS	159	17.9	318	2	4	11	25	39	64	99
70-74	138	15.3	187	2	3	12	20	36	53	99+
75-79	100	18.1	181	4	5	16	24	39	52	83
80-84	56	17.1	217	3	4	14	21	42	45	99
85+	42	15.5	243	3	4	10	20	27	38	94
TOT. SINGLE DX	135	10.3	109	1	1	7	14	25	30	49
" MULTIPLE DX	495	16.9	236	3	4	12	22	39	55	99+
TOTAL 65-69 YRS	202	16.2	292	2	3	10	23	39	59	98
70-74	175	14.4	172	1	3	11	20	32	48	99+
75-79	128	16.5	173	2	3	12	22	35	47	73
80-84	69	16.2	201	3	3	13	21	40	44	96
85+	56	13.5	201	2	3	9	18	25	33	91
GRAND TOTAL	630	15.5	216	2	3	11	21	35	48	99+

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	8.6	30	1	2	9	11	17	19	19
70-74	4	12.5	49	5	5	12	18	21	21	21
75-79	2	12.0	2	11	11	12	13	13	13	13
80-84	4	10.5	33	5	5	10	15	16	16	16
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	11	13.7	99	4	5	8	20	31	32	32
70-74	12	17.0	160	3	6	14	19	38	47	49
75-79	8	16.1	55	2	5	16	20	26	28	28
80-84	9	17.3	272	5	5	9	28	44	54	54
85+	3	16.7	220	4	4	13	28	33	33	33
TOT. SINGLE DX	20	10.4	30	2	4	10	14	17	20	21
" MULTIPLE DX	43	16.0	139	3	5	13	20	32	39	54
TOTAL 65-69 YRS	20	11.4	72	2	4	8	14	26	31	32
70-74	16	15.9	132	4	5	14	19	32	44	49
75-79	10	15.3	46	2	6	15	20	24	28	28
80-84	13	15.2	201	5	5	9	19	33	50	54
85+	4	16.0	149	4	4	13	23	33	33	33
GRAND TOTAL	63	14.2	111	3	5	13	17	29	33	53

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1579	3.4	11	<1	1	2	3	7	10	16
70-74	1134	3.6	10	1	1	2	4	8	10	16
75-79	689	4.1	12	1	2	3	5	9	12	17
80-84	342	4.3	14	1	2	3	5	9	12	18
85+	208	5.1	38	1	2	3	6	9	15	25
2. MULTIPLE DX										
65-69 YRS	1715	6.8	64	1	2	4	9	15	21	38
70-74	1475	7.7	72	2	2	4	10	17	24	42
75-79	1031	8.8	97	2	2	5	11	18	28	62
80-84	637	10.6	124	2	2	8	13	21	33	62
85+	488	11.0	127	2	2	8	14	24	31	83
TOT. SINGLE DX	3952	3.7	13	1	1	2	4	8	11	17
" MULTIPLE DX	5346	8.3	88	2	2	5	10	18	26	48
TOTAL 65-69 YRS	3294	5.2	42	1	2	3	6	11	16	32
70-74	2609	5.9	50	1	2	3	7	13	18	38
75-79	1720	6.9	69	2	2	4	9	15	21	47
80-84	979	8.4	95	2	2	5	11	18	27	54
85+	696	9.2	108	2	2	6	12	21	29	77
GRAND TOTAL	**9298**	**6.4**	**61**	**1**	**2**	**3**	**8**	**14**	**20**	**41**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	155	5.6	13	2	2	5	7	10	13	18
70-74	144	7.0	24	2	2	6	9	13	16	24
75-79	116	6.0	13	1	2	5	8	10	12	19
80-84	143	7.2	20	2	3	6	9	12	14	27
85+	157	8.1	27	2	3	7	10	13	18	29
2. MULTIPLE DX										
65-69 YRS	245	10.3	99	2	3	7	12	21	30	53
70-74	222	11.2	101	3	3	8	13	22	34	63
75-79	292	10.7	57	3	4	9	14	20	22	38
80-84	256	13.3	117	3	5	10	17	26	36	71
85+	289	11.8	83	3	5	9	14	22	27	53
TOT. SINGLE DX	715	6.8	21	2	2	6	9	12	15	24
" MULTIPLE DX	1304	11.5	91	3	4	9	14	22	30	53
TOTAL 65-69 YRS	400	8.5	71	2	2	6	10	18	23	46
70-74	366	9.6	75	2	3	7	11	19	27	50
75-79	408	9.3	49	2	3	7	12	18	22	34
80-84	399	11.1	91	3	3	8	13	21	31	53
85+	446	10.5	67	3	4	8	13	19	26	44
GRAND TOTAL	**2019**	**9.8**	**71**	**2**	**3**	**8**	**12**	**19**	**25**	**47**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1309	8.3	10	4	5	8	10	12	14	19
70-74	1036	8.6	13	4	5	8	10	13	15	21
75-79	734	9.1	17	5	5	8	10	14	16	24
80-84	343	8.9	12	5	5	8	11	13	16	20
85+	153	9.4	10	5	6	9	11	14	16	21
2. MULTIPLE DX										
65-69 YRS	1934	10.7	45	5	5	9	12	17	23	37
70-74	1709	11.2	44	5	6	10	13	18	23	39
75-79	1226	12.0	55	5	6	10	14	20	26	41
80-84	699	12.2	54	5	6	10	14	20	27	40
85+	363	12.4	54	5	6	11	15	20	26	50
TOT. SINGLE DX	3575	8.6	13	4	5	8	10	13	15	21
" MULTIPLE DX	5931	11.4	49	5	6	10	13	18	24	40
TOTAL 65-69 YRS	3243	9.7	33	5	5	8	11	15	19	32
70-74	2745	10.2	34	5	5	9	12	16	20	35
75-79	1960	10.9	44	5	6	9	12	17	23	38
80-84	1042	11.1	43	5	6	9	13	18	23	37
85+	516	11.5	43	5	6	10	14	18	24	47
GRAND TOTAL	**9506**	**10.4**	**37**	**5**	**5**	**9**	**12**	**16**	**21**	**36**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380
and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	134	3.7	4	1	2	3	5	6	7	14
70-74	88	4.0	11	1	1	3	5	7	8	22
75-79	32	4.4	21	<1	1	3	5	7	12	26
80-84	16	3.2	1	2	2	3	4	5	5	5
85+	10	5.8	25	2	2	4	8	14	18	18
2. MULTIPLE DX										
65-69 YRS	219	5.8	29	2	2	4	7	10	14	27
70-74	129	7.0	80	1	2	5	7	13	18	62
75-79	69	6.9	44	2	2	5	8	14	22	36
80-84	36	10.4	119	2	2	7	13	35	81	99+
85+	19	8.6	81	2	2	5	15	29	68	99+
TOT. SINGLE DX	280	3.9	9	1	2	3	5	6	8	17
" MULTIPLE DX	472	6.8	55	2	2	5	7	13	20	57
TOTAL 65-69 YRS	353	5.0	21	2	2	4	6	9	12	23
70-74	217	5.8	54	1	2	4	6	10	14	37
75-79	101	6.1	38	1	2	4	7	12	21	33
80-84	52	8.2	93	2	2	5	10	28	49	99+
85+	29	7.6	62	2	2	4	10	21	36	99+
GRAND TOTAL	**752**	**5.7**	**40**	**1**	**2**	**4**	**6**	**10**	**17**	**38**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	3.8	1	2	2	3	5	6	7	7
70-74	13	5.9	26	1	2	4	8	16	17	17
75-79	2	9.0	72	3	3	9	15	15	15	15
80-84	3	4.3	4	2	2	5	6	6	6	6
85+	7	8.4	54	<1	1	5	15	19	20	20
2. MULTIPLE DX										
65-69 YRS	27	6.8	21	2	2	5	10	15	27	99+
70-74	17	16.1	270	2	3	10	23	32	56	68
75-79	12	12.3	119	3	4	9	14	30	39	41
80-84	7	17.9	459	4	4	6	30	54	59	59
85+	1	3.0		3	3	51	99+	99+	99+	99+
TOT. SINGLE DX	44	5.5	21	1	2	4	6	15	17	20
" MULTIPLE DX	64	11.5	163	2	3	7	14	33	61	99+
TOTAL 65-69 YRS	46	5.6	15	2	2	4	7	13	16	99+
70-74	30	11.7	187	2	2	7	16	27	33	68
75-79	14	11.9	108	3	3	9	15	27	38	41
80-84	10	13.8	350	2	3	5	11	47	59	59
85+	8	7.8	50	<1	1	5	18	68	99+	99+
GRAND TOTAL	**108**	**9.0**	**113**	**2**	**2**	**5**	**11**	**21**	**36**	**99+**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1059	3.7	20	<1	<1	2	4	8	12	25
70-74	880	4.5	37	<1	<1	3	5	10	14	31
75-79	564	5.4	49	<1	1	3	6	13	19	40
80-84	398	5.8	68	<1	1	3	7	14	20	42
85+	331	5.7	65	<1	1	3	6	13	20	37
2. MULTIPLE DX										
65-69 YRS	2546	9.9	113	1	2	7	13	22	30	60
70-74	2326	11.0	135	2	2	7	14	24	34	73
75-79	1893	11.9	152	1	2	8	15	26	36	75
80-84	1342	13.0	157	2	2	10	17	28	41	92
85+	1343	12.6	146	2	2	9	17	27	37	91
TOT. SINGLE DX	3232	4.7	41	<1	<1	3	5	10	16	34
" MULTIPLE DX	9450	11.4	139	1	2	8	15	25	35	74
TOTAL 65-69 YRS	3605	8.1	94	<1	1	5	10	18	27	53
70-74	3206	9.2	117	1	1	6	11	21	31	67
75-79	2457	10.4	136	1	2	7	13	24	33	69
80-84	1740	11.3	146	1	2	8	15	26	37	83
85+	1674	11.2	138	1	2	8	15	25	34	79
GRAND TOTAL	**12682**	**9.7**	**122**	**1**	**2**	**6**	**12**	**22**	**31**	**66**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	776	8.2	85	1	1	5	10	18	28	48
70-74	648	9.1	116	1	1	5	11	21	29	56
75-79	529	10.2	131	1	2	6	13	24	35	56
80-84	363	10.1	127	1	1	6	13	24	33	59
85+	313	9.2	94	1	2	6	13	20	29	42
2. MULTIPLE DX										
65-69 YRS	3208	14.8	234	1	2	10	20	36	51	99
70-74	3001	16.2	270	1	2	11	22	41	55	99+
75-79	2650	17.5	284	2	3	12	24	43	59	99+
80-84	2134	18.5	317	2	3	13	26	48	69	99+
85+	2248	17.1	265	2	3	13	24	46	65	99+
TOT. SINGLE DX	2629	9.2	110	1	1	5	12	21	30	55
" MULTIPLE DX	13241	16.7	273	1	2	12	23	42	59	99+
TOTAL 65-69 YRS	3984	13.5	212	1	2	9	18	33	46	95
70-74	3649	15.0	250	1	2	10	20	38	51	98
75-79	3179	16.3	266	1	2	11	22	41	55	99+
80-84	2497	17.3	299	1	2	12	24	45	65	99+
85+	2561	16.1	251	1	2	12	22	42	61	99+
GRAND TOTAL	**15870**	**15.4**	**253**	**1**	**2**	**10**	**21**	**39**	**55**	**99+**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	185	15.6	216	1	2	11	22	36	44	80
70-74	158	16.4	138	2	4	14	23	35	40	65
75-79	148	16.5	197	2	2	13	25	36	41	77
80-84	97	19.5	243	3	4	17	26	39	53	98
85+	88	19.0	193	2	4	15	29	36	43	64
2. MULTIPLE DX										
65-69 YRS	573	22.7	331	2	4	18	30	50	64	89
70-74	559	26.0	369	3	5	22	37	54	72	99+
75-79	477	27.7	392	4	8	24	38	60	81	99+
80-84	364	29.1	378	6	9	24	40	63	81	99+
85+	309	28.4	349	5	8	25	37	62	85	99+
TOT. SINGLE DX	676	17.0	196	2	2	14	25	36	42	76
" MULTIPLE DX	2282	26.4	368	3	6	23	36	58	73	99+
TOTAL 65-69 YRS	758	21.0	312	2	3	17	29	45	62	87
70-74	717	23.9	335	2	5	20	34	49	67	99+
75-79	625	25.0	369	3	5	21	35	54	74	99+
80-84	461	27.1	364	5	8	22	38	61	80	99+
85+	397	26.3	330	4	7	24	35	56	78	99+
GRAND TOTAL	**2958**	**24.2**	**344**	**2**	**5**	**20**	**33**	**52**	**69**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	6.4	71	1	1	3	8	20	38	99+
70-74	24	7.4	69	1	1	3	14	19	27	28
75-79	21	10.0	85	1	1	6	20	24	26	27
80-84	12	20.2	454	2	3	19	28	84	97	99+
85+	10	14.4	129	<1	1	12	24	30	35	35
2. MULTIPLE DX										
65-69 YRS	102	18.0	392	1	2	11	28	48	84	99+
70-74	98	19.2	375	1	2	16	27	53	79	99+
75-79	79	20.9	485	2	2	14	31	50	76	89
80-84	39	27.6	614	2	3	25	48	85	99+	99+
85+	32	26.0	527	2	3	23	49	98	99+	99+
TOT. SINGLE DX	98	9.9	140	1	1	4	17	26	[illegible]	99+
" MULTIPLE DX	350	20.8	451	1	2	15	34	60	86	99+
TOTAL 65-69 YRS	133	15.3	341	1	1	8	22	45	78	99+
70-74	122	16.9	337	1	1	14	26	44	73	99+
75-79	100	18.6	420	1	2	11	27	46	64	87
80-84	51	25.9	577	2	3	20	47	81	99+	99+
85+	42	23.2	452	2	2	20	41	85	99+	99+
GRAND TOTAL	**448**	**18.4**	**403**	**1**	**2**	**12**	**28**	**53**	**84**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	193	2.8	5	<1	1	2	3	5	6	13
70-74	131	3.1	6	1	1	2	4	6	10	15
75-79	74	3.7	24	<1	1	3	4	6	7	35
80-84	36	5.5	44	1	2	3	6	13	16	38
85+	27	4.7	15	<1	<1	3	7	9	11	19
2. MULTIPLE DX										
65-69 YRS	550	8.1	98	1	1	5	11	19	25	51
70-74	407	9.5	88	1	2	7	13	21	29	99+
75-79	355	13.0	162	2	3	9	17	29	41	99
80-84	271	15.4	221	2	3	11	20	39	60	99+
85+	227	16.4	248	3	4	12	22	50	97	99+
TOT. SINGLE DX	461	3.4	13	<1	1	3	4	6	8	17
" MULTIPLE DX	1810	11.5	156	1	2	8	15	27	40	99+
TOTAL 65-69 YRS	743	6.8	80	1	1	4	8	16	23	45
70-74	538	8.0	76	1	2	5	11	18	25	73
75-79	429	11.4	152	1	2	8	15	27	39	97
80-84	307	14.2	211	2	3	10	19	36	50	99+
85+	254	15.2	237	2	3	11	21	43	92	99+
GRAND TOTAL	**2271**	**9.9**	**138**	**1**	**2**	**6**	**13**	**23**	**36**	**99+**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	27	5.6	20	1	2	5	6	14	16	19
70-74	23	6.7	17	1	2	6	9	11	15	19
75-79	17	5.8	30	2	2	4	8	15	19	20
80-84	12	8.5	24	1	2	7	12	16	17	17
85+	9	5.6	15	1	1	4	9	11	11	11
2. MULTIPLE DX										
65-69 YRS	178	13.1	176	3	4	9	14	27	35	82
70-74	223	12.6	88	3	4	10	17	25	30	48
75-79	191	11.7	76	2	3	9	15	25	29	41
80-84	115	13.2	158	3	4	10	16	23	33	77
85+	97	12.9	71	3	4	11	16	23	30	47
TOT. SINGLE DX	88	6.3	22	1	2	5	9	13	16	20
" MULTIPLE DX	804	12.6	113	3	4	10	16	25	31	55
TOTAL 65-69 YRS	205	12.1	162	3	3	8	14	25	33	77
70-74	246	12.1	85	3	3	10	16	24	29	48
75-79	208	11.2	75	2	3	9	15	24	28	39
80-84	127	12.8	147	3	4	10	16	23	32	74
85+	106	12.3	71	3	4	11	16	23	30	46
GRAND TOTAL	**892**	**12.0**	**107**	**2**	**3**	**9**	**15**	**24**	**29**	**53**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1073	6.1	34	1	1	4	8	14	18	27
70-74	582	6.5	36	1	1	4	9	15	20	25
75-79	300	6.5	44	1	2	4	9	15	18	31
80-84	81	8.2	105	1	2	4	10	21	25	56
85+	36	8.6	62	1	2	7	11	18	26	36
2. MULTIPLE DX										
65-69 YRS	1961	10.2	94	2	2	8	14	22	27	51
70-74	1453	11.3	110	2	2	9	15	23	31	58
75-79	882	12.7	132	2	2	10	17	27	35	56
80-84	328	14.3	165	2	3	11	19	31	40	79
85+	115	14.8	129	3	4	12	20	29	40	99+
TOT. SINGLE DX	2072	6.4	40	1	1	4	9	15	19	28
" MULTIPLE DX	4739	11.4	114	2	2	9	15	23	31	56
TOTAL 65-69 YRS	3034	8.8	77	1	2	6	12	19	24	43
70-74	2035	9.9	94	1	2	7	13	21	27	47
75-79	1182	11.1	117	1	2	8	15	24	32	55
80-84	409	13.1	159	2	2	10	18	29	40	69
85+	151	13.3	120	2	3	11	18	28	34	99
GRAND TOTAL	**6811**	**9.9**	**96**	**1**	**2**	**7**	**13**	**21**	**28**	**50**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1041	5.1	40	1	2	3	6	10	15	27
70-74	771	5.2	40	1	2	3	6	10	14	30
75-79	529	5.0	31	1	2	3	6	10	14	29
80-84	222	5.7	55	1	2	3	7	12	15	31
85+	64	6.9	44	1	2	4	9	16	20	33
2. MULTIPLE DX										
65-69 YRS	2913	8.7	80	2	2	6	11	17	25	49
70-74	2676	8.8	73	2	2	7	11	18	25	45
75-79	1706	9.4	88	2	2	7	12	19	27	50
80-84	774	9.1	62	2	2	7	12	18	23	42
85+	253	10.6	88	2	2	8	14	20	30	45
TOT. SINGLE DX	2627	5.2	40	1	2	3	6	11	15	29
" MULTIPLE DX	8322	9.0	79	2	2	7	11	18	25	47
TOTAL 65-69 YRS	3954	7.8	73	2	2	5	10	16	23	48
70-74	3447	8.0	69	2	2	6	10	16	23	42
75-79	2235	8.3	79	2	2	6	10	18	25	45
80-84	996	8.3	63	2	2	6	11	17	22	42
85+	317	9.8	82	2	2	8	13	19	28	42
GRAND TOTAL	**10949**	**8.1**	**72**	**2**	**2**	**6**	**10**	**17**	**23**	**44**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	3.6	10	1	2	2	4	9	12	14
70-74	66	4.0	14	1	2	3	4	7	14	21
75-79	18	5.3	13	1	2	4	8	9	13	15
80-84	3	3.0	1	2	2	3	4	4	4	4
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	679	5.8	31	1	2	3	8	13	17	26
70-74	310	7.2	41	1	2	5	10	15	20	32
75-79	98	7.9	69	1	2	5	11	19	23	42
80-84	19	10.5	125	2	2	7	12	28	40	44
85+	5	24.0	182	4	4	22	34	40	40	40
TOT. SINGLE DX	224	3.8	12	1	2	2	4	9	12	17
" MULTIPLE DX	1111	6.5	42	1	2	4	9	14	19	31
TOTAL 65-69 YRS	815	5.4	29	1	2	3	8	13	16	25
70-74	376	6.6	39	1	2	4	9	15	19	31
75-79	116	7.5	61	1	2	5	9	18	22	36
80-84	22	9.5	115	2	2	5	11	23	39	44
85+	6	20.7	212	4	4	22	32	39	40	40
GRAND TOTAL	**1335**	**6.1**	**38**	**1**	**2**	**3**	**8**	**14**	**19**	**29**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1538	5.3	29	1	1	3	7	12	15	25
70-74	1255	5.6	32	1	1	3	8	13	16	28
75-79	794	5.8	30	1	2	3	8	13	17	28
80-84	373	6.6	53	1	2	4	9	14	18	29
85+	194	7.2	32	1	2	6	10	14	18	31
2. MULTIPLE DX										
65-69 YRS	5658	9.0	77	2	2	7	12	19	25	44
70-74	5189	9.6	81	2	2	7	13	20	25	45
75-79	3734	10.2	83	2	2	8	14	21	27	49
80-84	2157	11.3	98	2	2	9	15	22	30	52
85+	1200	13.0	129	2	3	11	17	25	36	77
TOT. SINGLE DX	4154	5.7	33	1	1	3	8	13	16	27
" MULTIPLE DX	17938	10.0	87	2	2	8	13	20	27	49
TOTAL 65-69 YRS	7196	8.2	70	1	2	6	11	17	23	41
70-74	6444	8.8	75	1	2	7	12	18	24	43
75-79	4528	9.5	77	2	2	7	13	20	26	46
80-84	2530	10.6	95	2	2	8	14	21	28	51
85+	1394	12.2	120	2	2	10	16	24	34	75
GRAND TOTAL	**22092**	**9.2**	**80**	**2**	**2**	**7**	**12**	**19**	**25**	**46**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12083	6.9	38	1	2	5	9	13	18	32
70-74	10452	7.4	42	2	2	6	9	15	19	34
75-79	8463	7.7	47	2	2	6	10	15	19	36
80-84	5851	8.2	53	2	2	6	10	16	21	38
85+	4504	8.5	52	2	2	7	11	16	21	40
2. MULTIPLE DX										
65-69 YRS	75920	9.4	64	2	3	7	12	18	24	43
70-74	80207	10.0	72	2	3	8	12	19	26	46
75-79	75001	10.5	79	2	3	8	13	20	27	48
80-84	57936	11.1	88	3	3	9	14	21	28	54
85+	48951	11.5	95	3	4	9	14	22	30	59
TOT. SINGLE DX	41353	7.6	45	2	2	6	9	15	19	35
" MULTIPLE DX	338015	10.4	79	2	3	8	13	20	27	49
TOTAL 65-69 YRS	88003	9.1	62	2	3	7	11	17	23	42
70-74	90659	9.7	70	2	3	7	12	19	25	45
75-79	83464	10.2	77	2	3	8	13	20	26	47
80-84	63787	10.9	86	2	3	8	14	21	28	53
85+	53455	11.3	93	3	3	9	14	22	29	58
GRAND TOTAL	**379368**	**10.1**	**76**	**2**	**3**	**8**	**12**	**20**	**26**	**48**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2716	9.2	72	2	3	7	11	17	24	45
70-74	2264	9.3	58	2	3	8	12	17	23	40
75-79	1834	9.9	76	2	3	8	12	19	26	50
80-84	1308	10.8	97	2	3	8	13	20	28	58
85+	1101	10.5	81	2	3	8	13	19	26	54
2. MULTIPLE DX										
65-69 YRS	14523	10.8	87	2	3	8	13	21	28	54
70-74	15675	11.4	89	3	4	9	14	22	29	53
75-79	14904	12.1	99	3	4	9	15	23	31	57
80-84	12258	12.5	102	3	4	10	16	24	32	57
85+	11794	13.2	115	3	4	10	16	25	33	67
TOT. SINGLE DX	9223	9.8	75	2	3	8	12	18	25	48
" MULTIPLE DX	69154	11.9	99	3	4	9	15	23	31	57
TOTAL 65-69 YRS	17239	10.6	86	2	3	8	13	20	27	53
70-74	17939	11.1	86	3	3	9	14	21	29	52
75-79	16738	11.8	98	3	4	9	14	23	31	56
80-84	13566	12.4	102	3	4	10	15	23	32	57
85+	12895	13.0	113	3	4	10	16	25	33	65
GRAND TOTAL	**78377**	**11.7**	**96**	**3**	**4**	**9**	**14**	**22**	**30**	**56**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4576	7.3	44	1	2	6	9	14	18	33
70-74	4084	7.6	44	2	2	6	10	15	19	36
75-79	3231	8.1	52	2	2	6	10	15	21	41
80-84	2116	8.1	56	2	2	6	10	16	21	38
85+	1782	8.6	62	2	2	7	11	17	23	42
2. MULTIPLE DX										
65-69 YRS	32232	9.2	62	2	3	7	11	18	23	41
70-74	34274	9.7	68	2	3	7	12	18	24	44
75-79	31200	10.3	76	2	3	8	13	20	25	48
80-84	24201	10.9	87	2	3	8	13	21	28	53
85+	22504	11.3	89	3	3	9	14	22	29	54
TOT. SINGLE DX	15789	7.8	50	2	2	6	10	15	20	37
" MULTIPLE DX	144411	10.2	76	2	3	8	13	19	26	47
TOTAL 65-69 YRS	36808	9.0	61	2	3	7	11	17	23	40
70-74	38358	9.5	66	2	3	7	12	18	24	43
75-79	34431	10.1	74	2	3	8	13	19	26	48
80-84	26317	10.7	86	2	3	8	13	21	28	52
85+	24286	11.1	88	2	3	9	14	21	28	53
GRAND TOTAL	**160200**	**9.9**	**74**	**2**	**3**	**8**	**12**	**19**	**25**	**46**

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *IC* *9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number **Title**

- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular — *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease; Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number **Title**

- Reduction (continued)
  - Femur
    - 710 Closed, except with internal fixation
      - 708 With internal fixation
    - 710 Open, except with internal fixation
      - 709 With internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
  - 619 Hemorrhoids
  - Hernia — *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions — *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - Hernia – *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration – *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand
    - 728 Hand
  - 541 Nasal septum, submucous
  - 530 Ocular muscle
  - 660 Ovary
  - 608 Rectum (abdominoperineal) (pull-through)
  - 549 Root of tooth
  - 598 Small intestine
  - 730 Tendon, except of hand
    - 728 Hand
- 548 Restoration, tooth
- 758 Retrograde pyelogram
- Revision
  - 739 Amputation stump
  - 581 Arteriovenous shunt for dialysis
  - 596 Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, urofiometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin